Database Systems Lab

SESSION 4

Table scan: Linear search on a non-indexed field

In this lab session, you will build search in Personal Data Store (PDS) based on a non-indexed field. You are expected to read the data from the data file one block at a time and do a linear search in each block until the requisite record is found.

Main PDS functions

A) pds_open
No change from Session 3

B) put_rec_by_key
No change from Session 3

C) get_rec_by_key rename to get_rec_by_ndx_key
No change from Session 3

D) pds_close
No change from Session 3

E) get_rec_by_non_ndx_key
This is a new search function you need to add to PDS for the purpose of searching based on a key field on which an index does not exist. This function actually does a full table scan by reading the data file until the desired record is found.

```
int get_rec_by_non_ndx_key(
       void *key,                  /* The search key */
       void *rec,                  /* The output record */
       int (*matcher)(void *rec, void *key), /*Function pointer for matching*/
       int *io_count               /* Count of the number of records read */
);
```

F) contact.c changes
Add the following functions to contact.c

```
       // Use get_rec_by_non_ndx_key function to search contact
       int search_contact_by_phone( struct Contact *c, char *phone );

       //Return 0 if phone of the contact matches with phone parameter
       // Return 1 if phone of the contact does NOT match
       // Return > 1 in case of any other error
       int match_contact_phone( struct Contact *c, char *phone );
```

G) New program contact_loader.c
Create a new program called contact_loader.c

- Contains a main program that takes **two command line parameters**: Name of the binary output data file (e.g., scandemo) and name of input data file (e.g., contact_dump.txt)
- Use store_contacts function present in contact.c to bulk import contacts

Testing

a. Use contact_loader.c program to import contacts in bulk for testing. Input file with data is given to you.
b. The following driver program is given to you:
    - pds_tester.c (generic testing with input data file like testcase.in).
    - This file takes a file with commands such as (CREATE, STORE, RETRIEVE, OPEN, CLOSE) inside.
c. Test your program thoroughly with the above driver program with the test input file
d. Do additional testing by creating your own test input files

Commands

A. Use the following command for creating contact_loader executable:

```
gcc -o contact_loader contact_loader.c bst.c contact.c
pds.c
```

Use contact loader to import data using the following command:

```
contact_loader scandemo contact_dump.txt
```

B. Use the following command for creating pds_tester executable:

```
gcc -o pds_tester bst.c contact.c pds.c pds_tester.c
```

For testing using pds_tester, use the following command:

```
pds_tester testcase.in
```

Submission

Upload ONLY the following file to LMS:

- pds.c
- contact.c
- contact_loader.c

YOU ARE NOT EXPECTED CHANGE ANY OF THE OTHER FILES GIVEN TO YOU