Teluqu

Range: 0C00-0C7F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 16.0*

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-16.0/ for charts showing only the characters added in Unicode 16.0. See https://www.unicode.org/Public/16.0.0/charts/ for a complete archived file of character code charts for Unicode 16.0. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 16.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 16.0, online at https://www.unicode.org/versions/Unicode16.0.0/, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991–2024 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

1 ○ C	0C60 70 0C61 70 0C62 70 0C63	
1 ○ (0C60 77 0C61 78 0C62 0C63	
1	で 00061 の0062 の0063	
2 ○ ○ &	0C61 ¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬	
2 ○ ○ &	0C61 ¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬	
2	ා 0C62 ා 0C63	
3	0C62 \$\mathref{y}\$ 0C63	
3	0C62 \$\mathref{y}\$ 0C63	
3	0C62 \$\mathref{y}\$ 0C63	
3	ွာ 0063 O	
4	© (CG)	
4	© (CG)	
4	© (CG)	
4	0	
4	0	
4		
5		
5		
5		
0C05		
0C05		
6		
6		
7 3 6 4 5 5 6 6 6 6 6 7 6 7 7 8 7 7 8 1 1 1 1 1 1 1 1 1 1		
7 3 6 4 5 5 6 6 6 6 6 7 6 7 7 8 7 7 8 1 1 1 1 1 1 1 1 1 1		
7 3 6 6 6 6 6 6 6 6 6 6	0C66	
7	0000	111111
0C07 0C17 0C27 0C37 0C47		(//////
0C07 0C17 0C27 0C37 0C47		
0C07 0C17 0C27 0C37 0C47	\circ	9
8 ఈ మ న స ే నే	0C67	0C77
్ట్రామ్ న్ స్ ్ సే ్	0001	0011
81 08 20 20 20 20 20 20	_	\sim
~	೨	9
0C08 0C18 0C28 0C38 0C48 0C58	0C68	0C78
3333 3313 3333 3333		00.0
g a 忠	~	
9 a a a	3	
0C09 0C19 0C39 0C59	0C69	0C79
🗚 ఊ చ ప 🔎 ొ ఉ		
🗚 ఊ ద్వ్యుత్ కొండి	ပွ	∣Ч
0C0A 0C1A 0C2A 0C4A 0C5A	0C6A	0C7A
B ໝ 女 ఫ で	~	
B ఋ 女 英 () () () ()	×	ιщ
	0C6B	0C7B
cl ານ ຂ ຍ ່ ິັ 🤍 🗎 :	_	
c 吻 జ బ ့ ் 🛝 💢		_
0C0C 0C1C 0C2C 0C3C 0C4C	0C6C	0C7C
□ లు మ ఒ ్ Ε	S	2
□ ్ ర్లు భ ఒ ్ Ε	0	_
0C1D 0C2D 0C3D 0C4D 0C5D	0C6D	0C7D
₌I ఎ ఞ మ ౌ ∭∭∭ (3_
$E[\ o\ \ g^{L}\ \ o\ \]$		_
	<u></u>	
0C0E 0C1E 0C2E 0C3E		0C7E
	5	0C7E
	0C6E	
F ఏ ట య ီ	5	0C7E 0C7F

Various signs	0C32
0C00 Š TELUGU SIGN COMBINING CANDRABINDU	0C33 ∜ TELUGU LETTER LLA
ABOVE ABOVE	0C34 ⇔ TELUGU LETTER LLLA
0C01 ○ € TELUGU SIGN CANDRABINDU	0C35 ವ TELUGU LETTER VA
= arasunna	0C36 성 TELUGU LETTER SHA
• indicates a contextually elided nasal	0C37 및 TELUGU LETTER SSA
0C02 o TELUGU SIGN ANUSVARA	0C38 ℅ TELUGU LETTER SA
= sunna	0C39 TELUGU LETTER HA
 used in Prakrit language texts to indicate 	
gemination of the following consonant	Sign
0C03 ಃ TELUGU SIGN VISARGA	0C3C ♀ TELUGU SIGN NUKTA
0C04 ° TELUGU SIGN COMBINING ANUSVARA ABOVE	 used for Tamil transliteration and Perso-Arabic
• used in Prakrit language texts for the linguistic	phonemes
anusvara	 can also appear as a large dot, should be
	placed sufficiently below the baseline of a
Independent vowels	consonant to avoid confusion/collision with
0C05 ⊌ TELUGU LETTER A	the aspiration marker
0C06 ಆ TELUGU LETTER AA	Addition for Sanskrit
0C07 ಇ TELUGU LETTER I	0C3D ≥ TELUGU SIGN AVAGRAHA
0C08 ಈ TELUGU LETTER II	Demandant varial sinns
0C09 & TELUGU LETTER U	Dependent vowel signs
0C0A ಈ TELUGU LETTER UU	0C3E ್ TELUGU VOWEL SIGN AA
0C0B ఋ TELUGU LETTER VOCALIC R	0C3F 🏌 TELUGU VOWEL SIGN I
0C0C ಌ TELUGU LETTER VOCALIC L	0C40 & TELUGU VOWEL SIGN II
0C0D 🔘 <reserved></reserved>	0C41 ು TELUGU VOWEL SIGN U
0C0E ಎ TELUGU LETTER E	0C42 ూ TELUGU VOWEL SIGN UU
0C0F ఏ TELUGU LETTER EE	0C43 ೃ TELUGU VOWEL SIGN VOCALIC R
0C10 ສ TELUGU LETTER AI	0C44 ್ಗ್ TELUGU VOWEL SIGN VOCALIC RR
0C11 <a> <reserved></reserved>	0C45 🔯 <reserved></reserved>
0C12 ಒ TELUGU LETTER O	0C45 S <reserved> 0C46 3 TELUGU VOWEL SIGN E</reserved>
0C13 & TELUGU LETTER OO	0C47 ೆ TELUGU VOWEL SIGN EE
0C14 & TELUGU LETTER AU	0C48 ৄ TELUGU VOWEL SIGN AI
Consonants	≡ 0C46 ് 0C56 ू
	0C49 S <reserved></reserved>
OC15 & TELUGU LETTER KA	0C4A 📆 TELUGU VOWEL SIGN O
OC16 ap TELUGU LETTER KHA	0C4B 🥂 TELUGU VOWEL SIGN OO
OC17 & TELUGU LETTER GA	0C4C
OC18 το TELUGU LETTER GHA	Virama
0C19	0C4D
0C1A ವ TELUGU LETTER CA	= halant (the preferred name)
0C1B ಭ TELUGU LETTER CHA	·
0C1C ≈ TELUGU LETTER JA	Various signs
0C1D ఝ TELUGU LETTER JHA	0C55 ँ TELUGU LENGTH MARK
0C1E ஓ₄ TELUGU LETTER NYA	0C56 ౖ TELUGU AI LENGTH MARK
0C1F	Historic phonetic variants
0C20 ಠ TELUGU LETTER TTHA	0C58 ಪೆ TELUGU LETTER TSA
0C21 డ TELUGU LETTER DDA	0C59
0C22 ఢ TELUGU LETTER DDHA	
0C23 ⇔ TELUGU LETTER NNA	OC5A ⊕ TELUGU LETTER RRRA • letter for an alveolar consonant whose exact
0C24 ಕ TELUGU LETTER TA	phonetic value is not known
0C25 φ TELUGU LETTER THA	priorietic value is not known
0000 // ===============================	
0C26 ద TELUGU LETTER DA	Consonant
	Consonant 0C5D & TELUGU LETTER NAKAARA POLLU
0C27	
0C27 భ TELUGU LETTER DHA 0C28 న TELUGU LETTER NA	0C5D & TELUGU LETTER NAKAARA POLLU
0C27	0C5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na
0C27	OC5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → OCDD € kannada letter nakaara pollu → 0D7B ♂ malayalam letter chillu n
OC27	OC5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → OCDD € kannada letter nakaara pollu → 0D7B n³ malayalam letter chillu n Additional vowels for Sanskrit
0C27	0C5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → 0CDD € kannada letter nakaara pollu → 0D7B ൻ malayalam letter chillu n Additional vowels for Sanskrit 0C60 ౠ TELUGU LETTER VOCALIC RR
OC27	OC5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → OCDD € kannada letter nakaara pollu → 0D7B n³ malayalam letter chillu n Additional vowels for Sanskrit
0C27	0C5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → 0CDD € kannada letter nakaara pollu → 0D7B ൻ malayalam letter chillu n Additional vowels for Sanskrit 0C60 ౠ TELUGU LETTER VOCALIC RR
0C27	0C5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → 0CDD € kannada letter nakaara pollu → 0D7B ಡಿ malayalam letter chillu n Additional vowels for Sanskrit 0C60 ಟ್ರ್ TELUGU LETTER VOCALIC RR 0C61 ಶ್ TELUGU LETTER VOCALIC LL Dependent vowels
0C27	0C5D € TELUGU LETTER NAKAARA POLLU • vowelless form of na → 0CDD € kannada letter nakaara pollu → 0D7B ಡಿ malayalam letter chillu n Additional vowels for Sanskrit 0C60 ಟು TELUGU LETTER VOCALIC RR 0C61 ಶ್ TELUGU LETTER VOCALIC LL Dependent vowels

Reserved

For viram punctuation, use the generic Indic 0964 and 0965.

0C64 <a> <reserved>

→ 0964 I devanagari danda

0C65 <reserved>

→ 0965 II devanagari double danda

Digits

- 0C66 O TELUGU DIGIT ZERO 0C67 ∩ TELUGU DIGIT ONE ೨ TELUGU DIGIT TWO 0C68 0C69 3 **TELUGU DIGIT THREE** 0C6A ౪ **TELUGU DIGIT FOUR**

- 0C6D & TELUGU DIGIT SEVEN 0C6E & TELUGU DIGIT EIGHT
- 0C6F ╒ TELUGU DIGIT NINE

Sign

- - = siddhirastu
 - used at the beginning of texts as an invocation
 - → A8FC > devanagari sign siddham
 - → 111DB **9** sharada sign siddham

Telugu fractions and weights

- 0C78 TELUGU FRACTION DIGIT ZERO FOR ODD POWERS OF FOUR
- 0C79 TELUGU FRACTION DIGIT ONE FOR ODD POWERS OF FOUR
- TELUGU FRACTION DIGIT TWO FOR ODD 0С7А ч
- POWERS OF FOUR 0С7В щ TELUGU FRACTION DIGIT THREE FOR ODD
- POWERS OF FOUR 0C7C _ TELUGU FRACTION DIGIT ONE FOR EVEN
- POWERS OF FOUR 0C7D ≥ TELUGU FRACTION DIGIT TWO FOR EVEN POWERS OF FOUR
- 0C7E ≥ TELUGU FRACTION DIGIT THREE FOR EVEN POWERS OF FOUR
- 0C7F € TELUGU SIGN TUUMU