準1級

第6回

英検準1級形式

リーディング練習

第6回　｜　部分演習（筆記全体の制限時間は流用しません）　｜　選択問題 31問

■ 出題構成・自己採点記録表

大問	問題番号	出題形式・内容	設問数	自己採点・点検
1	(1)〜(18)	短文の語句空所補充	18問	／18
2	(19)〜(24)	長文の語句空所補充	6問	／6
3	(25)〜(31)	長文の内容一致選択	7問	／7

■ 演習・印刷の手引き

1. 問題冊子には正答や解説を載せていません。解答用紙はA4横マークシート（1ページ）です。
2. 印刷時は「白黒・実際のサイズ（100%）」を選ぶと、マーク欄や英作文罫線が本番見本に近い実寸で出力されます。
3. 解き終わるまでは「解答・解説」を開かず、本番と同じ時間配分を意識して取り組んでください。
4. 同じ選択問題はアプリの「分野別練習」、英作文課題はアプリの「ライティング練習」でも学習・保存できます。

実施日：　　年　　月　　日　　開始〜終了：　　：　　〜　　：

氏名：＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿　　選択問題 合計：　　／31 点

※ 本冊子はマナトビが独自に執筆・編集した英検準1級形式のオリジナル教材（第6回）です。リスニング・二次面接は含みません。日本英語検定協会の公式過去問・公式予想問題ではなく、CSEスコア算出や合否判定は行いません。外部機関による難度校正は未実施です。

1

次の(1)から(18)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

(1) The inquiry concluded that fragmented radio channels had ( ) coordination between harbor pilots and tugboat crews.

1 harbored **2** heralded **3** hallowed **4** hamstrung

(2) Although the startup's prototype looked polished on stage, engineers who inspected the code found its architecture surprisingly ( ).

1 resplendent **2** ramshackle **3** redoubtable **4** reverent

(3) To keep invasive mussels from colonizing highland lakes, rangers require anglers to ( ) waders and boat hulls before launching.

1 depreciate **2** delineate **3** decontaminate **4** decapitate

(4) The diplomat's memoir was praised for its ( ) candor, admitting misjudgments that most retired officials prefer to soften.

1 unvarnished **2** untenable **3** unwieldy **4** unscrupulous

(5) Because glacier-fed reservoirs peak in midsummer rather than spring, hydropower operators must ( ) release schedules to downstream rice farming.

1 tether **2** tarnish **3** thwart **4** tailor

(6) What critics derided as municipal ( )—keeping two spare snowplows idle in mild winters—saved the hospital route during January's blizzard.

1 profligacy **2** probity **3** proximity **4** proclivity

1 短文の語句空所補充（続き）

(7) The journal retracted the nutrition paper after statisticians showed its headline result was an artifact of ( ) data pruning.

1 compulsory **2** capricious **3** conciliatory **4** contiguous

(8) Even seasoned editors can remain ( ) to repetition in their own prose until they read the draft aloud.

1 obtrusive **2** obsequious **3** oblivious **4** obstinate

(9) Rather than clarify responsibility, overlapping committees created a bureaucratic maze in which every agency could ( ) blame.

1 deplore **2** deflect **3** delimit **4** devolve

(10) In subarctic forests, periodic low-intensity ground fires are not disasters but regenerative events that ( ) pine cones to release seeds.

1 induct **2** indict **3** indulge **4** induce

(11) The shipyard's apprentice program pairs classroom metallurgy with three years of shop-floor training so theory never stays ( ).

1 abstract **2** abrupt **3** abject **4** absurd

(12) Because the island's limestone aquifer is porous, agricultural nitrates can ( ) into drinking wells within weeks of heavy rain.

1 personify **2** perpetuate **3** percolate **4** perjure

1 短文の語句空所補充（続き）

(13) The festival organizer kept a backup marquee on standby lest unseasonable squalls ( ) the open-air book market.

1 disrupting **2** disrupts **3** disrupted **4** disrupt

(14) Once prized solely as packing material, seaweed washed ashore after autumn gales proved a ( ) soil conditioner for sandy vegetable plots.

1 petulant **2** pliant **3** potent **4** paltry

(15) Despite bitter disagreements over budget cuts, board members maintained outward ( ) throughout the public broadcast.

1 duress **2** decorum **3** derision **4** dearth

(16) A single mislabeled herb specimen in a reference cabinet can ( ) errors across dozens of subsequent student identifications.

1 propagate **2** propitiate **3** proscribe **4** procrastinate

(17) When three senior mechanics retired in the same quarter, the tram depot struggled to ( ) forty years of unwritten troubleshooting lore.

1 single out **2** gloss over **3** fend off **4** pass on

(18) Rather than dismiss local fishermen's observations, marine biologists found that logbooks from small trawlers ( ) satellite temperature maps.

1 ruled out **2** bore out **3** wrote off **4** watered down

2 A 次の英文を読み、その文意にそって(19)から(21)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

Why Restoring Old Buildings Often Beats Rebuilding

When municipal boards debate the fate of an aging school or brick warehouse, demolishing the structure and erecting a sleek low-energy replacement frequently sounds like the greenest path forward. New glass-and-steel buildings advertise solar roofs, triple glazing, and tight insulation that slash annual heating bills. Yet lifecycle engineers who tally carbon from quarry to landfill warn that focusing solely on future utility bills overlooks a massive upfront debt: the "embodied carbon" already locked inside existing walls.

Producing fresh cement, smelting structural steel, and hauling demolition rubble release enormous pulses of greenhouse gases before a new building welcomes its first occupant. Even an ultra-efficient replacement can take thirty to fifty years of operational energy savings just to offset the emissions generated during its construction—precisely the decades in which climate scientists say emissions cuts matter most. Retrofitting an intact masonry or timber frame with interior insulation, heat pumps, and repaired sash windows typically emits a fraction of that upfront carbon. (***19***), adaptive reuse preserves neighborhood streetscapes and finishes months sooner than ground-up construction.

Preservation is not unconditionally superior, of course. Structures riddled with seismic hazards, toxic asbestos, or crumbling foundations may cost prohibitive sums to make safe, and poorly planned retrofits can trap dampness inside historic walls. Sound policy therefore weighs structural integrity alongside whole-life carbon accounting rather than taxing repairs more heavily than new builds, as some tax codes inadvertently do. (***20***), training carpenters and engineers in diagnostic retrofit skills has become just as urgent as designing flagship net-zero towers.

Viewing existing buildings as repositories of material and energy already paid for helps cities (***21***).

(19) **1** On the contrary **2** Otherwise **3** Added to that **4** Nonetheless

(20) **1** By extension **2** Conversely **3** Instead **4** Previously

(21)

1 count only electricity used after a building opens

2 demolish sound brick warehouses every fifteen years

3 ignore seismic safety whenever heating bills are low

4 cut near-term emissions while extending the life of civic architecture

2 B 次の英文を読み、その文意にそって(22)から(24)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

When Pollinators Need Darkness as Much as Blossoms

Conservation campaigns aimed at reversing insect declines rightly emphasize daytime resources: planting pesticide-free wildflowers, leaving hedgerows uncut, and maintaining sunny nesting banks for bumblebees and butterflies. Yet nearly half of flower-visiting journeys in temperate meadows happen after sunset, carried out by hawk moths, settling moths, beetles, and nocturnal hoverflies whose work goes largely unseen by human gardeners.

Field experiments illuminating countryside meadows with artificial streetlamps have revealed how vulnerable this night shift is. Under bright lamps, nocturnal visits to wildflowers plunged by more than sixty percent, as moths were drawn upward toward bulbs or hid from bats hunting in the glare. Surprisingly, the harm carried over into the following afternoon. Plants shielded from night pollinators produced measurably fewer seeds even though daytime bees visited them normally, showing that diurnal insects could not fully compensate for lost nocturnal partners. Artificial light at night thus (***22***).

Some wildflowers depend almost exclusively on dusk and night visitors, opening pale, heavily scented petals only once temperatures drop and wind calms. Even generalist crops such as clover, berries, and orchard trees benefit from nocturnal moths transporting pollen across wider distances than territorial daytime bees typically fly. (***23***), preserving dark corridors along field margins and switching rural road lamps to motion-triggered amber shielding protects pollination networks around the clock.

Supporting biodiversity requires looking beyond daylight hours when humans happen to be outdoors. Treating natural darkness as habitat in its own right helps communities (***24***).

(22)

1 disrupts plant reproduction in ways daytime pollinators cannot undo

2 doubles the number of seeds produced by meadow clover

3 encourages honeybees to forage throughout the night

4 affects only artificial flowers inside greenhouses

(23)

1 Otherwise **2** Consequently **3** Conversely **4** Nonetheless

(24)

1 rely solely on butterflies for orchard pollination

2 replace all wildflower meadows with paved parking lots

3 safeguard the full twenty-four-hour web of plant and insect life

4 keep rural streetlamps shining upward into tree canopies

3 A 次の英文の内容に関して、(25)から(27)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

Why Geothermal Heating Appeals to Cold Cities

Decarbonizing electricity generation through wind turbines and solar arrays has progressed rapidly over the past fifteen years, yet heating homes and hospitals through long northern winters remains a stubborn energy challenge. Demand for warmth peaks on dark, windless January evenings—precisely when solar panels sit idle under snow and regional power grids strain. In response, municipalities sitting atop sedimentary basins from Munich to Sapporo are taking a fresh look at deep geothermal district heating: circulating naturally hot water from rock layers two to four kilometers underground through insulated street pipes.

Unlike volcanic power plants that require superheated steam to spin turbines, district heating works efficiently with moderate rock temperatures between sixty and one hundred twenty degrees Celsius, geological conditions found beneath far wider stretches of inhabited land. In a closed-loop doublet system, one well pumps hot brine up to a surface heat exchanger—which warms clean municipal water circulating to apartment blocks, schools, and greenhouses—while a paired reinjection well returns the cooled brine to the same rock formation, maintaining underground pressure and preventing surface pollution.

The chief obstacle is upfront geological risk rather than daily operating cost. Drilling three kilometers through hard rock requires specialized rigs costing millions of dollars before engineers know with certainty whether deep fractures will yield sufficient water flow. Individual housing cooperatives rarely have the balance sheet to absorb a dry or low-flow well. Several European governments have unlocked private investment by creating public risk-insurance pools that partially reimburse early drilling failures while recouping modest royalties from successful wells.

Public trust also hinges on seismic monitoring. Injecting fluid at excessive pressure near stressed faults has occasionally triggered minor, felt tremors in past projects, prompting strict real-time pressure caps and automatic shutoff valves today. Managed transparently, heat beneath city streets offers a quiet, weatherproof complement to surface renewables.

3A Why Geothermal Heating Appeals to Cold Cities 設問 (25)〜(27)

(25) Why does winter space heating pose a distinct challenge even as wind and solar electricity expand?

1 Solar panels cannot generate electricity during sunny summer afternoons.

2 Peak heating demand arrives on dark, calm winter evenings when solar output is absent and grids are strained.

3 Hospitals and apartments do not use heat in January.

4 Wind turbines consume more hot water than district pipes.

(26) Why can geothermal district heating be deployed in many more cities than volcanic geothermal power plants?

1 It releases used brine directly into city rivers.

2 It needs wells only two meters deep in backyard gardens.

3 It burns coal underground to heat municipal water.

4 It operates effectively with moderate rock temperatures of 60 to 120 degrees rather than requiring superheated steam.

(27) How have several European governments helped overcome the financial risk of drilling deep wells?

1 By establishing public risk-insurance pools that share losses from low-flow wells and collect royalties from successful ones.

2 By guaranteeing that every rock layer yields boiling steam.

3 By banning private engineering firms from operating drilling rigs.

4 By requiring individual apartment tenants to buy their own rigs.

3 B 次の英文の内容に関して、(28)から(31)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

The Craft and Ethics of Restoring Old Films

Motion picture film looks durable wound neatly inside metal cans, yet early cinema sits on a precarious chemical clock. Cellulose nitrate stock used before the 1950s can yellow, shrink, or decompose into sticky powder—and in poor storage even ignite spontaneously—while later acetate "safety" film suffers from "vinegar syndrome," releasing acidic fumes that warp sprocket holes and fade color dyes toward magenta. Saving a century-old reel requires both wet-lab chemistry and delicate digital judgment.

Modern restoration begins physically: technicians inspect every splice by hand, repair torn perforations, and clean away mold before scanning each frame at ultra-high resolution without toothed gears that might rip shrunken film. Once digitized, software can stabilize jitter and erase scratches caused by worn theater projectors decades after the premiere. Yet power brings temptation. Automated noise-reduction filters applied too aggressively strip away natural silver-halide film grain, leaving actors' faces looking waxy and anachronistically video-smooth.

Ethical dilemmas deepen when multiple incomplete prints survive around the world. A comedy released in 1928 may exist only as a shortened domestic reissue in Tokyo, a tinted export print with Czech intertitles in Prague, and censor-cut fragments in Buenos Aires. Reconstructing a coherent version forces archivists to consult censorship ledgers, musical cue sheets, and trade reviews rather than guessing what the director "would have wanted" with modern editing tastes.

Leading film archives therefore abide by a principle borrowed from art conservation: distinguish damage inflicted by time and wear from the visual characteristics of original production. Dust from a 1970s grindhouse projector is removed, whereas a slight camera gate wobble or shadow cast by a 1920s studio lamp remains part of historical evidence. Publishing restoration notes alongside new screenings ensures future audiences know precisely which choices were made in the darkroom and computer suite.

3B The Craft and Ethics of Restoring Old Films　設問 (28)〜(31)

(28) What physical danger or decay affects early film stocks stored over decades?

1 Silver-halide grains turn black-and-white comedies into color documentaries.

2 Glass reels shatter whenever exposed to theater speakers.

3 Nitrate stock can decompose or ignite, while acetate stock can warp and fade through acidic breakdown.

4 Digital scanners melt sprocket holes during standard theater screenings.

(29) What risk arises when digital noise-reduction software is applied too heavily during film restoration?

1 It slows silent comedies down to half their intended frame rate.

2 It causes cellulose nitrate cans in storage vaults to catch fire.

3 It translates Czech intertitles into English with grammar errors.

4 It erases natural film grain and gives actors' faces an artificial, waxy appearance.

(30) How do archivists reconstruct a film when only differing, incomplete prints survive in separate countries?

1 By filming new scenes with modern look-alike actors.

2 By keeping only the shortest print and discarding foreign fragments.

3 By cross-referencing historical documents such as censorship records, cue sheets, and trade reviews.

4 By letting automated editing algorithms invent missing plot twists.

(31) What guiding principle do leading film archives follow when deciding what to remove or keep?

1 Eliminate every imperfection, including shadows cast by original studio lamps.

2 Remove later wear such as projector scratches while preserving traits belonging to the original filming.

3 Restore only films produced after 1970.

4 Keep restoration methods secret so rival archives cannot copy them.