MANATOBI / ORIGINAL PRACTICE

英検準1級
リーディングトレーニング

第7回 問題冊子

リスニング・英作文を含まない部分練習 ／ 全31問

大問	問題番号	内容
1	1〜18	短文の語句空所補充
2	19〜24	長文の語句空所補充
3	25〜31	読解

使い方

・解答用紙に答えを記入してください。問題冊子には正答を載せていません。
・問題・解説はA4縦、解答用紙はA4横。白黒・片面・実際のサイズ（100%）で印刷します。
・解き終わるまでは、別冊の解答・解説を開かないでください。
・同じ問題をアプリの分野別練習でも解けます。

独自作成した英検準1級形式のリーディング第7回です。リスニング・英作文・面接は含みません。公式教材ではなく、CSE・合否換算はしません。筆記全体の公式時間をリーディングだけの時間に流用しません。外部難度校正は未実施です。

氏名：＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿

1

短文の語句空所補充
1〜4から最も適切な答えを一つ選び、解答用紙にマークしてください。

(1) The maritime board warned that ignoring hairline hull fractures would ( ) the ferry's structural safety in winter swells.

1 jubilate **2** juxtapose **3** jeopardize **4** justify

(2) Although the mayor praised the stadium plan as bold, fiscal auditors called its ticket-revenue assumptions wildly ( ).

1 sanguine **2** somber **3** stringent **4** sullen

(3) To prevent flash floods from overwhelming old brick sewers, the district dug sunken park lawns that temporarily ( ) storm runoff.

1 abrogate **2** alienate **3** admonish **4** attenuate

(4) Only through ( ) cross-checking of ship logs and customs ledgers did the historian uncover the smuggling route.

1 fallacious **2** fastidious **3** facetious **4** fortuitous

(5) Rather than calm nervous depositors, the bank president's evasive press briefing served only to ( ) rumors of insolvency.

1 forfeit **2** forestall **3** foment **4** forsake

(6) Decades of salt spray had left the lighthouse's iron railing so ( ) that maintenance crews replaced the entire staircase.

1 condoned **2** coerced **3** collated **4** corroded

(7) The appellate judges ruled that hearsay testimony was ( ) in court unless corroborated by contemporaneous written records.

1 inadmissible **2** inadvertent **3** inalienable **4** inanimate

(8) Far from being a spontaneous folk custom, the autumn lantern parade had been ( ) in the 1920s by railway marketers.

1 conceded **2** concocted **3** condoned **4** congealed

1　短文の語句空所補充（続き）

(9) Because neonatal lungs are fragile, clinicians calibrate ventilators to deliver oxygen in (　　) puffs rather than forceful bursts.

1 measured　**2** mendacious　**3** mercurial　**4** munificent

(10) The Ombudsman criticized the agency's (　　) response to tainted well water, noting that residents waited six weeks for test results.

1 discreet　**2** didactic　**3** dilatory　**4** dexterous

(11) Once prized as a miracle insulator, asbestos became a textbook example of how unforeseen health hazards can (　　) an industrial material.

1 disinterested　**2** disentangle　**3** disseminate　**4** discredit

(12) Although the two island dialects share core vocabulary, divergent vowel shifts have rendered them mutually (　　) to casual listeners.

1 unimpeachable　**2** unintelligible　**3** unpretentious　**4** unscrupulous

(13) To keep dominant firms from locking out rivals, antitrust regulators barred exclusive contracts that would (　　) entry into regional fiber networks.

1 forbear　**2** foreshadow　**3** foreclose　**4** forage

(14) The cellist's (　　) encore—just ninety seconds of unaccompanied Bach—left the packed hall in hushed admiration.

1 petulant　**2** pithy　**3** pompous　**4** prolix

(15) Faced with shrinking snowy winters, several low-altitude ski resorts have tried to (　　) into year-round mountain-biking and trail hubs.

1 pivot　**2** pilfer　**3** placate　**4** plummet

(16) Even the most promising lab prototype can (　　) in commercial production if engineers overlook how difficult it is to repair in the field.

1 flout　**2** flourish　**3** flaunt　**4** flounder

1　短文の語句空所補充（続き）

(17) Rather than scrap the delayed freight timetable altogether, dispatchers chose to (　　) two low-volume midday stops until track work finished.

1 pan out　**2** play up　**3** pare back　**4** patch up

(18) When three witnesses gave conflicting timelines, the investigator had to (　　) verifiable receipts from unvarnished guesswork.

1 sift out　**2** stave off　**3** gloss over　**4** drum into

2

長文の語句空所補充
1〜4から最も適切な答えを一つ選び、解答用紙にマークしてください。

Restoring Floodplains Beyond Higher Levees

For more than a century, river engineering in industrializing river basins followed a single imperative: hustle rainwater out to sea as fast as possible. Marshy meanders were dredged into straight concrete channels, and earthen levees were raised ever higher beside growing towns. Straightening a river certainly drains adjacent fields quickly during moderate rain. During extreme multi-day downpours, however, confining an entire watershed's runoff inside a narrow chute accelerates the flood wave and delivers a steeper wall of water to cities downstream.

Hydrologists studying repeated levee breaches recognized that heightening walls indefinitely creates a dangerous illusion of permanence. Behind tall embankments, municipalities approve new housing and warehouses on low-lying ground; if an unprecedented storm eventually overtops or undermines the levee, damage is catastrophic. Reconnecting selected stretches of rural floodplain—by setting levees farther back from the main channel—restores the river's natural safety valve. When water spills harmlessly across designated pastures or seasonal wetlands upstream, velocity drops and peak crests flatten by dozens of centimeters before reaching urban bridges. (19), sediment and agricultural phosphorus settle onto floodplain soils instead of clogging downstream harbors.

Compensating farmers fairly is essential to making "room for the river" politically durable. Several European and Japanese basin authorities now pay landowners flood-easement fees, keeping fields in normal agricultural use nine years out of ten while covering crop losses in the rare week when gates open. (20), shallow winter inundation on harvested rice paddies creates prime feeding grounds for migratory swans and herons.

Urban floodwalls remain indispensable where historic districts sit flush against riverbanks. Yet pairing urban defenses with upstream storage allows water managers to (21).

(19)

1 Despite such storage
2 On the contrary
3 Otherwise
4 As a side benefit

(20)

1 Conversely
2 In addition
3 Otherwise
4 Previously

(21)

1 accelerate flood waves so they strike harbors twice as fast
2 demolish all bridges in historic downtown districts
3 absorb extreme surges gracefully instead of gambling everything on wall height
4 ban agriculture throughout entire river valleys

When Academic Journals Publish Null Results

Open almost any prestigious science or psychology journal, and the table of contents brims with breakthroughs: a compound that shrinks tumors in mice, a classroom technique that boosts test scores, or a catalyst that doubles battery life. Rarely will you read a headline announcing that a plausible hypothesis made no measurable difference at all. Behind that lopsided reading list lies a long-standing distortion known to methodologists as the "file-drawer problem."

For decades, peer reviewers and editors favored eye-catching positive findings while rejecting rigorous studies whose outcomes were statistically flat, leaving disappointed researchers to tuck negative data away in desk drawers. That habit quietly skews collective knowledge. If twenty laboratories independently test whether a herbal extract improves memory, and nineteen find zero effect while one sees a fluke improvement by chance, publishing only that lone success misleads doctors and patients alike. (22), other scientists waste years and grant money repeating failed experiments nobody warned them about.

To correct this bias, a growing coalition of journals has introduced "Registered Reports." Under this format, reviewers judge a study's research question, sample size, and statistical plan BEFORE a single measurement is collected. Once the protocol passes peer review, the journal commits in principle to publishing the paper regardless of how the numbers turn out, provided the team follows its approved plan. (23), shifting evaluation from flashy outcomes to methodological rigor removes the temptation to cherry-pick favorable data.

Null results rarely win newspaper headlines, yet making them visible is vital to helping science (24).

(22)

1 Until then
2 On the contrary
3 Fortunately
4 Worse still

(23)

1 Crucially
2 Reluctantly
3 Otherwise
4 By contrast

(24)

1 publish only experiments that confirm popular beliefs
2 correct its own dead ends and build a trustworthy record of reality
3 hide unsuccessful trials inside locked university basements
4 reduce sample sizes to speed up newspaper coverage

3 長文の内容一致選択
1〜4から最も適切な答えを一つ選び、解答用紙にマークしてください。

How Artificial Night Light Disrupts Pollinators

Discussions of declining insect pollinators typically center on habitat loss, pesticides, and climate shifts, with honeybees and bumblebees taking center stage in public campaigns. Over the past decade, however, ecologists tracking wild meadows after sundown have documented an overlooked disruption: artificial light at night from streetlamps, warehouse floodlights, and highway interchanges. Far from falling quiet at dusk, temperate ecosystems rely on a vast nocturnal shift of moths, beetles, and hoverflies that visit pale, fragrant blossoms while daytime bees sleep.

Field experiments in Swiss valleys illuminated half of a series of dark alpine meadows with standard white LED streetlamps while leaving matched control plots dark. Using night-vision cameras, researchers observed sixty-two percent fewer nocturnal pollinator visits to wild thistle and campion flowers under lit poles. Moths drawn upward into lamp glare spent hours circling fixtures or became easy prey for bats, leaving flowers below unpollinated. Even more unexpectedly, the damage spilled into the next afternoon: plants that missed nighttime pollination produced less nectar and fewer viable seeds, attracting fewer daytime bumblebees as well.

Replacing all outdoor lighting is neither realistic nor desirable where pedestrian safety is at stake, yet engineers and biologists have found room for compromise. Broad-spectrum blue-white LEDs disrupt insect vision most severely because short wavelengths strongly stimulate nocturnal compound eyes. Shielding fixtures so light points strictly downward onto pavement, dimming lamps during pre-dawn hours via motion sensors, and shifting toward warmer amber spectra substantially reduce insect attraction without leaving sidewalks in darkness.

How Artificial Night Light Disrupts Pollinators — Questions

(25) What surprising cascading effect did researchers observe in the illuminated Swiss meadow plots?

1 Reduced nighttime moth visits lowered seed set and even diminished daytime bee visits to those plants.

2 Daytime bumblebees began flying exclusively at midnight.

3 Thistle flowers grew three times taller under white LED poles.

4 Bats stopped hunting near streetlamps altogether.

(26) Why are broad-spectrum blue-white LEDs particularly disruptive to nocturnal insects?

1 They emit ultrasonic clicks that mimic predatory bats.

2 They heat surrounding air by ten degrees Celsius at midnight.

3 Their short wavelengths strongly stimulate the compound eyes of night-active insects.

4 They bleach colorful flower petals pure black within days.

(27) Which lighting strategy does the author endorse to balance human safety and pollinator conservation?

1 Eliminating all street lighting along urban sidewalks.

2 Installing unshielded upward-pointing floodlights with brighter blue bulbs.

3 Spraying wild meadows with synthetic nectar every morning.

4 Using downward-shielded fixtures, motion-activated pre-dawn dimming, and warmer amber spectra.

How Shipping Containers Reshaped Economic Geography

When historians list inventions that reshaped the post-1950 global economy, jet airliners and silicon microchips usually top the chart. Economists studying trade costs, however, often point to a far humbler object: the corrugated steel intermodal shipping container. Before standardized boxes debuted in the late 1950s, ocean freight moved as "breakbulk"—barrels, wooden crates, and burlap sacks hoisted net by net into a ship's hold and wrestled into place by large crews of longshoremen.

Breakbulk handling was astonishingly slow, expensive, and prone to damage or pilferage. A mid-sized cargo vessel could spend an entire week tied up at a pier while dockworkers unpacked railway boxcars and stowed thousands of irregular parcels by hand; port labor and insurance frequently cost more than steaming across the Atlantic itself. Because factories needed to sit close to deepwater piers to minimize overland cartage, major manufacturing districts clustered tightly around historic port cities such as New York, London, and Yokohama.

Agreeing through international standards committees in the 1960s on uniform box dimensions—twenty or forty feet long, with identical corner castings—transformed ships, cranes, trains, and truck chassis into a single interlocking machine. A sealed box packed at an inland factory could swing from highway trailer to rail flatcar to gantry crane without anyone touching its contents, slashing port turnaround times from a week to less than twenty-four hours and driving freight rates down by over ninety percent per ton.

Yet standardization redistributed prosperity unevenly. Historic finger-pier waterfronts with narrow streets could not accommodate sprawling container yards or deep-draft vessels; maritime jobs migrated overnight to purpose-built terminals miles away, hollowing out traditional dockside neighborhoods while enabling inland towns near highway junctions to join global supply chains. Even inconspicuous technical standards carry profound spatial consequences.

How Shipping Containers Reshaped Economic Geography — Questions

(28) Why did major manufacturing districts cluster close to historic port piers during the breakbulk era?

1 International law forbade building factories more than five miles from the ocean.

2 Loading and transferring irregular cargo was so slow and costly that firms minimized overland handling.

3 Railways had not yet been invented anywhere in Europe or North America.

4 Ocean steaming speeds were ten times faster in 1920 than in 1970.

(29) What was crucial to turning ships, trains, and trucks into an integrated transport system in the 1960s?

1 Replacing steel hulls with lightweight balsa wood.

2 Hiring three times as many dockworkers per cargo vessel.

3 International agreement on uniform container dimensions and corner fittings.

4 Eliminating customs inspections between all countries.

(30) How did containerization affect port turnaround times and per-ton shipping costs?

1 Ships stayed at piers twice as long, though insurance became slightly cheaper.

2 Turnaround times shrank from a week to under a day, and freight costs fell dramatically.

3 Port costs stayed unchanged while ocean crossing speeds tripled.

4 Only luxury goods could afford container freight rates.

(31) Why did many historic city-center waterfronts lose maritime jobs after containerization?

1 Their narrow streets and old finger piers lacked space and depth for vast container yards and larger ships.

2 Inland highway junctions banned trucks carrying forty-foot boxes.

3 Factory workers refused to live near New York, London, or Yokohama.

4 Gantry cranes could operate only in tropical climates.

準1級形式　リーディング

第7回　解答用紙

マナトビ独自教材・公式の解答用紙ではありません

氏名 ＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿

実施日 ＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿

開始時刻 ＿＿＿＿＿＿

終了時刻 ＿＿＿＿＿＿

リーディング 全31問

リスニング・ライティングは含みません。

この用紙はアプリと同じ問題を解く練習用です。

A4・横向き・白黒・実際のサイズで印刷。

正解数：　　／31　（公式得点ではありません）

リーディング解答欄（筆記）

答えは一つ。選んだ番号のだ円をぬりつぶします。

問題番号	1	2	3	4
(1)	①	②	③	④
(2)	①	②	③	④
(3)	①	②	③	④
(4)	①	②	③	④
(5)	①	②	③	④
(6)	①	②	③	④
(7)	①	②	③	④
(8)	①	②	③	④
(9)	①	②	③	④
(10)	①	②	③	④
(11)	①	②	③	④
(12)	①	②	③	④
(13)	①	②	③	④
(14)	①	②	③	④
(15)	①	②	③	④
(16)	①	②	③	④
(17)	①	②	③	④
(18)	①	②	③	④
(19)	①	②	③	④
(20)	①	②	③	④

問題番号	1	2	3	4
(21)	①	②	③	④
(22)	①	②	③	④
(23)	①	②	③	④
(24)	①	②	③	④
(25)	①	②	③	④
(26)	①	②	③	④
(27)	①	②	③	④
(28)	①	②	③	④
(29)	①	②	③	④
(30)	①	②	③	④
(31)	①	②	③	④

正しいぬり方

●

例：答えが3のときは、③をぬります。

筆記全体の時間を、この部分だけの制限時間とはしません。

英検準1級 第7回 解答・解説

解き終わってから確認してください。各問1点、31点満点の復習用素点です。公式得点・CSE・合否へ換算しません。

問01：3	問02：1	問03：4	問04：2	問05：3
問06：4	問07：1	問08：2	問09：1	問10：3
問11：4	問12：2	問13：3	問14：2	問15：1
問16：4	問17：3	問18：1	問19：4	問20：2
問21：3	問22：4	問23：1	問24：2	問25：1
問26：3	問27：4	問28：2	問29：3	問30：2
問31：1				

問01 正答 3

The maritime board warned that ignoring hairline hull fractures would (　　) the ferry's structural safety in winter swells.

【訳】船体の微細なひび割れを放置すれば冬のうねりの中でフェリーの構造的安全が危うくなると海事委員会は警告しました。

【解き方】船体の微細な亀裂を放置すると冬のうねりの中でフェリーの構造的安全を「危うくする・危険にさらす」jeopardize。

1. jubilate：jubilateは歓喜する。

2. juxtapose：juxtaposeは並置する。

3. jeopardize：jeopardize safetyで安全を危険にさらす。

4. justify：justifyは正当化する。

問02 正答 1

Although the mayor praised the stadium plan as bold, fiscal auditors called its ticket-revenue assumptions wildly (　　).

【訳】市長はそのスタジアム計画を意欲的だと称賛したものの、財政監査官はチケット収入の前提があまりに楽観的すぎると指摘しました。

【解き方】市長は大胆な計画だと称賛したが、財政監査官はその入場料収入の見積もりをあまりにも「楽観的すぎる」と評したsanguine。

1. sanguine：sanguineは楽観的な。wildly sanguineで過度に楽観的な。

2. somber：somberは陰鬱な・厳しい。

3. stringent：stringentは厳格な。

4. sullen：sullenは不機嫌な。

問03 正答 4

To prevent flash floods from overwhelming old brick sewers, the district dug sunken park lawns that temporarily (　　) storm runoff.

【訳】集中豪雨で古いレンガ造りの下水道があふれるのを防ぐため、地区は雨水の流出ピークを一時的に弱めるくぼ地状の芝生広場を掘りました。

【解き方】鉄砲水が古いレンガ下水道をあふれさせるのを防ぐため、豪雨流出水の勢い・ピークを一時的に「弱める・減衰させる」くぼ地芝生を整備したattenuate。

1. abrogate：abrogateは廃止する。

2. alienate：alienateは疎外する。

3. admonish：admonishは訓戒する。

4. attenuate：attenuate storm runoffで流出水のピークを緩和・減衰させる。

問04 正答 2

Only through (　　) cross-checking of ship logs and customs ledgers did the historian uncover the smuggling route.

【訳】航海日誌と税関台帳を細部まで入念に突き合わせることで初めて、その歴史家は密輸ルートを突き止めました。

【解き方】航海日誌と税関台帳の「細部まで抜かりない・綿密な」照合によって初めて密輸ルートを突き止めたfastidious。

1. fallacious：fallaciousは誤謬を含んだ。

2. fastidious：fastidiousは細部まで几帳面な・入念な。

3. facetious：facetiousはふざけた。

4. fortuitous：fortuitousは偶然の（cross-checkingの計画的努力と合わない）。

問05 正答 3

Rather than calm nervous depositors, the bank president's evasive press briefing served only to (　　) rumors of insolvency.

【訳】不安を抱く預金者を安心させるどころか、銀行頭取の歯切れの悪い記者会見は破綻の噂をかえってあおるばかりでした。

【解き方】不安な預金者を落ち着かせるどころか、頭取の曖昧な会見は経営破綻の噂をかえって「あおる・助長する」結果にしかならなかったfoment。

1. forfeit：forfeitは没収される。

2. forestall：forestallは未然に防ぐ（calmの逆接にならない）。

3. foment：foment rumors/unrestで噂や動揺をあおる。

4. forsake：forsakeは見捨てる。

問06 正答 4

Decades of salt spray had left the lighthouse's iron railing so (　　) that maintenance crews replaced the entire staircase.

【訳】何十年も潮風にさらされたことで灯台の鉄製の手すりはひどく腐食しており、保守作業員は階段全体を交換しました。

【解き方】何十年もの潮風によって灯台の鉄の手すりがひどく「腐食した・錆びついた」状態だったため階段ごと交換したcorroded。

1. condoned：condonedは黙認された。

2. coerced：coercedは強要された。

3. collated：collatedは照合された。

4. corroded：corrodedは腐食した。salt sprayとiron railingに合致。

問07 正答 1

The appellate judges ruled that hearsay testimony was (　　) in court unless corroborated by contemporaneous written records.

【訳】控訴審の裁判官団は、当時の書面記録による裏づけがない限り伝聞証言は法廷で証拠採用できないと裁定しました。

【解き方】当時の書面記録による裏づけがない限り、伝聞証言は法廷で「証拠として採用できない（不受理である）」と裁定したinadmissible。

1. inadmissible：inadmissible in courtで法廷で証拠能力がない。

2. inadvertent：inadvertentは不注意による。

3. inalienable：inalienableは譲渡し得ない。

4. inanimate：inanimateは無生物の。

問08 正答 2

Far from being a spontaneous folk custom, the autumn lantern parade had been (　　) in the 1920s by railway marketers.

【訳】自然発生的な民俗習慣であるどころか、その秋の提灯パレードは1920年代に鉄道会社の宣伝担当者が作り出したものでした。

【解き方】自然発生的な民俗行事どころか、その秋のランタン行列は1920年代に鉄道の宣伝担当者によって「考案された・作り出された」ものだったconcocted。

1. conceded：concedeは認める。

2. concocted：concoctは（計画・催し・物語などを）工夫して作り出す・でっちあげる。spontaneousとの対比に合致。

3. condoned：condoneは黙認する。

4. congealed：congealは凝固する。

問09 正答 1

Because neonatal lungs are fragile, clinicians calibrate ventilators to deliver oxygen in (　　) puffs rather than forceful bursts.

【訳】新生児の肺は傷つきやすいため、臨床医は強い噴射ではなく慎重に制御された優しい送気で酸素を届けるよう人工呼吸器を調整します。

【解き方】新生児の肺は繊細なため、強い噴射ではなく「慎重に制御された・適度に計量された」吹き込みで酸素を送るmeasured。

1. measured：measuredは慎重に調整された・控えめで規則正しい。forceful burstsとの対比に合致。

2. mendacious：mendaciousは虚偽の。

3. mercurial：mercurialは気まぐれな。

4. munificent：munificentは気前のよい。

問10 正答 3

The Ombudsman criticized the agency's (　　) response to tainted well water, noting that residents waited six weeks for test results.

【訳】オンブズマンは、住民が検査結果に6週間も待たされた点を指摘し、井戸水汚染に対する当局の遅々とした対応を批判しました。

【解き方】住民が検査結果に6週間も待たされたことを挙げ、汚染井戸水に対する当局の「遅々とした・怠慢に遅れた」対応を批判したdilatory。

1. discreet：discreetは思慮深い。

2. didactic：didacticは教訓的な。

3. dilatory：dilatoryはぐずぐずして遅い・遅延しがちな。waited six weeksと合致。

4. dexterous：dexterousは器用な。

問11 正答 4

Once prized as a miracle insulator, asbestos became a textbook example of how unforeseen health hazards can (　　) an industrial material.

【訳】かつて奇跡の断熱材として重宝されたアスベストは、予期せぬ健康被害がいかに工業材料の信頼を失わせるかを示す典型例となりました。

【解き方】かつて奇跡の断熱材と重宝されたアスベストは、予期せぬ健康被害がいかに工業材料の「信用を失墜させる」かの典型例となったdiscredit。

1. disinterested：disinterestedは形容詞（私心のない）。

2. disentangle：disentangleはもつれを解く。

3. disseminate：disseminateは普及させる。

4. discredit：discreditは評判・信用を落とす。Once prizedとの対比に合致。

問12 正答 2

Although the two island dialects share core vocabulary, divergent vowel shifts have rendered them mutually (　　) to casual listeners.

【訳】その2つの島の方言は基本語彙を共有しているものの、異なる母音変化によって一般の聞き手には互いに理解できないものになっています。

【解き方】基本語彙は共通しているものの、母音変化の分岐によって普通の聞き手には互いに「聞き取って理解できない」ものになっているmutually unintelligible。

1. unimpeachable：unimpeachableは非の打ちどころのない。

2. unintelligible：mutually unintelligibleで相互に理解不能な。

3. unpretentious：unpretentiousは気取らない。

4. unscrupulous：unscrupulousは悪徳な。

問13 正答 3

To keep dominant firms from locking out rivals, antitrust regulators barred exclusive contracts that would (　　) entry into regional fiber networks.

【訳】支配的な企業が競合他社を締め出すのを防ぐため、独占禁止当局は地域の光ファイバー網への参入を阻む排他的契約を禁じました。

【解き方】支配的企業が競合を締め出すのを防ぐため、地域光ファイバー網への参入を「閉ざす・排除する」排他的契約を禁じたforeclose。

1. forbear：forbearは控える。
2. foreshadow：foreshadowは前兆となる。
3. foreclose：foreclose entryで参入の道を閉ざす・排除する。
4. forage：forageは食料を漁る。

問14 正答 2

The cellist's (　　) encore—just ninety seconds of unaccompanied Bach—left the packed hall in hushed admiration.

【訳】無伴奏のバッハをわずか90秒弾くだけの簡潔で凝縮されたチェリストのアンコールは、満員のホールを静かな感嘆で満たしました。

【解き方】無伴奏バッハわずか90秒という「簡潔で凝縮された」アンコールが満員のホールを静かな感動に包んだpithy。

1. petulant：petulantはすねた・怒りっぽい。
2. pithy：pithyは簡潔で中身が濃い。just ninety secondsと合致。
3. pompous：pompousは尊大な。
4. prolix：prolixは冗長な（90秒と矛盾）。

問15 正答 1

Faced with shrinking snowy winters, several low-altitude ski resorts have tried to (　　) into year-round mountain-biking and trail hubs.

【訳】雪の降る冬の減少に直面し、標高の低い複数のスキー場が通年型のマウンテンバイクや登山拠点への転換を図っています。

【解き方】雪の降る冬の縮小に直面し、通年のマウンテンバイクやトレイル拠点へと「軸足を移す・方向転換する」ことを試みてきたpivot into …。

1. pivot：pivot into … で事業などの方向を転換する。
2. pilfer：pilferはくすねる。
3. placate：placateはなだめる。
4. plummet：plummetは急落する。

問16 正答 4

Even the most promising lab prototype can (　　) in commercial production if engineers overlook how difficult it is to repair in the field.

【訳】現場での修理の難しさを技術者が見落とせば、どれほど有望な研究室の試作品であっても商業生産でつまずくことがあります。

【解き方】現場での修理の難しさを見落とせば、どれほど有望な試作品でも商業生産で「つまずく・苦戦して立ち往生する」ことがあるflounder。

1. flout：floutは（規則等を）軽視して破る（他動詞）。
2. flourish：flourishは繁栄する（逆）。
3. flaunt：flauntは見せびらかす。
4. flounder：flounderは苦戦する・もがく。promisingとの逆接に合致。

問17 正答 3

Rather than scrap the delayed freight timetable altogether, dispatchers chose to (　　) two low-volume midday stops until track work finished.

【訳】遅れの出た貨物ダイヤを全面的に白紙に戻すのではなく、運行管理者は線路工事が終わるまで荷量の少ない日中の2つの停車枠を削ることにしました。

【解き方】遅延した貨物ダイヤを全面破棄するのではなく、線路工事が終わるまで利用の少ない日中の2駅を「削減する・縮小する」ことを選んだpare back。

1. pan out：pan outはうまくいく（自動詞）。

2. play up：play upは強調する。

3. pare back：pare backで（規模・対象などを）削る・縮小する。

4. patch up：patch upは応急修理する・仲直りする（2つの停車駅を目的語にすると不自然）。

問18 正答 1

When three witnesses gave conflicting timelines, the investigator had to (　　) verifiable receipts from unvarnished guesswork.

【訳】3人の目撃者が食い違う時系列を語ったため、調査官は単なる当て推量の中から裏づけ可能な領収書記録をより分けなければなりませんでした。

【解き方】3人の目撃証言の時系列が食い違った際、調査官は単なる推測から検証可能な領収書記録を「ふるい分けて選び出す」必要があったsift out。

1. sift out：sift out A from BでBからAをより分ける・ふるい出す。

2. stave off：stave offは食い止める。

3. gloss over：gloss overは取り繕ってごまかす。

4. drum into：drum intoは叩き込む。

Restoring Floodplains Beyond Higher Levees

本文の和訳

1世紀以上にわたり、工業化が進む流域の河川工学は「雨水を可能な限り速く海へ流し去る」という単一の方針に従ってきました。湿地の蛇行は直線的なコンクリート水路に浚渫され、発展する町の脇には土手がますます高く築かれました。川を直線化すれば並み程度の雨では隣接する農地の水はけは良くなりますが、数日続く記録的豪雨の際には流域全体の水を狭い水路に閉じ込めることで洪水の波を加速させ、下流の都市により急峻な水の壁を押し寄せる結果を生みます。度重なる破堤を調べた水文学者は、堤防を際限なく高くすることが「永久に安全だ」という危険な錯覚を生むと指摘しました。高い堤防の背後では低地への住宅や倉庫建設が許可され、想定を超える豪雨で越水や決壊が起きれば被害は壊滅的になります。そこで農村部の特定区間で堤防を川筋から後退させる「引堤」や遊水地によって氾濫原をつなぎ直すと、川本来の安全弁が蘇ります。上流の指定牧草地や季節湿地に水を穏やかに広げれば流速が落ち、都市の橋に届く前にピーク水位が何十センチも下がります。(19)、土砂や農業由来のリンも下流の港を埋める代わりに氾濫原の土壌へ沈殿します。この仕組みを持続させる鍵は農家への公正な補償であり、欧州や日本の流域当局は普段の9割の年は通常営農を続けつつ稀な湛水時の減収を補填する地役権料を支払い、(20)、刈り取り後の水田への浅い冬期湛水は渡り鳥の白鳥やサギの絶好の餌場も生み出します。川岸に歴史的市街地が接する場所では都市護岸が引き続き不可欠ですが、上流の貯留と組み合わせることで水管理者は(21)ことができます。

問19 正答 4

空所(19)を補ってください。

【訳】空所(19)の補充。

【解き方】下流のピーク水位を下げる本来の治水効果に加え、「副次的な恩恵として」土砂やリンが沈殿して港の埋没も防ぐAs a side benefit。

1. Despite such storage：貯留にもかかわらず、では逆接になり不適。

2. On the contrary：それどころか、ではない。

3. Otherwise：さもないと、ではない。

4. As a side benefit：治水に加えて水質・土砂管理の利点を添えるAs a side benefit。

問20 正答 2

空所(20)を補ってください。

【訳】空所(20)の補充。

【解き方】農家への補償で普段の営農と治水を両立させる仕組みに「加えてさらに」、冬期湛水田が渡り鳥の生息地にもなる利点を重ねるIn addition。

1. Conversely：逆に、ではない。

2. In addition：生態系面の利点を追加するIn addition。

3. Otherwise：さもないと、ではない。

4. Previously：以前は、ではない。

問21 正答 3

空所(21)を補ってください。

【訳】空所(21)の補充。

【解き方】堤防の高さだけにすべてを賭けるのではなく、極端な増水を流域全体でしなやかに受け止める。

1. accelerate flood waves so they strike harbors twice as fast：波を2倍速くするのは直線化の弊害。

2. demolish all bridges in historic downtown districts：都心の橋の撤去ではない。

3. absorb extreme surges gracefully instead of gambling everything on wall height：第2段落のillusion of permanenceへの批判と上流遊水の効果を的確に統合。

4. ban agriculture throughout entire river valleys：農業禁止ではなく補償と共存している。

When Academic Journals Publish Null Results

本文の和訳

一流の科学誌や心理学誌を開けば、マウスの腫瘍を縮小させる化合物や成績を伸ばす授業法、電池寿命を倍増させる触媒といった華々しい発見が目次に並びます。もっともらしい仮説を試したが測定可能な差が全く出なかった、という見出しを目にすることはめったにありません。この偏った紙面の背後には、方法論の専門家が「引き出し（ファイルドロワー）問題」と呼ぶ長年の歪みがあります。何十年もの間、査読者や編集者は目を引く肯定的な結果ばかりを好み、どれほど厳密でも統計的な差が出なかった研究を不採用にしてきたため、陰性データは机の引き出しに眠らされてきました。たとえば20の研究室が独立にある植物エキスの記憶改善効果を検証し、19室が効果なし、1室だけが偶然の偏りで改善を見いだしたとき、その1件だけが論文になれば医師も患者も誤解してしまいます。(22)、失敗が共有されないために他の科学者が同じ実験を繰り返して歳月と研究費を浪費することにもなります。この偏りを正すため、データを1件も集める前の段階で研究課題・標本数・統計計画を査読し、承認手順どおり実施されれば結果がどう出ようと原則掲載を約束する「事前登録査読（Registered Reports）」を導入する学術誌が増えています。(23)、評価の軸を派手な結果から方法の厳密さへと移すことで、都合のよいデータだけを拾い出す誘惑もなくなります。効果なし（帰無）の結果が新聞の見出しを飾ることはなくとも、それを可視化することは科学が(24)ために不可欠なのです。

問22 正答 4

空所(22)を補ってください。

【訳】空所(22)の補充。

【解き方】医師や患者を誤解させる弊害に続けて、「さらに悪いことに」他の研究者が失敗を知らず同じ実験に年月と予算を浪費する弊害を重ねるWorse still。

1. Until then：それまでは、ではない。

2. On the contrary：それどころか、ではない。

3. Fortunately：幸運にも、では文脈と逆。

4. Worse still：悪影響をさらに一段強めて追加するWorse still。

問23 正答 1

空所(23)を補ってください。

【訳】空所(23)の補充。

【解き方】結果にかかわらず掲載を約束する仕組みの「決定的に重要な点として」、都合のよいデータだけをつまみ食いする誘因を断てるCrucially。

1. Crucially：制度改革の核心的意義を強調するCrucially。

2. Reluctantly：しぶしぶ、ではない。

3. Otherwise：さもないと、ではない。

4. By contrast：前文と同じ制度の効果を掘り下げているので対比ではない。

問24 正答 2

空所(24)を補ってください。

【訳】空所(24)の補充。

【解き方】袋小路（うまくいかない仮説）を自ら修正し、現実についての信頼できる記録を築く。

1. publish only experiments that confirm popular beliefs：通説追認のみの出版とは逆。

2. correct its own dead ends and build a trustworthy record of reality：第2・3段落の浪費防止とバイアス是正の趣旨と一致。

3. hide unsuccessful trials inside locked university basements：地下室に隠すのはファイルドロワー問題そのもの。

4. reduce sample sizes to speed up newspaper coverage：標本数削減ではない。

How Artificial Night Light Disrupts Pollinators

本文の和訳

花粉媒介昆虫の減少をめぐる議論は通常、生息地の喪失や農薬、気候変動を中心に展開され、ミツバチやマルハナバチが主役として語られます。しかしこの10年ほど、日没後の野生の草地を追跡した生態学者は、街灯や倉庫の投光器、高速道路のインターチェンジによる「夜間の人工光」という見過ごされてきた撹乱を明らかにしてきました。温帯の生態系は夕暮れとともに静まり返るどころか、昼間のハチが眠るあいだに白っぽく香りの強い花を訪れるガや甲虫、ハナアブなどの膨大な「夜間シフト」に支えられています。スイスの谷で行われた野外実験では、暗い高山草地の半分に標準的な白色LED街灯を設置し、暗いままとした対照区と比較したところ、照明下では夜間の訪花回数が62%減少しました。光に誘引されたガが照明の周りを何時間も飛び回ったりコウモリに捕食されたりして下の花が受粉されなかっただけでなく、夜間受粉を逃した植物は蜜の分泌や種子形成が減り、翌昼のマルハナバチの訪花まで減少する連鎖が見られました。歩行者の安全のため屋外照明の全廃は現実的ではないものの、昆虫の複眼を強く刺激する短波長の青白い光を避けて温かみのある琥珀色スペクトルへ切り替え、下方のみを照らす遮光傘や深夜の人感減光を組み合わせることで、歩道の安全と生態系保護の両立が図られています。

問25 正答 1

What surprising cascading effect did researchers observe in the illuminated Swiss meadow plots?

【訳】スイスの照明実験区で研究者はどのような驚くべき連鎖反応を観察しましたか。

【解き方】夜間の訪花が62%減った結果、種子形成や蜜が減り、翌昼のマルハナバチの訪花にまで悪影響が波及した。

1. Reduced nighttime moth visits lowered seed set and even diminished daytime bee visits to those plants.：第2段落後半の昼夜連鎖の発見と一致。

2. Daytime bumblebees began flying exclusively at midnight.：マルハナバチが真夜中専門になったとはない。

3. Thistle flowers grew three times taller under white LED poles.：3倍高く育ったとはない。

4. Bats stopped hunting near streetlamps altogether.：コウモリはむしろ照明に集まったガを容易に捕食した。

問26 正答 3

Why are broad-spectrum blue-white LEDs particularly disruptive to nocturnal insects?

【訳】広帯域の青白いLEDが夜行性昆虫に特に強い悪影響を与えるのはなぜですか。

【解き方】Broad-spectrum blue-white LEDs disrupt insect vision most severely because short wavelengths strongly stimulate nocturnal compound eyes.とある。

1. They emit ultrasonic clicks that mimic predatory bats.：超音波を出すわけではない。

2. They heat surrounding air by ten degrees Celsius at midnight.：周囲の空気を10度暖める話はない。

3. Their short wavelengths strongly stimulate the compound eyes of night-active insects.：第3段落の光学的・生理学的理由と一致。

4. They bleach colorful flower petals pure black within days.：花びらを黒く変色させる話はない。

問27 正答 4

Which lighting strategy does the author endorse to balance human safety and pollinator conservation?

【訳】人の安全と送粉者保護を両立させるため、筆者が支持している照明対策はどれですか。

【解き方】下方のみを照らす遮光器具、未明の人感減光、より温かみのあるアンバー（琥珀色）光への移行を組み合わせる。

1. Eliminating all street lighting along urban sidewalks.：歩道照明の全廃は否定されている。

2. Installing unshielded upward-pointing floodlights with brighter blue bulbs.：上向き青色投光は最も悪影響が大きい。

3. Spraying wild meadows with synthetic nectar every morning.：人工蜜散布ではない。

4. Using downward-shielded fixtures, motion-activated pre-dawn dimming, and warmer amber spectra.：最終文の3つの具体策と完全一致。

How Shipping Containers Reshaped Economic Geography

本文の和訳

1950年以降の世界経済を塗り替えた発明といえばジェット旅客機やシリコン半導体が真っ先に挙げられがちですが、貿易コストを研究する経済学者がしばしば指摘するのは、波形の鋼板でできた地味な「国際海上コンテナ」です。1950年代後半に規格化コンテナが登場する以前、海上貨物は樽や木箱、麻袋を網で少しずつ船倉へ吊り下げ、大勢の沖仲仕が手作業で積み込む「在来荷（ブレイクバルク）」でした。この荷役は驚くほど時間と費用がかかり破損や抜き取り被害も多く、中型の貨物船が貨車からの積み替えだけで1週間も岸壁に釘づけになり、大西洋を横断する航海そのものより港湾労働と保険のほうが高くつくことさえ珍しくありませんでした。陸上輸送を最小限にするため工場は岸壁の近くに集まり、ニューヨークやロンドン、横浜といった伝統的港湾都市の内部に製造業が密集していました。1960年代に国際標準化委員会で20フィート・40フィートの寸法と隅金具が統一されると、内陸工場で封印した箱を一度も開けずにトレーラー・鉄道貨車・ガントリークレーンへと受け渡せるようになり、停泊時間は24時間未満へ激減しトンあたり運賃は9割以上も下がりました。一方で狭い街路に囲まれた旧来の櫛形埠頭は広大なコンテナヤードや深喫水船に対応できず、港湾雇用は郊外の新設ターミナルへ一気に移転して旧港町が空洞化する一方、高速道路網に近い内陸都市が国際供給網へ参入するなど、地味な技術規格は経済地理そのものを大きく作り変えたのです。

問28 正答 2

Why did major manufacturing districts cluster close to historic port piers during the breakbulk era?

【訳】在来荷（ブレイクバルク）の時代、主要な製造業地区が歴史ある港の岸壁近くに密集していたのはなぜですか。

【解き方】不揃いな貨物の積み替えに莫大な時間と費用がかかったため、陸上輸送と積み替えを最小限にするよう深水岸壁のすぐ近くに工場が集積した。

1. International law forbade building factories more than five miles from the ocean.：海から5マイル規制の法律はない。

2. Loading and transferring irregular cargo was so slow and costly that firms minimized overland handling.：第2段落の説明と一致。

3. Railways had not yet been invented anywhere in Europe or North America.：鉄道は存在していた（railway boxcarsの記述あり）。

4. Ocean steaming speeds were ten times faster in 1920 than in 1970.：1920年のほうが10倍速かったとはない。

問29 正答 3

What was crucial to turning ships, trains, and trucks into an integrated transport system in the 1960s?

【訳】1960年代に船・鉄道・トラックを一体の輸送システムへと変えるうえで決定的だったのは何ですか。

【解き方】1960年代に国際標準化委員会を通じて20・40フィートの統一寸法と同一形状の隅金具（corner castings）に合意したこと。

1. Replacing steel hulls with lightweight balsa wood.：バルサ材船体ではない。

2. Hiring three times as many dockworkers per cargo vessel.：沖仲仕3倍雇用ではない。

3. International agreement on uniform container dimensions and corner fittings.：第3段落冒頭の記述と一致。

4. Eliminating customs inspections between all countries.：税関全廃ではない。

問30 正答 2

How did containerization affect port turnaround times and per-ton shipping costs?

【訳】コンテナ化は港での折り返し時間とトンあたり輸送コストにどのような影響を与えましたか。

【解き方】港での停泊・荷役時間が1週間から24時間未満に短縮され、トンあたりの運賃コストが90%以上低下した。

1. Ships stayed at piers twice as long, though insurance became slightly cheaper.：停泊が2倍になったのとは逆。

2. Turnaround times shrank from a week to under a day, and freight costs fell dramatically.：第3段落後半の数値と一致。

3. Port costs stayed unchanged while ocean crossing speeds tripled.：港湾費用不変とは逆。

4. Only luxury goods could afford container freight rates.：高級品限定とは逆。

問31 正答 1

Why did many historic city-center waterfronts lose maritime jobs after containerization?

【訳】コンテナ化の後、都心にあった多くの歴史的ウォーターフロントが港湾雇用を失ったのはなぜですか。

【解き方】狭い通りに面した旧来の櫛形埠頭では広大なコンテナヤードや喫水の深い大型船を受け入れられず、郊外の新設ターミナルへ機能が移ったため。

1. Their narrow streets and old finger piers lacked space and depth for vast container yards and larger ships.：第4段落の理由と一致。

2. Inland highway junctions banned trucks carrying forty-foot boxes.：内陸ジャンクションはむしろ恩恵を受けた。

3. Factory workers refused to live near New York, London, or Yokohama.：労働者の居住拒否ではない。

4. Gantry cranes could operate only in tropical climates.：クレーンが熱帯限定ということはない。