2級

第11回

英検2級形式

リーディング練習

第11回　｜　部分演習（筆記全体の制限時間は流用しません）　｜　選択問題 31問

■ 出題構成・自己採点記録表

大問	問題番号	出題形式・内容	設問数	自己採点・点検
1	(1)〜(17)	短文の語句空所補充	17問	／17
2	(18)〜(23)	長文の語句空所補充	6問	／6
3	(24)〜(31)	長文の内容一致選択	8問	／8

■ 演習・印刷の手引き

1. 問題冊子には正答や解説を載せていません。解答用紙はA4横マークシート（1ページ）です。
2. 印刷時は「白黒・実際のサイズ（100%）」を選ぶと、マーク欄や英作文罫線が本番見本に近い実寸で出力されます。
3. 解き終わるまでは「解答・解説」を開かず、本番と同じ時間配分を意識して取り組んでください。
4. 同じ選択問題はアプリの「分野別練習」、英作文課題はアプリの「ライティング練習」でも学習・保存できます。

実施日：　　年　　月　　日　　開始〜終了：　　：　　〜　　：

氏名：＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿　　選択問題 合計：　　／31 点

※ 本冊子はマナトビが独自に執筆・編集した英検2級形式のオリジナル教材（第11回）です。リスニング・二次面接は含みません。日本英語検定協会の公式過去問・公式予想問題ではなく、CSEスコア算出や合否判定は行いません。外部機関による難度校正は未実施です。

1

次の(1)から(17)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

(1) To keep invasive seeds from spreading between islands, hikers must ( ) mud off their boot soles before boarding the boat.

1 scrub **2** scribble **3** scramble **4** scorch

(2) The two coastal villages look peaceful today, yet archive records show they once competed ( ) for herring fishing rights.

1 fondly **2** faintly **3** fiercely **4** fluently

(3) Because handmade violin varnish dries slowly, luthiers refrain from ( ) a second coat until the first feels completely firm.

1 appealing **2** applying **3** appointing **4** approving

(4) The municipal observatory lent solar-filter glasses to elementary schools ( ) Tuesday's partial eclipse.

1 alongside of **2** apart from **3** aside from **4** ahead of

(5) When frost heaved the brick garden path uneven, Grandpa had the loose bricks ( ) on a fresh bed of sand.

1 relaid **2** relied **3** relieved **4** rehearsed

(6) Although automated translation handles menus well, diplomats remain ( ) to rely on software during delicate treaty talks.

1 redundant **2** reluctant **3** relevant **4** radiant

1 短文の語句空所補充（続き）

(7) Adding crushed oyster shells to acidic farm soil helps restore the mineral (　　) needed by spinach roots.

1 exaggeration　**2** excursion　**3** equilibrium　**4** expedition

(8) Rarely (　　) wild snow monkeys leave the upper valley before November unless mountain beechnuts fail.

1 were　**2** are　**3** have　**4** do

(9) Because hospital corridors carry wheeled stretchers day and night, flooring materials must be highly (　　) to scuffing and disinfectants.

1 resonant　**2** reliant　**3** resistant　**4** redundant

(10) Heavy autumn rains washed gravel into the harbor channel, prompting port authorities to (　　) the entrance before winter ferries arrived.

1 dredge　**2** drape　**3** drench　**4** dwindle

(11) Both dairy cooperatives agreed to share refrigerated milk trucks along remote mountain roads, cutting fuel costs (　　).

1 superficially　**2** substantially　**3** suspiciously　**4** submissively

(12) Without written permission from copyright holders, uploading scanned sheet music to a public website is (　　) unlawful.

1 swiftly　**2** scarcely　**3** smoothly　**4** strictly

1 短文の語句空所補充（続き）

(13) Rather than build a costly new annex, the library reconfigured tall shelving to make better ( ) of existing floor space.

1 use **2** sense **3** room **4** way

(14) While voice-recognition captions work well in quiet studios, overlapping speakers in a lively classroom still pose a ( ).

1 chapter **2** charity **3** chamber **4** challenge

(15) After retiring from ocean freighters, Captain Ota volunteered to pass ( ) celestial navigation skills to maritime high schoolers.

1 off **2** out **3** on **4** over

(16) All emergency stairwell doors in the dormitory must remain unobstructed and unlocked from the inside at any ( ) hour.

1 giving **2** given **3** give **4** gave

(17) To ensure the herbal dye took evenly, the weaver soaked the linen yarn overnight to strip ( ) natural waxes.

1 away **2** into **3** under **4** along

2 A

次の英文を読み、その文意にそって(18)から(20)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

Why Bakery Ovens Inject Steam During the First Minutes of Baking

Home cooks trying to recreate a crackling, glossy artisan baguette in an ordinary kitchen oven often run into the same disappointment: although the dough tastes fine, the crust comes out thick, dull gray-brown, and tough to chew rather than thin, blistered, and golden. Ask a professional baker what made the difference, and the answer is rarely secret flour—it is a burst of hot steam injected right as the loaves hit the stone.

Steam transforms crust chemistry during the critical first five minutes before the dough's outer skin sets. When invisible water vapor condenses onto the cooler surface of raw dough, it keeps the outer starch layer moist and elastic. That brief elasticity allows expanding carbon dioxide inside to stretch the loaf to full, airy volume without tearing prematurely. (***18***), moisture dissolves surface starches into a thin glaze that caramelizes into a crisp, shiny amber sheen once dry heat takes over.

Leaving steam on for the entire bake would produce soggy bread, of course. Commercial deck ovens therefore vent the humid air out halfway through baking so dry heat can crisp the exterior. Dedicated home bakers mimic this two-stage process by baking loaves inside a preheated cast-iron pot with a tight lid for twenty minutes—trapping the dough's own moisture—before removing the lid to brown. (***19***), even standard home ovens can turn out bakery-worthy loaves.

Managing moisture alongside heat illustrates how small shifts in timing (***20***).

(18)

1 Otherwise　**2** On the contrary　**3** Simultaneously　**4** In vain

(19)

1 Despite the cast-iron pot　**2** With that simple trick

3 On the other hand　**4** Previously

(20)

1 cool commercial ovens below freezing

2 eliminate the need for flour or yeast in bread

3 make baguette crusts thick, gray, and chewy on purpose

4 dramatically reshape texture and appearance in cooking

2 B

次の英文を読み、その文意にそって(21)から(23)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

How Beaver Dams Restore Drying Mountain Meadows

Across western North America and parts of Europe, summer streamflows in mountain valleys have grown more erratic as winter snowpacks melt weeks earlier in spring. Streams that once meandered slowly across lush wet meadows now rush down eroded gullies in April, leaving valleys parched and fire-prone by August. To hold precious snowmelt higher in watersheds, land managers are enlisting a furry native engineer once trapped as a nuisance: the beaver.

Where beavers return—or where conservation crews weave starter "beaver dam analogs" from willow posts to invite them back—the landscape transforms within two seasons. Gnawing small streamside aspens and packing mud against branches, a single beaver family builds leaky stick dams that slow rushing water into stair-stepped ponds. Water spreads sideways into floodplain soils, raising the local water table by up to a meter. (***21***), cold groundwater seeps back into the creek gradually through late summer, keeping downstream trout cool during heat waves.

Satellite photos of recent western wildfires revealed a dramatic bonus. While surrounding dry pine ridges burned black, wide emerald ribbons of beaver-irrigated willow marsh stayed too wet to ignite, offering safe refuge for deer, amphibians, and songbirds. (***22***), beaver ponds trap silt and ash washed down after storms, protecting town drinking-water intakes farther downstream.

Coexisting with beavers near roads requires simple culvert guards so ponds don't flood highways, yet working alongside nature's builders offers (***23***).

(21)

1 As a result　**2** On the contrary　**3** Otherwise　**4** Regardless

(22)

1 Instead　**2** What is more　**3** Conversely　**4** In vain

(23)

1 concrete dams fifty meters tall on every highway

2 a way to drain all mountain wetlands before May

3 a low-cost, self-maintaining defense against drought and wildfire

4 warmer creek water for trout in August

3 A 次のEメールの内容に関して、(24)から(26)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

From: Prefectural High School Science Federation
To: Parents and Guardians of Selected Camp Students
Subject: Paper medical card and prescription-label rule due June 12

Dear parents and guardians,
Congratulations again on your child's selection for our three-day Alpine Ecology Field Camp in Kamikochi (July 22–24). Because several valley survey trails have no mobile phone reception, instructors carry sealed waterproof folders containing printed emergency and allergy sheets for all forty participants rather than relying on cloud spreadsheets.

Please complete the enclosed pink Medical & Dietary Form in ballpoint pen and mail it back by Friday, June 12. Even if your child submitted a health survey at their own high school in April, municipal privacy rules prevent schools from sharing those records directly with inter-school camp organizers.

Students bringing asthma inhalers, epinephrine pens, or daily prescription medicine must carry them in the original pharmacy bag showing the student's full name and dosage instructions.

Sincerely,
Camp Safety Coordinator

3A

Emergency Contact Cards for Summer Science Camp　設問 (24)〜(26)

(24) Why will camp instructors carry printed paper medical sheets instead of using cloud files alone?

1 Kamikochi bans wristwatches and batteries.

2 Instructors do not know how to use computers.

3 Cloud spreadsheets delete forty names automatically.

4 Several mountain valley survey trails have no mobile phone signal.

(25) Why must parents fill out the pink form even if they already gave health records to their child's school in April?

1 Students grow allergic to new foods every June.

2 All April school records were lost in a rainstorm.

3 Privacy rules bar individual high schools from passing student health records to inter-school camp organizers.

4 Only pink paper can survive waterproof folders.

(26) How must daily prescription medicines or inhalers be carried to camp?

1 In the original pharmacy bag displaying the student's full name and dosage.

2 Mixed together in an unlabeled glass jar.

3 Mailed ahead to a hotel in August.

4 Locked inside the bus trunk for all three days.

3 B

次の英文の内容に関して、(27)から(31)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

Modular Wood Construction in Mid-Rise Buildings

Mention wooden buildings, and most city dwellers picture one- or two-story houses framed with slender timber studs. Steel and concrete dominated urban skylines throughout the twentieth century for obvious reasons: ordinary sawn boards warp, shrink, and burn too readily to support ten- or fifteen-story apartments safely. Over the past two decades, however, an engineered material called cross-laminated timber—or CLT—has allowed architects in Austria, Norway, Canada, and Japan to erect quiet, sturdy wooden offices and dormitories rising a dozen stories or more.

CLT panels are made by kiln-drying boards of sustainably harvested spruce, cedar, or larch, stacking them in alternating ninety-degree layers like giant plywood, and pressing them together with structural adhesives. Alternating the wood grain perpendicular to each neighboring layer prevents warping and gives thick panels load-bearing strength comparable, pound for pound, to reinforced concrete—at roughly one-fifth the weight.

Fire safety, often the public's first worry, behaves quite differently in thick mass timber than in thin house framing. Whereas a camp-stove stick catches fire quickly, holding a match to a thick log barely scorches the bark. In laboratory furnace tests, the outer few centimeters of a massive CLT wall char slowly into an insulating carbon layer that shields the cool structural core inside, allowing engineers to calculate two-hour fire ratings with precision.

Factory prefabrication adds speed on crowded city streets. Computer-guided saws cut window openings and plumbing channels to millimeter accuracy indoors; numbered wall panels arrive on flatbed trucks and crane into place in days rather than months, slashing neighborhood noise and cement-mixer traffic.

Mass timber will not replace steel skyscrapers or bridge foundations, yet substituting renewable wood panels—which store carbon absorbed while trees grew—for energy-intensive concrete in mid-rise buildings offers cities a cleaner way to build.

(27) How does stacking wood layers at alternating ninety-degree angles benefit CLT panels?

1 It makes the wood transparent like window glass.

2 It stops warping and gives panels structural strength rivaling concrete at a fraction of the weight.

3 It increases the weight of panels to five times that of steel.

4 It allows trees to keep growing leaves inside office walls.

(28) How do thick mass-timber walls resist fire during laboratory furnace tests?

1 Thin wooden studs burn faster so smoke escapes upward.

2 They spray cold water automatically out of tree rings.

3 Structural glue freezes the room to zero degrees.

4 Their outer layer chars slowly into a protective carbon barrier that insulates the cool inner core.

(29) What neighborhood advantage comes from prefabricating CLT panels in a factory?

1 Panels crane into place quickly with minimal street noise and fewer cement trucks.

2 Construction sites stay loud twenty-four hours a day for three years.

3 Every passerby helps saw window openings on the sidewalk.

4 No cranes or trucks are needed to deliver walls.

(30) What environmental benefit of using sustainably harvested mass timber is noted in the final paragraph?

1 Used panels dissolve into river water after one year.

2 It eliminates all steel skyscrapers and bridges worldwide.

3 Trees used for CLT never require sunlight or rain to grow.

4 It replaces energy-heavy concrete in mid-rise buildings while locking away carbon absorbed during tree growth.

(31) Which building type does the passage identify as the primary sweet spot for CLT?

1 Two-hundred-story steel suspension towers.

2 Underground subway tunnels beneath oceans.

3 Mid-rise offices, apartments, and dormitories around ten to fifteen stories.

4 Single-use garden sheds meant to last one summer.