準1級

第14回

英検準1級形式

リーディング練習

第14回　｜　部分演習（筆記全体の制限時間は流用しません）　｜　選択問題 31問

■ 出題構成・自己採点記録表

大問	問題番号	出題形式・内容	設問数	自己採点・点検
1	(1)〜(18)	短文の語句空所補充	18問	／18
2	(19)〜(24)	長文の語句空所補充	6問	／6
3	(25)〜(31)	長文の内容一致選択	7問	／7

■ 演習・印刷の手引き

1. 問題冊子には正答や解説を載せていません。解答用紙はA4横マークシート（1ページ）です。
2. 印刷時は「白黒・実際のサイズ（100%）」を選ぶと、マーク欄や英作文罫線が本番見本に近い実寸で出力されます。
3. 解き終わるまでは「解答・解説」を開かず、本番と同じ時間配分を意識して取り組んでください。
4. 同じ選択問題はアプリの「分野別練習」、英作文課題はアプリの「ライティング練習」でも学習・保存できます。

実施日：　　年　　月　　日　　開始〜終了：　　：　　〜　　：

氏名：＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿＿　　選択問題 合計：　　／31 点

※ 本冊子はマナトビが独自に執筆・編集した英検準1級形式のオリジナル教材（第14回）です。リスニング・二次面接は含みません。日本英語検定協会の公式過去問・公式予想問題ではなく、CSEスコア算出や合否判定は行いません。外部機関による難度校正は未実施です。

1

次の(1)から(18)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

(1) To stop flash-flood debris from clogging the hydroelectric intake, engineers built an upstream weir to ( ) floating logs before they reach the grates.

1 intercede **2** interject **3** intersperse **4** intercept

(2) Although the startup's demo video looked seamless, due-diligence engineers discovered that half the voice responses were ( ) by human operators backstage.

1 conjured **2** contrived **3** conceded **4** condoned

(3) Because ancient lacquerware cracks if relative humidity plunges below forty percent, the gallery relies on ultrasonic misters to keep air moisture ( ).

1 ersatz **2** erratic **3** equable **4** esoteric

(4) Far from being a spontaneous grassroots petition, the zoning protest turned out to have been bankrolled by a rival shopping-mall ( ).

1 consortium **2** compendium **3** conundrum **4** continuum

(5) Years of unchecked fertilizer runoff had turned the once-clear alpine lake ( ) with summer algae blooms.

1 timid **2** turgid **3** torpid **4** turbid

(6) When three cargo cranes broke down simultaneously during peak harvest exports, port managers had to ( ) an emergency round-the-clock loading roster.

1 improvise **2** implicate **3** importune **4** impound

1 短文の語句空所補充（続き）

(7) Rather than dismiss elder villagers' flood memories as folklore, hydrologists found those oral accounts remarkably ( ) with riverside sediment cores.

1 contentious **2** congruent **3** circuitous **4** complacent

(8) Because lithium-ion ferry batteries pack immense energy into tight hull compartments, maritime codes mandate water-mist systems to ( ) thermal runaway.

1 squint **2** squander **3** squelch **4** squirm

(9) The appellate judge chided prosecutors for burying key lab notes inside ten thousand pages of annexes, calling the tactic a veiled attempt to ( ) the defense.

1 harangue **2** hamstring **3** hibachi **4** hallow

(10) Even seasoned volcano observers hesitate to issue evacuation orders too lightly, lest repeated false alarms breed public ( ).

1 complicity **2** clemency **3** cogency **4** complacency

(11) Although the biographer admired the composer's orchestral genius, she refused to ( ) over his habit of taking sole credit for students' arrangements.

1 gloss **2** gloat **3** glean **4** glaze

(12) To prevent hospital sink drains from harboring resistant bacteria, engineers redesigned basin curves so tap jets no longer ( ) straight into the strainer.

1 impute **2** implore **3** impinge **4** immerse

1 短文の語句空所補充（続き）

(13) Once dismissed as lifeless industrial wasteland, flooded gravel pits on the city fringe have unexpectedly ( ) into prime winter sanctuaries for diving ducks.

1 blanched **2** blundered **3** blustered **4** blossomed

(14) Because handmade violin bridges warp under string tension if cut from green maple, luthiers season wooden blanks in dry lofts for years to ( ) residual sap.

1 exalt **2** extol **3** expel **4** exude

(15) The municipal auditor warned that using one-time land-sale proceeds to pay recurring pension bills was fiscally ( ).

1 unscathed **2** untenable **3** unfeigned **4** unbridled

(16) When surging copper prices made rural railway signaling cables a target for theft, crews began stamping serial codes every meter to ( ) scrap-metal dealers from buying stolen wire.

1 deter **2** defer **3** delve **4** deem

(17) Rather than scrap the aging research icebreaker, naval architects lengthened its hull by twelve meters to ( ) out another fifteen years of Antarctic service.

1 egg **2** ebb **3** etch **4** eke

(18) Even after stepping down as chief conductor, Maestro Ogi continued to ( ) in on youth orchestra rehearsals whenever he visited Sapporo.

1 doze **2** drop **3** drift **4** dwell

2 A 次の英文を読み、その文意にそって(19)から(21)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

Why Cargo Ports Plug Docked Ships into Shore Power

Even after a giant container ship ties up safely at a harbor berth and switches off its main propulsion propellers, the vessel rarely goes quiet. Refrigerated food containers, cargo cranes, navigation computers, crew kitchens, and air-conditioning systems aboard a single ship can demand as much electricity as three thousand homes. Historically, docked ships generated that power by running auxiliary diesel engines around the clock—sending plumes of sulfur oxides, nitrogen oxides, and fine soot drifting across portside neighborhoods.

Port authorities from Los Angeles and Rotterdam to Yokohama are increasingly replacing berthside diesel exhaust with high-voltage shore power, often called "cold ironing." Once a ship moors, dockworkers hoist thick insulated cables from quay vaults and sync the vessel's switchboard to the municipal electricity grid, allowing auxiliary engines to shut down completely within twenty minutes. Where regional grids draw heavily on hydro, solar, or offshore wind power, plugging in cuts harbor-side air pollution and greenhouse emissions at a single stroke. (***19***), residents living near container terminals enjoy immediate relief from the low-frequency engine rumble that once vibrated bedroom windows all night.

Universal adoption still faces technical and financial hurdles. Older vessels lack standardized high-voltage shore sockets, and oceanic ships built for sixty-hertz electrical systems cannot plug directly into fifty-hertz European or eastern Japanese grids without costly dockside frequency converters. (***20***), high industrial electricity tariffs can tempt captains to keep burning untaxed marine fuel unless ports mandate shore hookups or discount green kilowatt-hours.

Aligning socket standards and port pricing will decide how fast busy harbors (***21***).

(19) **1** In vain **2** On the contrary **3** Just as welcome **4** Otherwise

(20) **1** Compound that with economics **2** For instance
3 Instead **4** Previously

(21) **1** ban refrigerated food containers from international trade
2 replace every container crane with wooden rowboats
3 force ocean ships to run diesel engines twice as hard at berth
4 retire berthside diesel fumes and midnight engine drone

2 B 次の英文を読み、その文意にそって(22)から(24)までの（ ）に入れるのに最も適切なものを1, 2, 3, 4の中から一つ選び、その番号のマーク欄をぬりつぶしなさい。

How "Choice Architecture" Shapes Organ-Donor Rates

Compare organ-donor registration cards across neighboring European countries with similar hospitals, religious traditions, and household incomes, and a startling statistical chasm appears: in some nations fewer than twenty percent of adults are registered donors, whereas right across the border more than ninety percent are enrolled. Behavioral economists investigating that gap found the decisive factor was rarely public generosity—it was how a single sentence on a driver's-license form framed the default option.

Under an "opt-in" system, citizens must check a box or mail a form if they wish to become donors; doing nothing leaves them unregistered. Under a presumed-consent or "opt-out" system, adults are enrolled automatically unless they check a box declining participation. Because human beings procrastinate over emotionally weighty paperwork and subconsciously read default settings as social norms, millions of people who tell pollsters they support organ donation never get around to opting in. (***22***), switching the default preserves complete legal freedom to say no while dramatically shrinking the gap between citizens' stated wishes and their recorded status.

Policy scholars caution, however, that changing a checkbox is no magic shortcut on its own. Spain's world-leading transplant rate owes less to its opt-out law on paper than to specially trained ICU transplant coordinators who speak sensitively with bereaved families—whose final consent doctors still honor in practice. (***23***), heavy-handed defaults introduced without public dialogue can spark backlash and mistrust.

Thoughtful choice architecture works best when policymakers treat defaults not as a substitute for trust, but as (***24***).

(22) **1** In principle **2** On the contrary **3** In vain **4** Otherwise

(23) **1** Conversely **2** Worse still **3** For example **4** Previously

(24)

1 proof that citizens in low-rate countries oppose organ transplants

2 a way to ignore bereaved families in intensive-care units

3 a tool paired with transparent dialogue and compassionate clinical care

4 a method for banning driver's-license forms altogether

3 A 次の英文の内容に関して、(25)から(27)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

Saltcedar Removal and Desert Riparian Trade-Offs

Introduced to the American Southwest in the nineteenth century as an ornamental windbreak and riverbank stabilizer, tamarisk—commonly called saltcedar—spread aggressively along regulated desert rivers such as the Colorado and Rio Grande. Deep taproots enabled dense thickets of the Eurasian shrub to outcompete native cottonwoods and willows where dams had eliminated spring cleansing floods, while salt excreted from tamarisk leaves crusted floodplain soils.

For decades, water agencies waged war on saltcedar under the straightforward premise that thirsting invasive shrubs were stealing millions of cubic meters of river water—and that bulldozing, burning, or releasing leaf-eating tamarisk beetles would effortlessly restore native willow groves and boost downstream reservoir levels. Field measurements using sap-flow sensors and satellite evapotranspiration mapping, however, delivered a sobering ecological surprise: saltcedar stands actually transpire roughly the same amount of water per hectare as the native cottonwood forests managers hoped to regrow, meaning removal rarely yields a long-term water windfall unless riverbanks are left completely bare.

Complicating matters further, an endangered songbird—the southwestern willow flycatcher—adapted to nest inside dense saltcedar canopies wherever native willows had vanished. When introduced defoliating beetles stripped tamarisk leaves mid-summer without spring river floods to help native saplings take their place, nesting birds lost shade and cover abruptly. Contemporary river restorationists therefore emphasize restoring seasonal dam pulse flows alongside gradual, mosaic replanting rather than single-species eradication alone.

3A Saltcedar Removal and Desert Riparian Trade-Offs 設問 (25)〜(27)

(25) What assumption originally motivated water agencies to clear saltcedar along Southwestern rivers?

1 They thought saltcedar roots were dissolving concrete hydroelectric dams.

2 They believed removing thirsty invasive shrubs would save large volumes of river water and revive native trees.

3 They wanted to harvest tamarisk timber for luxury furniture.

4 They assumed saltcedar grew only above three thousand meters.

(26) What did sap-flow sensors and satellite measurements reveal about saltcedar water use?

1 Saltcedar uses ten times more water than tropical rainforests.

2 Native willows consume zero water during summer months.

3 Saltcedar actually pumps underground salt water back into rivers.

4 Per hectare, saltcedar transpires roughly the same water volume as replacement native cottonwood forests.

(27) Why did sudden beetle defoliation harm the endangered southwestern willow flycatcher?

1 It stripped mid-summer nesting shade before native willows could regrow without spring river floods.

2 The beetles preyed directly on flycatcher eggs.

3 Flycatchers eat only tamarisk bark during winter.

4 It caused sudden winter blizzards along the Rio Grande.

3 B 次の英文の内容に関して、(28)から(31)までの質問に対する答えとして最も適切なもの、または文を完成させるのに最も適切なものを1, 2, 3, 4の中から一つ選びなさい。

Why Early Phonographs Reshaped Musical Performance

Before Thomas Edison's tinfoil phonograph and Emile Berliner's flat shellac discs entered parlors at the turn of the twentieth century, hearing music meant sharing physical space with performers—whether in a symphony hall, village square, or family parlor piano corner. Early acoustic recording horns—giant sheet-metal funnels with no microphones or electronic amplification—did far more than capture existing concerts passively; their stubborn physical limitations actively reshaped how twentieth-century musicians played and sang.

Recording into an acoustic horn required crowding an orchestra into a stifling studio so sound waves could vibrate a single glass diaphragm directly. Quiet gut-stringed instruments and delicate flute passages barely registered in wax grooves, forcing session leaders to substitute brass tubas for double basses and seat violinists on raised stools inches from the horn mouth. Equally transformative was the strict time cap: a ten-inch 78-rpm shellac disc held scarcely three and a half minutes of music, obliging jazz ensembles, opera tenors, and folk fiddlers alike to trim sprawling live improvisations into tight three-minute arrangements—a template that still echoes in modern pop singles.

Paradoxically, repeatability changed expressive habits too. In live nineteenth-century recitals, violinists slid expressively between pitches (portamento) and bent tempos freely, knowing a fleeting liberty would vanish into the hall air. Once listeners could replay the exact same disc fifty times at home, however, eccentric tempo lurches began to sound mannered on the tenth hearing, while slight pitch slips stood permanently exposed. Within a generation, continuous warm vibrato—which flattered horn microphones and masked tiny pitch tremors—became the global hallmark of classical string tone.

Technologies built merely to document an art form often end up rewriting its aesthetic rules.

3B Why Early Phonographs Reshaped Musical Performance 設問 (28)〜(31)

(28) Why did early acoustic recording studios sometimes replace double basses with brass tubas?

1 Double basses were banned by symphony unions in 1900.

2 Tubas weighed less to carry up concert-hall stairs.

3 Unamplified recording horns struggled to capture quiet low strings onto wax grooves.

4 Listeners disliked violin melodies on shellac discs.

(29) How did the physical capacity of a ten-inch 78-rpm shellac disc leave a lasting mark on popular music?

1 It restricted recorded music exclusively to solo flute works.

2 It allowed forty-minute symphonies to fit on one side without cuts.

3 It forced singers to whisper rather than project their voices.

4 Its three-and-a-half-minute limit trained musicians to craft concise three-minute song structures.

(30) Why did home replayability discourage extreme tempo liberties and favor continuous string vibrato?

1 Conservatories outlawed live concerts during the 1920s.

2 Shellac discs spun faster whenever violinists used portamento.

3 Repeated listening made big tempo lurches feel affected and exposed tiny pitch slips that vibrato helped smooth.

4 Vibrato shortened every symphony movement by two minutes.

(31) Which statement best captures the author's central thesis across the passage?

1 Early phonographs captured nineteenth-century concert habits without altering a single note.

2 Recording tools designed to preserve artistic performance ended up reshaping musical form and style.

3 Electronic microphones were invented fifty years before Edison's tinfoil phonograph.

4 Live recitals disappeared completely once 78-rpm discs went on sale.