ERLEN'KIY. N., akademik; KRYLOVA, N.; LIBERMAN, S.; POZHARISKAYA, L.;

SAFONOV, S., ingh.

Stabilizing industrial blood on the beef conveyer line. Mias. ind.

SSSR 28 no.5:27-28 '57.

(MIRA 11:1)

1. Veesoyusnyy hanchno-issledovatel'skiy institut myasnoy promyshlennosti (for Belen'kiy, Krylova, Poshariskaya). 2. Leningradskiy

myasokombinat (for Safonov).

(Slaughtering and slaughterhouses)

(Blood) (Synanthrin)

BELEN'KIY, N.G., akademik; PAVLOV, V.A., kandidat biologicheskikh nauk.

Therapeutic serum as a biological stimulant of sexual functions in sterile cows. Veterinarila 34 no.8:66-70 Ag '57. (MERA 10:9) (Serum therapy) (Estrus) (Sterility in animals)

BELEN'KIY, N.G., POZHARISKAYA, L.S., KUZENKO, Ye.V., VOLKOVA, A.G.

Improvement in obtaining sterile blood serum for use in medicinals.

Med.prom. 12 no.8118-22 Ag '58 (NIRA 11:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut myasnoy promyshlennsti.
(SERUM):

BELEN'KIY, N.G., akademik; POZHARISKAYA, L.S., kand. biol. nauk; POLONSKAYA, L.B., kand. tekhn. nauk; TOMME, L.G., kand. sel'skokhozyaystvennykh nauk; KUKHARKOVA, L.L., starshiy nauchnyy sotrudnik.

New methods for utilizing the blood of slaughter-stock as feed.

Zhivotnovodstvo 20 no.5:70-75 My 158. (MIRA 11:5)

(Blood as food or medicine) (Meat industry--By-products)

(Teeding and feeding stuffs)

BELEN! KIY. N. O., akademik; POZHARISKAYA, L.S., kand. biol. nauk; POLONSKAYA, L.B., kand. tekhn. nauk; TOME, L.G., kand. zootekhn. nauk; KUKHARKOVA, L.L.

Methods of preserving the blood of slaughter animals and using it for fattening swine. Dokl. Akad. sel'khoz. 23 no. 6:27-32 '58.

(MIRA 11:7)

Vsesoyuznyy nauchno-issledovatel'skiy institut myasnoy promyshlemosti.
 (Blood--Collection and preservation)
 (Swine--Feeding and feeding stuffs)

EMIMN'KIY, N.G., akademik; KRYLOVA, N.N.; BAZAROVA, K.I.

Studying changes occurring in S³⁵-labeled proteins during thermal denaturation. Dokl. akad. sel'khos. 23 no.9:29-34 '58.

(MIRA 11:10)

1.Vsessyunyy nauchne-issledevatel'skiy institut myasney premyshlennesti.

(Sulphur-Isotopes) (Proteins)

D'YAKOV, Mikhail Iudovich, skademik [deceased]; BELEN'KIY, N.G., obshchiy red.; DMITROCHENKO, A.P., prof., doktor sel'skokhoz. nauk, obshchiy red.; KONDYREV, V.Ye., kand.sel'skokhoz.nauk, obshchiy red.. V redaktirovanii prinimali uchastiye: GOLU-BENTSOVA, Yu.V., kand.sel'skokhoz.nauk, nauchnyy sotrudnik, red. [deceased]; MYSYUTKINA, M.V., kand.sel'skokhoz.nauk, nauchnyy sotrudnik, red.; YEFIMOV, F.F., kand.sel'skokhoz.nauk, nauchnyy sotrudnik, red.; KABOZEV, S.M., kand.sel'skhokhoz.nauk, nauchnyy sotrudnik, red.; BADNARSKAYA, G.A., red.; BALLOD, A.I., tekhn.red.

[Selected works in two volumes] Imbrannye sochineniis v dvukh tomakh. Moskva, Gos.izd-vo sel'khoz.lit-ry. Vol.1. 1959. 515 p. Vol.2., 1959. 647 p. (MIRA 13:1)

1. Vsesoyuznaya akdemiya sel'skokhoz.nauk in. V.I.Lenina (for D'yakov). 2. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh nauk imeni V.I.Lenina (for Belen'kiy). 3. Vsesoyuznyy nauchno-issledovatel'skiy institut korreleniya sel'skokhozyaystvennykh zhivotnykh (for Golubentseva, Mysyutkina, Yefimov, Kabozev).

(Agriculture)

BELEN'KIY, N.G., akademik; POZHARISKAYA, L.S., kand.biologicheskikh nauk;

VOLKOVA, A.G., mladshiy nauchnyy sotrudnik; KUZENKO, Ye.V., inzh.

Properties of the blood plasma and serum of cattle. Trudy VNIIMP no.9:104-108 '59. (MIRA 13:8)

(Gattle) (Blood analysis and chemistry)

[Alpha-chymotrypsin; the composition, properties and manufacture of the preparation]Al'fa-khimotripsin; sostav, svoistva, primeneale i proizvodstvo preparata. Moskva, Vses. nauchno-ills. in-t miasnoi promyshl., 1962. 68 p.

(Chymotrypsin) (Meat industry)

BELEN'KIY, N., akademik

Complete utilization of endocrine enzymes raw materials. Mias. ind. SSSR 34 no.4:6-11 '63. (MIRA 16:10)

BELEN'KIY, N.G., akademik; POLONSKAYA, L.B., starshiy nauchnyy sotrudnik, kamd. tekhn.nauk; ZUYEVA, L.D., mladshiy nauchnyy sotrudnik

Technology of the manufacture of chymotrypsin preparations from cattle pancreas inactive according to the insulin content. Trudy VNIIMP no.14:99-102 '62. (MIRA 16:8)

1. Rukovoditel' laboratorii Vsesoyuznogo nauchno-issledovatel'skogo instituta maysnoy promyshlennosti (for Belen'kiy).

(Chymotrypsin)

BELEN'KIY, N.G., akademik; KRYLOVA, N.N., kand. biologicheskikh nauk;
BAZAROVA, K.I., mladshiy nauchnyy sotrudnik; SEVOST'YANOV, B.A.,
mladshiy nauchnyy sotrudnik; KUZNEKO, Ye.V., inzh.

Method for the preparation of "MP" hydrolyzates from blood proteins and their properties. Trudy VNIMMP no.13:120-144 '62. (MIRA 17:5)

1. Eksp. thekh Moskovskogo myasnogo komibinata (for Kuzenko).

BELEN'KIY, N.G., akademik

[Problems of the biological evaluation of the technological processes in the meat industry] Problema biologichesko. otsenki tekhnologicheskikh priemov miasnoi promyshlennosti. Moskva, Vses. nauchno-issl. in-t miasnoi promyshl., 1962. 12 p. (MIRA 17:8)

BELEN'KIY, N.G.; BEKKER, R.I.

Effect of ultraviolet rays on nitrogen balance and urobilin (stercobilin) excretion in chickens. Biofizika 8 no.4:509-512 '63. (MIRA 17:10)

1. Moskovskiy tekhnologicheskiy institut myasnoy i molochnoy promyshlennosti i Novozybkovskiy gosudarstvennyy pedagogicheskiy institut.

AUTHOR: Belen'kiy, N. G. (Academician); Zayas, Yu. F. (Candidate of technical sciences); Orlova, T. N. (Engineer); Kravtsova, A. V. (Engineer) ORG: none TITLE: The effect of ultrasonics on the process of extraction of biologically active substances (SOURCE: Ukraine. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya. Mezhvedomstvennyy respublikanskiy nauchno-tekhnicheskiy sbornik, 1966. Akustika i ul'trazvuk (Acoustics and ultrasonics), no. 1, 42-50 TOPIC TAGS: ultrasonic vibration, ultrasonic effect, cavitation, electrochemical analysis, medicine ABSTRACT: A literature survey of the effects of ultrasonic vibration on biological substances is presented. The chief effect is that of cavitation. Ultrasonic chemical processes are the result of mechanical forces due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the active radicals OH, H, and the peroxide H ₂ O ₂ . The oxidizing action of ultrasonics disappears upon boiling the liquid, increasing external pressure or adding a protective sub-	L 10085-67 ENT(1) ACC NR. AT6026365	(A) SOURCE CODE: UR/3209/66/000/001/0042/0030
TITLE: The effect of ultrasonics on the process of extraction of biologically active substances of Source: Ukraine. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya. Mezhvedomstvennyy respublikanskiy nauchno-tekhnicheskiy sbornik, 1966. Akustika i ul'trazvuk (Acoustics and ultrasonics), no. 1, 42-50 TOPIC TAGS: ultrasonic vibration, ultrasonic effect, cavitation, electrochemical analysis, medicine ABSTRACT: A literature survey of the effects of ultrasonic vibration on biological substances is presented. The chief effect is that of cavitation. Ultrasonic chemical processes are the result of mechanical forces due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the acses. If air is present in aqueous solutions, the ultrasonic vibrations of ultrasonics disap-	AUTHOR: Belen'kiy, N. G Orlova, T. N. (Engineer	G. (Academician); Zayas, Yu. F. (Candidate of technical sciences); r); Kravtsova, A. V. (Engineer)
SOURCE: Ukraine. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya. Mezhvedomstvennyy respublikanskiy nauchno-tekhnicheskiy sbornik, 1966. Akustika i ul'trazvuk (Acoustics and ultrasonics), no. 1, 42-50 TOPIC TAGS: ultrasonic vibration, ultrasonic effect, cavitation, electrochemical analysis, medicine ABSTRACT: A literature survey of the effects of ultrasonic vibration on biological substances is presented. The chief effect is that of cavitation. Ultrasonic chemical processes are the result of mechanical forces due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the acses. If air is present in aqueous solutions, the ultrasonic of ultrasonics disap-	ORG: none	
SOURCE: Ukraine. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya. Mezhvedomstvennyy respublikanskiy nauchno-tekhnicheskiy sbornik, 1966. Akustika i ul'trazvuk (Acoustics and ultrasonics), no. 1, 42-50 TOPIC TAGS: ultrasonic vibration, ultrasonic effect, cavitation, electrochemical analysis, medicine ABSTRACT: A literature survey of the effects of ultrasonic vibration on biological substances is presented. The chief effect is that of cavitation. Ultrasonic chemical processes are the result of mechanical forces due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the acses. If air is present in aqueous solutions, the ultrasonic vibrations form the acses.	TITLE: The effect of a	ultrasonics on the process of extraction of biologically active
ABSTRACT: A literature survey of the effects of ultrasonic vibration on biological substances is presented. The chief effect is that of cavitation. Ultrasonic chemical processes are the result of mechanical forces due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the acsess. If air is present in aqueous solutions, the ultrasonic of ultrasonics disap-	SOURCE: Ukraine. Minis	ikanskiy nauchno-teknnicheskiy sbornik, 1960, mkdotika
substances is presented. The chief effect is that of cavitation. Citrasonic chief effect is that of cavitation. Citrasonic chief effect is that of cavitation. Citrasonic chief effects due to cavitation and electrochemical and photochemical effects due to large electrical forces occurring in cavitation recesses. If air is present in aqueous solutions, the ultrasonic vibrations form the acsess. If air is present in aqueous solutions, the ultrasonic vibrations of ultrasonics disap-	TOPIC TAGS: ultrasoni lysis, medicine	ic vibration, ultrasonic effect, cavitation, electrochemical ana-
	substances is presente processes are the resu and photochemical effe ses. If air is presen	ed. The chief effect is that of cavitation. Offrasonic chimselectron of mechanical forces due to cavitation and electrochemical ects due to large electrical forces occurring in cavitation recestion aqueous solutions, the ultrasonic vibrations form the action of ultrasonics disaptonical disa
Card 1/2	Card 1/2	

L 10085-67

ACC NR: AT6026365

stance to the solution. In order to prevent the oxidation of insulin, butyloxyanisol is used. In the extraction of biologically active substances by ultrasonics, instantaneous decomposition occurs in cavitation recesses; Harvey and Loomis have shown that a time interval of 1/1200 sec is needed to decompose cells. Auler and Woite applied ultrasonic vibrations to cancerous cells in vitro and showed that initially the cell nuclei were destroyed, the fragments penetrating into the cytoplasm. Among other works discussed were: Tarnochi--the effect of ultrasonics on diffusion acceleration in organic layers, Katte and Specht -- the extraction of difficult nuclei by ultrasonics, Shropschire--extraction of oils from fish materials, Kusano--the effect of ultrasonics on the pharmacological properties of hormones and vegetative nuclei, and Wolf and El'piner -- the effect of ultrasonics on the purity of insulin preparation. Some experimental work done on the extraction of insulin from pancreas by ultrasonics was described. Here the use of ultrasonics resulted in a greater insulin output, eliminated the need for secondary extraction, shortened the extraction time to a few minutes, and allowed the insulin to preserve its biological activity during acidification. Orig. art. has: 1 figure, 1 table.

SUB CODE: 06.07/ SUBH DATE: none/ ORIG REF: 007

Card 2/2 6/10

3,2200

S/044/60/000/010/013/021 C111/C333

AUTHOR:

Belen'kiy, N.M.

TITLES

On the problem concerning the trajectories

PERIODICAL:

Referativnyy zhurnal, Matematika, no. 10, 1960, 106, abstract 11744. (Uch.zap. Mosk.gos.zaochn.ped.in-ta.

Ser.fiz.-matem., 1959, vyp. 3, 231-239)

TEXT: A plane point motion under influence of conservative forces is considered. The Euler equation (projection on the normal) is set up with the aid of the variational principle in the Jacobian form; some simplest examples are considered.

Abstracter's note: Complete translation.

Card 1/1

23262

\$/122/61/000/006/004/011

5.1310

1087, 1160, 1164

D244/D301

AUTHORS:

Belen'kiy, M.A., Engineer; Layner, V.I., Doctor of Technical Sciences, Professor; Petrova, O.A., Candidate

of Technical Sciences

TITLE:

Bright nickel plating with levelling additives

PERIODICAL:

Vestnik mashinostroyeniya, no. 7, 1961, 37-41

TEXT: This article gives the results of research on the above problem conducted by the TsNIIMashdetal'. An electrolyte of the following composition was chosen: 250 to 3000 gm/l of nickel sulphate (NiSO $_4$. 7H $_2$ O), 40 to 50 gm/l nickel chloride (NiCL $_2$. 6H $_2$ O) and 35 gm/l of boric acid (H $_3$ BO $_3$). Subsequently NiCL $_2$ was replaced by 10 to 15 gm/l of NaCl, since preliminary tests showed that this change does not affect the quality of the deposit or levelling action. The temperature was maintained at 50°C and current density was 4 to 6 A/dm² except when investigating the influence of these parameters. Coumarin (lactone of o-hydroxycinnamic

Card 1/5

23262

S/122/61/000/006/004/011 . D244/D301

Bright nickel plating with...

acid, $C_9^{H_0}O_2^{}$) was tested as a levelling agent, for which ethyl alcohol or glacial acetic acid were used as solvents. As specimens, pieces of thin sheets of copper, brass and steel in flat and cylindrical shapes were used. As a criterion of levelling, the formula used by the Czechoslovak Institute for Metals Protection im. Akimov, was adopted. (Eq. 1). where h_1^{\prime} and h_2^{\prime} - depth of roughness before and after plating.

The effect of Coumarin concentration is illustrated,

hi - hi - 100%. O.1 gm/l giving maximum levelling. This concentration, however, does not ensure maximum brightness and in choosing the Coumarin content, a compromise between these two effects must be made. To remove internal stresses and the tendency to pitting of the deposit (caused by Coumarin) other additives must be also used. Higher temperature of the bath tends to reduce internal stresses, but the internal effects of concentrations of such ions as NH₄, Na, Mg, Co etc. tends to increase them. According to A.G. Samartsev and Yu. V. Lyzlov (Ref. 7: Vnutrenniye napryazheniya v elektroliticheskikh osadkakh nikelya,

Card 2/5

Bright nickel plating with...

2,262 S/122/61/000/006/004/011 D244/D301

Trudy 1-y nauchno-tekhnicheskoy konferentsii po voprosam intensifikatsii proizvodstva i povysheniya kachestva gal'vanicheskikh pokrytiy, Kiyev - Odessa 1956), the increase of the pH value from 6 to 6.1 or 6.2 produces a sharp increase in internal stresses. Various organic additives influence current consumption and coumarin was tested in this respect. Even small amounts of coumarin were found to increase deposit hardness. To increase the brightness of the deposit and to reduce internal stresses, 2 gm/l of para-toluolsulphamide was added which had the best effect with 1.5 gm/l of coumarin (Fig. 5).

Fig. 5. Legend: Effect of coumarin content on the nickel deposit brightness 1 - current density of 4 A/dm^2 . 2 - of 4 to 6 A/dm^2 .

An electric method, worked out by G.K. Potanov and A.T. Sandzherovskiy (Ref. 10: ZhFKh, t.XXXII, vyp. 6, 1958), was used for measuring

y s -p •

Рис. 5. Влияние содержания кумарина на блеск инкелевых покрытий: I—плотность тока 4 $a/\partial x^2$; 2—6 $a/\partial x^2$.

Card 3/5

23262 S/122/61/000/006/004/011 D244/D301

Bright nickel plating with...

internal stresses. This method depends on measuring the bending of the cathode under the stress in the deposit. To prevent pitting, surface active substances such as sodium lauryl sulphate (0.2 to 1.0 gm/l) or a wetting agent which reduces surface tension to 30 dyne/cm., can be added. On the basis of the investigations made, it can be concluded that:

1) Coumarin has a high levelling action but does not give a bright deposit and causes a marked increase of internal stress and pitting.

2) Paratoluolsulphamide in a bath containing coumarin produces a bright and tension free deposit. 3) Addition of \square -10(D-10, sodium alkyl sulphate) in the amount of 0.07 gm/l ensures absence of pitting. 4) For bright nickel plating with a good levelling action the following electrolyte composition (gm/l) is recommended: Nickel sulphate (NiSO₄.7H₂O) 250-300; Sodium chloride (NaCl) 10-15; Boric acid (H₃BO₃) 35;

Coumarin 0.8-1.5; P-toluolsulphamide 2; Anti-pitting additive D-10 0.05-0.1; bath working conditions: temperature 50° C; pH = 4.3 to 5.3; current density 4 to 6 A/dm²; Rate of deposition 1 to 1.5 μ /min. There are 7 figures and 11 references: 7 Soviet-bloc and 4 non-Soviet-bloc.

Card 4/5

23262

S/122/61/000/006/004/011 D244/D301

Bright nickel plating withou.

The references to the English-language publications read as follows: Ref. 4. S.A. Watson, J. Edwards, Electroplating and Metalfinishing vol. 10, no. 5, 1957, p 136; Ref. 8. J.B. Kushner, Techn. Prog. 45th Annual Convent. Amer. Electroplaters. Soc. (Cincipnati, Ohio, 1958) Newark, 1958, 28-32, 158-161; Ref. 9. D.J. Pishlock, Product Finishing, Vol. 11, 1958, no. 3,4.6; Ref. 11; E.B. Saubestre, Plating, 1958, 45, no. 9.

X

Card 5/5

GELEN'KIY, N.P.

GIBSHMAN, Aleksandr Yevgen'yevich; IQANNISYAN, Ashot Isayevich; KONDRATCHENKO, Anatoliy Petrovich; TAKOVLEV, Boris Vonitat'yevich;
BELEN'KIY, N.P., kandidat tekhnicheskikh nauk, redaktor; VIASOV,
D.T., kandidat tekhnicheskikh nauk, redaktor; KHITROV, P.A.,
tekhnicheskiy redaktor.

[Principles of planning railroads] Osnovy proektirovaniia shelesnykh
dorog. Moskva, Gos. transp. shel-dor. isd-vo, 1954, 459 p.

(Railroad engineering)

(MIRA 8:2)

Hidesing track spacing on curves. Transp. strei. 5 me.9:25
W 155. (Railreads--Gurves) (MIRA 9:2)

BELEN'KIY, N.P.

Review of specification for planning work. Transp. stroi. 6 no.4: 23-24 Ap 156. (MLRA 9:8)

1. Glavnyy inshener Giprotranstei.
(Railroad engineering)

Lengthening the receiving and departure tracks is an important element in station reconstruction. Zhel. dor. transp. 38 no.8: 37-41 Ag '56. (MERA 9:10)

(Railroads---Stations)

HEIRN KIY. M.P., kandidat tekhnicheskikh nauk.

New planning specifications for the electrification of railroads.

Elek.i tepl.tiaga no.5:3-5 My '57. (MIRA 10:7)

(Railroads--Electrification)

IOANNISYAN, Ashot Isayevich, prof., doktor tekhn. nauk; VERTSMAN, G.Z., kand. tekhn. nauk; PETROV, V.I., kand. tekhn. nauk; BELEN'KIY, N.P., kand. tekhn. nauk; KHITROV, P.A., tekhn. red.

[Engineering research and construction of railroads] Izyskaniia i postroika zheleznykh dorog. Izd.2., perer. Moskva, Gos. transp. shel-dor. izd-vo. Pt.1. [Engineering research and planning]
Izyskaniia i proektirovanie. 1958. 466 p. (MIRA 11:10)
(Railroads--Construction)

VERTSMAN, G.Z., kand.tekhn.nauk; BELEN'KIY, N.P., kand.tekhn.nauk

Projected new norms and standard specifications for planning railroads. Transp.stroi. 9 no.1:13-17 Ja 159. (MIRA 12:2)
(Railroad engineering)

BELEN'KIY, N.P. kand. tekhn. nauk

Economic aspects of the introduction of electric and diesel traction. Zhel.dor.transp. 41 no.8:25-31 Ag '59.

(MIRA 12:12)

1. Glavnyy inzhener Gosudarstvennogo instituta tekhnikoekonomicheskikh izyskaniy i poryektirovaniya zheleznodorozhnogo transporta.

(Railroads-Electrification)
(Diesel locomotives)

BELEN'KIY, N.P., kand.tekhn.nauk; VERTSMAN, G.Z., kand.tekhn.nauk

Standards and technical specifications for railroad planning and designing. Put' i put.khoz. 5 no.12:33-35 D '61. (MIRA 15:1)

(Railroad engineering)

Development of the railroad network of the U.S.S.R. Izv.
AN SSSR. Energ. i transp. no.5:581-583 S-0 '63.

(MIRA 16:11)

BELEN' KIY, N.P., kand. tekhn. nauk


Technical and economic comparison of electric and diesel traction. Zhel. dor. transp. 45 no.6:17-21 Je 163.

(MIRA 16:7)

1. Glavnyy inzh. Gosudarstvennogo instituta tekhniko-ekonomicheskikh izyskaniy i proyektirovaniya zheleznodorozhnogo transporta.


(Locomotives)

(Railroads-Cost of operation)



Sbornik zadach i uprazhneniy po khozyaystvennym bychisleniyam (Collection of problems and exercises in economical calculation) Izd. 4., perer. Moskva, Gostorgizdat, 1953.
186 p. Tables

So: N/5
611.912
.B4



AIDREYEY, PAY	HOIVO.IV ri de			6	/5 11 . 91 453
Khonyaystvenn	yye VtchislenIy	s I Elementy Me	ekhanizirovanno	ogo Uchets: Ucheb	nik Dlyz
Tekhnikumov S Calculations,	ovetskoy Torgov By) P.P. Andro	li (Industrial	Accounting and	i the Elements of :	Machine
31h p. Illus.	Tables.				
		,			
	:				
•					

BELEN'KIY, Natan Solomonovich; LYUDSKOV, B.P., red.; ISHKOVA, A.K., red.; BABICHEVA, V.V., tekhn.red.

[Collection of problems and exercises in commercial arithmetic]
Sbornik zadach i uprazhnenii po khoziaistvennym vychisleniiam.
Izd.5., perer. Moskva, Gos.izd-vo torg.lit-ry, 1960. 215 p.
(MIRA 13:7)


(Arithmetic, Commercial)

RELEN'KIY, Natan Solomonovich; ISAKOV, V.I., otv.red.; SUROVA, V.A., red.izd-va; SHKLYAR, S.Ya., tekhn.red.

[Commercial arithmetic and elements of machine accounting] Khoziaistvennye vychisleniia i elementy mekhanizirovannogo ucheta. Izd.2., perer. i dop. Moskva, Gos.nauchno-tekhn. izd-vo lit-ry po gornomu delu, 1960. 375 p.

(MIRA 13:11)

(Arithmetic, Commercial) (Machine accounting)



Using DEM electric detonators in the Novomoskovskiy gypsum mine. Vzryv. delo no.48/5:27-33 '62. (MIRA 15:9)

1. Proizvodstvenno-eksperimental'noye upravleniye tresta Soyuzvzryvprom. (Detonators) (Gypsum)

BELEN'KIY, P. G.

2/ sov/6098

PHASE I BOOK EXPLOITATION

Assonov, V. A., and L. A. Paporotskiy, Resp. Eds.

Novoye v sredstvakh i sposobakh vzryvaniya (New Developments in Blasting Means and Methods). Moscow, Gosgortekhizdat, 1962. 124 p. (Series: Vzryvnoye delo; Sbornik no. 48/5) Errata slip inserted. 3000 copies printed.

Sponsoring Agency: Nauchno-tekhnicheskoye gornoye obshchestvo.

Ed. of Publishing House: A. Ya. Koston'yan; Tech. Eds.: L. I. Minsker and G. M. Il'inskaya.

PURPOSE: The book is intended for mining engineers, workers in scientific research and planning organizations, and also for teachers and students of mining and technical schools.

COVERAGE: This collection of articles describes new blasting means and methods, means of protecting electric detonators from stray currents, and improved methods of short-delay detonation.

Card 1/6

New Developments in Blasting Mea	ins (Cont.)	SOV/6098
330回-B electric igniter; 33 cartridge; 33T-2 capped ele AMM-2 safety detonating fus tant detonating fuse; AMY r fuse; K3AM-58 pyrotechnic	ectric fuse; AMM-1 and les; AMT 165 heat-resis- reinforced detonating	• • • • • • • • • • • • • • • • • • •
Miroshanskiy, A. S. Electric Det	onators for the Salt Indus	stry 19
Moshek, I. M. Instrument for Tes 3/50 Condenser	sting the Switch of the BM	, 51 K-
Grinberg, D. M. Conditions for F DEM Electric Detonators	ailure-Proof Firing of Cze	ech 23
Krivov, V. A., and C. G. Belen'k Detonators at the Novomoskovs	Use of DEM Electric	27
Demidyuk, G. P. Delay Intervals	With Short-Delay Blasting	33

AUTHORS:

Slavin, M., Belen'kiy, S.

SOV/107-58-10-48/55

TITLE:

Prolonging the Life of Radio Valves (Prodleniye sroka sluzhby

radiolamp)

PERIODICAL:

Radio, 1958, Nr 10, p 57 (USSR)

ABSTRACT:

The authors suggest a way of renewing valves and cathoderay tubes which have lost their emission. A voltage 1.6 times greater than normal is applied to the filament for

5-6 minutes.

Card 1/1

USSR/Mines and Mining - Equipment Jul 1947
Mineral Industries

"Crushing Factory at Open-pit Mines," S. A. Belen'kiy,
Mining Engineer, 1 p

"Gornyy Zhurnal" Vol CXXI, No 7

Discusses the theories of setting up a crushing
factory at an open-pit mine.

18764

- 1. BELEN'KIY, S. A. Eng.
- 2. USSR (600)
- 4. Mining Engineering
- 7. Removing the overburden by the hydromechanical method. Gor. zhur. no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January, 1953. Unclassified.

Factory processing gravel and sand in the U.S.A. Mekh. stroi. 15 no.4:30-31 Ap '58. (MIRA 11:5) (United States--Gravel)

AUTHORS:

Der-Shvarts, G. V., Belen'kiy, S. A.

SOV/48-23-6-11/28

TITLE:

On the Problem of the Influence of a Chromatic Aberration of the Dis-adjustment Upon the Resolution of a Reflection-electron Microscope (K voprosu o vliyanii odnoy khromaticheskoy

Microscope (k voprosu o vliyanii odnoy khromaticheskoy aberratsii deyustirovki na razresheniye otrazhatel'nogo

elektronnogo mikroskopa)

PERIODICAL:

Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1959,

Vol 23, Nr 6, pp 716-718 (USSR)

ABSTRACT:

In the introduction, the reduction of chromatic aberration by diaphragms in the objective of electron microscopes is mentioned and the interest in the influence exercised by the geometric dimensions of the pole shoes of the objective upon the dis-adjusting-aberration is shown. When calculating the aberrations of the trajectories, four equations are given, which had been introduced in an earlier paper by Der-Shvarts (Ref 1). The magnetic potential between the pole shoes is then investigated and the formulas (6) and (7) are deduced. By differentiation of this equation the axial distribution of induction components is obtained. For different values of nonmagnetic clearance and of the left-hand channel, values of

Card 1/2

On the Problem of the Influence of a Chromatic Aberration SOV/48-23-6-11/28 the Dis-adjustment Upon the Resolution of a Reflection-electron Microscope

the axial distribution of induction are then calculated. Calculation of the figures of aberration is dealt with according to Gauss, and the results obtained are given by a table. For the purpose of calculating the dispersion from the data given by the table as well as of the quantity characterizing the disadjustment of the diaphragm two formulas (12) and (13) are given. The influence exercised by the constructional parameters of the pole shoes upon the enlargement is distinctly shown by the data given by the table. There are 2 figures, 1 table, and 3 Soviet references.

Card 2/2

24890

S/109/61/006/008/010/018 D207/D304

24.3300

AUTHORS:

Der-Shvarts, G.V., Kushnir, Yu.M. Rozenfel'd, L.B., Zaytacy, P.Y., Bozlenkin, S.V., Trutneva, I.S.,

Belenkly, S.A., Titov, L.A.

TITLE: Certain problems of reflex electron microscopy

PERIODICAL: Radiotekhnika i elektronika, v. 6, no. 8, 1961, 1358 - 1364

TEXT: This paper was presented at the 3rd All-Union Conference on electron microscopy, Leningrad, October 1960. The present article describes an electron reflex microscope based on the design by Ch. Part, R. Martv. R. Saporte (Ref. 1: C. r. Acad. Sci. 1955, 240, 20, 1975) who have shown that by tilting the illumination system by 15 - 20° in a reflex microscope, a good image may be obtained with small deformation of the scale and a large useful image area. The main deficiency of such a system in an electron microscope is the chromatic aberration; the aberration can be reduced, by reduc-

Card 1/5

24890

Certain problems of reflex ...

S/109/61/006/008/010/018 D207/D304

ing the diaphragm aperture of the objective which in turn reduces considerably the picture illumination. In the described microscope the increased illumination was obtained by designing a more effective electron gun and by utilizing a light intensifier. Since the definition of a reflex microscope is (electron microscope the definition of a reflex microscope is (electron microscope the efficiency of the electron gun is determined not by electron brightness but by the current density of the sample, several types of gun were investigated; it was found that triple electrode guns of special construction produce a much greater current density than the standard guns normally used in electron microscopes. The special feature of such a gun is the conical shape of the focussing electrode. The dependence of current density j at the cross-over point of the anode current was determined for electrode angles a of 60°, 90° and 120° with depth of penetration h of the tip of the cathode filament (filament dia, 0.12 mm) with respect to the cone apex, as a parameter for maximum current density at U = 60 kV. The temperature of the cathode was 2800°K. The optimum results obtained are

Card 2/5

24890

Certain problems of reflex ...

S/109/61/006/008/010/018 D207/D304

shown. For an electrode with angle $\alpha=120^\circ$, h=0.5 mm; for $\alpha=90^\circ$ and 60°, h=1.5 mm. For comparison j=f(Ia) is also drawn for the normal electron gun Y9M-100 (UEM-100). In which the tip of the filament is 0.75 mm acove the focussing electrode. It may be seen that for $\alpha=120^\circ$ the current density is increased by approximately 4.6 times with a current of 250 μ A and 7 times with a current of 500 μ A. The electron gun is mounted in the illumination system of the microscope. The gun is introduced through a jacketed port and can be mechanically rotated through any angle from 0° to 22° measured on a vernier scale. The electron optical magnification of the microscope is x2500, resolution about 500 %. The authors also undertook theoretical analysis of the influence on the finition of imperfect assembly and shape of magnet cores. Since the picture is formed by electrons undergoing considerable decelerations, the axial deformation of the magnet slots and errors in their axial positioning produce a constant magnetic field near the axis and perpendicular to it. Such a field has analyzing properties and may introduce chromatic aberration. The evaluation of such aberrations requires the determination of the corresponding pertur-

24890 S/109/61/006/008/010/018 D207/D304

Certain problems of reflex ...

bation potentials, normally evaluated by Bertein's method. It may be shown, however, that this method does not determine the exact boundary conditions necessary for solving the problem of the Laplace equation for perturbation potentials. This problem may be solved exactly only when it is assumed that the perturbation is very small. The modified Mathieu functions may be then reduced to the sums of Bessel functions, whose terms are multiplied by the parameter of the Mathieu equation. In their analysis the authors concluded that there is no general method for evaluating the perturbation potentials and used the integral of an ordinary layer to determine them in the near axial region. The details of the analysis are not given. The poles used had the geometrical form with s/d ratio of 1.5 [Abstractor's note: Symbols d and s not defined]. The authors also investigated the filter lenses in an attempt to increase the resolution of the reflex microscope. In their analysis [Abstractor's note: Details not given] they used the mathematical model of single electrostatic lenses of W. Glaser and P. Schiske (Ref. 13: Optik, 1954, 11, 9, 422; 1954,11, 10, 455; 1955, 12, 5, 233) and of R. Rüdenberg (Ref. 14: J. Franklin Inst. 1948, 246, 4, Card 4/5

			to a company with a second	ومورورها فيدارا المداعات المعبد فلاد			}	
	•		24899					
	Certain prob	blems of reflex	5/169 D207/	/61/006/008/01 D304	0/018			
	solved by the focussed in of the order the picture non-Soviet-b English-lang Einstein, Br los. Trans.	, 377). The unalysitiven that the resort fact that non-axidifferent planes. There of 5-6 eV a backg disappears. There ploc references. The ploc references of the publications of the publ	al achromatic of With an energy round is, there are 10 figures, or references to read as follows: 1952, 3, 2, 40;	ens is basical lectrons are bespread of electrone fermed in 5 Soviet-blocathe 4 Most resident, Haine, P.A. Sturrock	ly li- eing trons which and 9 cont P.A.	THE REPORT OF THE PROPERTY OF	Manual Control of the	
	Inst., 1948,	nstrum, 1953, 30, 246, 311; 246, 5,	A 7222 -171 700	enberg, J. Pran	renard, iklin	/	***************************************	
		771.2701			Х	•		
		•			. •			٠,
	Card 5/5					1		
								2 - 4 2 - 2 -
		ta tracin canno				7	!	,
	ر پی <u>نایات سند که در </u>	The second secon	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		!	
				Service of the servic		and the second second second		
						-		

S/109/62/007/001/015/027 D246/D301

AUTHORS:

Der-Shvarts, G.V., and Belen'kiy, S.A.

TITLES

Investigating the aberration of electronic lens

filters

PERIODICAL:

Radiotekhnika i elektronika, v. 7, no. 1, 1962,

126 - 132

TEXT: The aberrations of the so-called electrostatic lens-filter proposed by Börsch have been investigated so far by using inadequate methods. The authors use solutions of the equations of traject. ry in two well established mathematical models for this purpose, assuming that the lens is used as a projecting lens of electron microscopes. Making assumptions about the expected working conditions of such a lens, they derive characteristic data concerning the aberrations of the lens, which are summarized in Table 1, where d - halfwidth of the axial potential distribution; r = 0 for the axis. Calculating the aberration for a point on the axis, the authors assumed $U_v = 35$ kV electron velocity and two different sets of condicard 1/25

S/109/62/007/001/015/027 D246/D301

Investigating the aberration of ...

tions: losses through the object, $(\Delta U_v)_{max} = 4.3$ V and $(\Delta U_v)_{max} = 10$ V and magnification M = 97.5 X and M = 104 X respectively. The results are tabulated. The approximate radius of chromatic aberration of position for the cases are $(\delta_{cap})_{max}/M \sim 6900$ and 28,000 Å respectively. For the second set of conditions the aberrations for off-axis points were also calculated along 2 trajectories. Results for geometrical and chromatic aberration are given in tables. The authors' conclusion is that chromatic aberrations of lens filters are quite large. The geometric aberrations for off-axis points are also too large. Hence, the use of lens filters in reflection microscopy lacks perspectives. They may be used in illumination microscopy as intermediate lenses, if losses in the object are small. There are 3 figures, 5 tables and 10 references: 5 Soviet-bloc and 5 non-Soviet-bloc. The reference to the English-language publication reads as follows: R. Rüdenberg, I. Franklin, Inst., 1948, 246, 322, 377.

SUBMITTED: June 19, 1961

Card 2/3/2

- 1. BELEN'KIY, S. I.
- 2. USSR (600)
- 4. Physics and Mathematics
- 7. Shower Processes in Cosmic Rays, S. I. Felen'kiy. (Moscow-Leningrad, State Technical Press, 1948). Reviewed by L. D. Landau, Sov. Kniga, No. 11, 1948.

9. Report U-3081, 16 Jan. 1953. Unclassified.

KHUDYKH, Mikhail Iliich, : BELENIKIY, S.I., retsenzent.; PRYANICHNIKOV.
V.P., retsenzent, : KOPELEVICH, Ye.I., red.; KOGAH, V.V., tekhn. red.

[Repairing and assembling textile machinery] Remont i montash tkatskogo oborudovaniia. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po legkoi promyshl., 1958. 342 p. (MIRA 11:11) (Textile machinery--Maintenance and repair)

LABUTIN, Aleksandr Lukich; SAGALAYEV, G.V., red.; BELEN'KIY, S.I., red.; ZAZUL'SKAYA, V.F., tekhn.red.

[Corrosion and corrosion control of equipment used in the production of organic acids and their derivatives] Korrosiia i sposoby zashchity oborudovaniia v proizvodstve organicheskikh kislot i ikh proizvodnykh. Pod red. G.A. Sagalseva. Hoskva, Gos.nsuchno-tekhn.izd-vo khim.lit-ry, 1959. 184 p. (Korroziis v khimicheskikh proizvodstvakh i sposoby zashchity, no.13)

(MIRA 12:11)

(Acids, Organic) (Corrosion and anticorrosives)

BELEN'KTY, Simon Isakovich; KHUDYKH, M.I., prof., retsenzent; KATS, N.V., dots., spets. red.; KALININA, N.M., red.; SHAPENKOVA, T.Z., tekhn. red.

[Handbook on the maintenance and repair of textile machinery; information on materials used for the manufacture and repair of textile machinery, on the reconditioning of parts, allowances and fittings] Spravochnik po remontu tekstil'nogo obcrudovanila; svedenila o materialakh, primeniaemykh pri izgotovlenii detalei i remonte tekstil'nykh mashin, o vosstanovlenii detalei, dopuskakh i posadkakh. Moskva, Izd-vo nauchno-tekhn. lit-ry RSFSR, 1961. '17 p. (MIRA 14:11)

(Textile machinery-Maintenance and repair)

BELEN'KIY, Simon Isaakovich; KATS, N.V., retsenzent; SHTEYNGART, M.D., red.

[Increasing the service life of parts in the modernization and repair of textile equipment] Povyshenie dolgovechnosti detalei pri modernizatsii i remonte tekstil'nogo oborudovania. Moskva, Izd-vo "Legkaia industriia," 1964. 366 p. (EIRA 17:7)

BELEN'KIY, S.I., starshiy prepodavatel'

Machine parts made from metal reinforced plastics. Tekst. prom. 25 no.5:65-69 My '65. (MIRA 18:5)

1. Institut usovershenstvovaniya inzhenerno-tekhnicheskikh rabotnikov i rukovodyashchikh rabotnikov Gossudarstvennogo komiteta legkoy promyshlennosti pri Gosplane SSSR.

BELEN'KIY, S.I.

Hydrolysis of hard wood wastes at the Lobva Hydrolysis Plant. Gidrolis. i lesokhim.prom.10 no.1:17-20 '57. (MIRA 10:4)

1. Vsesoyuznyy nauchno-issledovatel skiy institut gidroliznoy i sul'fitnospirtovoy promyshlennosti. (Wood waste) (Hydrolysis)

BELEN'KIY, S.I.; KLIMOVA, Z.K.

Processing cotton stalks by means of hydrolysis. Gidrolis.i. lesokhim.prom. 13 no.1:7-10 *60. (MIRA 13:5)

1. Nauchno-issledovatel'skiy institut gidrolisnoy i sul'fitnospirtovoy promyshlennosti. (Usbekistan-Cotton) (Hydrolysis)

Ğ

HELEN'KIY, S.I.; KLIMOVA, Z.K.; SHPUNTOVA, M.Ye.; CHERENUKHIN, I.K.

Rapid continuous inversion of pentose hydrolyzates. Gidroliz.
i lesokhim. prom. 14 no.7:25-27 '61. (MIRA 14:11)

1. Nauchno-issledovatel'skiy institut gidroliznoy i sul'fitno-srirtovoy promyshlennosti (for Belen'kiy, Klimova, Shpuntova).
2. Ferganskiy gidroliznyy zavod (for Cheremukhin).

(Pentoses)

(Hydrolysis)

Peat hydrolysis and obtaining feed yeasts on a base of peat hydrolysates. Trudy Kal. torf. inst. no.13:108-117 '63. (MIRA 17:12)

Propagation of fodder yeast on corncob hydrolyzates. Glesokhim. prom. 18 no.3:20-22 165.	idroliz. i (MIRA 18:5)	
1. VNIIsintezbelok.		

BELLN'KIY, LIT.			
	PRIKHOT'KO, A.F.		
5	24(7)	1	
	A-2-2		
ľ	Materialy X Vseacyunnogo soveshchaniya po spektroskopii. t. li Molekulyannaya spektroskopiya (Papers of the 10th Allameter Conference on Spectroscopy, William 1 to 11		
	Molekulyarnaya spekhrominiya po apektroskopii. t. li Conference on Spectroscopy. Vol. li Molecular Spectroscopy. [Livor] Ind-wo Livovskogo univ-ta, 1957. 499 p. a. 000		
	(Sories: Teat Marie 1957, Ann and Carony)	1 1	
	apektroskopii. Ed:: Jaser, Akademiya nauk SSSR. Komissiya po Editorial Board: Landsterg, G.S., Academioian (Resp. Ed.: Saranyuk, T.V.) Meporent, B.S., Dootor of Physical and Mathematical Sciences, Pabelinskiy, Tale, Dootor of Physical and Mathematical Sciences, Pahrikun, V.A., Dootor of Physical and Mathematical Sciences.		
	Pabrikant, V.A. Doctor of Physical and Mathematical Sciences.		
	Candidate of Physical and Mathematical Sciences,		
	CANALALA		
	A. Ye., Candidate of Physical and Mathematical Sciences, and Olauberman, Card 1/30	1	
		•	
	Bahuahkin, A.B., A.V. Uvarov, and L.A. Ignat'yeva. Infrared Spectroscopic Study of the Adams.	n H	
	Infrared Spectroscopic Study of the Adsorption and Surface Reactions of Ethyl and Methyl Alcohols on Aluminum Oxide	•	
	Alderson to		
	by Means of Infrared Absorption on Porous Glass Belenter v		
	Belen'kiy, Lel., M. Ye. Kazanakaya, et al. Speetro- Sidorov, T.A., and W. 170		
	Sidorov, T.A., and N.N. Sobolev. Isotopic Shift in the Infrared Spectrum of Boric Acid. and Year		
	Sheynker, Yu. N. Spectra and Tautomerism of Acylated		
	fortovalde v		
	Gard 19/		
tela del la companya de la companya			

	A new method for a of alicyclic composition, nauk no.10:1	the synthesis of macrocounds from thiophene dec 1262-1265 0 157.	yclic compounds. Prepar rivatives. Izv. AN SSSE (MIRA 11:3	Otd.
	1.Institut organic	cheskoy khimii im. N.D. (Alicyclic compounds)	Zelinskogo AN SSSR. (Thiophene)	
				ļ
				:
•				
-1				

GOL'DPARB, Ya.L. (Moskva); BELRN'KIY, L.I. (Moskva).

Transannular effect in macrocyclic compounds, Usp. khim. 26 no.3.

(MLRA 10:8)

(Macromolecular compounds)

Belen'kry, L.I.; KAZANSKAYA, M.Ye.; YAVORSKIY, B.M.; KAMENETSKIY, V.D.

Spectrophotometric analysis of leuce esters (with summary in English). Zhur.fiz.khim.31 no.7:1564-1572 J1 '57. (MIRA 10:12)

1. Institut khlopchate-bumazhnoy promyshlennosti, Moskva.

(Spectrophotometry) (Esters)

BELEN'KIY, Lyndvig Iosifovich; LIPATOV, S.M., retsenzent; KLYUCHAREV, S.V., retsenzent; GUSEVA, Te.M., red.; KNAKHIN, M.T., tekhn, red.

[Theory of dyeing and experience with its practical application]
Teoriia krasheniia i opyt ee prakticheskogo primeneniia. Moskva.
Gos. nauchno-tekhn. izd-vo lit-ry po legkoi promyshl., 1958, 189 p.
(Dyes and dyeing) (MIRA 11:7)

Spectrophotometric method of quantitative analysis of the interaction between dyes and textile fibers. Nauch, 1ssl. trudy TSNIKHBI za 1958 g:115-123. (MIRA 16:1) (Dyes and dyeing—Textile fibers) (Spectrophotometry)

Radiochemical oxidation of vatsol dyes. Nauch.-issl.trudy
TSNIKHBI za 1958 gs123-144. (MIRA 16:1)

(Dyes and dyeing-Chemistry)

"Work in the Field of Dyestuff Absorption Spectra."

report presented at the Section on Colloid Chemistry, VIII Mendeleyev Conference of General and Applied Chemistry, Moscow, 16-23 March 1959.

(Koll. Zhur. v. 21, No. 4, pp. 509-511)

BELEN'KIY, L. I., Doc Tech Sci (diss) -- "Investigation of the physicochemical properties of vat and sulfur dyes". Moscow, 1959. 24 pp (Min Higher Educ USSR, Moscow Textile Inst), 150 copies (KL, No 25, 1979, 131)

BELEN'KIY. Lyudvig Iosifovich; SHVYREV, S.S., retsensent; VERBITSKAYA, Ye.M., red.; SHAPENKOVA, T.A., 'skhn.red.

[Automatic control and regulation of technological processes in the finishing industry] Avtomaticheskii kontrol' i regulirovanie tekhnologicheskikh protessev otdelochnogo proisvodstva. Moskva, Gos.nauchno-tekhn.izd-vo RSFSR, 1960. 137 p.

(MIRA 14:4)

(Textile finishing) (Automatic control)

RUMYANTSEVA, L.P., mladshiy nauchnyy sotrudnik; BLINOV, V.A., starshiy nauchnyy sotrudnik; BELEN'KIY, L.I., prof.

Effect of textile finishes on the soiling of textile materials.

Tekst.prom. 22 no.8:64-67 Ag '62. (MIRA 15:8)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov i krasiteley (for Rumyantseva, Blinov). 2. Vsesoyuznyy zaochnoy institut tekstil'noy i legkoy promyshlennosti (VZITLP) (for Belen'kiy).

(Textile finishing)

GOL'DFARB, Ya.L.; TAYTS, S.Z.; BELEN'KIY, L.I.

New method of synthesizing macrocyclic compounds. Report No.4: Effect of the length of aliphatic chain on the character and yield of the products formed in the intramolecular acylation of ω -(2-thienyl)alkanoic acid chlorides. Izv.AN SSSR.Ser.khim. no.8: 1451-1460 Ag '63. (MIRA 16:9)

1. Institut organicheskoy khimii im. N.D. Zelinskogo AN SSSR. (Acids, Fatty) (Cyclization)

KON'KOV, Aleksey Ivanovich; ZEL'DIN, Yuliy Rafailovich; KURGIN, Yuriy Mikhaylovich; KOZLOVSKIY, Sergey Dmitriyevich; KON'KOVA, Mayya Borisovna; BUDANOV, Konstantin Dmitriyevich; BELEN'KIY, L.I., retsenzent; ABRAMOV, S.A., retsenzent; ZELENSKAYA, G.G., retsenzent; SIBIRTSEV, S.L., retsenzent; VERBITSKAYA, Ye.M., red.

[Equipment for the finishing operations in the textile industry] Oberudovanie etdelechnogo preizvodstva tekstil-noi promyshlennosti. Moskva, Legkaia industriia, 1964.
417 p. (MIRA 18:1)

KARAYEV, A.I.; BELEN'KIY, L.I.


Mechanism of the central regulation of interoceptive metabolic reflexes. Zhur. vys. nerv. deiat. 15 no.6:1055-1062 N-D '65. (MIRA 19:1)

1. Sektor fiziologii AN AzerSSR, Baku. Submitted August 1, 1965.

EELEN'KIY, Semen Isaakovich; KAIASHNIKOVA, L.V., red.

[Increasing the durability of gear wheels used in the industrial equipment of enterprises of light industry; a menual] Pcvyshenie dolgovechnosti zubchatykh koles oborudovaniia predpriiatii legkoi promyshlennosti; uchebnoe posobie. Moskva, Legkaia industriia, 1964. 35 p.

(MIRA 18:5)



L 51979-65 ENT(m)/EPF(c)/ENA(d)/EMP(t)/EMP(z)/EMP(b) KJM/JD/MB \$/0365/65/001/001/0125/0130 ACCESSION NR: AP5007632 620.197.3 AUTHOR: Aronson, Yu. P.; Belen'kiy, S. M. TITLE: Corrosion inhibitors for carbon steel in dilute sulfuric acid SOURCE: Zashchita metallov, v. 1, no. 1, 1965, 125-130 TOPIC TAGS: steel corrosion, corrosion preventative carbon steel, dilute sulfuric acid/ st. 20 steel ABSTRACT: The object of this study was to find inhibitors of acid corresion which would sufficiently reduce the dissolution rate of carbon steel in dilute sulfuric acid so that the steel could be used for the construction of apparatus containing dilute (0.2 N) sulfuric acid. The effect of over 80 organic substances and 20 binary mixtures on the corrosion rate of st.20 steel in 0.2 N sulfuric seid was investigated. This rate drops down to 0.1 mm/year and lower upon the introduction into the solution of certain compounds whose molecules contain the group -MI-CS-MI-(thiocarbanilide, ?-mercaptobensimidazole, 4(5)-phenyl-2-mercaptoimidazole), and also of thiphen and halide saits of pyridine bases. The necessary concentrations Card 1/2

	I. 51979-65 ACCESSION MR: AP5007632	
	of additives are ~0.01-0.02% for all compounds except the halides of syridine bases, whose required concentration is 0.1-0.5%. When these compounds are employed, carbon steel can be used for the construction of apparatus which is in ployed, carbon steel can be used for the construction of apparatus which is in contact with dilute H2SO, in such industrial processes as extraction of plant contact with dilute H2SO, in such industrial processes as extraction of plant; contact with dilute H2SO, in such industrial processes as extraction of plant; contact with dilute H2SO, in such industrial processes as extraction of plant; contact with dilute H2SO, in such industrial processes as extraction of plant; contact in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc. "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to in the food industry, electroplating, etc." "We express our sincere thanks to include the food industry, electroplating, etc." "We express our sincere thanks to include the food industry, electroplating, etc." "We express our sincere thanks to include the food industry, electroplating, etc." "We express our sincere thanks t	
	ASSOCIATION: Vsesoyusnyy nauchno-issledovatel'skiy fiziko-farmetsevticheskiy institut (All-Union Scientific Research Physico-Pharmaceutical Institut)	
15.50	SURVITTED: OLAUG64 ENGL: 00 SUB COOK: 184	
	사람님 사용하다는 생활하면 하다는 살아 있다면 하는 사람들이 살아가지 않아 하는 것이 없는 사람들이 살아 있다는 사람들이 없다.	1.5
	▲BLASE - LANGE : 1915년 전문 12 등 12	3

ACC NR: AP7004789

SOURCE CODE: UR/0413/67/000/001/0122/0122

INVENTOR: Balezin, S. A.; Aronson, Yu. P.; Belen'kiy, S. M.

ORG: none

TITLE: Method of inhibiting the corrosion of ferrous metals in acid solutions. Class 48, No. 190167. [announced by the All-Union Chemical and Pharmeceutical Scientific Research Institute (Vsesoyuznyy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 1, 1967, 122

TOPIC TAGS: mini corrosion protection, ments corrosion inhibitor, FERROUS METAL

ABSTRACT: This Author Certificate introduces a method of inhibiting the corrosion of ferrous metals in acid solutions, according to Author Certificate no. 162738. To improve the degree of protection against corrosion, derivatives of mercaptoimidazole are added to the acid solution in the form of granules containing stearic acid and propargyl alcohol. [AZ]

SUB CODE: 13/ SUBM DATE: none

Card 1/1

UDC: 620.197.3

ARONSON, Yu.P.; BELEN'KIY, S.M.

Inhibitors of carbon steel corrosion in diluted sulfuric acid.

Zashch.met. 1 no.1:125-130 Ja-F 165. (MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel skiy fiziko-farmatsevticheskiy institut.

31770 S/056/61/041/006/009/054 B108/B138

24,6300

AUTHORS:

Baranov, S. A., Samoylov, P. S., Rodionov, Yu. F.,

Belen'kiy, S. N., Pirozhkov, S. V.

TITLE:

The energy levels of the U232 nucleus

PERIODICAL:

Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 41,

no. 6(12), 1961, 1740-1747

TEXT: To clearing contradictions in data on the U^{232} levels the authors studied the decay of Pa^{232} , which was obtained by irradiating Pa^{231} with slow neutrons. The measurements were made with a magnetic double-focusing β -spectrometer and a γ -scintillation spectrometer. Four new gamma transitions with energies 147, 236, 280, and 1150 kev have been discovered. On the basis of the β -spectrum, conversion electron spectrum, and γ -spectrum, certain data on the gamma transitions in U^{232} have been obtained (Table 3). It was not possible, however, to establish a complete level scheme. E0 transitions were found between the levels $O_2^+ \longrightarrow O_1^+$ and

Card 1/1 2

31770 \$/056/61/041/006/009/054 B108/B138

The energy levels of the ...

2⁺ 2⁺. The experimental results agree with theoretical predictions. Mention is made of A. S. Davydov, G. F. Filippov, V. S. Rostovskiy, and A. A. Chaban (ZhETF, 35, 440, 1958; Nucl. Phys., 20, 499, 1960). G. V. Shishkin, A. A. Arutyunov, and Yu. A. Dmitriyev are thanked for help. There are 4 figures, 3 tables, and 13 references: 7 Soviet and 6 non-Soviet. The two most recent references to English-language publications read as follows: J. Perlman. Proc. Intern. Conf. on Nucl. Structure, Kingston, Canada, 1960, p. 547; S. Björnholm et al. Bull. Am. Phys. Soc., 6, 239, 1961.

SUBMITTED: June 21, 1961

Legend to Table 3: (1) energy of the r-transitions, kev, (2) experiment, (3) theory for, (4) theory, (5) multipolarity of the r-transition.

* theoretical values of the internal conversion coefficients on the K and L shells taken from Ref. 6 (L. A. Sliv, I. M. Band. Tablitsa koeffitsienty vnutrenney konversii r-izlucheniya, part 2, Izd. AN SSSR, and part 1, Izd. AN SSSR, 1956).

* theoretical values of the internal conversion coefficients on the M shells taken from Ref. 7 (M. E. Rose. Internal Conversion Coefficients, Amsterdam, 1958).

Card 2/17

S/056/62/043/004/002/061

10

Baranov, S. A., Kulakov, V. M., Belen'kiy, S. N.

TITLE:

Fine structure of Pu239 ~-radiation

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 43, no. 4(10), 1962, 1135 - 1139

TEXT: A very careful study was made of the α -decay of Pu²³⁹, using a magnetic α -spectrometer, in order to complete and improve the U²³⁹ nuclear level scheme. When investigating the Pu²³⁹ spectrum attention was limited to the first-structure of creating the Pu²³⁹ spectrum attention was limited. to the fine-structure &-groups within the 4600-5200 kev range having intensities 72.10-6. The 5495.0 kev &-group of Pu²³⁸ was taken as a standard. More than 20 &-groups of low intensity were found, some being complex. The nuclear level scheme (Fig. 2) was constructed from the data got in five series of tests (x-particle energy, intensity, forbiddenness, level energy). Apart from initial determinations of level characteristics, most of the &-groups mentioned were here observed for the first time. A new rotational band 5/2 [633] is assumed to exist. The &-transition to the U235, ground state could not be separated from the & -transition to the Card 1/3/1

\$/056/62/043/004/002/061 Fine structure of ... B102/B186

isomeric state of $U^{235}(T_1/2=26 \text{ min}, 1/2+1/2[631])$. An \angle -transition to a level of $\sim 46 \text{ kev} (9/2^-)$ as found by Newton (Nucl. Phys. 3, 345, 1957) was not observed. The level scheme of Fig. 2 is assumed to be still incomplete, as some \angle -groups such as the 4988, 4873, and 4830 groups have at least two components. There are 2 figures and 1 table.

SUBMITTED: April 6, 1962

Card 2/12

Fine structure of Pu²³⁹ A-radiation. Zhur. eksp. i teor. fiz. 43 no.4:1135-1139 0 '62. (MIRA 15:11) (Flutonium) (Alpha rays)

Category: USSR/Nuclear Physics - Elementary Particles

C-3

Abs Jour : Ref Zhur - Fizika, No 1, 1957, No 451

Author : Belen'kiy, S.Ye. and Rozental', I. L. : Phys. Inst., USSR Acad. of Sciences

Title : On the Annihilation of Anti-Nucleons with Formation of Stars

Orig Pub : Zh. eksperim. i teor. fiziki, 1956, 30, No 3, 595-596

Abstract: The Fermi statistical theory is used to calculate the probability of


formation of a different number of π -mesons during the annihilation of a slow anti-nucleon by a nucleon. The calculation results are given for cases when the isotopic spin is T=1 and T=0. The most probable value is approximately 3-4 at T=1 and approximately 4 at T=0. The distribution of the formed mesons by charges is calculated and included

in the article (for the case n > 3).

Card : 1/1

BELEN'KIY, S.Yu., dots.


Concerning P.P. Obnorskii's article "Experience in planning the operation of the district hospital in a city". Zdrav. Ros. Feder. 3 no.3:33-34 Mr '59. (MIRA 12:4)



	liminate superfluous expendit a '56. (Petroleum industry) (ure of labor. Sots.trud Wages)	no.1:66-68 (MIRA 9:7)
		•	
			·
		•	
	+ 1		
,			
* .			
			·
		4 - *	
			·

BELEN KIY Y New wage scales in the petroleum and gas industries. Sots.trud.

4 no.7:52-58 J1 '59. (MIRA 13:4)
(Gas industry) (Petroleum industry)



ANTOSHINA, N.V.; ASTAF'YEV, G.V.; BABKIN, S.I.; BELAVIN. N.F.;

BELEN'KIY, V.A.; BEREZIN, I.P.; BOBRC. B.S.;

VOLKOV, A.M.; CRITSMAN, Yu.Ya.; KUKUSHKIN, L.I.; PERLFELKIN,

V.P.; PETROVA, N.P.; GESELEVICH, A.M., red.; DEKHTYAR', Ye.G.,

red.

[New surgical apparatus and instruments; a practical manual for physicians, students of senior courses at medical institutes and surgical nurses] Novye khirurgicheskie apparaty i instrumenty; prakticheskoe rukovodstvo dlia vrachei, studentov starshikh kursov meditsinskikh institutov i operatsionnykh sester. Moskva, Meditsina, 1964. 253 p.

(MIRA 18:3)

The 5-281 self-propelled suction dredge. Mekh.stroi. 10 no.6:3-6 Je '53. (MLRA 6:6) (Dredging machinery)