


Name: Mojisola Oloro

Student ID: GRC-C26-09-EU-030

Date: 09/22/2026

Part 1

Step 1





Username: kali

Machine Hostname: kali

Directory: /home/kali

Step 2



A terminal window on a Kali Linux system. The window title is 'kali@kali: ~'. The menu bar shows 'Session', 'Actions', 'Edit', 'View', and 'Help'. The prompt is '(kali@kali)-[~]'. The command '\$ free -h' has been executed, displaying the following table:

	total	used	free	shared	buff/cache	available
Mem:	1.9Gi	958Mi	119Mi	17Mi	987Mi	1.0Gi
Swap:	1.9Gi	27Mi	1.8Gi			

The prompt is now '\$' with a cursor. In the background, there is a large, faint watermark of a Kali Linux logo and the word 'KALI'.


Ram Size: 1.9Gi

Available Disk Space:1.0 Gi

Linux Kernel Version: Linux Kali 6.19.14 - 1 (2026-05-05)

Part 2

Step 1




A terminal window on a Kali Linux system. The user has executed the command `ping -c 2 8.8.8.8`. The output shows two successful ping requests with a round-trip time of approximately 19 ms. A context menu is open over the terminal, showing options like Copy, Paste, and others. The terminal text is as follows:

```
(kali@kali)-[~]
$ ping -c 2 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data:
64 bytes from 8.8.8.8: icmp_seq=1 ttl=64 time=19.1 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=64 time=19.3 ms

--- 8.8.8.8 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 1003ms
rtt min/avg/max/mdev = 19.086/19.171/19.257/0.085 ms
(kali@kali)-[~]
$
```

Average round-trip time (ms) 19.171
Packet loss time: 0%

Step 2



A terminal window on a Kali Linux system. The user has executed the command `ping -c 4 google.com`. The output shows four successful ping requests to google.com (142.250.189.142) with round-trip times ranging from 16.6 ms to 19.2 ms. A context menu is open over the terminal, showing options like Copy, Paste, and others. The terminal text is as follows:

```
(kali@kali)-[~]
$ ping -c 4 google.com
PING google.com (142.250.189.142) 56(84) bytes of data:
64 bytes from ncorda-as-in-f14.1e100.net (142.250.189.142): icmp_seq=1 ttl=64 time=19.2 ms
64 bytes from ncorda-as-in-f14.1e100.net (142.250.189.142): icmp_seq=2 ttl=64 time=18.9 ms
64 bytes from ncorda-as-in-f14.1e100.net (142.250.189.142): icmp_seq=3 ttl=64 time=16.6 ms
64 bytes from ncorda-as-in-f14.1e100.net (142.250.189.142): icmp_seq=4 ttl=64 time=17.5 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 7071ms
rtt min/avg/max/mdev = 16.585/18.061/19.215/1.061 ms
(kali@kali)-[~]
$
```

IP address: 142.250.189.142

The round-trip time is slightly different, possibly due to current internet speed /latency at the time of search.

C4 stands for how many results the command is expected to generate before stopping by itself.