G11: The adapter on the early steps only

UHz6 question 3 · status: answered

THE REVIEWER'S POINT

UHz6, question 3

- Given the finding in Sec. 3, does restricting the adapter to the early steps change the failure modes in Fig. 7?

U-Q3

Reviews.pdf, page 3 (no text layer; passage located by OCR)

these failures

THE SUBMITTED WEAKNESS

Figure 7, limitations


a)
Cat and dog
Tiger and dog
Chess board and hourglass
Picnic basket and watermelon
joint prompt, base model
joint prompt, through the adapter
Adapter trained for 1,000 epochs
b)
One fused animal
Invented people
Grey mush, no animal in it
Flat line art of one animal
A third animal in the corner
Two animals of the wrong species

Figure 7: **Limitations of the Plurality LoRA:** a) The adapter can change the render under joint prompting and is inconsistently useful in this case. Each row compares the model conditioned on the joint prompt with and without the LoRA applied from the same noise sample. While the LoRA improves the render for a chessboard and hourglass, it disrupts the render for a cat and a dog, and a tiger and a dog. b) We show five examples of how a corrected cat–dog render can lead to inconsistent or unexpected results. The uncorrected hybrid (top left) is followed by five corrected failures showing intrusions (top middle and bottom right), counting errors (bottom middle), style-dependent loss of plurality (bottom left) or instability (top right).

56173_Restoring_plurality_in_c.pdf (submitted), page 9

failures, no count

counted per window

shown per window

THE REVISED ANSWER

Figure 10, failure types by window



steps 0 to 10, 0 to 25, all 50

Figure 10: Failure types as the adapter acts on fewer steps. Counts of each failure type over

paper/iclr-56173/build/iclr2027_conference.pdf (revised), page 17

Figure 11, the images behind it


adapter off (PoE)
steps 0 to 10
steps 0 to 25
all 50 steps
giraffe and lion
mug and wine glass
seal and walrus
suitcase and desk fan
cow and horse
tent and snowy mountain
camel and desert

the renders

Figure 11: The images behind Figure 10. Held-out pairs from each group (two easy but

paper/iclr-56173/build/iclr2027_conference.pdf (revised), page 18

The reply we plan to send (replies/k4nd-and-uhz6.md: UHz6 Q3)

answered

Q3: restricting the adapter to the early steps

We tested this directly. Figure 11 switches the adapter on for the first 10, the first 25 or all 50 of the 50 steps. Compare its last two columns: the first 25 steps give essentially the same pictures as all 50. The giraffe and lion row shows that the first 10 are too short for the learned correction, although the measured correction needs only those ten (Section 3). The cow and horse row shows that the species substitution of the submitted Fig. 7 (Figure 12 in the revision) persists at every window, so it does not come from the late steps. Figure 10 counts each failure type across all 53 held-out pairs and eight seeds.

The submitted Figure 7 is Figure 12 in the revision. Every excerpt is a crop of a page render; the file and page are printed under it. Boxes mark text already on the page.