


《数据库系统原理》实验报告（）					
题目：OceanBase 环境配置					
学号	2351520	姓名	毛星博	日期	2025.4.3
实验环境：docker OceanBase					
实验步骤及结果截图： The screenshot shows the Docker Desktop application window. On the left is a sidebar with navigation options: Containers, Images, Volumes, Builds, Docker Scout, and Extensions. The main area displays a container named 'relaxed_volhard' with ID 'd81245aac753', using the 'oceanbase/oceanbase-ce:latest' image. The container is running. Below this, there are tabs for Logs, Inspect, Bind mounts, Exec, Files, and Stats. The 'Exec' tab is active, showing a terminal session. The terminal prompt is 'sh-4.4# obclient -uroot@sys -h127.1 -P2881'. The user enters 'obclient(root@sys)[(none)]> show databases'. The output shows a list of databases: information_schema, LBACSYS, mysql, oceanbase, OCS, ORAAUDITOR, SYS, and test. At the bottom of the terminal, it says '8 rows in set (0.003 sec)'. The Docker Desktop status bar at the bottom indicates 'Engine running', 'RAM 4.48 GB', 'CPU 0.94%', 'Disk: 14.56 GB used (limit 1006.85 GB)', and 'v4.39.0'.					
出现的问题： 有时 127.1 这个地址会出问题					
解决方案： 主机地址改成 127.0.0.1					