

SWARM

Who coordinates your AI agents?

A shared objective.
Visible responsibilities.
Results you can review.

Project overview

When you become the coordinator

01 Assign the work

Every agent needs a clear task and boundaries.

02 Hand over results

One task often needs the output of another.

03 Decide what is finished

A report alone cannot prove that everything works.

Swarm coordinates these handoffs.

A team with distinct roles

Orchestrator

Breaks down the objective and plans what comes next.



Workers

Carry out tasks using their tools.



Independent reviewer

Reviews reports in a separate session.




Swarm engine

Enforces configured rules and checks.

These responsibilities require explicit configuration.

Dependencies you can see

What depends on what? Who receives the result?



Solid arrows

Task dependencies

Dotted arrows

Ownership and review

Actual interface. Paused demonstration team.

A clear requirement to start with

“Add catalogue search that works with a keyboard.”

SWARM

Prepare

[Back to management](#) [AI and connections](#) Dark theme Preparation help

Language

English

FROM REQUIREMENTS TO PLAN

Connected to project

Prepare a project

Write your requirements, approve a brief and check your plan.

► Preparation and method — resume a project or change method

What result do you want to achieve?

Help: writing requirements

Preparation name

Accessible catalogue search

Your requirements

I want to find an item by typing a few words from its title.

Search must work with a keyboard and display clear results.

Expected result: a simple interface, filtering and keyboard tests, and a short user guide.

Constraint: preserve existing catalogue behaviour

Your text is saved in this project. No agent will be started.

Save requirements Download my draft

Demo requirement, followed by a brief and a plan.

Fabrice Pizzi

05 / 10

Every role stays visible

The list complements the graph with responsibilities, deliverables and launch conditions.

Orchestrator · Planner AI demo

Paused

2 requirements · decides without coding

Subplanner · accessibility

Paused

1 requirements · decides without coding

AI reviewer · Reviewer AI demo

Waiting for results

0/10 calls · independent session

Worker

Build search

Waiting: Start not authorized: open preparation and authorize the missions in this plan.

To do

Search field and filtered results

View blocker

Start not authorized: open preparation and authorize the missions in this plan.

Worker

Test keyboard access

Waiting: Start not authorized: open preparation and authorize the missions in this plan.

To do

Prerequisites: interface

Tests and verification report

View blocker

Start not authorized: open preparation and authorize the missions in this plan.

Worker

Prepare delivery

Waiting: Start not authorized: open preparation and authorize the missions in this plan.

To do

Prerequisites: verification

Change summary and user guide

View blocker

Start not authorized: open preparation and authorize the missions in this plan.

Paused demonstration. No agents launched.

Execution, reports and acceptance

Process finished

The agent has stopped working.

Report available

A deliverable is ready for review.

Result accepted

The result meets the applicable acceptance conditions.

Task validation requires more than a finished attempt.

Rules for autonomous work

01 Authorized starts

Dependencies and available workspaces determine what can start.

02 Explicit checks

An AI opinion alone cannot prove that tests actually ran.

03 Bounded retries

A persistent error may need a correction or your decision.

The aim: fewer manual restarts, with clear control.

Choose an AI for its role

An API connection can prepare a plan or review a report.

To modify files, a worker needs the appropriate tools.

Demo — Accessible search team

Add an AI connection

Close

Connection compatible with /chat/completions. The test sends only a short question to the specified address; your provider may charge for it. No mission documents are sent.

Understand this action

Identifier

local-model

Display name

My local model

Connection type

Compatible API — custom URL

Base URL (include /v1 if needed)

https://localhost:11434/v1

Exact model ID

my-model

API key — optional for a local server

Saved key

Keep or replace with the new key

Availability

Available for future calls

To use this AI, select "api-identifier" in preparation or planner/reviewer settings. A tool-enabled worker is still needed to produce files.

Test connection

Connection not tested in this form.

Cancel

Save connection

Demonstration form. Connection not tested.

Help me improve Swarm

Web interface and CLI
in English and French.

[**github.com/mo0ogly/swarm**](https://github.com/mo0ogly/swarm)

Source available under the
PolyForm Noncommercial licence.

**Try it, challenge the workflow,
and tell me what still gets in your way.**