

# Zeany\_Task1

## POST New Request

http://localhost:8000/get-final-answer

send quey to the agent

### HEADERS

Content-Type application/json

### Body raw

```
{
  "task": "tell me a joke",
  "image_path": "images/test copy.png",
  "history": [
    {
      "userMessage": "Hello",
      "aiMessage": "Hi there!"
    },
    {
      "userMessage": "i need your help",
      "aiMessage": "okay tell me what do you want"
    }
  ]
}
```

## POST New Request

http://localhost:3000/api/users/register

register new user

### HEADERS

## Body raw

---

```
{
  "id":1,
  "email":"mohamed@gmail.com",
  "password":"1234"
}
```

## POST New Request

http://localhost:3000/api/users/login

user login

## HEADERS

---

Content-Type                      application/json

## Body raw (json)

---

json


```
{
  "email": "mohamed@gmail.com",
  "password": "1234"
}
```

## POST New Request

http://localhost:3000/api/chats/save

## HEADERS

---

 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this page.

---

### Body raw

---

```
{
  "userId":1,
  "userMessage":"tell me a joke",
  "aiResponse":"meo meo"
}
```

---

### GET New Request

http://localhost:3000/api/chats/user/1

retriving all chats of all sessions

---

### GET New Request

http://localhost:3000/api/chats/user/1/session/1

for retrieving chat of one session

---

### POST New Request

http://localhost:3000/api/chats/logout/1

it creates a new session