

Circle the correct answer: (1 point / question)

1. Well-formed XML document means:
 - a. It contains a root element.
 - b. It contains an element.
 - c. It contains one or more elements.
 - d. Must contain one or more elements and root element must contain all other elements.
2. Which of the following XML fragments are well-formed?
 - a. <myElement myAttribute="someValue"/>
 - b. <myElement myAttribute=someValue/>
 - c. <myElement myAttribute='someValue'>
 - d. <myElement myAttribute="someValue'>
3. How can we assign many values to attribute:
 - a. <myElement myAttribute="value1 value2"/>
 - b. <myElement myAttribute="value1" myAttribute="value2"/>
 - c. <myElement myAttribute="value1, value2"/>
 - d. Attributes cannot have multiple values.
4. To use the external DTD we use the syntax:
 - a. <?xml version="A.0" standalone="no"?>
<! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
 - b. <?xml version="A.0" standalone="yes"?>
<! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
 - c. <?xml version="A.0" standalone="no"?>
<! DOCTYPE DOCUMENT "order.dtd"?>
 - d. <?xml version="A.0" standalone="yes"?>
<! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
5. A schema describes:
 - (i) grammar.
 - (ii) vocabulary.
 - (iii) structure.
 - (iv) datatype of XML document.
 - a. (i) & (ii) are correct.
 - b. (i),(iii) ,(iv) are correct.
 - c. (i),(ii),(iv) are correct.
 - d. (i),(ii),(iii),(iv) are correct.
6. Which of the following instruct the browser which stylesheet to use?
 - a. <xml-stylesheet type="text/xsl" href="cd.xsl">
 - b. <xml-stylesheet type="text/xsl" xsl="cd.xsl">
 - c. <?xml-stylesheet type="text/xsl" href="cd.xsl"?>
 - d. <?xml-stylesheet type="text/xsl" xsl="cd.xsl"?>
7. What is an XML namespace?
 - a. A set of names applied to specific spaces within an XML document, such as the head and body.
 - b. A set of names representing a specific XML vocabulary
 - c. A set of names for XML documents pertaining to a particular vocabulary.
 - d. None of the above.
8. Comment in XML document is given by:
 - a. <? - ->
 - b. <! - -!>
 - c. <! - ->
 - d. </ - ->
9. Which statement is true?
 - a. All XML elements must be properly closed.
 - b. All XML documents must have a DTD.
 - c. All XML elements must be lower case.
 - d. All the statements are true.

10. Given the following xml element.

```
<name>
  <firstname>John</firstname>
  <lastname>Lennon</lastname>
</name>
```

What is a correct DTD description for it?

- a. <!ELEMENT name (firstname, lastname)+>
 <!ELEMENT firstname (#CDATA)>
 <!ELEMENT lastname (#CDATA)>
 - b. <!ELEMENT name (firstname | lastname)>
 <!ELEMENT firstname (#CDATA)>
 <!ELEMENT lastname (#CDATA)>
 - c. <!ELEMENT name (lastname | firstname)+>
 <!ELEMENT firstname (#PCDATA)>
 <!ELEMENT lastname (#PCDATA)>
 - d. <!ELEMENT name (firstname | lastname)>
 <!ELEMENT firstname (#PCDATA)>
 <!ELEMENT lastname (#PCDATA)>
11. Which of the following is a correct XML declaration.
- a. <?xml version="1.0" encoding="UTF-8">
 - b. <?xml encoding="UTF-8">
 - c. <?xml encoding="UTF-8" version="1.0"?>
 - d. <?xml version="1.0"?>.
12. Which of the following correctly describes the DTD attribute list declaration when the "date" attribute and the "reception" attribute are included in the "Customer_Visit" element?
- a. <!ATTLIST Customer_Visit (date,reception) CDATA #IMPLIED>
 - b. <!ATTLIST Customer_Visit (date|reception) CDATA #IMPLIED>
 - c. <!ATTLIST Customer_Visit date && reception CDATA #IMPLIED>
 - d. <!ATTLIST Customer_Visit date CDATA #IMPLIED reception CDATA #IMPLIED>
13. Which of the following correctly describes an element type declaration that includes either the "home" element or the "mobile" element as a child element of the "telephone_number" element?
- a. <!ELEMENT telephone_number (home,mobile)>
 - b. <!ELEMENT telephone_number (home?mobile)>
 - c. <!ELEMENT telephone_number (home)> <!ELEMENT telephone_number (mobile)>
 - d. <!ELEMENT telephone_number (home|mobile)>
14. Which of the following is correct with respect to the attribute list declaration for setting "notebook" as the default value in the CDATA "type" attribute included in the "computer" element?
- a. <!ATTLIST type CDATA "notebook">
 - b. <!ATTLIST computer type CDATA notebook>
 - c. <!ATTLIST computer type CDATA "notebook">
 - d. <!ATTLIST computer type="notebook" CDATA>
15. Which of the following strings is a correct XML name.
- a. _myElement.
 - b. my Element.
 - c. #myElement.
 - d. None of the above.
16. The content of the Product Quantity element is an integer restricted to a value between 1 and 100. Which of the following is correct?
- ```
<xs:element name="ProductQuantity">
 <xs:simpleType>
 <xs:restriction>
 <xs:value type="1" <= ProductQuantity <= 100"/>
 </xs:restriction>
 </xs:simpleType>
</xs:element>
```

b. <xs:element name="ProductQuantity">  
 <xs:simpleType>  
 <xs:restriction>  
 <xs:minInclusive value="1"/>  
 <xs:maxInclusive value="100"/>  
 </xs:restriction>  
 </xs:simpleType>  
 </xs:element>

c. <xs:element name="ProductQuantity">  
 <xs:simpleType>  
 <xs:restriction base="xs:integer">  
 <xs:minInclusive value="1"/>  
 <xs:maxInclusive value="100"/>  
 </xs:restriction>  
 </xs:simpleType>  
 </xs:element>

d. <xs:element name="ProductQuantity">  
 <xs:simpleType>  
 <xs:restriction base="xs:integer">  
 <xs:minExclusive value="1"/>  
 <xs:maxExclusive value="100"/>  
 </xs:restriction>  
 </xs:simpleType>  
 </xs:element>

17. Which statement correctly describes the XML document below?

```
[XML Documents]
<!DOCTYPE root [
 <!ELEMENT root (E1,E2)+>
 <!ELEMENT E1 (#PCDATA)>
 <!ATTLIST E1 A1 ID #IMPLIED>
 <!ELEMENT E2 (#PCDATA)>
 <!ATTLIST E2 A2 IDREF #REQUIRED>
]>
<root>
 <E1>data</E1>
 <E2 A2="ID1">ref-data</E2>
</root>
```

- a. This is not a well-formed XML document, because the A1 attribute is not set in the E1 element.
- b. This is not a valid XML document, because the A1 attribute is not set in the E1 element.
- c. This is not a valid XML document, because the A2 attribute does not reference the ID type value.
- d. The DTD code is incorrect, because the ID type attribute must be set to #REQUIRED.

18. Which of the following XML documents is not a well-formed XML document?

- a. <?xml version="1.0"?>  
 <namecard>  
 <company>NNN Ltd. </company>  
 <name>John Smith</name>  
 </namecard>
- b. <?xml version="1.0"?>  
 <namecard>  
 <company></company>  
 <name>John Smith</name>  
 </namecard>
- c. <?xml version="1.0"?>  
 <namecard>  
 >>> My name is <<<  
 <name>John Smith</name>  
 </namecard>
- d. <?xml version="1.0"?>  
 <namecard/>  
 <company> NNN Ltd. </company>  
 <name></name>  
 </namecard>

19. Which of the following correctly describes a valid XML document with respect to the DTD below?

```
<!DOCTYPE list [
<!ELEMENT list (product+)>
<!ELEMENT product (name?)>
<!ATTLIST product_division (healthcare|cosmetic) "cosmetic">
<!ELEMENT name (#PCDATA)>

```

- a. The name element must be designated at least once within the XML document.
- b. The division attribute must be designated within the XML document.
- c. The product element and name element must appear within the XML document the exact same number of times.
- d. The product element must be designated at least once within the XML document.

20. Which of the following correctly describes an XML Schema definition when the Market Price element must be a positive integer?

- a. <xs:element name="MarketPrice" type="xs:negativeInteger"/>
- b. <xs:element name="MarketPrice" type="xs:positiveInteger"/>
- c. <xs:element name="MarketPrice" type="xs:duration"/>
- d. <xs:element name="MarketPrice" type="xs:hexBinary"/>