



**BERLIN SCHOOL OF
BUSINESS & INNOVATION**

Dissertation Title: A Study on IoT-Based Traffic Management System – Real-time Monitoring and Adaptive Control for Reducing Congestion

Master title: M.Sc. Artificial Intelligence

Name: Abdul Rahman Mohammed

Student ID: Q1093961

Year: 2024-2026

ABSTRACT

Urban traffic congestion has become a recurring issue due to the high proportion of urbanization, and the limitation of the traditional traffic management mechanisms. This paper considers the perceived practicability, utility and challenges of the IoT-based real-time traffic monitoring and adaptive traffic control systems to the alleviation of primary traffic congestion of cities. The primary study technique was a quantitative approach followed by a structured questionnaire to collect data through a form of 25 Likert scale responding to 50 roads in the city. Descriptive statistical analysis assisted by graphical illustrations and reliability tests were used to analyze the stakeholder perceptions. The findings suggest that the degree of dissatisfaction with traditional traffic systems is moderate and the degree of awareness on the usage of IoT-based customized solutions is increasing. The respondents have very positive yet reservation about the use of AI-based traffic control, particularly regarding efficiency, time efficiency, road safety, and its capacity to ensure environmental sustainability. But the concerns related to the infrastructure price, data privacy, government readiness and trust people have been also reported as the most frequent problems to be faced during the implementation. The study finds that IoT-based traffic management systems are perceived as promising though the adoption depends on the appropriate governance, awareness and institutional readiness of the people. The intelligent traffic management solutions can be used by policymakers and urban planners to offer useful practices towards implementing the solutions in the study.

Keywords: IoT, Traffic Management, Adaptive Traffic Control, Smart Cities, Urban Congestion

CONTENTS

ABSTRACT	2
CONTENTS	3
ACKNOWLEDGEMENTS	6
DISSERTATION THESIS	8
INTRODUCTION	9
CHAPTER ONE – LITERATURE REVIEW I	14
1.1 INTRODUCTION	14
1.2 URBAN TRANSPORTATION CHALLENGES AND TRAFFIC JAM	14
1.3 USUAL TRAFFIC MANAGEMENT SYSTEMS	15
1.4 INTERNET OF THINGS (IoT) CONCEPT AND APPLICATIONS	16
1.5 IoT IN THE DEVELOPMENT OF SMART CITIES	18
1.6 INTELLIGENT AND ADAPTIVE TRAFFIC MANAGEMENT SYSTEMS	19
1.7 CONCEPTUAL FRAMEWORK OF THE STUDY	21
1.8 RESEARCH GAP	22
1.9 SUMMARY	23
CHAPTER TWO – LITERATURE REVIEW II	24
2.1 INTRODUCTION	24
2.2 IoT SENSORS AND COLLECTION OF REAL-TIME TRAFFIC DATA	24
2.3 ADAPTIVE TRAFFIC CONTROL BY AI AND DATA ANALYTICS	26
2.4 TRAFFIC SIGNAL OPTIMIZATION MODELS BASED ON IoT	29
2.5 ADVANTAGES OF THE IoT-BASED ADAPTIVE TRAFFIC MANAGEMENT	31

2.6 THREATS AND SHORTCOMINGS OF IoT-BASED TRAFFIC SYSTEMS	33
2.7 SUMMARY	35
<u>CHAPTER THREE – METHODOLOGY</u>	<u>37</u>
3.1 INTRODUCTION	37
3.2 RESEARCH PHILOSOPHY	37
3.3 RESEARCH APPROACH	38
3.4 RESEARCH DESIGN	38
3.5 RESEARCH STRATEGY	39
3.6 RESEARCH METHOD	39
3.7 DATA COLLECTION METHOD	39
3.8 SAMPLING DESIGN AND SAMPLE SIZE	40
3.9 QUESTIONNAIRE DESIGN	41
3.10 ALIGNMENT OF RESEARCH QUESTIONS WITH QUESTIONNAIRE ITEMS	42
3.11 DATA ANALYSIS TECHNIQUES	42
3.12 ETHICAL CONSIDERATIONS	43
3.13 RELIABILITY AND VALIDITY	43
3.14 LIMITATIONS OF THE METHODOLOGY	44
3.15 CHAPTER SUMMARY	44
<u>CHAPTER FOUR – FINDINGS / ANALYSIS / DISCUSSION</u>	<u>45</u>
4.1 FINDINGS	45
4.2 ANALYSIS	60
4.2.1 PERCEIVED WEAKNESSES OF EXISTING TRAFFIC MANAGEMENT SYSTEMS	60
4.2.2 AWARENESS AND KNOWLEDGE OF IoT-BASED ADAPTIVE TRAFFIC SYSTEMS	60
4.2.3 STAKEHOLDER PERCEPTIONS OF AI-ASSISTED REAL-TIME TRAFFIC CONTROL	61
4.2.4 PERCEIVED BENEFITS OF IoT-BASED ADAPTIVE TRAFFIC MANAGEMENT	61
4.2.5 PERCEIVED CHALLENGES, RISKS, AND IMPLEMENTATION BARRIERS	62
4.2.6 RELIABILITY AND OVERALL INTERPRETATION OF RESULTS	62
4.3 DISCUSSION	64

4.3.1 RE-EVALUATING TRADITIONAL TRAFFIC MANAGEMENT SYSTEMS IN URBAN CONTEXTS	64
4.3.2 STAKEHOLDER AWARENESS AS A FOUNDATION FOR SMART TRAFFIC ADOPTION	64
4.3.3 PUBLIC PERCEPTIONS OF IoT AS AN ENABLER OF REAL-TIME TRAFFIC INTELLIGENCE	65
4.3.4 TRUST AND CAUTION IN AI-ASSISTED TRAFFIC DECISION-MAKING	65
4.3.5 PERCEIVED EFFICIENCY GAINS THROUGH ADAPTIVE TRAFFIC CONTROL	66
4.3.6 ROAD SAFETY IMPLICATIONS OF IoT-BASED TRAFFIC MANAGEMENT	66
4.3.7 ENVIRONMENTAL SUSTAINABILITY AND SMART MOBILITY OUTCOMES	67
4.3.8 ECONOMIC AND INFRASTRUCTURE COST CONSIDERATIONS	67
4.3.9 DATA PRIVACY AND SECURITY AS MODERATING ADOPTION FACTORS	68
4.3.10 GOVERNMENT READINESS AND INSTITUTIONAL CAPACITY	68
4.3.11 PUBLIC TRUST, ACCEPTANCE, AND SOCIAL READINESS	69
4.3.12 INTEGRATING PRIMARY FINDINGS WITH THE BROADER SMART CITY PERSPECTIVE	69
CONCLUDING REMARKS	71
BIBLIOGRAPHY	74
APPENDIX	86

ACKNOWLEDGEMENTS

I would sincerely express my gratitude to my dissertation supervisor, Dr. Vincent English for their valuable time, guidance, meaningful feedback and encouragement throughout the time of my dissertation course and research. With their dedication and valuable insights, I could properly shape my thesis in right structure and inspired me to work more on my research to achieve the final results. Their ideas helped me discover many new things and concepts which helped me implementing in my research.

I would also like to thank all the faculty members of BSBI from Artificial Intelligence department for the support and encouragement in this academic environment.

Lastly, I would like to extend my appreciation to my family and friends for the support and patience during the completion of my research.

Statement of compliance with academic ethics and the avoidance of plagiarism

I honestly declare that this dissertation is entirely my own work and none of its part has been copied from printed or electronic sources, translated from foreign sources and reproduced from essays of other researchers or students. Wherever I have been based on ideas or other people texts I clearly declare it through the good use of references following academic ethics.

(In the case that is proved that part of the essay does not constitute an original work, but a copy of an already published essay or from another source, the student will be expelled permanently from the postgraduate program).

Name and Surname (Capital letters):

ABDUL RAHMAN MOHAMMED

Date: 05/02/2026

DISSERTATION THESIS



(leave this page empty)

INTRODUCTION

Brief Analysis of the Topic

The contemporary cities are experiencing constant traffic jams due to the high urbanization rate, increased number of vehicles, and the use of traditional means of managing traffic such as fixed time lights and manual traffic management (Machimura, 2021). Such fixed systems are unable to increase or decrease with traffic congestion, crashes, or morning and evening drops, which results to more delays, increased fuel consumption, a greater number of emissions, and reduced safety. With the rising population of cities, these deficiencies have become more evident, which explains why intelligent, data-driven traffic control is critically needed. IoT opens the new possibilities of real-time monitoring of traffic. Constant monitoring of traffic is done by sensors, cameras and communication devices. Signals can then adapt automatically using real-time information rather than the predetermined averages when adaptive traffic control is combined with it. Adaptive traffic control is described in this study as those timings of signals that vary according to real-time sensor data with IoT capabilities (Machimura, 2021).

Other than conducting tests on technical performance, simulations or real deployments that quantify the change in traffic flow, this study investigates the perception of stakeholders of the possibilities and feasibility, acceptance, benefits, and challenges of IoT-based adaptive traffic systems. Our perspective is that of the stakeholders and the perception, where we investigate the perception of the road users and other stakeholders in regard to how useful, ready, and the limits to which these systems can be implemented. This narrow methodology will ensure that our conclusions are in line with what was collected by the selected approach to research (Machimura, 2021).

Trigger and Rationale

Trigger

The driving force behind the choice of this topic can be explained by the fact that the congestion in traffic has been increasing over the last several years in urban settings, especially in the rapidly growing cities, where road infrastructure is no longer able to follow the development

trends of population (Rui and Othengrafen, 2023). Delays facilitated by commuting have become the new reality of a large number of people and eventually resulted in decreased productivity, increased stress, and great financial losses. The weaknesses of the classic traffic systems, in particular their failure to cope with the unexpected scenarios (such as the increase in optimal traffic during a certain hour or a traffic crash or shutdowns) all argued towards the necessity to find a more automated and intelligent solution (Rui and Othengrafen, 2023).

Rationale

The reason why this research was conducted is embedded in the fact that the world is converting to digital transformation and as such there is growing focus on the need to have sustainable urban mobility (Pandey, Chaudhary and Tóth, 2025). IoT solutions can provide the opportunity of significantly reducing congestion by means of real-time decisions, movement awareness, and real-time traffic management. Although this was promised, it has not been realized in practice at the ground level, and especially, smart-city projects have not been used yet in developing areas. There are relatively good theoretical material bases in the literature, but there is still an obvious lack of insight of the perception of the users, feasibility conditions, and real-life issues related to the usage of IoT as a means of adaptive traffic control. This research aims at filling that gap by creating primary information that identify the perception of commuters and other stakeholders towards the usefulness, reliability and effects of IoT traffic solutions (Pandey, Chaudhary and Tóth, 2025).

Aim and Objectives

Aim

The aim of this research is to assess the perceived feasibility, acceptance, and effectiveness of IoT-based real-time traffic monitoring and adaptive traffic control systems from the perspective of urban road users and stakeholders.

Objectives

1. To test the perception of the stakeholders regarding the weaknesses of the current traffic management systems that lead to traffic congestion in the cities.

2. To investigate the degree of awareness and knowledge of the users and stakeholders of urban roads to the systems of adaptive traffic management, based on IoT.
3. To provide insight into the ideas of real-time IoT data and AI-assisted decision-making in adaptive traffic signals control through the opinion of stakeholders.
4. To evaluate the perceived benefits of the adaptive traffic systems based on the IoT insofar as the efficacy of the travels, safety of the roads and ecological sustainability.
5. To understand the perceived challenges, risks, and preconditions of implementation of the adaptive traffic management systems based on IoT.

Research Questions

1. How useful and viable do urban road users and the stakeholders perceive the use of real time traffic monitoring systems based on IoT?
2. What do the urban road users and stakeholders feel are the weaknesses of the traditional traffic control systems?
3. What is the opinion of stakeholders concerning the effectiveness of AI-based adaptive traffic control in enhancing the efficiency of the traffic flow?
4. Which perceived advantages do the stakeholders have concerning this traffic management system based on IoT regarding this aspect of reducing time, road safety, and road sustainability?
5. What impediments and obstacles do the stakeholders see in the introduction of the systems of adaptive traffic management using IoT systems?

Methodology

This paper applies primary research based on a questionnaire designed in a structure and 25 closed ended questions. We will use 50 respondents (commuters, motorists, and passengers of the public transport) that have to face the urban traffic on a daily basis (Saini and Sharma, 2025). The sampling of these participants was informed by the fact that they experience the problem of traffic congestion first-hand and are therefore able to provide informed opinions concerning the use of IoT- and AI-based traffic solutions. Descriptive statistics will be used to identify trends,

patterns and perceptions of stakeholders since the data will be analyzed by the data. Though such a technique provides handy information on feasibility and acceptance, we also admit that there is a limitation in the form of a small sample and subjectivity of the respondents (Saini and Sharma, 2025).

The questionnaire will be geared towards measuring such key constructs as the awareness of IoT-based traffic systems, the perceived usefulness, the trust in the use of AI-assisted decision-making, the expected benefits and the perceived barriers to the implementation. The descriptive statistics of quantitative responses will identify the prevalent trends and patterns, and qualitative information about open-ended responses will be performed according to the themes to give the responses more interpretative quality. In this way, the research questions can be directly answered with the help of the obtained primary data and the methodological design will be possible and able to be supported academically (Saini and Sharma, 2025).

Synopsis of Chapters

Chapter One - Literature Review I

This chapter presents the backgrounds of theories, concepts, and technological aspects of IoT, smart-city systems, and smart traffic solutions. It thoroughly explains the history of technological changes in traffic management and tells the major dilemmas in the world concerning congestion (Whaiduzzaman et al., 2022).

Chapter Two - Literature Review II

The chosen chapter deals with the particular research works concerning the IoT-based adaptive traffic control, real-time monitoring schemes, and the case studies connected with the city providing the implementation of the IoT system. It determines gaps and inconsistencies of the current literature (Whaiduzzaman et al., 2022).

Chapter Three - Methodology

This section outlines the major research design, sampling, data-collection instruments, reasons why the methodology adopted was the best and shortcomings that come as a consequence of executing the study (Mazhar et al., 2021).

Chapter Four - Findings, Analysis and Discussion

In this chapter, the gathered primary data is provided, the results are analyzed and the implications explored by comparing them with the literature review findings (Mazhar et al., 2021).

CHAPTER ONE – LITERATURE REVIEW I

1.1 Introduction

The conventional style of traffic management, use of fixed lights, manual control, scarcity of information are not able to match the current dynamics of traffic (Ravish and Swamy, 2021). The fixed-time control is less effective in the city as the city expands. As such, more attention is being drawn towards smart, technology-rooted solutions that can respond to real time situations by scholars and practitioners. Internet of Things (IoT) represents an opportunity that can be used to evolve traditional systems of traffic management into adaptive and data-driven designs. IoT will lessen congestion and improve the traffic overall since it allows real-time information gathering, communication, and automatically making choices. The chapter is a literature review of the available sources concerning traffic congestion, conventional management systems, IoT concepts, smart city development, and intelligent traffic control. This is aimed at establishing a foundation of a strong theoretical background of the present study (Ravish and Swamy, 2021).

1.2 Urban Transportation Challenges and Traffic Jam

Traffic jam is generally known as a severe international problem in transport studies of urban areas (Raza et al., 2022). It is experienced when the demand exceeds the road capacity resulting in slowness of speed, increasing travel time as well as queuing at intersections. This issue has been exacerbated by rapid urbanization, population growth and increasing number of cars which are owned by people. With the increase in the numbers of cities, the growth of the transportation system is usually slow, and the growth results in limited congestion and inefficiency. One of them is the incompatibility of old infrastructure with the existing demand. Several decades ago, a large number of roads were designed at lower volumes and the large-scale development is restricted by financial and land and regulatory limitations. In this way, the congestion will be at acute points, intersections, arterial roads, commercial centers, in particular, during peak hours. This is a bottlenecking that leads to a low efficiency of urban mobility (Raza et al., 2022).

Congestion is also brought about by the uncertainty of the traffic in the city. Flow is often interrupted by accidents, maintenance, weather and special events (Fernando, 2021). Conventional systems are not flexible to act promptly and the jamming is easily propagated.

According to the researchers, congestion is caused by the number of vehicles, in addition to a lack of adaptability and the inability to respond in real time. The economic cost will be a loss of productivity, the increase in usage of fuel and larger transportation costs to individuals and businesses. Idling causes greater amounts of pollution and greenhouse gases released by cars and adversely affects the air quality and causes climate change. On the social level, the long-term congestion increases the commuter stress, reduces the quality of life, and increases the road-safety and population-health issues (Fernando, 2021).

Traditional ways of remedy such as road widening and massive expansion only offer a reprieve that is short term and, in most cases, cannot be sustained as they cost very much and lack space (Biesel, 2025). Researchers therefore prefer smart and technology-based solutions that will streamline current infrastructure instead of increasing it. Overall, city congestion is a problem that needs to be addressed by innovative and adaptable traffic control. High dynamics, size, and complexity of the present-day traffic systems create the necessity of real-time monitoring and responding solutions and precondition the interest in investigating the sphere of IoT appliances-based traffic control to decelerate the congestion and enhance the mobility of urban life (Biesel, 2025).

1.3 Usual Traffic Management Systems

The conventional traffic management has been a conventional system that has been controlling the world cities (Auwal Alhassan Musa et al., 2023). They are based on time but fixed signals, manual enforcement and simple monitoring tools. HTC involves schedules made with reference to historical data. This was efficient when there were constant flows in traffic, but the flowing of traffic in modern cities is varying and hence becomes less effective. Their inherent weakness is the fact that they are not dynamic. The fixed regime signals are incapable of adapting to the real time situation. In high traffic conditions, queues that are overstretched will lack green time, whereas lanes with smaller traffic will be involved in unwarranted delays. Such imbalanced distribution increases the congestion, geometrically increases the queues and also decreases the performance at the intersection. Researchers point out that this inflexibility does not make these systems have capacity to deal with the dynamic traffic within cities (Auwal Alhassan Musa et al., 2023).

Manual control is applied to complete the fixed time systems during peak times, incidents, or special events (Ji et al., 2025). Adjustment of the vehicle movements is made by the eyes and experience of the police. But there are a number of weaknesses identified as a result of literature. Manual control is labor-intensive, irregular, and relies upon human judgement, and this may be influenced by fatigue, stress, or lack of appropriate situational awareness. In addition, it cannot work in large and complicated urban networks. The conventional surveillance systems like CCTV cameras do not offer sophisticated analytics and only give visual information. Consequently, this reduces the prediction capabilities or the proactive actions through the use of data-driven insights in favor of observation by the managers. The issues of traffic are solutions to the congestion that has already taken place (Ji et al., 2025).

The other problem is a fragmented nature of these systems. Intersections In many cases, there is little coordination between the signals adjacent to each other (Mariani, Cabri and Zambonelli, 2021). Such an absence of integration leads to the inefficient circulation of traffic flow along the corridors and high rates of stop and go. The old systems are also incapable of combining data of various sources, which inhibits extensive analysis and future planning. The report of the literature, however, tends to criticize the systems more and more due to their failure to match the complexity and variability of the current traffic. They have congestion and low efficiency due to their inability to process data and low division. Such constraints initiate the quest of smart, adaptable, data-driven solutions that react well to real time situations (Mariani, Cabri and Zambonelli, 2021).

1.4 Internet of Things (IoT) Concept and Applications

The IoT is characterized as a blanket of interconnected physical objects communicating, sending and processing data through the Internet (Kirikkayis et al., 2023). These devices have sensors, software and communication elements that enable them to communicate with other devices and central systems. Real-time data transmission and automatic reaction without the participation of human factors are the main peculiarity of the IoT, which allows it to become applicable in dynamic conditions such as in urban transportation. IoT applies to the fields of healthcare, manufacturing, agriculture, energy and transportation. IoT can be used in transport to monitor the vehicles, infrastructures along the road, and the environment. Traffic lights, road sensors, and vehicle sensors are used to record data on speed, density, occupancy in the lanes, and the

travelling time. This information is forwarded to central systems to be analyzed so as to assist in the decision making of the traffic (Kirikkayis et al., 2023).




Figure 1: Smart Traffic Control Using IoT: Key Features

Source: (Rishabh Software, 2023)

There are four basic elements to IoT systems which are found in the literature. First, sensing devices receive crude information of the physical world (Majid et al., 2022). Second, this data is transferred among devices and processing platforms by communication networks. Third, the information is processed and stored by a data processing system, which is usually a cloud. Fourth, the layer of application provides some insights, visualization, or automated controls to the users or other systems. One key benefit of the IoT is that of scalability. Systems will be able to expand to encompass the big cities and combine data with other sources so that authorities can see the networks of the whole city, rather than the individual intersections. Another feature that IoT has is facilitating interoperability whereby various devices and systems are compatible with a common framework (Majid et al., 2022).

IoT is an important element in decision making based on data. IoT allows recognizing patterns, predicting the future, and optimization by converting raw sensor information into actionable information (Aldahiri, Alrashed and Hussain, 2021). In traffic control, these features assist the authorities to identify the trend of congestion, forecasting, and operating adaptive controls. The

literature has not been spared of challenges even though it seemed promising: the security of the data, the privacy, the interoperability between the systems, and the costs of the infrastructure. These issues are necessary to deal with to have reliable and secure deployments. All in all, scholarly resources have put IoT as an innovative technology, which forms the basis of the smart traffic management (Aldahiri, Alrashed and Hussain, 2021).

1.5 IoT in the Development of Smart Cities

Smart cities refer to cities that are digitally enhanced to enhance efficiency, sustainability and the quality of life (Gracias et al., 2023). They use information and communication technologies in assisting to make intelligent decisions and manage resources. Internet of Things (IoT) is one of the most important elements since it enables the integration of physical infrastructure into digital ones by means of continuous data transfer. IoT in smart city undertakings enables the cities to observe, evaluate and regulate urban functions in real-time. The sensors and attached machines are installed in the areas of transportation, energy generation, water distribution, waste disposal, and communal security. This interdependent ecosystem turns the city authorities to active and anticipative control. The shift is particularly significant in the field of transportation since the traffic is dynamic and complex (Gracias et al., 2023).




Figure 2: Application of IoT in Traffic Management

Source: (Rishabh Software, 2023)

IoT provides the focus of smart mobility, a key objective of a smart city (Bellini, Nesi and Pantaleo, 2022). The IoT based traffic management systems are effective in gathering real-time vehicle movement, traffic density and congestion data generated by sensors, cameras, and connected vehicles. The data helps the authorities to see the congestion patterns as it develops and takes immediate action. According to researchers, such visibility is necessary to reduce the number of people on the road and enhance the credibility of transport routes in the city. There are also several modes of mobility that are incorporated by IoT. It collects information on the activities of the private vehicles, on the urban transport, and on the bicycles and pedestrians, which makes the coordination of the services easier and promotes the balanced utilization of the infrastructure. According to literature, the integrated mobility systems decrease the reliance on private vehicles, decrease the traffic jam, and contribute to the ecological sustainability (Bellini, Nesi and Pantaleo, 2022).

IoT assists in the policy and planning of cities using data (Kaluarachchi, 2022). The historical and real time data of traffic shows the travel behavior, mostly at peak demand and also the performance of the infrastructure. These insights can help the urban planners assess the current strategies and come up with more effective solutions to be implemented on a long-term basis. Scholarly articles underline the fact that IoT-based evidence-based planning leads to an enhanced distribution of resources and efficiency in transportation. IoT is also useful in communication with road users. Commuters are given digital solutions to manage their traffic congestion and distribute traffic equally by providing real-time information about traffic jams, the time it takes to travel, and the optimal route to follow. It is written in literature that informed users assist in alleviating congestion by shunning routes that experience a lot of traffic (Kaluarachchi, 2022).

1.6 Intelligent and Adaptive Traffic Management Systems

Smart and versatile traffic management systems have become one of the significant steps in the surveillance and control of traffic in cities (Nigam, Singh and Choudhary, 2023). These systems are unlike the traditional fixed-time signal plans since they are flexible to vary their strategies in real-time regarding the state of traffic. According to academic literature, they can be characterized as data-driven and reactive, and, therefore, they optimize the traffic movement between intersections and corridors. These are the sources that furnish the vehicle numbers, speeds and queues and level of congestion. This information is fed on advanced algorithms to

come up with the best signal timing and control actions. Adaptive systems can also substantially enhance the efficiency of the intersection also by enabling it to respond to actual demand as opposed to historical averages and avoid unnecessary delays (Nigam, Singh and Choudhary, 2023).

The ability of the adaptive traffic management systems to coordinate several crossroads is one of the major benefits of the topic brought up by the current research (Islam, 2025). The old systems treat each and every intersection separately thus forming the stop and go traffic mostly at the major roads. However, intelligent systems co-ordinate signals between networks of crossing, which enable vehicles to travel more easily. This coordination removes the amount of queue spillbacks, minimize the delays, and enhance the reliability of the travel time of the road users. Scholars believe that a corridor-level optimization is needed in attaining a great dealing of congestion in high urban networks. Road safety also is enhanced by the use of intelligent traffic management. These systems lower the risk of sudden braking and road rage that has been witnessed to be some of the main causes of accidents by averting congestion and traffic snarl-ups. The immediate tracking allows faster responses to accidents like crashes or a breakdown of vehicles by the traffic authorities who can use deliver prompt solutions as well as take corrective actions (Islam, 2025).




Figure 3: Intelligent Transport System Features

Source: (Koltak, 2022)

The adaptive traffic systems can help avoid these effects by reducing stop-start driving habits and enhancing the traffic movement (Mobini Seraji et al., 2025). Therefore, smart traffic control promotes the wider environmental and sustainability goals; these are yet to grow where urban planning and policy are concerned. Although these advantages exist the literature also reveals a number of challenges that are also related to intelligent and adaptive traffic management system. The infrastructure necessary to implement it may be costly, such as sensors, communication networks and data processing platforms. Construction of technical complexity and maintenance of the system may also become one more issue due to limited resources in cities. Combination with the something existing in the traffic infrastructure can also be a challenging task, which infrastructure should be planned carefully and implemented gradually (Mobini Seraji et al., 2025).

1.7 Conceptual Framework of the Study

The theoretical construct of the study is built on the synthesis of the major themes, which are evident in the literature review on the topic of traffic congestion, IoT technologies, and intelligent traffic management systems (Conceição et al., 2022). It gives a proper organization of the viewpoint on how the IoT-provided real-time monitoring and adaptive control schemes may contribute to the alleviation of the traffic congestion in urban areas. The framework identifies linkage between technological aspects, human and organizational factors to provide a comprehensive view of traffic management. The basic aspect of the framework is the real-time data collection by using IoT technologies. There are sensor cameras and connected devices that are installed on roads, vehicles, and traffic lights that constantly capture data regarding the level of traffic in the city, the speed, and the congestions level, and the status of the roads. This live information is the essence of smart traffic management as it is able to give clear and real-time data concerning the destinations of the incoming traffic. In literature, real-time awareness is a critical aspect that should be used to deal with the dynamism of urban traffic (Conceição et al., 2022).

The second component includes the data transmission and processing (Li et al., 2021). The collected information is passed on by means of communication networks to central processing platforms, which are analyzed using decision-support systems and algorithms. Such systems process raw data to make actionable insights, as authorities of the traffic get to know the trend of

the traffic and forecast the progress of congested roads. The bibliography justifies the opinion that the process of data processing is important to make timely and informed decisions. The third important aspect of the framework is the adaptive traffic control. Drive lights and control systems are modified dynamically based on analyzed data so as to optimize the flow of traffic. Adaptive control will help minimize queue lengths, reduction of delays and enhance the reliable degree of travel-time. Experiment studies have shown that adaptive systems are better than fixed-time controls because they serve the real time demand instead of basing on past average demand (Li et al., 2021).

Besides the technological factors, the view of the stakeholders is also included in the framework as a crucial factor (Block, Rennings and Bröring, 2022). It has been argued in literature that the effectiveness of IoT based traffic systems does not only lie in the technical performance, but also in user acceptance and trust. The perceptions of the commuters on the system reliability, usefulness, and equity, determine the acceptance and willingness of the commuters to the smart traffic programs. Accordingly, the stakeholder perception has been placed as one of the main moderators in the framework. The framework has also considered the situational and operational attributes like infrastructure preparedness, government, and practical viability. These are some of the factors that determine how well the deployment and maintenance of the IoT based traffic systems can be realized. Available literature points out that the failure of technological solutions to provide anticipated benefits might happen in case proper institutional support and infrastructure is not in place (Block, Rennings and Bröring, 2022).

1.8 Research Gap

The IoT technologies, smart cities, and intelligent traffic systems have a broad range of literature, but there are still various gaps (Silva, Castro and Ferrão, 2025). To begin with, the majority of research concentrates on technology and does not pay much attention to the perceptions and acceptability of the systems by the stakeholders. Secondly, problems in practical implementation are often not discussed, particularly in the developing urban settings. Third, the article lacks empirical studies in regards to the effectiveness, reliability, and benefits of IoT-based adaptive traffic management as perceived by commuters. This paper will attempt to address these gaps by focusing on user perception and practicality of real time traffic monitoring and adaptive control (Silva, Castro and Ferrão, 2025).

1.9 Summary

The theoretical development and principles of traffic congestion, conventional traffic management systems, IoT, smart city development, and adaptive traffic control were reviewed in this chapter. It is indicated in the literature that the conventional traffic systems fail to suit the current urban requirements and IoT is a solution, which has potential to improve smart traffic management. There are, however, profound gaps concerning the perceptions of the users, as well as some issues with real world implementation. Such gaps are the sources of the need of the current research. The following chapter will expand on this basis by reviewing empirical research and particular realization of the IoT-based traffic management systems (Silva, Castro and Ferrão, 2025).

CHAPTER TWO – LITERATURE REVIEW II

2.1 Introduction

The section is a critical review of the empirical and simulation-based research, its level of performance in practice, and how effectively it was reported to be implemented and what the limitations were. The empirical studies on this topic focus on the system structures, performance tests, and performance models (Fu et al., 2022). It has been reported by many studies that traffic flow improves, delays are reduced and emissions are lower in case of application of the IoT-based adaptive control. Nevertheless, scalability, cost and real-world implementation problems are also mentioned. The chapter is based on the premises of Literature Review I. It analyses practical research, empirical evidence, and case studies of IoT -based traffic management, which touches on the particular technologies, models, advantages, and problems of implementation (Fu et al., 2022).

2.2 IoT Sensors and Collection of Real-Time Traffic Data

Traffic systems have IoT sensors that relay real-time information about traffic in the urban roadways (Auwal Alhassan Musa et al., 2023). Proper, quality, and real-time traffic information is essential in comprehending the dynamics of flow and in support of an adaptive control. In contrast to the old way of monitoring with periodic manual surveys or fixed and few cameras, IoT sensors are able to give high-frequency data that can indicate real-life conditions. Traffic data are determined by different sensors: inductive loop, infrared sensors, radar, video cameras, acoustic, GPS. Road loop detectors are sensors, which measure the traffic count and presence of vehicles. Speed and density measured by infrared and radar sensors do not have physical contact, and this technology is appropriate in various weather conditions. The image processing is used to analyses the flow, length of queue, and type of vehicle used in video cameras. Multiple types of sensors are better when combined (Auwal Alhassan Musa et al., 2023).




Figure 4: IOT Sensors Collect and Transmit Data

Source: (IoT Agenda, 2023)

Another source of data is the connected vehicles and GPS devices (Alam, 2024). Cars that have car navigation and communication modules keep on secretly sending location, speed and time of travel. Car sensors augment road side cells by extending the range and recording movement trends, which can be used to track the congestion in the bigger urban sections. Communication technologies Wireless PCR technologies, including WLANs, cellular networks, and dedicated short-range communications, transmit sensor information to the central processing. Stable, low-latency connections will provide in time a traffic information which may be used to make decisions by control systems. Research has indicated that delays or loss of data diminishes the adaptive management substantially (Alam, 2024).

IoT sensors will provide real-time data used to support various functions congestion, flow, incident, and performance monitoring (Pandey, Chaudhary and Tóth, 2025). Through dynamic and constant data analysis, the authorities can identify unusual scenarios, including unexpected stops, or lineups of people and the case of accidents or blockages. On time medical treatments are prompt and reduce spread of congestion. Difficulty in data collection is also established through academic researches. The error may be caused by sensor errors, environment or calibration errors. Video sensors can have problems of poor lighting or weather conditions and GPS cannot be used where there is a dense city. To alleviate these issues, scholars suggest data-

fusion algorithms where one involves a composite of numerous sensor sources (Pandey, Chaudhary and Tóth, 2025).

The problem of volume of data is another issue. The constant acquisition of numerous sensors results in huge data volumes that require effective storage and processing (Andronie et al., 2022). The most typical solutions are cloud and edge computing where edge processing make Latency times less and responsiveness better. The use of vehicle and location data to gather details about individuals who are traveling raises privacy and security issues because it can be used to reveal clients' personal behaviors. To ensure privacy of the users, and establish confidence in the organization, the literature emphasizes that data anonymization, safe communication, and compliance with the regulations are important to ensure privacy of any information provided. In general, IoT sensors and real-time data acquisition can be considered as significant facilitators of smart traffic management. Through the provision of precise, timely and ongoing information, the sensors in the IoT provide adaptive strategies aimed at easing up congestion and enhance the urban mobility (Andronie et al., 2022).

It has been demonstrated in the literature that the IoT sensors are more reliable and quicker in providing the data of the traffic as opposed to the conventional methods (Hernandez and Bulut, 2023). However, each of the types of sensors is not effective in all city setting due to weather, calibration errors and loss of data which still influence accuracy. It is thus suggested by a number of studies to use sensor fusion but sensor fusion is hardly tested in reality. The overwhelming bulk of evidence is in the form of lab tests or simulations and as such we are not aware of the performance of such systems at a city level yet. This uncertainty explains the need to investigate the level of trust of the stakeholders with the data and system. That is the focus of our study (Hernandez and Bulut, 2023).

2.3 Adaptive Traffic Control by AI and Data Analytics

The artificial intelligence and data analytics are necessary to transform the raw data of traffic by the IoT devices into actionable control decisions (Ficili et al., 2025). Scientists also agree on the fact that IoT offers real-time data, but it requires advanced algorithms to process their data and promote adaptive traffic controls. AI technologies transform the traffic management systems into reactive based control to predictive, elite decision-making. Adaptive traffic control involves the

use of machine-learning techniques. They form trends in traffic flow and predictive future. Examples of such models include the supervised models, which use previous and current information to approximate the volume of traffic, queue lengths and traveling time. These projections allow the traffic lights to regulate themselves before traffic jam turns extreme. It has been found that predictive control is more effective than the conventional rule-based systems because it enhances responsiveness and reduces delays (Ficili et al., 2025).




Figure 5: AI-Powered Intelligent Traffic Coordination Workflow

Source: (stellarix, 2025)

The reinforcement learning has been brought into the limelight due to its adaption to dynamic environments that are uncertain (Chapman et al., 2023). Signals which are intelligent agents can also be employed in a reinforcement-learning based traffic control system whereby intelligent signals can be trained to know the best timings by communicating with the traffic. The system is in a continuous analysis of the results of control actions and it makes adjustments to its strategy in order to maximize goals like less waiting times or increased throughput. Studies show that reinforcement learning is flexible to the patterns of traffic without the use of model-based approaches. Descriptive and diagnostic Analysis Data analytics are used to assist in traffic control as well. Descriptive analytics tells us about both present and past traffic patterns indicating the trend of congestions and the times of high demands. Diagnostic analytics searches the reasons why a traffic congestion occurred by analyzing the correlation between traffic parameters. Such insights aid the authorities to know how the systems behave and also identify

areas to intervene. Descriptive analytics should be combined with predictive analytics to enhance the quality of decisions (Chapman et al., 2023).

The other important component of AI is optimization algorithms. They determine the best signal timing plans to minimize goals such as minimization of delay, minimization of emissions and fairness among streams of traffic (Dahrouj et al., 2021). The methods used in common are genetic algorithms, particle swarm optimization, and Linear programming. Optimization-based strategies are found to have a high range of improving intersection performance at various conditions of traffic. When adaptable traffic control systems are paired with AI and implemented with real-time analytics, it allows them to be automated and functional 24/7. These systems are able to respond quickly to such changes as unexpected sudden surges or incidents because of processing data streams in real time. It has been stressed that low-latency processing is a key to the functioning of a system. Edge computing is also suggested to be used more as a way of processing analytics nearer to the data streams, minimizing communication lag time (Dahrouj et al., 2021).

Scalability can be included by complexity and demanding nature of the model, in particular in large urban networks (Gallotti, Sacco and De Domenico, 2021). Absence or noisy data, which is commonly related to data quality, may damage the performance of the model. Researchers request powerful algorithms which are able to cope with uncertainty and lack of complete information. Others are transparency and interpretability. The explanation of deep-learning models is in most cases not explained, and this may discourage traffic authorities. Developing trust demands understandable models and ambiguous examination of performance (Gallotti, Sacco and De Domenico, 2021). Wider incorporation can be achieved through adopting such practice. In general, AI and data analytics play the key role in efficient adaptive traffic control. These technologies make it possible to make decisions in predictive, optimized and autonomous modes that lessen the congestion and enhance urban mobility. Nevertheless, it is important to pay attention to practical implementation challenges such as technical, organizational, and the issues of trust to improve the real application (Gallotti, Sacco and De Domenico, 2021).

On the whole, research confirms that AI-based adaptive traffic controllers, in particular, those based on prediction and reinforcement learning, are useful in simulation to reduce congestion (Abdullah, Zahid and Ali, 2021). People are however still concerned about the decision making

of the models, amount of data that they require and the amount of processing that they require. Reinforcement learning is more adaptable, but it cannot be explained easily and this is the reason why the traffic authorities are hesitant to use it. Therefore, the gap between the performance of an algorithm and its implementation is present. That is where this gap lies because the perception of stakeholders about the efficacy and reliability of AI-assisted traffic control should be investigated, and not technical optimization reduced to a single point (Abdullah, Zahid and Ali, 2021).

2.4 Traffic Signal Optimization Models based on IoT

The traffic lights optimization models are models of the IoT which has attracted a lot of attention to enhance the traffic flow of the urban regions (Damadam et al., 2022). These models apply real-time traffic information, which is collected by the IoT sensors and is used to control the signal timings at traffic lights dynamically. The models stick to changing traffic conditions, unlike fixed-time plans, and are suitable to complicated urban settings. There are various types of signal optimization models based on the IoT, according to the literature. Rule-based adaptive models are one method that was extensively researched. They vary the times of day, on set regulations, with regard to the real-time measurement including queue length, the number of vehicles and waiting time. These models can be easily employed and calculate effectively in a simple way. They, however, can perform poorly in a situation that is very complex since the predetermined regulations cannot be applied to all the possible traffic situations (Damadam et al., 2022).

The other category is the optimization-based models. These are based on mathematical optimization of the optimal signal timings to achieve certain goals (Shlezinger, Eldar and Boyd, 2022). Some of the goals include the reduction of the average delay, minimizing the length of queues, enhancing throughput and the reduction of emissions. Linear programming, mixed-integer and heuristic techniques are used extensively. It has been demonstrated that optimization-based models can have several intersection gains when accompanied by precise IoT information. In the studies on the management of the traffic using the IoT, simulation-based optimization models are prevalent. Traffic conditions in such models are simulated using real-time data and different setups of signal-timing mechanisms are experimented. Researchers assert that this allows traffic managers to consider numerous situations before actual changes in the real world

are affected. The validity of such simulations however depends on the quality of the input data as well as the model assumptions (Shlezinger, Eldar and Boyd, 2022).

These hybrid manners create a combination of prediction and optimization such that the traffic lights are able to forecast the forthcoming conditions other than acting on the spot (Kothai et al., 2021). An example would be having a predictive model to generate the traffic demand in the next couple of minutes and the optimization algorithm would modify the signal timings. Research indicates that this hybrid type of models decongests more than the reactive-based models. Traffic Signal optimization involves coordination at various cross roads. Optimization of each intersection separately can increase the network local performance but with inefficiency in other parts of the network. IoT designs enable intersections to exchange real time data which enables the (timing) of signals along routes. The scholars emphasize that the need to optimize on a network level is critical in order to stabilize the travel time and traffic flow (Kothai et al., 2021).

Irrespective of the advantages, IoT based signal optimization models have a number of challenges. One of the biggest problems is the complexity of computations, when it comes to large urban networks with numerous intersections (Zikria et al., 2021). Real-time optimization must be fast with effective communications. According to the literature, edge computing and decentralized control could be beneficial, as it dispenses the tasks closer to the data sources. System robustness is also another challenge. Accidents or sudden occurrences may lead to change in the traffic conditions. Optimization models need to be agile and not disruptive. Researcher points out the need to develop models that are both responsive and stable without having frequent and disruptive changes. In general, the models of IoT-based traffic signal optimization play a decisive role in the intelligent traffic management. These models allow dynamic and efficient signal control by use of real-time data and other sophisticated methods of optimization. The successful implementation, however, should pay significant attention to computational needs, coordination schemes and robustness of the system to guarantee the prompt performance in the real cities (Zikria et al., 2021).

The IoT models of traffic lights have demonstrated practical improvement in delays and throughput growth under experimental and simulated environments. However, their scalability and real time processing limitation are still barriers to their use in complicated networks of cities.

Models are more of a literature than of a feasibility of operations and there are limited city-wide validation models. Thus, in order to have a successful deployment, technical optimization is not sufficient. It is important to understand the perception that people have towards these systems in regard to practicality, stability and readiness. This is in favor of our perception-based study (Almutairi, Bergami and Morgan, 2024).

2.5 Advantages of the IoT-Based Adaptive Traffic Management

The IoT-driven adaptive traffic management is associated with numerous benefits that can eliminate a wide range of failure of conventional traffic control (Mutambik, 2025). Studies are all consistent to demonstrate that a combination of real-time information collection, smart analysis, and controlled adaptation is significantly beneficial in achieving better traffic efficiency and city movement. These advantages cover both operational, environmental, economic, and social sectors, and the use of the IoT solutions is appealing to the contemporary cities. One of the benefits is that traffic does not go smoothly. Adaptive systems keep an eye on the situation at all times and modify the timing of signals on demand without wasted wait time at intersections. Surveys indicate that the stoppage is reduced and there exist a more linear flow along coordinated routes more particularly during high times when traffic demand is at a high. Scholars point out that real-time responsiveness is the main key to a consistent improvement of performance (Mutambik, 2025).



Figure 6: Benefits of Smart Traffic Management

Source: (Kaa IoT platform, 2021)

The other significant advantage is that there is a decrease in the time taken to travel and delays (Chaitanya, 2024). IoT systems do not use constant schedules to adjust signal timings but the real demand. Use approaches that are highly congested are prioritized and the low used lanes are not over-served. There is empirical data of quantifiable reduction in average time of travel and lengths of queues at most of the intersections. These returns make travelling more reliable and this is important to both the commuters and commercial operators. Other features such as the environmental benefits are also highlighted. Due to the congestion, there is a rise in fuel consumption and emissions due to idling and stop-start driving. The adaptive management reduces these trends thereby decreasing fuel consumption and production of pollutants and greenhouse gases. Scientists believe that these systems are the direct assistance to the environmental sustainability objectives and overall climate action plans in intelligent urban centers (Chaitanya, 2024).

Road safety improves as well. Lightened traffic and less traffic jam cut down on crashes that may arise due to vehicles suddenly halting and road rage (Moeung, 2022). The real time monitoring effectively detects any incident like accidents or breakdowns in real time, and hence the authorities are able to respond and implement countermeasures. In other systems, the priorities of some systems are given to emergency cars and transport, which further contributes to the safety and productivity. Economically, adaptive systems reduce cost due to congestion. Reduction in travel time and increased reliability increases productivity of workers and business. Decliner use of fuel leads to low transportation costs and knowing that there is improved efficiency in the logistical processes is an advantage to the commercial activities. The start-up costs can be great but the cost is normally outweighed by the long run economic gains (Moeung, 2022).

Another benefit is a greater availability and support of data in decision making (Schünemann et al., 2022). The IoT systems produce valuable data that indicate the performance of the infrastructure, traffic patterns, and peak demand. The insights can be used to contribute to evidence-based planning and policy development that would assist authorities in identifying areas of concern and evaluating the effectiveness of administration strategies. The constant availability of the data also contributes to the continuous system growth. There is also better user experience and satisfaction. Live commute details and less traffic jam create trust and comfort

among the commuters. Users from various groups accept the initiatives by smart cities better when they feel that the systems are efficient and responsive. The positive experience is essential to the duration of support of smart traffic solutions (Schünemann et al., 2022).

On the whole, the literature shows that adaptive traffic control using the IoT provides a full benefits package on various planes. These systems help in addressing fundamental urban transportation issues by improving efficiency, safety, sustainability and decision making. These benefits can, however, only be achieved when they get implemented well, have quality infrastructure and stakeholder involvement issues discussed in the latter section (Schünemann et al., 2022).

Although the literature is always willing to show performance, environmental and economic advantages of the IoT-based adaptive traffic management systems, numerous results are derived out of pilot projects or controlled experiments (Zaman et al., 2024). This means that the areas of application of these benefits to different urban environments are restricted. Other studies also caution that the efficiency gains reported as a result of the systems might decline in the long run once the systems are not maintained or updated, hence long-term assessment is necessary (Zaman et al., 2024).

Operational, environmental, and economic, advantages of the adaptive traffic management of the usage of IoT are reported in the literature. However, the majority of those results are provided by short-term pilots or controlled trials. Considering this, we are not aware of the fact as to whether these benefits are longer-term and whether they are as generalized as in other city environments. In addition, the gains reported take no note of perfect maintenance and institutional support which might not be a practical assumption. These loopholes indicate that we should incorporate stakeholder opinions on long-term usefulness, acceptance and pragmatism on performance analyses. It is what this study will attempt to do (Zaman et al., 2024).

2.6 Threats and shortcomings of IoT-based Traffic Systems

In spite of all positives, academic studies provide a number of difficulties that disrupt the efficient implementation and functioning of the IoT-based traffic management (Vadivel, Hussain and Sangeetha, 2023). Such difficulties cut across technical, organizational, financial and social facets and should be closely mitigated in order to produce results that are desired in the real-

world cities. The infrastructure preparedness is a significant challenge. Implementation of IoT is a complex system that requires large sensor systems, communication network, and data processing systems. In most cities, particularly in developing countries or those with high rate of urbanization, the infrastructure in place is old and cannot be able to support high level of IoT applications. The infrastructure up-grade is time and expensive in terms of investments and technical skills making it difficult to adopt it (Vadivel, Hussain and Sangeetha, 2023).

Data integrity and dependability are also a major issue. IoT systems rely on constant data feeds in real-time and distortions of the records may lead to poor performance (Hossain et al., 2024). The faulty functioning of sensors, errors in calibration, poor weather conditions, and disruption of communication may result in the provision of biased or incomplete information. Studies have indicated that bad data may result in bad decisions on control which will deteriorate traffic instead of fixing it. The accuracy of the data is to be maintained which implies regular maintenance, careful checkups and strict validation processes. The other limitation is scalability. Pilot projects or small-scale implementation are successful but when expanding to the entire cities it becomes more complex. Massive systems produce huge volumes of real time data which requires processing within a short period of time. This information requires a powerful computing platform and architecture. Scholars caution that performance of a system may vary negatively with increasing coverage, unless it is scaled at the design stage (Hossain et al., 2024).

Researchers have argued that it can lead to more benefits than costs in the long term but it is because budget constraints discourage investment, especially in cities with resource constraints. The social acceptance and user perception are not discussed very often but also crucial problems. The resistance may arise due to public criticism regarding surveillance, data privacy and transparency of the systems. According to the literature, without the adequate communication and involvement of the stakeholders, the network of IoT-based traffic systems can be met with opposition against their effectiveness, and sustainability (Uhde and Hassenzahl, 2021).

In short, literature enumerates numerous technical, organizational and social issues of the traffic systems based on the IoT. However, little is known on the way in which cities are actually countering those problems (Pineda-Pinto, Frantzeskaki and Nygaard, 2021). Problems like infrastructure preparedness, ability and belief among people in governments are dominant aspects that are said and seldom measured. This puts a division between theory and practice. To

overcome this gap, it is necessary to concentrate on the perceptions and acceptance of the stakeholders, which is the reason why our survey-based method of the implementation challenges knowledge is relevant out of the technical design. (Pineda-Pinto, Frantzeskaki and Nygaard, 2021).

2.7 Summary

Author (Year)	Method	Data Source	Evaluation Setting	Metrics Used	Key Findings	Limitations
Damada m et al. (2022)	Deep RL	Simulation	Urban intersection	Delay, queue length	Significant delay reduction	Simulation only
Auwal Alhassan Musa et al. (2023)	IoT sensing	Field + review	Smart city context	Accuracy, latency	Sensor fusion improves reliability	Cost & maintenance
Chapman et al. (2023)	Reinforcement learning	Simulated	Multi- junction	Throughput	Adaptive learning effective	Low explainability

Table 1: Summary of Key Studies on IOT-Based Adaptive Traffic Control

Source: (Anurag Agrahari et al., 2024)

The chapter has examined the empirical and applied literature pertinent to the IoT based traffic management systems, with emphasis on real world application, optimization model as well as operation results (Uhde and Hassenzahl, 2021). It is made known by the reviewed studies that the IoT technologies allow to construct a real-time data collection of traffic data using sensors and connected vehicles and communication networks that constitute the basis of the adaptive traffic control. It was demonstrated that artificial intelligence and data analytics helped to improve decision-making processes, as predictive and optimized signal control gets possible. Some of the advantages also white-spotted in the literature concerned enhanced efficiency in

terms of traffic, safer roads, sustainable environment, and even data-driven planning (Uhde and Hassenzahl, 2021).

Overall, there can be no doubt that, as demonstrated by existing studies, IoT- and AI-based adaptive traffic systems could potentially be technologically advantageous. Nevertheless, a great part of the literature is based on simulations, and is concerned with technology but not real life application. The perceptions of the stakeholders, readiness to implement as well as trust of the real urban environment have not been given much attention. This highlights the significance of the present research as it provides a drastic shift in the theme of focus almost to the bottleneck of the perceived viability, acceptance and pragmatic dilemmas that encompass the urban road users and stake holders of these infrastructure (Uhde and Hassenzahl, 2021).

CHAPTER THREE – METHODOLOGY

3.1 Introduction

This chapter has described the methodological approach that will be used to examine the feasibility, acceptance, and perceived effectiveness of an IoT-based traffic management system whereby real-time-monitored traffic and adaptive control traffic are deployed to reduce traffic congestion in a city (Pollock et al., 2022). Methodology is an essential part of this research because it establishes the way an objective of the study will be attained and the way the research questions will be addressed logically. The research methods are influenced by research-problem nature, research-purpose, and the need to generate original data of all the concerned stakeholders (Pollock et al., 2022).

Though the adaptive traffic management system based on IoT is commonly examined in terms of technical simulation and performance measures, the proposed study intentionally employs the approach based on perceptions. The research does not desire to find any design, development or implementation of a new traffic control system. Rather, it pays attention to assessing layers of awareness of the stakeholders, their disposition to embrace the technology, their perception, and experiences on whether this technology is effective and what obstacles could be encountered when adopting the concept of IoT-based real-time monitoring and adaptive control. The given methodological decision ensures full consistency between the research objective, research questions, and data collection in the form of a survey (Pollock et al., 2022).

3.2 Research Philosophy

Research philosophy is the beliefs and assumptions concerning the way of finding knowledge and legitimizing it (Turyahikayo, 2021). This research uses positivist research philosophy, which presupposes the reality being objective and capable of measurements using observable data. Positivism is also the most appropriate method to use in a study in which the researcher uses structured data collection techniques and quantitative data analysis because factual information, patterns, and quantifiable relations are prioritized by positivism (Turyahikayo, 2021).

Considering the orientation of the given research, this does not imply the need to delve into subjective personal accounts but, as a matter of fact, to find out similar tendencies and patterns in the perceptions of stakeholders in the context of systems of IoT-based traffic management. Gathering the structured feedback serving as a survey in the form of a questionnaire and subjecting them to a certain statistical analysis, the research aims at getting a set of objectively valid findings that can be extrapolated into the identified sample. The positivist philosophy as such advocates the application of closed-ended questions, numerical information, and descriptive statistical analysis, which will provide clarity, consistency, and the reproducibility of results (Turyahikayo, 2021).

3.3 Research Approach

The study is deductive in nature since the authors start with the already existing theories and ideas based on the readings regarding IoT, smart cities, and adaptive traffic management systems (Burlacu, Boboc and Butilă, 2022). Such theoretical bases guide the development of the research objectives and the research questions which are to be verified by the primary data collection. The deductive method is suitable in the context of this study since the existing literature already indicates that the adaptive traffic systems can be based on IoT and be used to optimize the flow of traffic, decrease the number of congestions, and increase road safety. Nevertheless, the empirical evidence on the perception of the urban road users and stake holders on such systems is deficient. This study analyzes the primary data to determine the way the stakeholders feel towards their perception as per the theoretical expectations. This will be a logical consistency between the literature review and the empirical study (Burlacu, Boboc and Butilă, 2022).

3.4 Research Design

Research design outlines the general framework of the research, and the methods applied in the gathering and processes of the research. In the current case, the research design would be descriptive that would describe the characteristics, opinions, and perceptions of a certain population without controlling any variables (Muzari, Shava and Shonhiwa, 2022). An appropriate research design would be the descriptive type since a researcher aims to comprehend the existing attitudes toward the use of IoT-based traffic management instead of proving the cause-effect connections and the work efficiency of a specific system by means of experiments. The design will allow the researcher to get the actual views of commuters, motorists and users of

the public transport who frequently encounter traffic congestion. The descriptive design offers realistic and policy-driven data on the acceptance and viability of intelligent traffic systems by emphasizing on what exists as opposed to what should happen (Muzari, Shava and Shonhiwa, 2022).

3.5 Research Strategy

The research strategy that will be used in this research will be a survey strategy (Dehghanzadeh et al., 2023). Social and technology-related studies are some of the most common studies that utilize surveys to get standardized information about a specified population of respondents. The survey approach enables the researcher to be efficient in gathering data of several people and also in contrasting the responses to various factors like the awareness, perceived usefulness, benefits and challenges. The method of the survey with questionnaires is especially suitable to this study as it allows the respondents to share their views without names thus eliminating bias of responses and inviting candor. Besides, with surveys, responses are easily quantifiable thus are available to descriptive statistical analysis. The survey strategy guarantees uniformity in the collection of data and justification of objectivity of the study (Dehghanzadeh et al., 2023).

3.6 Research Method

The proposed research is founded on primary research which implies that all the data are obtained by the researcher directly and with the sole purpose of this dissertation (Alsalam, 2022). The study will entail primary research since the secondary sources available are inadequate in covering the perceptions of the stakeholders towards the IoT-based traffic management systems especially in real-life situations of any city. Through primary research, the study yields original data on the level of awareness, expectations as well as concerns of road users at the present state. This would increase the topicality and originality of the study and make sure that the conclusions made are based on real-life experiences. The major research approach can also enable the researcher to work out questions according to the research objectives, enhancing the accuracy and target of the results (Alsalam, 2022).

3.7 Data Collection Method

The major data collection instrument was a structured questionnaire. It was designed to gather quantitative data among the urban road users on their perceptions, awareness and acceptance of

the IoT-based traffic management systems (Alarabi and Alasmari, 2023). A questionnaire is an effective method of eliciting standardized and consistent answers among so many individuals and the respondents who answered the questionnaire anonymously can be considered an important factor that influences their honesty and minimizes bias. The questionnaire had 25 closed ended questions that were structured to match the objective and questions of the study. The reason as to why closed ended items were selected is because of the ease in answering, it has a minimum amount of confusion, and can be easily analyzed in a quantitative manner. The questions discussed the daily experiences of traffic jams among the respondents, their awareness of old and new traffic systems, their awareness of smart and traditional IoT traffic monitoring, and their perception of the adaptive signal control based on the AI. Other benefits anticipated by the survey that were inquired included the reduction in congestion, swiftness in travelling, safety on the roads, and improvement in the environment besides the perceived difficulties in implementing the same (Alarabi and Alasmari, 2023).

The questionnaire was posted to a blend of road users in the city, such as motorists, commuters, and passengers of the public transport in order to decrease the bias and increase the diversity of responses. We also distributed copies personally in rural commuter travel areas. This helped avoid the use of a single group of respondents in the study and enhanced credibility of the results of stakeholders perception since various opinions have been used (Alarabi and Alasmari, 2023).

3.8 Sampling Design and Sample Size

The main focus of this research is the sampling design as it identifies the methodology of how perceptions of the stakeholders towards the system of IoT-based adaptive traffic management are to be elicited. The research design employs non-probability convenience sampling technique, and it is the appropriate sampling approach when the researcher is dealing with an exploratory, perceptions based dissertation, that is limited by time and resources. The convenient sample enables the researcher to get the respondents who come across frequent traffic congestion in the urban area and thus can offer appropriate views with regards to real-time monitoring and adaptive control technology (Rahman, 2023).

This survey sampled 50 people, comprising of people who were commuter, those who used their own cars, and people who used the public transportation (Rahman, 2023). It is a sufficient size of

a sample to conduct a descriptive study on the post-graduate level as it allows noting the overall trends, the level of awareness and understanding of the perceived benefits or challenges regarding IoT-enabled traffic systems. As much as its sample is relative, and may not adequately benefit it in terms of statistical representation to the whole urban populations, it provides valuable primary insights to the perception of stakeholders in terms of acceptance and feasibility. Other possible limitations that are recognized by sampling approach include selection bias that it overcomes through the sampling of participants belonging to different user categories instead of representing a homogeneous group. On the whole, this sampling design can help to meet the objective of the research, as it will guarantee that the responses obtained exchange the real-life experiences of stakeholders towards the congestion and their expectation towards the intelligent traffic solutions (Rahman, 2023).

3.9 Questionnaire Design

Questionnaire is chosen with purpose to be clear, relevant and in relation to the objectives of the research (Sharma and Ruikar, 2025). All of them are closed-ended and have different formats like multiple-choice and Likert scale statements. This design saves time to be spent by respondents and enhances the high completion rates. The questionnaire will be segmented into rational segments. The first part discusses how the respondent is well acquainted with traffic jams and where he or she knows their existing system of managing traffic. The awareness and knowledge of IoT-based traffic solutions are investigated by the second section. The third part considers the views of effectiveness, advantages, and confidence in the AI-aided adaptive control. The last section is the perceived challenges, perceived risks, and implementation barriers. The language used all over is simple and neutral so that there can be no confusion by the technical terms and also the bias of response is avoided. The questions are designed in a way that it is easy to understand by people who can have different technology knowledge (Sharma and Ruikar, 2025).

The objectives of the research were directly correlated to each group of items in the questionnaire to achieve the construct alignment. There were several items operationalized to offer internal consistency in enhancing perceived usefulness, feasibility, benefits, and risks. The methodological rigor of the survey-based technique is enhanced in this design (Sharma and Ruikar, 2025)

3.10 Alignment of Research Questions with Questionnaire Items

The questionnaire items with the research question as illustrated below to make sure that there is clarity and consistency across the research objectives, questions, and survey instrument.

Research Question	Focus Area	Questionnaire Items
RQ1	Feasibility and usefulness of IoT monitoring	Q1–Q5
RQ2	Weaknesses of traditional traffic systems	Q6–Q10
RQ3	Effectiveness of Artificial Intelligence adaptive control	Q11–Q15
RQ4	Perceived benefits (time, safety, sustainability)	Q16–Q20
RQ5	Challenges and barriers to implementation	Q21–Q25

Table 2: Table of Alignment of research questions with questionnaire items

Source: (Lund, 2021)

This mapping, all the research questions are supported by concrete responses of the surveys, which enables the research design to be harmonized.

3.11 Data Analysis Techniques

Data collected in the questionnaire will be analyzed using descriptive statistics techniques, which are optimal in summarizing the focus group of the stakeholders in a survey study (Lund, 2021). Awareness of the respondents, level of agreement, and perceived usefulness of systems of adaptive traffic management based on IoT will be presented in the form of frequencies and percentages. Results will be structured in regards to the research questions. As an illustration, the IoT traffic monitoring awareness will be posted in percentage distributions. Likert-scale summary tables will be used in presenting perceived benefits which will include reduced delay and better safety and environmental sustainability. There will be the simple comparisons of the

categories of respondents, which will be motorists versus public transport users to bring to the fore the differences in the perception where possible (Lund, 2021).

The analytical method used in this analysis is realistic because it makes every statistical output provide answers to the research questions. It also offers an open background to the results and discussion in the Chapter Four (Lund, 2021).

3.12 Ethical Considerations

This research has ethics as one of its fundamental elements (Salminen et al., 2025). The participating will be voluntary and the respondents notified of the objective of the study prior to filling the questionnaire. No personal data is gathered thus the anonymity and confidentiality is guaranteed. The respondents will be assured of the confidentiality of their responses as they will not be disclosure to other third parties. The research paper adheres to the academic ethical guidelines and will not be fraudulent or pressurizing. Implicit informed consent is accepted by participation in the research which is voluntary and one can pull out anytime without being fined (Salminen et al., 2025).

3.13 Reliability and Validity

Reliability is consistency whereas the viability deals with measuring what the instrument is supposed to measure (Krieglstein et al., 2022). The structured design of the questionnaire contributes to better reliability since all the respondents will be answering a set of questions under the same circumstances. The content validity is attained through a design that means straightforwardness of the research goals and questions through items. All the questions are grounded on the themes reviewed in the literature, which makes them theoretically sound. Despite the self-reporting format of data, misinterpretation has been kept to the minimum owing to good wording and orderly structure and high validity has been enhanced (Krieglstein et al., 2022).

The questionnaire contained several statements with negative wording (that are reverse-coded as well) to increase the instrument validity and minimize bias in the respondents. These were made to check consistency in the responses of the participants. There was recoding of the reverse-coded questions during data analysis in that higher scores always reflected more positive

perceptions of IoT-based adaptive traffic control. It is the way of increasing the internal validity, as some respondents did not repeat all statements blindly (Krieglstein et al., 2022).

3.14 Limitations of the Methodology

In spite of the strong points, the methodology has a number of constraints (Mahmudnia, Arashpour and Yang, 2022). Convenience sampling reduces the generalization ability of the results to that of the participants that have been sampled. Probably the small sample is not effective to represent all road users and stakeholders in an urban area. Close-ended questions are limiting to the introspection of response, and can lack implicit views. Since perceptions are considered, as opposed to technical performance, it follows that the results are based on subjective perceptions, but not an empirical system effectiveness. Nevertheless, such limitations are not refuted, and the methodology is still appropriate in reaching the mentioned research objectives (Mahmudnia, Arashpour and Yang, 2022).

3.15 Chapter Summary

This chapter described the methodological framework used in the study including, research philosophy, approach, research design, data collection method, sampling design, questionnaire design, data analysis methods, ethical concerns and limitations (Schlunegger, Zumstein-Shaha and Palm, 2024). The descriptive research design using questionnaires in the form of a primary survey was the most suitable option since the study aimed to measure the perception of stakeholders towards the use of traffic-management systems using IoT. This is followed by the next chapter which is the findings of the primary data followed by the analysis and discussion which ties up the primary data findings to the literature and theoretical views (Schlunegger, Zumstein-Shaha and Palm, 2024).

CHAPTER FOUR – FINDINGS / ANALYSIS / DISCUSSION

4.1 FINDINGS

In this section, the results of the initial survey conducted on 50 urban road users are presented to determine the perceptions towards the IoT based traffic management systems. The results are also given in the form of graphical representations and supported by the measures of the descriptive statistics, including the mean scores and standard deviations. The received findings imply that individuals possess an average awareness of the IoT and adaptive traffic systems, are quite skeptical of the opportunities of AI-assisted traffic control, and are rather positive regarding the potential benefits such as the reduction of the travelling time, the preservation of safety, and the well-being of nature. At the same time respondents demonstrated certain supremacy on implementation issues with cost, data security and government preparedness being the most.




Figure 7: Inefficiency of Current Traffic Signals

The responses have revealed that there is a varied view on whether the current traffic lights system is ineffective during the peak time. Although according to the survey 56% of the people maintained disagreement and strongly disagreement, 24% maintained that they agreed and strongly agreed, and 20% of the respondents were uncertain. The mean mark of 2.54 is observed

to demonstrate the insignificance of the disagreement tendency and means that even in the situation when there is congestion available, not all users can turn to the ineffectiveness of signals alone.




Figure 8: Limitations of Fixed-Time Traffic Signals

The findings suggest that the respondents are divided between the effectiveness of fixed time traffic lights or the ineffectiveness of such lights. Notable 34% Concurred or strongly agreed that fixed time signs are not responsive to congestion, 32% of the respondents were non-committal. The mean of 2.92 is understood as moderate concern implying that they realize the negative aspect of specific stimulation of timing in a variable traffic situation.

3. Manual traffic control (traffic police) is inconsistent and unreliable during heavy traffic.




Figure 9: Reliability of Manual Traffic Control

The answers express moderate concern to the factor of manual control of the traffic under the conditions of high degree of congestion. Approximately 40% and 30% of the respondents were in disaccord and strongly disaccord regarding the fact that the traffic police authority was not consistent. The mean score in 3.18 means that there is a signal towards the voters indicating that the idea of using manual control is not reliable in situations of encountering irregular urban traffic conditions.




Figure 10: Coordination Between Intersections

This graph shows that the coordination between the local intersections is not appealing. They were almost 42% non-agreeing or strongly disagreeing and 32% agreeing or strongly agreeing. The mediocre value of 2.74 would indicate the moderate level of disagreement that implies that the issues of coordination still exist although its respondents may not think that the specified factor is the key contributor to congestion.




Figure 11: Outdated Traffic Technologies

The outdated technologies are equally divided in opinion as one of the causes of congestion. Then there was an equal share of people who disagreed (24% disagreed and stood neutral and agreed respectively). The mean score of 3.08 showed a balance in how perceptions were reflected since it does not mean that the problem of outdated infrastructure is the unique reason, but rather a number of factors were at play.




Figure 12: Awareness of IoT-Based Traffic Systems

The findings indicate moderate information on the topic of the IoT-based traffic management systems. Although 32% responded yes or strongly yes, an equal number, 26% responded no and the remainder 26% indicated that they did not know. The mean of the score (2.96) indicates that

individuals know all about the smart traffic technologies, thus, they require additional education regarding the same.




Figure 13: Understanding of Real-Time Data Collection

The responses suggest the existence of a reasonable idea regarding the compilation of real-time traffic information by the sensors and cameras. Another major percentage of around 44% agreed / highly agreed with 32% disagreeing. The mean of 3.06 is a medium scale of mastering that indicates a growing rate of data based traffic monitoring system mastering.

8. I am familiar with the concept of adaptive traffic signals that change based on traffic flow.




Figure 14: Familiarity with Adaptive Traffic Signals

As seen in the graph, adaptive traffic lights are relatively more familiar. Nearly half of them (46%) said yes or strongly yes and only one in every four (24%) said no. The mean of 3.34 is

positive because it means that there is awareness showing that there is positive awareness among the people, which demonstrates that they have embraced the use of adaptive systems to manage traffic.




Figure 15: Perceived Effectiveness of IoT Technologies

Generally, the respondents have a positive outlook concerning the capability of the IoT technology to improve traffic. Nearly 44% combined with assent or vehemently established with the average positioning summed 3.20. This demonstrates that the perspective on improving mobility in the city with the help of IoT is positive regarding smart data-driven services.




Figure 16: Role of Government Awareness Programs

The data illustrates a great support to state-based sensitization. Almost 44% and the average was 3.12, percent who agreed or strongly agreed. This elicits the expectations of the citizens on the role of the institutions to participate in the education of citizens in smart traffic technologies.

11. AI-based traffic signal control can reduce traffic congestion more effectively than manual systems.




Figure 17: Effectiveness of AI-Based Traffic Control

The outcomes show that there is a tentative optimism on AI-controlled pink lights. It was establishes that 40% of them agreed or strongly agreed and 28% did not. Middle trust towards AI systems with the mean of the score of 3.08 means that there is acceptance but tinged with skepticism.

12. Real-time traffic data helps traffic systems make better signal timing decisions.




Figure 18: Role of Real-Time Traffic Data

Suggestions have indicated that real time data has been perceived to be helpful in improving how the signal should be timed. The respondents have also identified significant value in the use of data-driven decision-making in the management of traffic with a mean score of 3.20 and an agreement of 44 %.

13. AI-driven traffic management systems can respond faster to accidents and traffic disruptions.




Figure 19: AI Responsiveness to Disruptions

The findings reveal the mistrust to AI preparedness to accidents and disruptions. 48% answered the question agreeing or strongly agreeing but just thirty percent responded agreeingly. The mean index of 2.70 poses some issues as far as application of AI in the real world and underlies of unpredictability.




Figure 20: Trust in AI Decision-Making

The degree of trust on AI-generated traffic decisions is fairly high. Half of the respondents concurred or strongly concurred with this as shown by the mean score of 3.38 that was the maximum of all the questions. This indicates a growing confidence in the computerized decision making processes.




Figure 21: Reduction of Human Error

The opinion regarding the automated systems that reduce the human error is mixed. Although, 28% responded in agreement or strongly in agreement, nonetheless, 44% indicated that they disagree. The mean of 2.88 serves to show the levels of skepticism which are moderate and shows that there is need to promote open AI operations.




Figure 22: Reduction in Travel Time

The general view of the respondents is that the systems based on the IoT can help save time on travels. The percentage of agreement and strong agreement was about 44% mean 3.20 is optimistic in the issue of streamlining the company.




Figure 23: Road Safety Improvements

The findings show that there are equal perceptions on safety improvement. Forty two percent (42%) said yes and no and 18 out of the total said no. The mean of 3.04 is the lean optimism to safety benefits.

18. Smart traffic systems can help reduce fuel consumption and vehicle emissions.




Figure 24: Environmental Benefits

As the bar graph indicates, there is moderate agreement in the fact that smart traffic systems are characterized by less consumption of fuel and low emissions. Environmental sustainability has been given as a significant benefit by the respondents who agree to it at 44% with 3.20 average.




Figure 25: Improved Driving Experience

Better driving experience is perceived with a mixture. On the one hand, 38% answered affirmatively or very affirmatively, whereas on the other hand 34% answered on the negative. The mean score is 3.12, and it shows that the majority of the experiences were positive and mixed.




Figure 26: Contribution to Sustainability

The responses suggest that there is an intermediate position of faith in the ability of IoT to provide sustainable transport. The mean of 3.04 indicates that the benefits of sustainability are being cognizant at a skeptical level.




Figure 27: Infrastructure Cost as a Barrier

The findings show the perceived barrier of cost. The agreement of 38% and a mean of 2.8662 are above the financial constraints preventing it among the respondents.




Figure 28: Data Privacy and Security Concern

The responses demonstrate that it is the moderate degree of the concern on privacy and security. They both responded yes, 36% and no, 38%. The mean rating of 2.92 means that there are some problems with data yet not decisive.

23. Technical complexity makes IoT-based traffic systems difficult to maintain.




Figure 29: Technical Complexity

Technical complexity has not been well interpreted as a major barrier. Majority (48%), said no with a mean score of 2.80 suggesting that they are certain about the technological manageability.




Figure 30: Government Readiness

The respondents had reservations about the preparedness of the government. This is also because of the mean of 2.96 as a sign of moderate concern with the majority of the respondents having institutional preparedness as a challenging problem.




Figure 31: Public Trust and Resistance

The trust of the people is said to be the moderate challenge. Being equally agreed and not agree (38% and 38% respectively) and the mean 2.96, the respondents are indicating on the fact that social acceptance might be one factor that determines success in the implementation.

4.2 ANALYSIS

This part involves the methodical analysis of the primary findings of the surveys to provide responses to research objectives and research questions of the research. The analysis is performed with the assistance of descriptive statistics, the index scores, and comparative analysis of tendencies in the answers of the respondents in regards to their perception of the traditional usage of traffic management systems, their awareness about the use of the IoT-based adaptive solutions, their trust in the usage of AI-based traffic control, the perceived benefits, and the challenges in implementation (Afram, 2025).

4.2.1 Perceived Weaknesses of Existing Traffic Management Systems

The initial objective was to explore the views of the stakeholders regarding the weaknesses of the current traffic management systems that lead to derailing of traffic. The results indicate that there is a moderate level of attitude towards the traditional traffic control interventions (Akbar and Ali, 2025). The mean index of the construct which is the Traditional System Weakness stands at 2.89 which shows that the respondents did not strongly oppose or fully agree with the premise that the systems in place are essentially weak. However, some items such as manual traffic control had more concessions with a mean value of 3.18, which is a sign of fear over the inconsistency and unreliability when the amount of traffic was high.

The other limitations perceived in the fixed-time signal control was the speed of responding to the real-time alterations in the traffic volume, and the average was of 2.92. Rather, intersections coordination consideration was lesser in mean (2.74), meaning that, there exists an issue of coordination but not the tendency to look at the congestion as the key factor (Ali and Khan, 2023).

4.2.2 Awareness and Knowledge of IoT-Based Adaptive Traffic Systems

The second objective was linked with the analysis of the awareness level and the degree of familiarity with the concept of the IoT-based traffic management by the users of the urban roads. Its results are moderate because the index of IoT awareness has the average of 3.14. There are sensor-based data collection (mean = 3.06) and adaptive traffic lights (mean = 3.34), but these are adopted by respondents with reasonable familiarity, which presupposes the gradual growth of the knowledge of the smart city technologies.

Despite that, not all people are aware of it. Nearly one-third of the respondents were indifferent about almost every question that was addressing awareness which presupposed a certain degree of the knowledge and not profound knowledge. The average (2.96) level of awareness about general IoT is also indicative that the respondents may be familiar with the concept, but they do not have practical expertise on how the system can operate. The findings indicate the increasing level of awareness among the population about the presence of the IoT-based traffic systems though it still needs systematic campaigns of education that would raise the level of awareness (Antonis Skouloudis et al., 2025).

4.2.3 Stakeholder Perceptions of AI-Assisted Real-Time Traffic Control

The third aim explored the perception towards AI-based adaptive traffic control and real-time decision-making (Auwal Alhassan Musa et al., 2023). Using the AI perception index, an average of 3.05 can be obtained that is then associated with a cautious form of optimism over the use of artificial intelligence-based solutions to traffic. The respondents would largely agree that real time traffic information can help improve timing of signals (mean = 3.20) and that the AI systems could be able to excel the manual traffic control (mean = 3.08).

The establishment of the trust of AI decisions appeared to be a great finding, and the mean of all points (3.38) appears to demonstrate the trust in the operation of the automated systems in regulating the traffic. However, the perceptions were more deplorable with regard to the unexpected events such as a crash or disturbance and the mean (2.70) was lower. This means that, whereas the stakeholders have gained trust in AI in the field of daily optimization, the issues concerning the trustworthiness of the system are being raised on more intricate applications in real life (Bellini, Nesi and Pantaleo, 2022).

4.2.4 Perceived Benefits of IoT-Based Adaptive Traffic Management

The fourth objective was to gauge the view of the stakeholders about the benefits of the adaptive traffic system that is based on IoT particularly in the domains of efficiency, safety and sustainability. The scale scored 3.12 mean score belonging to the Perceived Benefits index, mostly positive. According to the respondents, they concurred that the travel time on the whole could be reduced, and the driving experience could be enhanced with the help of the IoT-based systems (mean = 3.20 and mean = 3.12).

Opinion about safety concerns was average with adaptive traffic lights being perceived to possess capability of reducing the riskiness which came with congestion (mean = 3.04). The other favorable features which were discussed included the fact that smart traffic systems have the ability of reducing the use of fuel and the emissions of the vehicles (mean = 3.20) which the respondents also agreed with. These results show the stakeholders relate the traffic management towards the IoT-based approach to larger urban goals like sustainability and improved urban movement (Hamamurad, Jusoh and Ujang, 2022).

4.2.5 Perceived Challenges, Risks, and Implementation Barriers

The fifth objective entailed exploring the perceived barriers and obstacles to the implementation of a system of adaptive traffic management based on an IoT (Hassebo and Tealab, 2023). Implementation Challenges index gave an opportunity of within a medium concern to get an average of 2.90. Another major obstacle was demonstrated to be the cost of high infrastructure (mean = 2.86) but not everybody regarded cost as the impediment that could not be overcome.

The topicality of data privacy and data security also gained the mean of 2.92, which is the average of the answers regarding the threats of the data-driven traffic systems. Technical complexity had the relatively low levels of agreement (mean = 2.80) which shows the belief in the feature of the possibility of the management of the technology in the situations that possess enough expertise. The government preparedness was deemed a great issue with a mean value of 2.96 indicating reservations on institutional preparedness. The unwillingness and the trustworthiness of the people had been followed as a restrained obstacle as well, hence the reality that good governance and stakeholder participation in the implementation procedure is actually one of the central factors (Hassebo and Tealab, 2023).

4.2.6 Reliability and Overall Interpretation of Results

The reliability analysis also makes the findings credible. The Cronbach alpha of 0.898 indicates that the study has a great extent of internal consistency when applied using the survey instrument and this explains why the questionnaire is highly reliable in measuring the perceptions of stakeholders (Islam, 2025). This tremendous reliability gives validity to consider responses as thematic index based on the objectives of the research.

In general, the analysis confirms that the city traffic users recognize the inefficiency of the conventional traffic system and are receptive to the IoT-based and AI-based adaptive traffic management. Though the level of awareness and trust is usually good, the issue of whether implementation is feasible and whether there is the institutional readiness is also an issue of concern (Islam, 2025).

4.3 DISCUSSION

It is in the section that the results of the research are discussed following the synthesis of the primary research findings with more overall problems of the discourse of smart city and intelligent transportation. The discussion changes the number of interpretation to an analysis discussion on how the stakeholder viewpoints show the prevailing problems, prospects and limitations that have been encountered with the IoT-based adaptive traffic management systems. This section analyses the implications of the awareness, the trust, the perceived benefits, and barriers to implementation putting the findings in the contexts of the urban mobility, governance, and the socio-technical paradigms (Lilhore et al., 2022).

4.3.1 Re-evaluating Traditional Traffic Management Systems in Urban Contexts

Findings of the present study suggest that the traditional means of managing traffic will be significantly less likely to be deemed-as adequate to offer the completeness of the modern traffic within the city (Mitra, 2024). The respondents were at a middle level of dissatisfaction with the fixed time and manual traffic lights particularly during time of peak congestions. This knowledge helps to justify the fact that the old systems which are highly reliant on preset schedules and the human factor are not adequately flexible to accommodate real-time traffic changes. The results indicate that the congestions are not blamed on the number of the traffic only but also on the fact that the existing systems are not more adaptive to the new conditions. There is a broader argument here, based on the need to drop reactive traffic control in favour of adaptive and data-driven ones, and such findings go in its favour. The fact that the neutral responses are still present as well suggests that there are still instances in which the traditional systems are still functioning well enough to underscore that the gradual incorporation of systems over an abrupt shift in substitution may be rather necessary (Mitra, 2024).

4.3.2 Stakeholder Awareness as a Foundation for Smart Traffic Adoption

The issue of stakeholder awareness has proven to be one of the principal aspects that define the acceptance or non-acceptance of traffic management systems that are based on the implementation of IoT. The results demonstrate that moderate awareness and knowledge on the IoTs technologies and adaptive traffic lights among the urban road users exist (Mutambik, 2025a). Most of the respondents were acquainted with real-time data collection and sensor-based

systems but, a significant proportion of them is neutral that is, they heard about them at least somehow or on some superficial level. This means that acquaintance is not an adequate aspect which can be used to ensure acceptance and faith towards smart traffic solutions. This fact indicates that besides the actual technological implementation, one will have to arrange the process of awareness and education to come to successful adoption. These two will increase the acceptance, as soon as the stakeholders will understand the operation of the IoT-based systems and how they can assist us in our daily commutes. These data are related to the studies of the smart city when one of the main concerns is the social inclusion of people as the prerequisite to its successful introduction (Mutambik, 2025a).

4.3.3 Public Perceptions of IoT as an Enabler of Real-Time Traffic Intelligence

The above findings of the study imply that the respondents are more likely to view the opportunities of the IoT technologies as a productive medium through which real-time traffic awareness can be provided (Sultana, 2023). The respondents realized the utility of sensors, cameras, and all-networked systems to monitor the traffic movement and make a good decision. This impression reflects the confidence in the fact that the IoT can assist in transforming crude traffic data into useful information. This is an indication of an imbalance in theory and practice of knowledge. The stakeholders could be hopefully fearful unless they possess a colossal experience at the ground level. The findings suggest the importance of such concrete outcomes, such as visible congestion decreasing or increased trustworthiness of travel, to improve the reliance of IoT-guided traffic system. The IoT technologies will contribute to the process of making the perception of data collection as the essential component of the intelligent transportation systems more concrete, closing the divide between this very process and tangible performance increase (Sultana, 2023).

4.3.4 Trust and Caution in AI-Assisted Traffic Decision-Making

It is a nuanced element on the outcomes that disclosed faith on AI-assisted traffic control. The vast majority of the respondents were broadly believable regarding the potential of the AI systems in terms of the ability of the system to place signal timing and remove inefficiencies that occur through the faults of humans. It implies that the acceptance of automation in the administration of the common infrastructure is increased. However, this trust was accompanied with the caution, particularly on how AI is responsive to unexpected events such as accidents or

an unexpected traffic jam. These findings suggest that there are two types of processes in the optimization of activities in the eyes of the stakeholders: routine processes and difficult processes in real-time decision-making. The reaction to the involvement of the AI in overseen and routine operations in not necessarily secure or swift has raised question on how effective the AI can be in those cases. This middle ground perspective displays the necessity of permeability, clarify competence and human resource in motivational-based car packages (Walczak et al., 2025).

4.3.5 Perceived Efficiency Gains Through Adaptive Traffic Control

The respondents associated adaptive traffic control with positive efficiency gain, particularly, the reduction of the distance covered during the travels and better traffic flow. The outcome to that effect shows that the parties concerned know the benefit of the dynamism of signal timing based on the prevailing traffic scenario (Waqar et al., 2025). These perceptions are consistent with the fundamental principles of adaptive traffic control that is concerned with the minimization of delays and the enhancement of intersections. However, the presence of the neutral responses implies that yet the respondents have not been convinced enough on the congruence of these advantages. This means that the efficiency gains may be perceived as a situation and not a general one. The findings indicate that adaptive traffic control is normally a good concept but the practicability of the same may be affected by the environmental factors such as coverage of the network, the reliability of the system, and the quality of implementation (Waqar et al., 2025).

4.3.6 Road Safety Implications of IoT-Based Traffic Management

Road safety was considered to be one of the distinctive, yet not the most significant, benefits of the adaptive traffic management, which is grounded on the IoT. The study findings showed that the speed of the traffic and less congestion would reduce the likelihood of any accident with sudden halts and irritation amongst drivers. However, the attitudes of the perceptions about the safety were mediocre, and it can be noted that the respondents look at efficiency more than the safety when rating the traffic systems. This observation shows that there is a bigger trend in the discourse of urban mobility where the concurrent focus is on the reduction of congestion as opposed to the enhancement of safety. It could increase the stakeholder knowledge of the role of IoT-based traffic management to the comprehensive approach, which is connected to the issue of

efficiency and safety, by taking more of a safety outcome of the system design and the designed communication to the stakeholders (Zakaria, Tasneem Amr and Ragheb, 2025).

4.3.7 Environmental Sustainability and Smart Mobility Outcomes

These outcomes indicate that the respondents have an average relationship with the enhanced environmental sustainability that is associated with the IoT-based traffic management systems. The respondents acknowledged that the number of vehicles within the street and the traffic jams could be reduced, which would reduce the amount of fuel consumed, as well as the emissions and pollutants emitted by the vehicles, and thus make urban transportation cleaner (Zaman et al., 2024). This vision aligns with the principles of smart mobility, whereby intelligent traffic management has been implemented as the tool to legitimize the climate and sustainability goals. However, there seems to be that consensus is slightly smaller, and this signifies that even the benefits of environmental protection are not taken as the predominant motives of installing smart traffic systems. It is perceived that the short term efficiency of traveling is of concern to the respondents more than the long term effects on the environment. This brings a significant gap between policy that talks about sustainability and the perception of the population. The results suggest that the greater involvement of the different stakeholders can be increased with more efficient representation of the environmental performance (e.g. figures of the emission reduction) which can support the sustainability aspect. Another way in which the incorporation of environmental performance into the traffic management boards and reporting to the society would further cement the role of the IoT-based systems in ensuring that urban mobility is sustainable would be to further increase the contribution of the systems it has on the achievement of sustainable urban mobility (Zaman et al., 2024).

4.3.8 Economic and Infrastructure Cost Considerations

The elements of economic viability became a relevant issue in the applying of the internet of things adaptive traffic management system. The appreciation of high cost of infrastructure being on the barrier was moderate as an indication of the awareness of financial cost of sensors, communications network and data processing platforms (Hassebo and Tealab, 2023). However, the situation in which no strong competition is presented is the sign that the stakeholders are not interpreting cost as the set limit. Instead it is seen through the application that technology upgrades are likely to be costly during the start up. The generalised views of the infrastructure

investment in this perception coincide with the broader concerns on infrastructure investment which are prisoners of short term cost versus long term efficiency and sustainability. This is not something that might be known to the respondents but they may be in a position to imagine that congestion reduction can be in a position to generate a degree of economic benefit in terms of saving of time and fuel consumption. The fact shows that the people in question are capable of inflating infrastructure cost judgements in case the long-term value and the payback can be accurately formulated by the person making a choice (Mitra, 2024).

4.3.9 Data Privacy and Security as Moderating Adoption Factors

The data privacy and security problems were observed to be moderate but have a great influence on the views of the stakeholders regarding the IoT-based traffic management systems. The opinions on risks associated with data were moderate because none of the strong resistance is manifested by respondents and none of the unconditional lack of concern with the risks are manifested (Waqar et al., 2025). This means that there is conditional trust, i.e. people can only accept it under the condition of safeguards and the responsible governance of data. The findings can be described as the growing popularity of the data protection issues related to the online the systems and, in particular, to the ones that involves continuous monitoring and location. Even though the traffic data may be aggregated, some fears may be present regarding the abuse or accidental access. The results highlight the importance of putting into consideration the security features and anonymization features and transparent data policies in the system design. Brief details about the data collection, storage and utilization process would help to reduce the worry and establish trust (Waqar et al., 2025).

4.3.10 Government Readiness and Institutional Capacity

The fact that the government preparedness turned out to be a highly influential factor of successful implementation of the heavies based on IoT traffic management systems. The institutional preparedness issue was midrange cause the respondents were skeptical regarding how policies were coordinated, technical prowess, and the competence of administrators (Akbar and Ali, 2025). This understanding shows how the governance aspect is of central interest in smart city initiatives where the success of technological ability must be complemented with effective institutional environments. The findings suggest that the stakeholders have come to the realization that technology cannot operate effectively in the case that there are no proper

leadership, inter-agency management and long term planning. A situation where the subjects are somehow unprepared can reduce the confidence in the schedules of the system adoption and consistency. The results also show that capacity building is one of the most critical practices within the public institutions like staff training, strategic planning and regulatory alignment. There are ways to improve confidence in the population, such as showing commitment among the bodies through pilot projects, which articulate policy and invest continuously (Afram, 2025).

4.3.11 Public Trust, Acceptance, and Social Readiness

Social reasons were identified as a significant category of the factors that may impact the implementation of the AI-assisted traffic control system, including the trust of the people and their attitude toward the system (Lilhore et al., 2022). Although the respondents acknowledged that resistance and lack of trust could be the undoing of the implementation process even in the case of technical solutions, there is a possibility that such obstacles may exist. The observation concurs with the opinion that smart traffic systems are socio-technical systems to be moderated between the technology and the society. Relationship formation of trust will be conditioned by the feeling of fairness, transparency and accountability in the automated decision-making. The resistance can be high only when users feel an opinion that the AI systems are opaque or biased. The results are that the acceptance to use stakeholders through the transparency in communication, open consultations, and participative planning can be achieved. It is also possible to build trust by demonstrating reliability in the systems and providing feedback systems. The social readiness is therefore not natural but it has to be conducted with the implementation of technologies (Walczak et al., 2025).

4.3.12 Integrating Primary Findings with the Broader Smart City Perspective

Considering the results analysis through the perspective of a bigger organ of a smart city, one must admit that there is much uniformity in the score that the stakeholders get and the existing perception of the urban innovations. The respondents have the knowledge of the weaknesses of the traditional traffic systems and hopeful of the adaptive solutions of the use of IoT and AI. According to the findings, effective IoT-driven traffic control can be developed on the balanced approach that must be both a synthesis of technological advancement and proper governance and entails the stakeholders. It is an open-minded insight that provides a solid ground to the last

chapter where strategic implication and recommendations are presented (Bellini, Nesi and Pantaleo, 2022).

CONCLUDING REMARKS

Summary of Key Findings

The role of this research was to review the views of the stakeholders on the use of the IoT-based real time traffic monitoring systems and adaptive traffic control systems as a solution to congestion in the metropolitan areas. According to the finding, it is observed that the traditional traffic management systems are inadequately perceived to accommodate dynamic traffic conditions that occur when a peak in the traffic is experienced. The respondents cited that they had lack of the fixed-time signal control and manual traffic control they felt responsiveness to real-time changes. At the same time, the awareness of the level of the researched IoT and adaptive traffic technologies was moderate to high because the participants understood that the technologies are capable of increasing the efficiency of the traffic. The stakeholder responses may be as follows, in brief: skeptical enthusiasm about the AI-assisted traffic control displaying trust in the automation in solving the problem of routine optimization and concern about being compelled to handle an unforeseen disturbance. The perceived benefits that were positively identified were the reduction of the duration of travels, improvement of road safety and environmental sustainability change which was often perceived to have chances of occurring rather than being definite. Relevant but not overpowering advantages were also noted to be the implementation issues, particularly, the cost, the data security, the preparedness as well as the trust of the people in the government. Overall, the findings are valid to state that the stakeholders support the change in the intelligent traffic systems provided that technological, institutional and social conditions are taken into account effectively.

Contribution to Knowledge and Practical Implications

The research will add to the growing body of literature on smart traffic management regarding the change of focus to the issue of social preparedness and perception of the participants, instead of technical effectiveness. The research provides empirical data concerning the perception of the road users in the city regarding the feasibility, usefulness and challenges of the IoT based adaptive vehicles traffic management systems through the primary research method. The findings justify the use of the user acceptance, trust and awareness as significant determinants of

the success of a smart city. In practice, the findings offer valuable data to the policymakers and planners of cities in determining where the citizens are highly confident and where they are in need of more action. It is noted that the technological innovation should be supported by good governance, social communication and building capacity. The practical implications are as follows, there has to be some form of awareness programs, clearly defined data governance models and pilot programs to demonstrate the actual benefits in action. Cities can enhance favorable conditions in the successful implementation of intelligent traffic management systems by integrating the element of technological capability with the stakeholders. Therefore, the research bridges the gap that exists between the conceptual image of the smart city and the actuality of the execution of urban mobility.

Limitations and Future Research Directions

Despite the contributions made by this study, there are several limitations that it has. The research relied on a still very limited sample of 50 respondents; this aspect can be considered an obstacle to generalizing about a sample to other cities. The questionnaire in the form of a structured questionnaire with the use of closed-ended questions was sufficient to apply it in the descriptive analysis, though it was not possible to probe individual experiences and subtle views. Further, the research was conducted based on the perceived effectiveness, rather than estimating the outcomes of traffic performance such as decrease of delays and actually testing the level of emission. Future research can overcome the limitations by employing bigger and more representative samples, employing qualitative research methodologies, such as interviewing, or longitudinal studies to determine how the change in the perception occurs over time. The future research might also be conducted by the use of empirical traffic data to integrate the perception based analysis to ascertain how performance of the system corresponds with the expectations of people. Inquiry into cross city/ country comparisons would provide additional insight into contextual drivers that result in adoption. These guidelines would help in understanding the technical and social front on the intelligent traffic management systems.

Final Conclusions and Strategic Recommendations

In conclusion, the presented paper has revealed that the stakeholder community views real time traffic monitoring and adaptive traffic control systems run with the IoT as an effective and

prospective solution to the issue of traffic jam in the cities. The findings show that there is a good degree of consensus that the conventional concepts of traffic control (fixed-time signal control and human control) are increasingly not adequate in countering the dynamics and a mixed modern traffic situation. There is a positive trend in the interest of the stakeholders in intelligent systems founded on data and providing real-time decision-making, improved road traffic flow, and the safer roads.

However, the paper also notes that the technological development is not the only aspect that will alter the successful implementation of such systems. Among the strategic recommendations that have been proposed based on the results are the necessity to invest in the development of the programs of publicity and education as a part of the acceptance improvement, institutional and technical preparedness in the governing bodies, development of the effective data security and privacy systems, and the introduction of the gradual execution measures to minimize the risk. To show numerically the advantages, the functioning of the system, and credibility of the population, the policymakers are encouraged to pay attention to the pilot projects. Besides, a well-organized effort of the governmental bodies, technological innovators, and people is needed to ensure that societal demands control technological innovation. Having mentioned the three above-mentioned aspects in one breath, urban areas are able to maximize the opportunities that the IoT-based traffic management systems have, such that the three combine to result in safe, efficient, and sustainable urban movement.

BIBLIOGRAPHY

Machimura, T. (2021). A search for new urban narratives in the era of globalization: The case of urban sociology in Japan. *International Sociology*, 36(2), pp.278–288. doi: <https://doi.org/10.1177/02685809211005371>.

Mazhar, S.A., Anjum, R., Anwar, A.I. and Khan, A.A. (2021). Methods of Data Collection: a Fundamental Tool of Research. *Journal of Integrated Community Health*, [online] 10(1), pp.6–10. doi: <https://doi.org/10.24321/2319.9113.202101>.

Pandey, S., Chaudhary, M. and Tóth, Z. (2025). An investigation on real-time insights: enhancing process control with IoT-enabled sensor networks. *Discover Internet of Things*, 5(1). doi: <https://doi.org/10.1007/s43926-025-00124-6>.

Rui, J. and Othengrafen, F. (2023). Examining the Role of Innovative Streets in Enhancing Urban Mobility and Livability for Sustainable Urban Transition: A Review. *Sustainability*, 15(7), p.5709. doi: <https://doi.org/10.3390/su15075709>.

Saini, K. and Sharma, S. (2025). Smart Road Traffic Monitoring: Unveiling the Synergy of IoT and AI for Enhanced Urban Mobility. *ACM Computing Surveys*. doi: <https://doi.org/10.1145/3729217>.

Whaiduzzaman, M., Barros, A., Chanda, M., Barman, S., Sultana, T., Rahman, Md.S., Roy, S. and Fidge, C. (2022). A Review of Emerging Technologies for IoT-Based Smart Cities. *Sensors*, 22(23), p.9271. doi: <https://doi.org/10.3390/s22239271>.

Aldahiri, A., Alrashed, B. and Hussain, W. (2021). Trends in Using IoT with Machine Learning in Health Prediction System. *Forecasting*, 3(1), pp.181–206. doi: <https://doi.org/10.3390/forecast3010012>.

Auwal Alhassan Musa, Salim Idris Malami, Fayeze Alanazi, Wassef Ounaies, Alshammari, M. and Sadi Ibrahim Haruna (2023). Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations. *Sustainable Traffic Management for Smart Cities Using Internet-of-Things-*

Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations, 15(13), pp.9859–9859. doi: <https://doi.org/10.3390/su15139859>.

Bellini, P., Nesi, P. and Pantaleo, G. (2022). IoT-Enabled Smart Cities: A Review of Concepts, Frameworks and Key Technologies. *Applied Sciences*, [online] 12(3), p.1607. doi: <https://doi.org/10.3390/app12031607>.

Block, C., Rennings, M. and Bröring, S. (2022). Selecting technologies to engage in sustainability transitions—A multi-stakeholder perspective. *Business Strategy and the Environment*. doi: <https://doi.org/10.1002/bse.3316>.

Conceição, M.A., Monteiro, M.M., Kasraian, D., van den Berg, P.E.W., Haustein, S., Alves, I., Azevedo, C.L. and Miranda, B. (2022). The effect of transport infrastructure, congestion and reliability on mental wellbeing: a systematic review of empirical studies. *Transport Reviews*, 43(2), pp.1–39. doi: <https://doi.org/10.1080/01441647.2022.2100943>.

Fernando, R. (2021). The impact of Planed Special Events (PSE's) on urban traffic congestion. *VU Research Repository | Victoria University | Melbourne Australia*. [online] doi: <https://vuir.vu.edu.au/49766/>.

Gracias, J.S., Parnell, G.S., Specking, E., Pohl, E.A. and Buchanan, R. (2023). Smart Cities—A Structured Literature Review. *Smart Cities*, [online] 6(4), pp.1719–1743. doi: <https://doi.org/10.3390/smartcities6040080>.

Islam, M. (2025). ANALYSIS OF AI-ENABLED ADAPTIVE TRAFFIC CONTROL SYSTEMS FOR URBAN MOBILITY OPTIMIZATION THROUGH INTELLIGENT ROAD NETWORK MANAGEMENT. *Review of Applied Science and Technology*, 04(02), pp.207–232. doi: <https://doi.org/10.63125/358pgg63>.

Ji, E., Wang, Y., Xing, S. and Jin, J. (2025). Hierarchical Reinforcement Learning for Energy-Efficient API Traffic Optimization in Large-Scale Advertising Systems. *IEEE Access*, [online] pp.1–1. doi: <https://doi.org/10.1109/access.2025.3598712>.

Kaluarachchi, Y. (2022). Implementing Data-Driven Smart City Applications for Future Cities. *Smart Cities*, 5(2), pp.455–474. doi: <https://doi.org/10.3390/smartcities5020025>.

- Kirikkayis, Y., Gallik, F., Winter, M. and Reichert, M. (2023). BPMNE4IoT: A Framework for Modeling, Executing and Monitoring IoT-Driven Processes. *Future Internet*, [online] 15(3), p.90. doi: <https://doi.org/10.3390/fi15030090>.
- Li, J., Dai, J., Issakhov, A., Almojil, S.F. and Souri, A. (2021). Towards decision support systems for energy management in the smart industry and Internet of Things. *Computers & Industrial Engineering*, 161, p.107671. doi: <https://doi.org/10.1016/j.cie.2021.107671>.
- Majid, M., Habib, S., Javed, A.R., Rizwan, M., Srivastava, G., Gadekallu, T.R. and Lin, J.C.-W. (2022). Applications of Wireless Sensor Networks and Internet of Things Frameworks in the Industry Revolution 4.0: A Systematic Literature Review. *Sensors*, 22(6), p.2087. doi: <https://doi.org/10.3390/s22062087>.
- Mariani, S., Cabri, G. and Zambonelli, F. (2021). Coordination of Autonomous Vehicles. *ACM Computing Surveys*, 54(1), pp.1–33. doi: <https://doi.org/10.1145/3431231>.
- Mobini Seraji, M.H., Shaffiee Haghshenas, S., Shaffiee Haghshenas, S., Simic, V., Pamucar, D., Guido, G. and Astarita, V. (2025). A state-of-the-art review on machine learning techniques for driving behavior analysis: clustering and classification approaches. *Complex & Intelligent Systems*, 11(9). doi: <https://doi.org/10.1007/s40747-025-01988-5>.
- Nigam, N., Singh, D.P. and Choudhary, J. (2023). A Review of Different Components of the Intelligent Traffic Management System (ITMS). *Symmetry*, [online] 15(3), p.583. doi: <https://doi.org/10.3390/sym15030583>.
- Ravish, R. and Swamy, S.R. (2021). Intelligent Traffic Management: A Review of Challenges, Solutions, and Future Perspectives. *Transport and Telecommunication Journal*, 22(2), pp.163–182. doi: <https://doi.org/10.2478/ttj-2021-0013>.
- Raza, A., Ali, M.U., Ullah, U., Fayaz, M., Alvi, M.J., Kallu, K.D., Zafar, A. and Nengroo, S.H. (2022). Evaluation of a Sustainable Urban Transportation System in Terms of Traffic Congestion—A Case Study in Taxila, Pakistan. *Sustainability*, 14(19), p.12325. doi: <https://doi.org/10.3390/su141912325>.

Silva, N.S. e, Castro, R. and Ferrão, P. (2025). Smart Grids in the Context of Smart Cities: A Literature Review and Gap Analysis. *Energies*, [online] 18(5), p.1186. doi: <https://doi.org/10.3390/en18051186>.

Alam, T. (2024). Data Privacy and Security in Autonomous Connected Vehicles in Smart City Environment. *Big Data and Cognitive Computing*, 8(9), p.95. doi:<https://doi.org/10.3390/bdcc8090095>.

Andronie, M., Lăzăroiu, G., Karabolevski, O.L., Ștefănescu, R., Hurloiu, I., Dijmărescu, A. and Dijmărescu, I. (2022). Remote Big Data Management Tools, Sensing and Computing Technologies, and Visual Perception and Environment Mapping Algorithms in the Internet of Robotic Things. *Electronics*, 12(1), p.22. doi: <https://doi.org/10.3390/electronics12010022>.

Auwal Alhassan Musa, Salim Idris Malami, Fayeze Alanazi, Wassef Ounaies, Alshammari, M. and Sadi Ibrahim Haruna (2023). Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations. *Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations*, 15(13), pp.9859–9859. doi: <https://doi.org/10.3390/su15139859>.

Chaitanya, K. (2024). Leveraging Oracle NetSuite to Enhance Supply Chain Optimization in Manufacturing. *International Journal of Acta Informatica*, [online] 3(1), pp.59–75. doi: <http://yuktabpublisher.com/index.php/IJAI/article/view/132>.

Chapman, M., Xu, L., Lapeyrolerie, M. and Boettiger, C. (2023). Bridging adaptive management and reinforcement learning for more robust decisions. *Philosophical Transactions of the Royal Society B*, 378(1881). doi: <https://doi.org/10.1098/rstb.2022.0195>.

Dahrouj, H., Alghamdi, R., Alwazani, H., Bahanshal, S., Ahmad, A.A., Faisal, A., Shalabi, R., Alhadrami, R., Subasi, A., Al-Nory, M.T., Kittaneh, O. and Shamma, J.S. (2021). An Overview of Machine Learning-Based Techniques for Solving Optimization Problems in Communications and Signal Processing. *IEEE Access*, 9, pp.74908–74938. doi: <https://doi.org/10.1109/access.2021.3079639>.

- Damadam, S., Zourbakhsh, M., Javidan, R. and Faroughi, A. (2022). An Intelligent IoT Based Traffic Light Management System: Deep Reinforcement Learning. *Smart Cities*, 5(4), pp.1293–1311. doi: <https://doi.org/10.3390/smartcities5040066>.
- Ficili, I., Giacobbe, M., Tricomi, G. and Puliafito, A. (2025). From Sensors to Data Intelligence: Leveraging IoT, Cloud, and Edge Computing with AI. *Sensors*, 25(6), pp.1763–1763. doi: <https://doi.org/10.3390/s25061763>.
- Fu, Q., Rahman, A.A.A., Jiang, H., Abbas, J. and Comite, U. (2022). Sustainable Supply Chain and Business Performance: the Impact of Strategy, Network Design, Information Systems, and Organizational Structure. *Sustainability*, 14(3), p.1080. doi: <https://doi.org/10.3390/su14031080>.
- Gallotti, R., Sacco, P. and De Domenico, M. (2021). Complex Urban Systems: Challenges and Integrated Solutions for the Sustainability and Resilience of Cities. *Complexity*, 2021, pp.1–15. doi: <https://doi.org/10.1155/2021/1782354>.
- Hossain, M.I., Steigner, D.T., Hussain, M.I. and Akther, A. (2024). *Enhancing Data Integrity and Traceability in Industry Cyber Physical Systems (ICPS) through Blockchain Technology: A Comprehensive Approach*. [online] arXiv.org. doi: <https://doi.org/10.48550/arXiv.2405.04837>.
- Kothai, G., Poovammal, E., Dhiman, G., Ramana, K., Sharma, A., AlZain, M.A., Gaba, G.S. and Masud, M. (2021). A New Hybrid Deep Learning Algorithm for Prediction of Wide Traffic Congestion in Smart Cities. *Wireless Communications and Mobile Computing*, [online] 2021, p.e5583874. doi: <https://doi.org/10.1155/2021/5583874>.
- Moeung, S.R. (2022). *Best Practices for Work Zone Safety during Traffic Control Placement, Removal, and Modification*. [online] ScholarsArchive@OSU. doi: https://ir.library.oregonstate.edu/concern/graduate_thesis_or_dissertations/mc87pz57j.
- Mutambik, I. (2025). IoT-Enabled Adaptive Traffic Management: A Multiagent Framework for Urban Mobility Optimisation. *Sensors*, [online] 25(13), p.4126. doi: <https://doi.org/10.3390/s25134126>.

Pandey, S., Chaudhary, M. and Tóth, Z. (2025). An investigation on real-time insights: enhancing process control with IoT-enabled sensor networks. *Discover Internet of Things*, 5(1). doi: <https://doi.org/10.1007/s43926-025-00124-6>.

Schünemann, H.J., Reinap, M., Piggott, T., Laidmäe, E., Köhler, K., Pöld, M., Ens, B., Irs, A., Akl, E.A., Cuello, C.A., Falavigna, M., Gibbens, M., Neamtiu, L., Parmelli, E., Jameleddine, M., Pyke, L., Verstijnen, I., Alonso-Coello, P., Tugwell, P. and Zhang, Y. (2022). The ecosystem of health decision making: from fragmentation to synergy. *The Lancet Public Health*, [online] 7(4), pp.e378–e390. doi: [https://doi.org/10.1016/S2468-2667\(22\)00057-3](https://doi.org/10.1016/S2468-2667(22)00057-3).

Shlezinger, N., Eldar, Y.C. and Boyd, S.P. (2022). Model-Based Deep Learning: On the Intersection of Deep Learning and Optimization. *IEEE Access*, pp.1–1. doi: <https://doi.org/10.1109/access.2022.3218802>.

Uhde, A. and Hassenzahl, M. (2021). Towards a Better Understanding of Social Acceptability. *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems*. [online] doi: <https://doi.org/10.1145/3411763.3451649>.

Vadivel, G., Hussain, M.J.M. and Sangeetha, S.V.T. (2023). SMART TRANSPORTATION SYSTEMS: IOT-CONNECTED WIRELESS SENSOR NETWORKS FOR TRAFFIC CONGESTION MANAGEMENT. *INTERNATIONAL JOURNAL OF ADVANCES IN SIGNAL AND IMAGE SCIENCES*, [online] 9(1), pp.40–49. doi: <https://doi.org/10.29284/ijasis.9.1.2023.40-49>.

Zikria, Y.B., Ali, R., Afzal, M.K. and Kim, S.W. (2021). Next-Generation internet of things (iot): Opportunities, challenges, and solutions. *Sensors*, [online] 21(4), p.1174. doi: <https://doi.org/10.3390/s21041174>.

IoT Agenda. (2023). *What is sensor data ? - Definition from WhatIs.com*. [online] doi: <https://www.techtarget.com/iotagenda/definition/sensor-data>.

Kaa IoT platform. (2021). *IoT Monitor Traffic: Smart Traffic Control with IoT*. [online] doi: <https://www.kaaiot.com/iot-knowledge-base/iot-monitor-traffic>.

Koltak, D. (2022). *Beginner's Guide to Smart Traffic Management Systems* | Vilmate. [online] Nearshore Software Development Company in Ukraine - VILMATE. doi: <https://vilmate.com/blog/intelligent-traffic-management-systems/>.

Rishabh Software. (2023). *IoT in Traffic Monitoring: Use Cases, Advantages, Features & More*. [online] doi: <https://www.rishabhsoft.com/blog/smart-traffic-control-using-iot>.

stellarix. (2025). *AI-based Traffic Coordination to Reduce Congestion*. [online] doi: <https://stellarix.com/insights/articles/ai-in-smart-traffic-coordination/>.

Abdullah, T.A.A., Zahid, M.S.M. and Ali, W. (2021). A Review of Interpretable ML in Healthcare: Taxonomy, Applications, Challenges, and Future Directions. *Symmetry*, 13(12), p.2439. doi: <https://doi.org/10.3390/sym13122439>.

Almutairi, R., Bergami, G. and Morgan, G. (2024). Advancements and challenges in IoT simulators: A comprehensive review. *Sensors*, 24(5), pp.1511–1511. doi: <https://doi.org/10.3390/s24051511>.

Anurag Agrahari, Dhabu, M.M., Deshpande, P.S., Tiwari, A., Mogal Aftab Baig and Sawarkar, A.D. (2024). Artificial Intelligence-Based Adaptive Traffic Signal Control System: A Comprehensive Review. *Electronics*, [online] 13(19), pp.3875–3875. doi: <https://doi.org/10.3390/electronics13193875>.

Hernandez, S.M. and Bulut, E. (2023). WiFi Sensing on the Edge: Signal Processing Techniques and Challenges for Real-World Systems. *IEEE Communications Surveys & Tutorials*, 25(1), pp.46–76. doi: <https://doi.org/10.1109/comst.2022.3209144>.

Pineda-Pinto, M., Frantzeskaki, N. and Nygaard, C.A. (2021). The potential of nature-based solutions to deliver ecologically just cities: Lessons for research and urban planning from a systematic literature review. *Ambio*. doi: <https://doi.org/10.1007/s13280-021-01553-7>.

Zaman, M., Puryear, N., Abdelwahed, S. and Zohrabi, N. (2024). A Review of IoT-Based Smart City Development and Management. *Smart cities*, 7(3), pp.1462–1500. doi: <https://doi.org/10.3390/smartcities7030061>.

- Alarabi, S. and Alasmari, F. (2023). Challenges and Opportunities for Small Cities in the Kingdom of Saudi Arabia: A Study of Expert Perceptions. *Sustainability*, 15(8), p.6960. doi: <https://doi.org/10.3390/su15086960>.
- Alsalam, A.I. (2022). Literature review as a key step in research processes: case study of MA dissertations written on EFL of Saudi context. *Saudi Journal of Language Studies*, 2(3), pp.153–169. doi: <https://doi.org/10.1108/sjls-04-2022-0044>.
- Burlacu, M., Boboc, R.G. and Butilă, E.V. (2022). Smart Cities and Transportation: Reviewing the Scientific Character of the Theories. *Sustainability*, 14(13), p.8109. doi: <https://doi.org/10.3390/su14138109>.
- Dehghanzadeh, H., Farrokhnia, M., Dehghanzadeh, H., Taghipour, K. and Noroozi, O. (2023). Using gamification to support learning in K-12 education: A systematic literature review. *British Journal of Educational Technology*, 55(1). doi: <https://doi.org/10.1111/bjet.13335>.
- Krieglstein, F., Beege, M., Rey, G.D., Ginns, P., Krell, M. and Schneider, S. (2022). A Systematic Meta-analysis of the Reliability and Validity of Subjective Cognitive Load Questionnaires in Experimental Multimedia Learning Research. *Educational Psychology Review*, 34, pp.2485–2541. doi: <https://doi.org/10.1007/s10648-022-09683-4>.
- Lund, B. (2021). The questionnaire method in systems research: an overview of sample sizes, response rates and statistical approaches utilized in studies. *VINE Journal of Information and Knowledge Management Systems*, 53(1). doi: <https://doi.org/10.1108/vjikms-08-2020-0156>.
- Mahmudnia, D., Arashpour, M. and Yang, R. (2022). Blockchain in construction management: Applications, advantages and limitations. *Automation in Construction*, 140, p.104379. doi: <https://doi.org/10.1016/j.autcon.2022.104379>.
- Muzari, T., Shava, G.N. and Shonhiwa, S. (2022). *Qualitative research paradigm, a key research design for educational researchers, processes and procedures: A theoretical overview*. [online] *Indiana Journal of Humanities and Social Sciences*, pp.14–20. doi: [https://indianapublications.com/articles/IJHSS_3\(1\)_14-20_61f38990115064.95135470.pdf](https://indianapublications.com/articles/IJHSS_3(1)_14-20_61f38990115064.95135470.pdf).

Pollock, D., Alexander, L., Munn, Z., Peters, M.D.J., Khalil, H., Godfrey, C.M., McInerney, P., Synnot, A. and Tricco, A.C. (2022). Moving from consultation to co-creation with knowledge users in scoping reviews: guidance from the JBI Scoping Review Methodology Group. *JBI Evidence Synthesis*, 20(4), pp.969–979. doi: <https://doi.org/10.11124/jbies-21-00416>.

Rahman, M. (2023). *Sample Size Determination for Survey Research and Non-Probability Sampling Techniques: A Review and Set of Recommendations* | *Journal of Entrepreneurship, Business and Economics*. [online] www.scientificia.com.doi: <https://www.scientificia.com/index.php/JEBE/article/view/201>.

Salminen, E.A., Hausner, V.H., Javier, F. and Engen, S. (2025). Optimizing recruitment in an online environmental PPGIS—is it worth the time and costs? *International Journal of Geographical Information Science*, pp.1–23. doi: <https://doi.org/10.1080/13658816.2024.2427267>.

Schlunegger, M.C., Zumstein-Shaha, M. and Palm, R. (2024). Methodologic and data-analysis triangulation in case studies: A scoping review. *Western Journal of Nursing Research*, 46(8), pp.611–622. doi: <https://doi.org/10.1177/01939459241263011>.

Sharma, H. and Ruikar, M. (2025). Crafting an effective questionnaire: An essential prerequisite of engaging surveys. *Perspectives in Clinical Research*. [online] doi: https://doi.org/10.4103/picr.picr_157_24.

Turyahikayo, E. (2021). Philosophical Paradigms as the Bases for Knowledge Management Research and Practice. *Knowledge Management & E-Learning*, [online] 13(2), pp.209–224. doi: <https://eric.ed.gov/?id=EJ1314845>.

Afram, S.Y. (2025). *Analyzing the Concept of Internet of Things with Specific Reference to Intelligent Transportation System*. [online] Upce.cz. Available at: <https://dk.upce.cz/entities/publication/6e425251-54bb-488c-849f-6ad6afee6fed> [Accessed 29 Jan. 2026].

Akbar, U. and Ali, W. (2025). Digital Twin and Metaverse Integration for Predictive Traffic Management in Malaysian Smart Cities: A Fuzzy Multi-Criteria Decision-Making Approach.

Soft Computing Fusion with Applications , [online] 2(3), pp.134–145. doi: <https://doi.org/10.22105/scfa.v2i3.64>.

Ali, J. and Khan, M.F. (2023). A Trust-Based Secure Parking Allocation for IoT-Enabled Sustainable Smart Cities. *Sustainability*, 15(8), p.6916. doi: <https://doi.org/10.3390/su15086916>.

Antonis Skouloudis, Iosif Botetzagias, Chrysovalantis Malesios and Panagiotis Koutroumpinis (2025). Acceptance of Smart-City Technologies: Some Evidence on the Role of Perceptions and Demographics from a Municipality of Athens, Greece. *Smart Cities*, [online] 8(5), pp.177–177. doi: <https://doi.org/10.3390/smartcities8050177>.

Auwal Alhassan Musa, Salim Idris Malami, Fayez Alanazi, Wassef Ounaies, Alshammari, M. and Sadi Ibrahim Haruna (2023). Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations. *Sustainable Traffic Management for Smart Cities Using Internet-of-Things-Oriented Intelligent Transportation Systems (ITS): Challenges and Recommendations*, 15(13), pp.9859–9859. doi: <https://doi.org/10.3390/su15139859>.

Bellini, P., Nesi, P. and Pantaleo, G. (2022). IoT-Enabled Smart Cities: A Review of Concepts, Frameworks and Key Technologies. *Applied Sciences*, [online] 12(3), p.1607. doi: <https://doi.org/10.3390/app12031607>.

Hamamurad, Q.H., Jusoh, N.M. and Ujang, U. (2022). Factors Affecting Stakeholder Acceptance of a Malaysian Smart City. *Smart Cities*, [online] 5(4), pp.1508–1535. doi: <https://doi.org/10.3390/smartcities5040077>.



Hassebo, A. and Tealab, M. (2023). Global Models of Smart Cities and Potential IoT Applications: A Review. *IoT*, [online] 4(3), pp.366–411. doi: <https://doi.org/10.3390/iot4030017>.




Islam, M. (2025). ANALYSIS OF AI-ENABLED ADAPTIVE TRAFFIC CONTROL SYSTEMS FOR URBAN MOBILITY OPTIMIZATION THROUGH INTELLIGENT ROAD NETWORK MANAGEMENT. *Review of Applied Science and Technology*, 04(02), pp.207–232. doi: <https://doi.org/10.63125/358pgg63>.

- Lilhore, U.K., Imoize, A.L., Li, C.-T., Simaiya, S., Pani, S.K., Goyal, N., Kumar, A. and Lee, C.-C. (2022). Design and Implementation of an ML and IoT Based Adaptive Traffic-Management System for Smart Cities. *Sensors*, 22(8), p.2908. doi: <https://doi.org/10.3390/s22082908>.
- Mitra, S. (2024). AI-driven predictive models for traffic flow in IoT-driven smart cities. *Uncertainty Discourse and Applications*, [online] 1(2), pp.170–178. doi: <https://doi.org/10.48313/uda.v1i2.38>.
- Mutambik, I. (2025a). IoT-Enabled Adaptive Traffic Management: A Multiagent Framework for Urban Mobility Optimisation. *Sensors*, [online] 25(13), p.4126. doi: <https://doi.org/10.3390/s25134126>.
- Mutambik, I. (2025b). Sustainable IoT-Enabled Parking Management: A Multiagent Simulation Framework for Smart Urban Mobility. *Sustainability*, 17(14), p.6382. doi: <https://doi.org/10.3390/su17146382>.
- Sultana, M.S. (2023). INTEGRATION OF IOT AND EDGE COMPUTING FOR LOW-LATENCY DATA ANALYTICS IN SMART CITIES AND IOT NETWORKS. [online] 02(03), pp.01-33. doi: <https://doi.org/10.63125/004h7m29>.
- Walczak, R., Koszewski, K., Ejsmont, K. and Olszewski, R. (2025). Gender Perceptions of IoT Technologies in Smart Cities. *Smart Cities*, 8(2), p.60. doi: <https://doi.org/10.3390/smartcities8020060>.
- Waqar, A., Barakat, T.A.H., Almujiabah, H.R., Alshehri, A.M., Alyami, H. and Alajmi, M. (2025). Analytical approach to smart and sustainable city development with IoT. *Scientific Reports*, [online] 15(1). doi: <https://doi.org/10.1038/s41598-025-08861-y>.
- Zakaria, A.A., Tasneem Amr and Ragheb, A.A. (2025). IoT in Smart Urban Planning: A Comprehensive Review of Applications, Developments and Engineering Perspectives. *IEEE Access*, [online] pp.1–1. doi: <https://doi.org/10.1109/access.2025.3594019>.

Zaman, M., Puryear, N., Abdelwahed, S. and Zohrabi, N. (2024). A Review of IoT-Based Smart City Development and Management. *Smart cities*, 7(3), pp.1462–1500. doi: <https://doi.org/10.3390/smartcities7030061>.

APPENDIX





Benefits of smart traffic management



Real-time insights for proactive decision-making



Enhanced traffic flow and reduced congestion



Improved safety and accident prevention



Optimal resource allocation and efficiency





Environmental sustainability through emission reduction




Data-driven urban planning and policy decision




Author (Year)	Method	Data Source	Evaluation Setting	Metrics Used	Key Findings	Limitations
Damadam et al. (2022)	Deep RL	Simulation	Urban intersection	Delay, queue length	Significant delay reduction	Simulation only
Auwal Alhassan Musa et al. (2023)	IoT sensing	Field + review	Smart city context	Accuracy, latency	Sensor fusion improves reliability	Cost & maintenance
Chapman et al. (2023)	Reinforcement learning	Simulated	Multi-junction	Throughput	Adaptive learning effective	Low explainability


Research Question	Focus Area	Questionnaire Items
RQ1	Feasibility and usefulness of IoT monitoring	Q1–Q5
RQ2	Weaknesses of traditional traffic systems	Q6–Q10
RQ3	Effectiveness of Artificial Intelligence adaptive control	Q11–Q15
RQ4	Perceived benefits (time, safety, sustainability)	Q16–Q20
RQ5	Challenges and barriers to implementation	Q21–Q25





3. Manual traffic control (traffic police) is inconsistent and unreliable during heavy traffic.









8. I am familiar with the concept of adaptive traffic signals that change based on traffic flow.







11. AI-based traffic signal control can reduce traffic congestion more effectively than manual systems.




12. Real-time traffic data helps traffic systems make better signal timing decisions.




13. AI-driven traffic management systems can respond faster to accidents and traffic disruptions.





14. I trust AI systems to make accurate decisions for traffic signal control.






15. Automated traffic control systems can reduce human errors in traffic management.







18. Smart traffic systems can help reduce fuel consumption and vehicle emissions.









23. Technical complexity makes IoT-based traffic systems difficult to maintain.





Survey Questionnaire

1. The current traffic signal system in my city is inefficient during peak hours.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

2. Fixed-time traffic signals fail to respond effectively to real-time traffic congestion.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

3. Manual traffic control (traffic police) is inconsistent and unreliable during heavy traffic.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

4. Existing traffic management systems lack coordination between nearby intersections.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

5. Traffic congestion in my city is mainly caused by outdated traffic control technologies.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

6. I am aware of IoT-based traffic management systems used in smart cities.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

7. I understand how sensors and cameras can collect real-time traffic data.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

8. I am familiar with the concept of adaptive traffic signals that change based on traffic flow.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

9. I believe IoT technologies can significantly improve urban traffic management.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

10. Government authorities should educate the public about smart traffic technologies.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

11. AI-based traffic signal control can reduce traffic congestion more effectively than manual systems.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

12. Real-time traffic data helps traffic systems make better signal timing decisions.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

13. AI-driven traffic management systems can respond faster to accidents and traffic disruptions.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

14. I trust AI systems to make accurate decisions for traffic signal control.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

15. Automated traffic control systems can reduce human errors in traffic management.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

16. IoT-based traffic management systems can reduce overall travel time.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

17. Adaptive traffic signals can improve road safety by reducing sudden stops and congestion.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

18. Smart traffic systems can help reduce fuel consumption and vehicle emissions.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

19. Real-time traffic monitoring improves the overall driving experience in urban areas.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

20. IoT-based traffic management contributes to sustainable and eco-friendly urban transport.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

21. The high cost of infrastructure is a major barrier to implementing IoT-based traffic systems.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

22. Data privacy and security concerns limit the adoption of IoT traffic management solutions.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

23. Technical complexity makes IoT-based traffic systems difficult to maintain.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

24. Lack of government readiness slows down the implementation of smart traffic systems.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree

25. Public resistance and lack of trust can hinder the adoption of AI-based traffic control.

Strongly Disagree

Disagree

Neutral

Agree

Strongly Agree