IMEN891K / IDSC501 / AXGS-501 · DATA ENGINEERING · FALL 2026


7.

SQL II: Joins

Sangwoo Mo · POSTECH

Industrial & Management Engineering

Where We Are


PART I
PART II
PART III
Collection and Preparation
Lec 2-5
SQL
Lec 6-8
NoSQL
Lec 9-10
Big Data
Lec 12-14
Monitoring and Updates
Lec 15-19

Outline: SQL II

01	**Match Rows**	combine rows that satisfy a condition
02	**Keep Unmatched Rows**	include records with no match
03	**Test for Matches**	keep rows based on whether matches exist
04	**Stack Results**	combine rows from separate results

Recap: SFW on One Table

WHERE filters rows, SELECT chooses columns, and DISTINCT removes duplicate results

`WHERE` **selection**: keep the rows that meet a condition

`SELECT` **projection**: keep a subset of the columns


`DISTINCT` drop duplicate rows; a table is a **multiset**

```
SELECT DISTINCT Category
FROM   Product
WHERE  Price < 200
```

category
Gadgets
Photography

Two Gadgets rows below $200 collapse into **one** with DISTINCT


Multi-Table Queries



Three tables linked by **foreign keys**: a question about calls per employee needs all three

Case study: Stack Overflow

One question page is spread over several tables linked by Id columns



Answers reference questions; reconstructing a page combines **posts, users and comments**

Recap: Product and Company

pname	price	category	manufacturer
Gizmo	19.99	Gadgets	GizmoWorks
PowerGizmo	29.99	Gadgets	GizmoWorks
SingleTouch	149.99	Photography	Canon
MultiTouch	203.99	Household	Hitachi

cname	stockprice	country
GizmoWorks	25.0	USA
Canon	65.0	Japan
Hitachi	15.0	Japan

Price belongs to Product; country belongs to Company; manufacturer links the two

Table Aliases

```
SELECT P.pname,P.price,C.country
FROM Product AS P JOIN Company AS C
   ↑ P and C: short names for the tables
   ON P.manufacturer=C.cname;
```

JOIN on Related Keys

```
SELECT P.pname,P.price,C.country
FROM Product P JOIN Company C
  ON P.manufacturer=C.cname;
```

↑ match a product to its maker

pname	price	country
Gizmo	19.99	USA
PowerGizmo	29.99	USA
SingleTouch	149.99	Japan
MultiTouch	203.99	Japan

Each product matches its company; the result has four product rows

Every Pair Before the Match

```
SELECT P.pname,C.cname FROM Product P CROSS JOIN
Company C;
```

↑ every product with every company

pname	cname
Gizmo	Canon
Gizmo	GizmoWorks
Gizmo	Hitachi
MultiTouch	Canon
MultiTouch	GizmoWorks
MultiTouch	Hitachi
PowerGizmo	Canon
PowerGizmo	GizmoWorks
PowerGizmo	Hitachi
SingleTouch	Canon
SingleTouch	GizmoWorks
SingleTouch	Hitachi

Four products and three companies create twelve candidate pairs

Predict Join Cardinality

Relationship	Expected matching rows
4 products × 3 companies	12 candidate pairs
Each product has one company	4 matching pairs
One company has two products	2 rows for that company

A join returns matching pairs; a repeated company is expected

Filter the Joined Rows

```
SELECT P.pname,P.price,C.country
FROM Product P JOIN Company C ON
P.manufacturer=C.cname
WHERE C.country='Japan' AND P.price<=200;
```

↑ filter after the join

pname	price	country
SingleTouch	149.99	Japan

Japan and the price limit together keep SingleTouch

Read the Query in Logical Order

Step	Effect
FROM / JOIN / ON	Build matching pairs
WHERE	Keep the pairs that satisfy the condition
SELECT	Choose output columns
ORDER BY / LIMIT	Order and trim the result

Logical query order explains the result without prescribing the physical execution

Name the Output Columns

```
SELECT P.pname AS product,C.country AS
manufacturer_country
    ↑ name of the output column
FROM Product P JOIN Company C ON
P.manufacturer=C.cname;
```

product	manufacturer_country
Gizmo	USA
PowerGizmo	USA
SingleTouch	Japan
MultiTouch	Japan

Output aliases describe what each selected column means

Caveat: Rows Multiply at a Join

```
SELECT C.cname,P.pname
FROM Company C JOIN Product P ON
P.manufacturer=C.cname;
```

↑ one row per matching product

cname	pname
GizmoWorks	Gizmo
GizmoWorks	PowerGizmo
Canon	SingleTouch
Hitachi	MultiTouch

GizmoWorks appears twice because it matches two different products

Self Join: Compare Products

```
SELECT A.pname AS first_product,B.pname
AS second_product
FROM Product A JOIN Product B
   ↑ one table, two names
   ON A.manufacturer=B.manufacturer
WHERE A.pname<>B.pname;
   ↑ not paired with itself
```

first_product	second_product
Gizmo	PowerGizmo
PowerGizmo	Gizmo

The same two products appear in both comparison orders

Keep Each Product Pair Once

```
SELECT A.pname AS first_product,B.pname
AS second_product
FROM Product A JOIN Product B
  ON A.manufacturer=B.manufacturer
WHERE A.pname<B.pname;
```

↑ < keeps each pair once

first_product	second_product
Gizmo	PowerGizmo

An ordered key comparison keeps the pair only once

Recap: The Join Input

pname	price	manufacturer
Gizmo	19.99	GizmoWorks
PowerGizmo	29.99	GizmoWorks
SingleTouch	149.99	Canon
MultiTouch	203.99	Hitachi

cname	country
GizmoWorks	USA
Canon	Japan
Hitachi	Japan

Two companies are in Japan; the price condition decides which products remain

Demo: Match Products to Companies

1. Return names and prices of products made in Japan and priced at most 200
2. Remove the price limit and compare the rows

```
-- write your query here, then Run
```

QUERY RESULT

Write a query on the left, then Run.

Answer: Japanese Products

```
SELECT P.pname,P.price FROM Product P
JOIN Company C ON P.manufacturer=C.cname
WHERE C.country='Japan';
```

pname	price
SingleTouch	149.99
MultiTouch	203.99

Without the price limit, both SingleTouch and MultiTouch remain

A Company Without Products

cname	stockprice	country
GizmoWorks	25.0	USA
Canon	65.0	Japan
Hitachi	15.0	Japan
NewCo	0.0	Korea

pname	manufacturer
Gizmo	GizmoWorks
PowerGizmo	GizmoWorks
SingleTouch	Canon
MultiTouch	Hitachi

NewCo is a company with no matching product in this copy

INNER JOIN and LEFT JOIN

```
SELECT C.cname,P.pname FROM Company C
JOIN Product P ON P.manufacturer=C.cname;
```

cname	pname
GizmoWorks	Gizmo
GizmoWorks	PowerGizmo
Canon	SingleTouch
Hitachi	MultiTouch

```
SELECT C.cname,P.pname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname;
```

↑ companies with no product stay, with NULL

cname	pname
Canon	SingleTouch
GizmoWorks	Gizmo
GizmoWorks	PowerGizmo
Hitachi	MultiTouch
NewCo	NULL

LEFT JOIN adds NewCo with a NULL product; INNER JOIN has no row for it

Find an Unmatched Company

```
SELECT C.cname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname
WHERE P.pname IS NULL;
```

↑ no match: the product side is NULL

cname
NewCo

The right-side product key is NULL only for NewCo

Start from the Rows You Must Keep

```
SELECT C.cname,P.pname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname
ORDER BY C.cname,P.pname;
```

cname	pname
Canon	SingleTouch
GizmoWorks	Gizmo
GizmoWorks	PowerGizmo
Hitachi	MultiTouch
NewCo	NULL

The left input determines which unmatched rows survive

Caveat: ON and WHERE

```
SELECT C.cname,P.pname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname
AND P.price>100;
```

↑ in ON: every company is kept

cname	pname
Canon	SingleTouch
GizmoWorks	NULL
Hitachi	MultiTouch
NewCo	NULL

```
SELECT C.cname,P.pname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname
WHERE P.price>100;
```

↑ in WHERE: NULL rows are dropped

cname	pname
Canon	SingleTouch
Hitachi	MultiTouch

ON limits matches while keeping companies; WHERE removes rows after the join

Recap: The Unmatched Company

cname	country
GizmoWorks	USA
Canon	Japan
Hitachi	Japan
NewCo	Korea

Keep all four companies, including NewCo with no product match

Demo: Keep Companies Without Products

1. List every company with its product names, including companies with no products
2. Keep only companies with no matching product

```
-- write your query here, then Run
```

QUERY RESULT

Write a query on the left, then Run.

Answer: Companies Without Products

```
SELECT C.cname FROM Company C
LEFT JOIN Product P ON P.manufacturer=C.cname
WHERE P.pname IS NULL;
```

cname
NewCo

NewCo exists in Company but has no matching product

Naming a Query Result

```
WITH japanese_products AS (
   ↑ a name for this result
   SELECT P.pname,P.price FROM Product P
   JOIN Company C ON P.manufacturer=C.cname
   WHERE C.country='Japan'
)
SELECT * FROM japanese_products;
```

pname	price
SingleTouch	149.99
MultiTouch	203.99

WITH gives a query result a name that another query can read

A Derived Table Is Another Input

```
SELECT G.pname,G.price FROM
  (SELECT pname,price FROM Product
WHERE category='Gadgets') AS G
     ↑ the subquery is used as a table
WHERE G.price>20;
```

pname	price
PowerGizmo	29.99

A query result can be read as a table by another query

EXISTS and Query Blocks

```
SELECT C.cname FROM Company C
WHERE EXISTS (
  SELECT 1 FROM Product P
  WHERE P.manufacturer=C.cname AND P.category='Gadgets'
);
```

true if the inner query returns a row

IN Reads a Query Result

```
SELECT cname FROM Company
WHERE cname IN (SELECT manufacturer FROM Product
  ↑ the list comes from a query
  WHERE category='Gadgets');
```

cname
GizmoWorks

The inner query supplies candidate manufacturer names

Inspect the Inner Result First

```sql
SELECT manufacturer FROM Product WHERE
category='Gadgets';
```

manufacturer
GizmoWorks
GizmoWorks

Repeated candidate values do not repeat the outer company

JOIN or EXISTS

```
SELECT C.cname FROM Company C JOIN Product P
ON P.manufacturer=C.cname WHERE
P.category='Gadgets';
```

cname
GizmoWorks
GizmoWorks

```
SELECT C.cname FROM Company C WHERE EXISTS (
  SELECT 1 FROM Product P
  WHERE P.manufacturer=C.cname AND
P.category='Gadgets');
```

cname
GizmoWorks

JOIN returns two Gadget matches; EXISTS keeps one company row

NOT EXISTS

```
SELECT C.cname FROM Company C WHERE NOT EXISTS (
  ↑ keep companies with no such product
  SELECT 1 FROM Product P
  WHERE P.manufacturer=C.cname AND
P.category='Gadgets');
```

cname
Canon
Hitachi
NewCo

NOT EXISTS keeps Canon, Hitachi and NewCo, which have no Gadget match

Recap: Company-Level Questions

cname
Canon
GizmoWorks
Hitachi
NewCo

Each answer should contain company rows, without repeating a company per product

Demo: Ask Whether a Match Exists

1. Find companies that make a Gadget with `EXISTS`
2. Find companies that make no Gadgets with `NOT EXISTS`

```
-- write your query here, then Run
```

QUERY RESULT

Write a query on the left, then Run.

Answer: Match Existence

```
SELECT C.cname FROM Company C WHERE NOT EXISTS (
  SELECT 1 FROM Product P
  WHERE P.manufacturer=C.cname AND
P.category='Gadgets');
```

cname
Canon
Hitachi
NewCo

Three companies have no Gadget; the matching company is GizmoWorks

Matching and Stacking Answer Different Questions

Question	Operation
Which rows belong together?	JOIN
Does a related row exist?	EXISTS
Which rows should survive without a match?	LEFT JOIN / NOT EXISTS
Which compatible lists should be combined?	UNION ALL / UNION

The question determines whether to match pairs, test existence or stack rows

UNION ALL and UNION

```
SELECT pname FROM Product WHERE category='Gadgets'
UNION ALL
SELECT pname FROM Product WHERE price<200;
```

stack both results, duplicates kept

UNION ALL stacks compatible result rows; UNION also removes duplicate rows

INTERSECT Keeps Shared Values

```
SELECT cname FROM Company
INTERSECT SELECT manufacturer FROM Product;
```

↑ values in both results

cname
Canon
GizmoWorks
Hitachi

INTERSECT retains company names present in both results

EXCEPT Keeps Values Only on the Left

```
SELECT cname FROM Company
EXCEPT SELECT manufacturer FROM Product;
```

↑ left result minus right result

cname
NewCo

EXCEPT finds NewCo because it occurs only in the company list

Compatible Result Columns

First query	Second query	Combination
pname	pname	One name column
pname, price	pname, price	Two corresponding columns
pname, price	pname	Invalid: different column counts

Stack corresponding columns in the same order

Recap: Overlapping Product Lists

pname	price	category
Gizmo	19.99	Gadgets
PowerGizmo	29.99	Gadgets
SingleTouch	149.99	Photography
MultiTouch	203.99	Household

The Gadget list overlaps the below-200 list at Gizmo and PowerGizmo

Demo: Stack Two Product Lists

1. Combine Gadget names and below-200 product names with `UNION ALL`
2. Change it to `UNION` and explain the difference

```
-- write your query here, then Run
```

QUERY RESULT

Write a query on the left, then Run.

Answer: Stack Product Lists

```
SELECT pname FROM Product WHERE category='Gadgets'
UNION
SELECT pname FROM Product WHERE price<200;
```

pname
Gizmo
PowerGizmo
SingleTouch

UNION keeps three distinct names; UNION ALL keeps all five input rows

Filter the Whole Combined Result

```sql
SELECT manufacturer FROM (
  SELECT manufacturer FROM Product WHERE
category='Gadgets'
  UNION ALL
  SELECT manufacturer FROM Product WHERE price>20
) AS combined WHERE manufacturer='GizmoWorks';
```

↑ filter after combining

manufacturer
GizmoWorks
GizmoWorks
GizmoWorks

The outer condition applies to both stacked inputs

Takeaway: SQL II

1. **JOIN and LEFT JOIN** control matching pairs and unmatched rows
2. **EXISTS and NOT EXISTS** answer whether a related row exists
3. **UNION ALL and UNION** stack compatible results with an explicit duplicate policy