1. The probability of a leap year selected at random contain 53 Sunday is:					
(a) 53/366 (b) 1/7 (c) 2/7 (d) 53/365					
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at					
random. The probability of drawing a black ball is :					
(a) 3/5 (b) 2/5 (c) 0/5 (d) 1/5					
3. The probability that it will rain tomorrow is 0.85. What is the					
probability that it will not rain tomorrow					
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these					
4. What is the probability that a number selected from the numbers					
(1, 2, 3,,15) is a multiple of 4?					
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3					
5. What are the total outcomes when we throw three coins?					
(a) 4 (b) 5 (c) 8 (d) 7					
6. The probability that a prime number selected at random from the					
numbers (1,2,3,35) is :					
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of these					
7. The sum of the probability of an event and non event is:					
(a) 2 (b) 1 (c) 0 (d) none of these.					
8. The following probabilities are given; choose the correct answer					
for that which is not possible.					
(a) 0.15 (b) 2/7 (c) 7/5 (d) none of these.					
9. If three coins are tossed simultaneously, than the probability of					
getting at least two heads, is: (a) $1/4$ (b) $3/8$ (c) $\frac{1}{2}$ (d) $1/8$					
10. A letter is chosen at random from the letters of the word					
ASSASSINATION . The probability that the letter chosen has: (a) 6/13 (b) 7/13 (c) 1 (d) none of these.					
(a) 0/13 (b) 7/13 (c) 1 (d) Hotte of these.					
11. A dice is thrown. Find the probability of getting an even number.					
(A) 2/3 (B) 1 (C) 5/6 (D) 1/2					
(1) 2/3 (2) 1/2					
12. Two coins are thrown at the same time. Find the probability of					
getting both heads.					
(A) 3/4 (B) 1/4 (C) 1/2 (D) 0					

13. Two dice are thrown simultaneously. The probability of getting a sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4/9				
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.							
(A) 3/4	(B) 27/50	(C) 1/4	(D) 29/1	00			
15. A bag contains 5 red balls and some blue balls . If the probability of drawing a blue ball is double that of a red ball, then the number of blue balls in a bag is:							
(A) 5	(B) 10 (C) 15	(D) 20				
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is:							
(A) 143/150	(B) 147/	(C) 1	1/25 (D)	1/50			
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100							
	the probability (B) 53/366		Mondays in a lea (D) 7/366	np year?			
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13							
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is: (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12							
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4							

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:							
(A) 364/36	(B) 31/36	(C) 1/365	(D) 1/133225				
2. Then the	nber <i>x</i> is chosen at e probability that <i>x</i> (B) 2/5 (C) 3/	x ² < 2 is?	numbers -2, -1, 0 , 1,				
a marble is red is 2/3,		n from the jar, the of white marbles i	nd others are white. If probability that it is n the jar is:				
Then the p	25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) $7/50$ (B) $4/25$ (C) $1/25$ (D) $2/25$						
with n dots showing 4	s showing up is pr dots is?	oportional to n. Th	probability of a face ne probability of face				
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$				
	_		tches are 50, 70, 82,				
	b) 25.49		d) 25.69				
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.							
a) 13, 15	b) 13, 18	c) 18, 15	d) 13, 16				
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is							
a) $^{1}/_{2}$	b) $^{1}/_{3}$		d) $^{1}/_{6}$				
30. X is a v a) 8	variate between 0 b) 7	and 3. The value of c) 27					
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?							

probability?	?	•	n one is not pos	sible in
a) $P(x) = 1$	b) ∑ x 5 d) P(P(x) = 3		
c) $P(x) = 0.5$	d) P((x) = -0.5		
33.If E(x) =	= 2 and E(z) = 4	4, then E(z -	x) =?	
a) 2	b) 6	c) 0	d) In	sufficient data
34.The cov	ariance of two	independe	nt random varia	ble is
a) 1	b) 0	c) - 1	d) U	ndefined
35.If Σ P(x) a) 0) = k² – 8 then b) 1	, the value o		nsufficient data
, ,	0.5 and x = 4 , b) 0.5	, ,	? d) 2	
37.In a discissis always?	crete probabili	ty distributio	on, the sum of a	ll probabilities
a) 0	b) Infinite	c) 1	d) Ur	idefined
38.If the pr	robability of h	itting the tar	get is 0.4, find r	mean and
a) 0.4, 0.24	b) 0.6,	0.24	c) 0.4, 0.16	d) 0.6, 0.16
-	% and if 10 bo		pped, find mea	ce will strike the n and variance? d) 4, 1.6
a) 2	e mean of toss b) 4 s the mean and	c) 8	d) 1	mal distribution?

c) 5

d) 7

a) 3

b) 4

a) Mean is (c) Mean is (
42.Varianc a) E(X)	e of a ran	idom var (X2)	iable X i	s given by (2) - (E(X	y))2	. d) (E(X))2	
43.Mean o						d) (E(X))2	
44.Mean of a) 0	a consta b) a	nt 'a' is _	c) a/2	<u> </u>	d) 1		
45.Variance	is	· ′2	d) 1				
46.Find the mean and variance of X?							
Х	0	1	2	3	4		
f(x)	1/9	2/9	3/9	2/9	1/9		
a) 2, 4/3	b)	3, 4/3		c) 2, 2/3		d) 3, 2/3	
47.Find the	expectat	ion of a ı	random	variable)	(?		

	Х	0	1	2	3		
	f(x)	1/6	2/6	2/6	1/6		
a) ().5		b) 1.5		c) 2.5	d) 3	.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2 d) \sqrt{npq}