Livepeer 2.0 Litepaper

By Doug Petkanics October 2026

Abstract

Livepeer was conceived a decade ago as the world's open video infrastructure. The world it operates in has changed significantly in that time, as media creation has moved from human-operated tools to AI agents that plan and execute entire creative workflows. The network's job has shifted from single-purpose transcoding to backing the full range of AI media compute capabilities that those agents need. This litepaper focuses on:

1. Clarifying why Livepeer's opportunity is to be the open infrastructure layer for agentic media creation, and why Livepeer is positioned to win in that category.
2. Laying out an opinionated, concrete protocol design for Livepeer 2.0. It focuses on the incentive mechanisms that determine how LPT captures value from network usage, and how rewards flow only to those doing real, honest work.

While a community driven process was used over the course of months to share numerous ideas and options to accomplish the above, this document aims to commit to one set of specific mechanisms and parameters that can work together to deliver on Livepeer's opportunity.

The Agentic-First Opportunity

Media creation is being rebuilt around AI agents. Coding agents have already changed how software gets built, and the same shift is underway in video and media. AI models and increasingly capable workflows are unlocking impact across hundreds of use cases. While humans keep providing the taste, direction, and creative judgement, their agents execute on the underlying production work saving tremendous time and cost.

Producing a finished media asset today already means chaining together dozens of discrete AI-driven steps: scripting, scene generation, consistency across shots, voiceover, music, captioning, stitching, and more. There are often 40+ steps with human approval gates along the way to creating a production asset.

Every major media company is racing to build its own proprietary version of this agentic pipeline. And while many startups offer closed products claiming to compete on the above, there is an opening for an open, community-powered alternative that wins on the same advantages that make open infrastructure win elsewhere: lower cost, wider capability coverage, digital payment rails, and no single point of control.

Livepeer's opportunity is to be the open video agent platform. It combines a best-in-class open source media planning and execution agent, a community-contributed library of media skills and playbooks, and an open infrastructure network that competes to expose all of the world's known AI media compute capabilities at the lowest cost and highest availability. The three layers that enable this are:

- **The Livepeer Protocol** - a stake-based protocol aligning LPT's value with real network usage, responsible for incentives, coordination, payments, and security.
- **The Livepeer Network** — open infrastructure exposing every known media AI capability. In addition to GPU-hosted open models, this also means supporting API passthrough to third-party services and other media compute such as transcoding, muxing, captioning, and more.
- **The Livepeer Agent** — a video/media planning harness accessible via MCP through any popular agent (Claude, ChatGPT, Codex, and others), routing all of the resulting compute demand, and fees, through the Livepeer Network.

The Livepeer Agent is already working today, producing real output for media creators, and network usage can grow through the existing protocol while the tokeneconomics described below roll out. The rest of this document focuses on these economic and protocol incentive updates, and how they can work together to both enable and supercharge the network as the backing infrastructure needed to capture this opportunity.

Design Principles

The below four principles were used to guide many of the decisions about which ideas and capabilities to include in this opinionated design. There are always tradeoffs and pros/cons in every approach, but these principles helped shape what was selected.

1. **Rewards should follow real work.** Fees generated for honest work, not just stake, should be the primary basis for earning inflationary LPT rewards during the network's bootstrapping phase.
2. **Every protocol role should do active work to add value to the network.** A role that exists purely for stake-based rent seeking should be modified into a role that actively adds value.
3. **Have a well intentioned incentive model, but leave room for governance to adjust.** No incentive model holds up perfectly over time as the network meets real world practicality. Include the parameters that let the community take control to maintain a fee/mint balance within the proper timeframes.
4. **Simplicity is a feature.** Theoretically elegant mechanisms that node operators and delegators can't reason about are unhelpful in practice. Many of the choices below opt for a simpler path that the network can operate and explain, over complex mechanisms that can only be inferred through the code.

The Unified Node Operator & Validator Model

Livepeer 2.0 needs two distinct work functions:

1. Node operators that actually do the work - run GPUs, call the APIs, execute the media compute agents request.

2. Validators that actually judge whether that work was done honestly, and determine whether a given node is eligible for its portion of inflationary LPT rewards.

This second function is new, as today's protocol has no honest-work judging mechanism at all. It pays rewards purely in proportion to stake, which worked reasonably well when transcoding was homogenous and quality-of-service verifiable. But it breaks down across hundreds of diverse, non-deterministic AI media job types where a node can self-deal work to itself and stake alone can't tell that apart from real usage.

Livepeer 2.0 proposes addressing this via a new Validator set who's job is to score node honesty to determine rewards eligibility. However, while 2.0 introduces this new function, it is suggested that the top N nodes by stake who register for the validator role, inherit this role. **Node operators and validators are the same set of participants**, as they are uniquely suited to hold one another accountable to honest work, and already carry the weight of stake delegation to determine who has the most skin-in-the-game to ensure a continued, high performing network. (More on the scoring mechanisms and validator election mechanics below).

Node operators: permissionless entry, rewards capped by stake. (MFS)

Any address can register as a node operator at any time, with **no fixed LPT bond required.** Nodes are listed in the onchain registry that the agent users use for discovery, and then advertise their capabilities, regions, and price for service selection. This eliminates the 100 node operator (Orchestrator) limit in the existing protocol, as there is no longer a cap.

Node operators continue to attract stake from delegators, and they earn LPT rewards under a **Min-Fee-Stake (MFS)** formula:

```
reward % = min(fee % of network total, stake % of network total)
```

A node that earns 10% of network fees in a round, but holds only 2% of total stake, earns rewards capped at 2%. A node earning 5% of fees with 5% of stake earns its full 5%. Fees themselves are never capped. A node can always earn more by doing more real work, but the *inflationary LPT reward* attached to that work is capped by how much stake (self-staked or delegated) is actually behind the node.

The MFS formula enables anyone to enter the network to compete for fees, but it mitigates the impacts of self-dealing fees to oneself for low stake nodes, as the rewards that they are entitled to are capped by their lack of stake. High stake nodes who are underperforming in terms of fee generation, would see their rewards capped, and stake would likely be better served moving towards nodes that are earning higher fees. The role of delegation becomes far more active, and far more rewarding for those who are providing security, through stake, to the network.

Delegation secures nodes and elects who validates

Delegators stake directly toward node operators, using the same bonding, unbonding, and reward/fee-cut mechanics that delegation already uses today. However, active delegators have a far larger opportunity to route security and rewards towards the nodes that need to be have high economic bonds against the large amount of work they're performing. Therefore, active delegators can earn an outsized portion of rewards versus the passive delegators.

The stake placed on a node determines its reward ceiling. Sticking with the example of a node that does 10% of the work on the network, but only has 2% of the stake: it's rewards remain capped at 2% of a round's rewards, unless it can attract more stake. There is a tremendous opportunity for delegators to move stake towards this node, to 5x its daily rewards. This should be reflected in the reward cut and fee share, leading to far greater return for the delegator than sitting on a node that is capped by its lack of fee earning potential (which is far harder to make up because it requires real hardware and operational investment and performance).

This is a significant improvement over the passive yield aggregation of the staking role, which was not adding as much value relative to the amount of inflationary LPT issuance being paid out. Now active delegators who are placing stake at risk on the high performing nodes are rewarded far more than those sitting idle in a set-it-and-forget-it manner on non-contributing ghost nodes.

Furthermore, the top N nodes by stake are eligible to act as the validators on the network. **Stake plays a critical role in securing the validator set against takeover or attack.** The more expensive it is to take over the majority of this set, the harder it is to attack the integrity of the work and rewards on the Livepeer network.

Stake continues to carry weight in governance and treasury votes as well, securing the future evolution and public goods funding on the network.

Delegators are choosing, with real capital, both who does productive work on the network *and*, for the highest-stake nodes, who is trusted to judge that work honestly. That is a more active and more consequential role than delegation plays in the current protocol, where stake elects an orchestrator but has no bearing on judging honesty at all.

The top nodes by stake can register as validators

Among node operators, the **top N by total stake** (self-staked plus delegated) are eligible to serve as validators, but they're not forced to do so. A node becomes an active validator by choosing to register for it. The proposed starting value for N is **33**. There are two reasons that a node might volunteer as a validator.

- **Mutual accountability.** Validators hold each other to honest account. If another validator, or a coordinated group, tries to unfairly zero out your node's rewards, being a validator yourself gives you standing to push back. Participating is how a node protects its own interests in a network where reward eligibility is inherently subjective.
- **Direct compensation.** Active validators earn a `ValidatorRewardShare` of **1% of the post-BME LPT mint** for the period, split among all currently-active validators. This is intentionally small. The overwhelming majority of newly-minted LPT should still flow to node operators for real work, rather than to the validation function. But it's enough to make validating a genuinely incentivized job rather than an unpaid civic duty. Opting out has a real cost, even if small.

Each active validator can assign every node a `RewardMultiplier` score from 0.0 to 1.0. The **median score** across active validators determines what fraction of a node's MFS-eligible reward it actually receives. 1.0 means full eligible rewards, 0.0 means none, and everything in between scales proportionally. Validators should not penalize nodes for legitimate performance limitations (regional coverage, model availability). Those already show up naturally as lower fees and lower rewards. The score exists to catch dishonest behavior such as self-dealing, fee fabrication, or serving incorrect results. It does not exist to grade quality of service.

The hard work behind that judgment such as building testing frameworks, network monitoring, dashboards, and anomaly detection, should be funded as a public good. Dedicating small groups of applied research engineers to this task will be far more efficient than duplicating the work across every active validator independently. Validators vote based on that published evidence or other surfaced criteria.

Lastly, a heavily debated topic during the feedback period was whether this decentralized mechanism for validation was necessary, relative to just granting a centralized party the ability to set the `RewardMultiplier` for each node. I lean heavily towards the need for a decentralized, unstoppable, and trustless mechanism that doesn't rely on a single party - however I suggest that the smart contract address that governs the implementation for the `RewardMultiplier` scores be a governance swappable parameter, rather than a fixed hardcoded implementation. This would allow the community to take action and decide to grant this authority to an SPE or individual entity or alternate implementation in the future, should that be desired.

21 Round unbonding

The unbonding period for all stake behind a node operator, whether it is self stake or delegated, is suggested to increase to 21 rounds. This is considered a compromise:

- The current 7 round unbonding period is too short to meaningfully deter a node from misbehaving, as having capital locked with no rewards for 7 days is likely worth it to attempt rewards extraction.
- The 90 days suggested in the initial proposal still feels ok for node operators themselves. But since most of their stake will be delegated, and operational security considerations even suggest delegating stake to oneself from another wallet, the unbonding period also needs to apply to delegators. And the feedback was that a 90 day capital risk for delegators felt too long.

21 rounds provides a real capital lockup, such that malicious nodes can't just quickly unbond and register new malicious nodes under different identities, but it stops short of imposing multi-month illiquidity on all staked capital.

Delegators now have a real incentive to evaluate who they're backing, rather than treating delegation as risk-free yield. If their node misbehaves and has their rewards cut to zero, the delegators capital is also unable to be accessed or earn any rewards for the 21 day period.

One side effect of this is that `transferBond` needs to be eliminated, or subjected to a 21 day transfer period before being applied to the new node. Otherwise anyone could attack the network, and immediately `transferBond` to a new node address, knowing that the attacking node getting their rewards reduced would not affect their transferred stake.

Unfortunately, this is not a fully settled tradeoff. Part of the goal of this design is an active, liquid delegation market with delegators continuously moving their stake toward the highest performing understaked nodes. Subjecting `transferBond` to the 21-day wait period means delegation transfers will be slower and more deliberate. This will be revisited in the open questions to see if there are any solutions to this tension.

Rewards delay of 7 rounds, retroactively scored

Rewards for a given round are not immediately claimable. They become claimable after a 7 round `RewardDelayPeriod`, and the score applied to determine the final payout is whatever the validator set's median `RewardMultiplier` score is for that node at the time of claiming. This directly addresses the most concrete attack scenario raised across the feedback: a node spikes its apparent fee earnings in a single round, hoping to claim a large reward before any validators notice and react. With a 7-round retroactive window, validators have real time to observe the anomaly, investigate, and drive the median score to zero before that reward ever becomes claimable. This prevents the "strike fast, cash out before anyone reacts" version of the attack without relying on validators to catch it instantly.

Payments in USDC

Network payments and pricing move from ETH to **USDC**. Node operators price their services in USD and are paid in USDC, eliminating the confusion of the ETH-denominated fee flow, and removing price volatility from the calculation. It also sets up the fee side of the BME mechanism on a stable, predictable base.


Burn Mint Equilibrium & Emissions

Livepeer 2.0 proposes that instead of 100% of fees being earned directly by the node operators performing the work, some percentage of these fees are used to buy back LPT from the market to be burned, contributing to supply reduction. This missing aspect of node operator compensation will be made up for via inflationary LPT that they earn in proportion to the valid work performed. The goal is for the burned LPT and the newly minted LPT to find a rough equilibrium over time, leading to a predictable LPT supply, and LPT value that grows in proportion to the fees generated by the network. This well understood, and widely deployed, BME model is popular across DePIN protocols, and should be adopted by Livepeer.

The node/network split

Of the USDC fees a node earns, the starting value for the `BMENodeCut` is proposed as 50%, and the starting value for the `BMENetworkFee` is proposed as 50%. This means that half the fees go direct to the node to incentivize more work even when lacking stake, and 50% go into the BME to purchase LPT from the market and burn, in service of supply reduction.

It is suggested that the LPT purchased in this mechanism is **burned in full** with a `BMEBurnPercentage` of `100%`. Inflationary LPT rewards to node operators are funded by a separate, independently governed mint, and not by recycling bought-back LPT. The two supply levers - the burn driven by real usage, and the mint driven by the emissions schedule below - can be clean and separately reasoned about. The objective is that on a predictable schedule, the burn contribution reaches equilibrium with the supply inflation via emissions. While this can occur **faster** if fee growth accelerates rapidly, there is a long term timeline in which it is forced by the dynamics of the emissions schedule. This means that supply will be capped and predictable over time for the market's understanding of the token economics and value capture.



As for execution on the LPT buy backs, further research work is necessary to apply the best-in class DeFi designs for executing low-slippage and non-manipulatable onchain purchases from DEX liquidity pools that are controlled via governance. Example parameters for executing TWAP based purchases at specified intervals are provided below, but the design of this mechanism is left outside of this paper.

Emissions schedule

The recommendation for Livepeer 2.0 is that emissions move away from Livepeer's longstanding participation target based emissions incentives, which focus on reallocation towards active participants, and towards a predictable and fixed schedule that allows the market to reason about the ultimate cap on LPT supply over time.


As such, LPT emissions in Livepeer 2.0 follow a **fixed schedule denominated in LPT** that starts at today's annualized issuance, and **halves every two years** applied as a smooth per-round decay.

```
emission(round r) = EmissionBase x 2^(-r / EmissionHalfLife)
```

`EmissionBase` is fixed at launch as the annualized issuance of the existing protocol, converted to a per-round amount. `EmissionHalfLife` starts at 840 rounds (about 2 years). This decay, like the previous participation based model, has no connection to network usage. However it does offer the following benefits:

- Predictable max LPT supply and annual emissions schedules

- Predictable equilibrium with fees and new LPT mints in the BME based on various fee growth scenarios and timelines
- Ability to leverage the governance parameters of the BME to adjust fee vs LPT incentives for various network roles based on floating fee growth and LPT market cap



Start: 57.91M supply, 29,289 LPT/round. ~412 rounds/year (6,377 L1 blocks × 12s). Ignores BME burn and unclaimed (never-minted) node rewards, both of which lower actual supply.

Emissions are a ceiling. Under MFS, a node's LPT reward is `min(fee %, stake %)`. Any portion of a round's node emissions that nodes can not claim because their stake share is below their fee share, is **never minted.** This applies to the node share only - the validator and treasury shares of each round's emissions are minted in full. This means that realized issuance will run at or below the schedule.

Supply is bounded and known on day one. Total future issuance is about 2.9x today's annual issuance, with 50% of it minted in the next 2 years, 75% in 4 years, 97% in 10 years. After that the schedule tapers towards zero and fees make up the majority of the incentives on the network for all actors.

Reaching BME The BME burns the `BMENetworkFee` share of fees at 50% of fees initially. Equilibrium is the point where the LPT burned each year matches the LPT minted. Because Mint is fixed in tokens and burn grows with fees, the crossover depends on two things the protocol does not control: fee growth and token price.

If fees grow 35% per year and the token's price grows with them, assuming a constant fee-to-market-cap multiple), the schedule reaches equilibrium at year 12. However that implies an incredibly high market cap relative to yearly fees. For more modest market cap growth as fees mature, equilibrium is hit in the year 5-8 range depending upon these floating values.

In short: equilibrium is achieved quickly if fee growth rises rapidly relative to market cap, and takes longer if the speculative value of the network is at a far higher multiple relative to the yearly network revenue. Of course, the governance parameters over the BME can be taken into account to tune any market perceived effects of this mismatch.

The security budget floats One important tradeoff to keep in mind in this model in the out years is that the security budget for incentivizing delegation, and keeping the cost of attack high, floats with the LPT price. As emissions fall, if LPT value doesn't keep pace, then the declining annual rewards to incentivize delegation diminish.

In response to this, it's important that the network governance participants realize that the intention in the long term is for fee-funded rewards to take over from emissions-funded rewards as the network matures. `BMEBurnPercentage` is a governance lever which starts out at 100%. However over time, it can be reduced, allocating a portion of the BME generated fees to the node operators and their delegators. This is similar to the same problem that Bitcoin faces as block rewards halve, and the security budget needs to derive from fees over time.

The same fee side pool also funds the validator and treasury incentives `BMEValidatorCut and` BMETreasuryCut `. As emissions shrink, the shares for those roles shrink with them, but the increasing share of network fees replaces them. It works as a` network tax on top of the fees nodes earn` and it helps secure the networks while also funding public goods.

Advantages over a fee-linked reward schedule Previous proposals in the 2.0 design considered that the amount of LPT minted should be dependent upon the fees generated by the network. That idea has merit, however this design brings the following advantages:

- **No oracle.** The earlier design needed an onchain LPT price to convert a USD cap into a mint amount. That dependency is gone.
- **No USD cap.** Maximum issuance is already bounded in tokens and declining.
- **No "grow the pie" attack.** Under a fees-linked schedule, inflating network-wide reported fees raised the total reward pool. Under a fixed schedule, fabricated fee volume cannot grow the pool. A wash-trading node pays 50% of its fabricated volume into the BME to chase a fixed pool. There remains an attempt to take a larger share of a fixed pool, which MFS, validator scoring, and the 7-round rewards delay address.

Governance of the schedule `EmissionBase` and `EmissionHalfLife` are candidate governance parameters. But the community should weigh in on whether these are actually arbitrary and fully editable via governance, whether code dictates that they can be changed in one direction only to speed the emissions decline, or whether they are uneditable and the emissions schedule remains fixed. The latter two lead to a market accepted understanding of the max supply, whereas the first option leaves the future emissions ambiguous.

Not Included In This Design

There were a couple of concepts in the original design or that were debated heavily amongst the community that are not included in this version:

1. **No minimum self-stake requirement for node operators.** Having skin in the game for node operators may remain an important preference amongst gateway nodes that route work, however that can be left outside of the protocol. A stake requirement raises the barrier for new node operators joining the network, and requiring self stake on hot wallets running on nodes presents security risk.
2. **No separate migration/election event.** With delegated staking towards nodes still on the table, and the top N nodes inheriting the validator slots, not separate migration period or election is necessary. This is good news as there's no need to disrupt network continuity to roll out these updates.
3. **No reward-eligibility ramp up period for node operators.** It was discussed as to whether new nodes would need to earn fees consistently over time to be rewards eligible, though this idea was discarded in favor of the 7 round reward delay to prevent bad actors from jumping in and stealing rewards through inflated fees without notice.

In Summary

Livepeer 2.0 introduces some key improvements to the Livepeer protocol so that it can succeed at accruing value to LPT as network usage rises. Any address can register as a node to do work and earn, a combination of real fees plus stake determine what they earn, BME ties LPT's value directly to rising network usage through USDC-denominated fees, a predictable emissions schedule replaces an open-ended inflation curve, and attack vectors are closed via a 7-day reward delay and validation function determined by delegated stake.

This document presents a cohesive recommendation, but none of this is final until some of the open questions below are worked through in simulation, testing, and continued feedback from our active community. In the meantime, this is a start that we can build and simulate against.

Open Questions

The following questions remain unresolved and need proper engineering designs, simulation and modeling, or continued consensus building.

- **Securing PM payment mechanism with unlimited node count.**
- **Minimum validator participation.** Should validator compensation be dependent upon participation, or is stake movement alone enough to incentivize/punish non-performing validators?
- **transferBond vs the active delegation market.** If delegators are subject to 21-round unbonding to move stake, this inhibits the active delegation market.
- **The validator constitution.** The idea of a validator constitution is referenced repeatedly, but this needs to be written and reach consensus for ratification. It defines expected validator behavior.

One of the lessons learned over and over again during the initial Livepeer implementation and subsequent protocol upgrades, is that the implementation and engineering inform part of the design. There are limitations and constraints with smart contract development that force compromises and alternatives in design, and it's often better to choose the simple to implement and secure path, versus the theoretically pure one. All of the above mechanisms are recommended, but are very open to adjustment, and even alternatives during the engineering process of bringing the protocol to life, and subsequent simulation and

Appendix

Livepeer 2.0 Parameters

Accounting Identities

```
 BMENodeCut + BMENetworkFee = 100% of gross fees
BMEBurnPercentage + BMETreasuryCut + BMEValidatorCut = 100% of purchased LPT
NodeEmissionShare + ValidatorEmissionShare + TreasuryEmissionShare = 100% of round emissions
```

All values below are considered as initial launch values.

Parameter	Initial Value	Governance-adjustable?	Notes
Node operator cap (max # of nodes)	None	N/A	Any address may register as a node. No incentive to split stake across multiple identities since there's no per-node bond or cap.
Reward formula	`reward % = min(fee % of network, stake % of network)`	Formula itself: no. Underlying stake/fee measurement windows: yes	"MFS" — Min-Fee-Stake.
Validator set definition	Top N (starting 33) node operators by total stake (self + delegated) **who opt in to register as validators**	Yes — `ValidatorSetSize`	Eligibility is by stake rank. Participation is voluntary. A top-ranked node can decline. The next-highest-staked registered node fills the slot.
`ValidationScoreContract`	Decentralized median-of-scores (default)	Yes - swappable contract address	Governance can point this at an alternate mechanism (e.g., a centralized SPE/router) without a protocol migration.
`UnbondingPeriod` (self + delegated stake, incl. `transferBond`)	21 rounds	Yes	Applies uniformly to all stake behind a node operator, not just self-stake. And to bond transfers between nodes, to prevent a misbehaving node from relocating its stake ahead of a reward-ratio penalty.
`RewardsDelayPeriod`	7 rounds	Yes	Rewards for round *n* become claimable at round *n+7*, using the median score current at time of claim.
Payment currency	USDC	N/A (could be revisited via governance/contract upgrade)	Replaces ETH-denominated fees.
`BMENodeCut`	50%	Yes	Share of USDC fees paid directly to the node operator.
`BMENetworkFee`	50%	Yes	Share of USDC fees diverted to BME (buys and burns LPT).
`BMEBurnPercentage`	100%	Yes	Of the `BMENetworkFee` portion, share that is burned. Rewards are funded via a separate mint.
`BMETreasuryCut`	0%	Yes	Percentage of the fee-side reward pool (post-burn) allocated to the DAO treasury. At BMEBurnPercentage = 100% this is always zero regardless of this parameter's value, since there is no post-burn pool. Becomes active if BMEBurnPercentage is reduced below 100% in future governance.
`BMEValidatorCut`	0%	Yes	Percentage of the fee-side reward pool (post-burn) allocated to validators and

Parameter	Initial Value	Governance-adjustable?	Notes
			their delegators. Same dependency on BMEBurnPercentage as BMETreasuryCut — inactive at 100% burn. Validators are compensated exclusively through emissions at starting values.
`NodeEmissionShare`	94%	Yes	Percentage of round LPT emissions allocated to node operators. Distributed proportionally to each node's share of work completed in the round, weighted by that node's aggregate validator multiplier score. This is the primary incentive for node operators to perform quality work at starting values.
`ValidatorEmissionShare`	1%	Yes	Percentage of round LPT emissions allocated to the validator set and their delegators. Distributed proportionally to each validator's delegated stake. Validators may set individual reward cuts that determine how much they retain vs. pass to delegators. This is the primary compensation for the validator scoring role.
`TreasuryEmissionShare`	5%	Yes	Percentage of round LPT emissions allocated to the DAO treasury. Accumulates for governance-approved expenditure on grants, development, and ecosystem growth. Governed by existing Livepeer treasury parameters.
`EmissionBase`	Launch snapshot of the existing protocol's annualized issuance, converted to LPT per round	Ratchet-only (decrease)	Frozen at a launch snapshot. Denominated in LPT, not USD.
`EmissionHalfLife`	840 rounds (about 2 years)	Ratchet-only (decrease)	Smooth per-round exponential decay.

DEX Execution Parameters

*More research to be done on the DEX execution for buybacks.**

Parameter	Definition	Starting Value
`BMELiquidityPool`	On-chain address of the primary liquidity pool used to execute LPT purchases. Should be the deepest available LPT pool to minimize slippage and manipulation exposure. Governable to allow migration if a deeper pool emerges.	TBD
`BMETWAPInterval`	The look back window (in seconds) over which the time-weighted average price of LPT is calculated prior to executing a buy. Longer intervals are more resistant to price manipulation but introduce lag relative to spot price. Standard range across DeFi protocols is 30 minutes to 2 hours.	3600s
`BMEBuyFrequency`	How often accumulated BMENetworkFee proceeds are deployed to purchase LPT. Batching purchases reduces gas overhead and makes buy timing less predictable to front-runners. Expressed in epochs. One purchase per epoch is the recommended starting cadence.	1 round
`BMEMaxSlippage`	Maximum acceptable deviation between the TWAP reference price and the actual execution price, expressed as a percentage. If slippage would exceed this threshold the transaction reverts and accumulated fees roll over to the next buy interval. Prevents sandwich attacks from extracting value during large buys.	1%