Lab 8 Handling Text files Part 2

Question 1

```
Tilix: pccc@cis106: ~/lab8
1: pccc@cis106: ~/lab8
pccc@cis106:~/lab8$ ls -Am ~ >> file_report.txt
pccc@cis106:~/lab8$ cat file_report.txt
All files in my home directory
.bash_aliases, .bash_history, .bash_history-04214.tmp, .bash_history-06061.tmp,
.bash_logout, .bashrc, .cache, cis106, .config, Desktop, Documents, .dotnet,
Downloads, .face, .face.icon, fonts, for_delete, games, .gitconfig,
git config global user.txt, .gnupg, inClassActivity, lab8, .local, .mozilla,
music, Music, participation_class, Pictures, .pki, porfolio, practiceonly,
.profile, Public, question2, scripts, .ssh, .sudo_as_admin_successful,
Templates, UsersExport.csv, UsersExport.tsv,
.vboxclient-clipboard-tty2-control.pid, .vboxclient-clipboard-tty2-service.pid,
.vboxclient-draganddrop-tty2-control.pid,
.vboxclient-hostversion-tty2-control.pid, .vboxclient-seamless-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-service.pid, Videos, .vscode, website,
website_ch1_lab7, .wget-hsts, wildcard_extra_practice, wildcardpractice
pccc@cis106:~/lab8$
```

```
2: pccc@cis106: ~
       -A, --almost-all
              print the allocated size of each file, in blocks
       -X     sort alphabetically by entry extension
       Written by Richard M. Stallman and David MacKenzie.
       or available locally via: info '(coreutils) ls invocation'
pccc@cis106:~$ man ls | "comma"
bash: comma: command not found
pccc@cis106:~$ man ls | grep "comma"
              across,horizontal (-x), commas (-m), long (-l), single-column (-1), verbose (-l), vertical (-C)
       -H, --dereference-command-line
              follow symbolic links listed on the command line
       --dereference-command-line-symlink-to-dir
              follow each command line symbolic link that points to a directory
       -m     fill width with a comma separated list of entries
       nected to a terminal.  The LS_COLORS environment variable can change the settings.  Use the dircolors(1) command to set it.
       2      if serious trouble (e.g., cannot access command-line argument).
pccc@cis106:~$
```

Question 2

```
Tilix: pccc@cis106: ~/lab8
1: pccc@cis106: ~/lab8
21
pccc@cis106:~/lab8$ ls -lA ~ | grep "^-" | wc -l >> file report.txt
wc: report.txt: No such file or directory
pccc@cis106:~/lab8$ ls -la ~ |grep "^-" | wc -l >> file_report.txt
pccc@cis106:~/lab8$ ls -la ~ |grep "^d" | wc -l >> file_report.txt
pccc@cis106:~/lab8$ tail file_report.txt
.vboxclient-draganddrop-tty2-control.pid,
.vboxclient-hostversion-tty2-control.pid, .vboxclient-seamless-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-control.pid,
.vboxclient-vmsvga-session-tty2-service.pid, Videos, .vscode, website,
website_ch1_lab7, .wget-hsts, wildcard_extra_practice, wildcardpractice
Total number of files in my home directory
58
Total number  of directories in my home directory
21
35
pccc@cis106:~/lab8$
```

```
2: pccc@cis106: ~
drwxrwxr-x  2 pccc pccc  4096 Apr  3 11:45 participation_class
drwxr-xr-x  4 pccc pccc  4096 Mar 19 17:52 Pictures
drwx------  3 pccc pccc  4096 Feb 20 23:29 .pki
drwxrwxr-x  3 pccc pccc  4096 Mar 17 20:52 porfolio
drwxrwxr-x  2 pccc pccc  4096 Apr  3 11:46 practiceonly
drwxr-xr-x  2 pccc pccc  4096 Feb 20 22:14 Public
drwxrwxr-x  4 pccc pccc  4096 Apr  8 22:43 question2
drwxrwxr-x  2 pccc pccc  4096 Mar 14 20:47 scripts
drwx------  2 pccc pccc  4096 Feb 20 23:10 .ssh
drwxr-xr-x  2 pccc pccc  4096 Feb 20 22:14 Templates
drwxr-xr-x  3 pccc pccc  4096 Mar 12 18:27 Videos
drwxrwxr-x  4 pccc pccc  4096 Feb 20 23:30 .vscode
drwxrwxr-x  3 pccc pccc  4096 Mar 22 13:20 website
drwxrwxr-x  8 pccc pccc  4096 Apr  9 20:57 website_ch1_lab7
drwxrwxr-x  7 pccc pccc  4096 Apr  6 21:32 wildcard_extra_practice
drwxrwxr-x  2 pccc pccc  4096 Apr  8 19:40 wildcardpractice
pccc@cis106:~$
```

Question 3

```
dnsmasq /usr/sbin/nologin
avahi /usr/sbin/nologin
speech-dispatcher /bin/false
usbmux /usr/sbin/nologin
cups-pk-helper /usr/sbin/nologin
fwupd-refresh /usr/sbin/nologin
geoclue /usr/sbin/nologin
gnome-remote-desktop /usr/sbin/nologin
saned /usr/sbin/nologin
polkitd /usr/sbin/nologin
rtkit /usr/sbin/nologin
colord /usr/sbin/nologin
Debian-gdm /bin/false
pccc /bin/bash
_flatpak /usr/sbin/nologin
vboxadd /bin/false
pccc@cis106:~/lab8$ awk -F":" '{print $1,$NF}' /etc/passwd
```

```
pccc@cis106:~$
```

```
OPTIONS
       -F value       sets the field separator, FS, to value.

       -f file        Program  text  is  read  from  file instead of from the command
                      line.  Multiple -f options are allowed.

       -v var=value   assigns value to program variable var.

       --             indicates the unambiguous end of options.

       The above options will be available with any POSIX  compatible  implementation
       of  AWK.  Implementation specific options are prefaced with -W.  mawk provides
       these:

       -W dump
 Manual page awk(1) line 28 (press h for help or q to quit)
```

```
colord /usr/sbin/nologin /var/lib/colord
Debian-gdm /bin/false /var/lib/gdm3
pccc /bin/bash /home/pccc
_flatpak /usr/sbin/nologin /nonexistent
vboxadd /bin/false /var/run/vboxadd
pccc@cis106:~/lab8$ awk -F":" '{print $1,$NF,$6}' /etc/passwd
```

```
The usercolordlogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/colord
The userDebian-gdmlogs in with:,/bin/false and its home dir is:/var/lib/gdm3
The userpccclogs in with:,/bin/bash and its home dir is:/home/pccc
The user_flatpaklogs in with:,/usr/sbin/nologin and its home dir is:/nonexistent
The uservboxaddlogs in with:,/bin/false and its home dir is:/var/run/vboxadd
pccc@cis106:~/lab8$
pccc@cis106:~/lab8$ awk -F":" '{print "The user" $1"logs in with:,"$NF,"and its home dir is:" $6}' /etc/passwd
```

```
pccc=/bin/bash
_flatpak=/usr/sbin/nologin
vboxadd=/bin/false
pccc@cis106:~/lab8$ awk -F ":" '{print $1 "=" $NF}' /etc/passwd |grep "/bin/bash"
root=/bin/bash
pccc=/bin/bash
pccc@cis106:~/lab8$ awk -F ":" '{print $1 "=" $NF}' /etc/passwd |grep "/bin/bash" >> report_users.txt
pccc@cis106:~/lab8$
```

```
The userspeech-dispatcherlogs in with:,/bin/false and its home dir is:/run/speech-dispatcher
The userusbmuxlogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/usbmux
The usercups-pk-helperlogs in with:,/usr/sbin/nologin and its home dir is:/nonexistent
The userfwupd-refreshlogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/fwupd
The usergeocluelogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/geoclue
The usergnome-remote-desktoplogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/gnome-remote-desk
The usersanedlogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/saned
The userpolkitdlogs in with:,/usr/sbin/nologin and its home dir is:/
The userrtkitlogs in with:,/usr/sbin/nologin and its home dir is:/proc
The usercolordlogs in with:,/usr/sbin/nologin and its home dir is:/var/lib/colord
The userDebian-gdmlogs in with:,/bin/false and its home dir is:/var/lib/gdm3
The userpccclogs in with:,/bin/bash and its home dir is:/home/pccc
The user_flatpaklogs in with:,/usr/sbin/nologin and its home dir is:/nonexistent
The uservboxaddlogs in with:,/bin/false and its home dir is:/var/run/vboxadd
root=/bin/bash
pccc=/bin/bash
pccc@cis106:~/lab8$
```

Question 4

```
Tilix: pccc@cis106: ~/Documents/Csv
1: pccc@cis106: ~/lab8
pccc@cis106:~/lab8$ sed 's/:/,/g' honda1.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan
Honda Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
Honda Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
Honda Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
Honda Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
Honda Prelude;33.7;4;107.0;75.00;2210.;14.4;81;Japan
Honda Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan
pccc@cis106:~/lab8$ sed 's/:/,/g' honda1.csv > honda2.csv
pccc@cis106:~/lab8$
```

```
2: pccc@cis106: ~/Documents/Csv
cars.csv  cereal.csv  contacts.csv  country.csv  fake_users.csv  users_and_ips.csv
pccc@cis106:~/Documents/Csv$ cat ~/lab8/honda1.csv
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin
Honda Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan
Honda Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan
Honda Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan
Honda Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan
Honda Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan
Honda Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan
Honda Prelude;33.7;4;107.0;75.00;2210.;14.4;81;Japan
Honda Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan
pccc@cis106:~/Documents/Csv$
```

```
Tilix: pccc@cis106: ~/lab8
1: pccc@cis106: ~/lab8
pccc@cis106:~/lab8$ awk -F ";" 'NR > 1 {print $1",",$3",",$5}' honda2.csv |sed 's/,/,/g' |sed 's/Honda/Honda_/g'
Honda_ Civic , 4 , 97.00
Honda_ Civic CVCC , 4 , 53.00
Honda_ Civic , 4 , 53.00
Honda_ Accord CVCC , 4 , 68.00
Honda_ Civic CVCC , 4 , 60.00
Honda_ Accord LX , 4 , 68.00
Honda_ Civic 1500 gl , 4 , 67.00
Honda_ Accord , 4 , 72.00
Honda_ Civic 1300 , 4 , 60.00
Honda_ Prelude , 4 , 75.00
Honda_ Accord , 4 , 75.00
Honda_ Civic , 4 , 67.00
Honda_ Civic (auto) , 4 , 67.00
pccc@cis106:~/lab8$ awk -F ";" 'NR > 1 {print $1",",$3",",$5}' honda2.csv |sed 's/,/,/g' |sed 's/Honda/Honda_/g' >> honda3.csv
pccc@cis106:~/lab8$ batcat honda3.csv
pccc@cis106:~/lab8$
```

```
2: pccc@cis106: ~/Documents/Csv
Unpacking libmbedtls21:amd64 (3.6.5-0.1~deb13u1) ...
Selecting previously unselected package libgit2-1.9:amd64.
Preparing to unpack .../libgit2-1.9_1.9.0+ds-2_amd64.deb ...
Unpacking libgit2-1.9:amd64 (1.9.0+ds-2) ...
Selecting previously unselected package bat.
Preparing to unpack .../bat_0.25.0-2+b2_amd64.deb ...
Unpacking bat (0.25.0-2+b2) ...
Setting up libmbedx509-7:amd64 (3.6.5-0.1~deb13u1) ...
Setting up libmbedtls21:amd64 (3.6.5-0.1~deb13u1) ...
Setting up libhttp-parser2.9:amd64 (2.9.4-6+b2) ...
Setting up libgit2-1.9:amd64 (1.9.0+ds-2) ...
Setting up bat (0.25.0-2+b2) ...
Processing triggers for man-db (2.13.1-1) ...
Processing triggers for libc-bin (2.41-12+deb13u2) ...
pccc@cis106:~/Documents/Csv$
```

Tilix: pccc@cis106: ~/lab8

1: pccc@cis106: ~/lab8

File: **honda3.csv**

```csv
model,cylinder,hp
Honda_ Civic , 4 , 97.00
Honda_ Civic CVCC , 4 , 53.00
Honda_ Civic , 4 , 53.00
Honda_ Accord CVCC , 4 , 68.00
Honda_ Civic CVCC , 4 , 60.00
Honda_ Accord LX , 4 , 68.00
Honda_ Civic 1500 gl , 4 , 67.00
Honda_ Accord , 4 , 72.00
Honda_ Civic 1300 , 4 , 60.00
Honda_ Prelude , 4 , 75.00
Honda_ Accord , 4 , 75.00
Honda_ Civic , 4 , 67.00
```

2: pccc@cis106: ~/Documents/Csv

```
Unpacking libmbedtls21:amd64 (3.6.5-0.1~deb13u1) ...
Selecting previously unselected package libgit2-1.9:amd64.
Preparing to unpack .../libgit2-1.9_1.9.0+ds-2_amd64.deb ...
Unpacking libgit2-1.9:amd64 (1.9.0+ds-2) ...
Selecting previously unselected package bat.
Preparing to unpack .../bat_0.25.0-2+b2_amd64.deb ...
Unpacking bat (0.25.0-2+b2) ...
Setting up libmbedx509-7:amd64 (3.6.5-0.1~deb13u1) ...
Setting up libmbedtls21:amd64 (3.6.5-0.1~deb13u1) ...
Setting up libhttp-parser2.9:amd64 (2.9.4-6+b2) ...
Setting up libgit2-1.9:amd64 (1.9.0+ds-2) ...
Setting up bat (0.25.0-2+b2) ...
Processing triggers for man-db (2.13.1-1) ...
Processing triggers for libc-bin (2.41-12+deb13u2) ...
pccc@cis106:~/Documents/Csv$
```

Challenge Question

```
pccc@cis106:~/lab8/broken$ ls -1X
styles.css
contact.html
index.html
projects.html
resume.html
favicon.ico
scripts.js
profile.png
pccc@cis106:~/lab8/broken$ firefox index.html
[GFX1-]: RenderCompositorSWGL failed mapping default framebuffer, no dt
pccc@cis106:~/lab8/broken$ grep -E "href | scr" index.html
pccc@cis106:~/lab8/broken$ ls -1X
styles.css
contact.html
index.html
projects.html
resume.html
favicon.ico
scripts.js
profile.png
pccc@cis106:~/lab8/broken$ grep -E "href|scr" index.html
        <meta name="description" content="" />
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <link rel="preconnect" href="https://fonts.googleapis.com" />
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
        <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@100;200;300;400;500;600;700;800;900&amp;display=swap" rel="stylesheet" />
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.8.1/font/bootstrap-icons.css" rel="stylesheet" />
        <link href="css/styles.css" rel="stylesheet" />
                <a class="navbar-brand" href="index.html"><span class="fw-bolder text-primary">Start Bootstrap</span></a>
                        <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
                        <li class="nav-item"><a class="nav-link" href="resume.html">Resume</a></li>
                        <li class="nav-item"><a class="nav-link" href="projects.html">Projects</a></li>
                        <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
                                <a class="btn btn-primary btn-lg px-5 py-3 me-sm-3 fs-6 fw-bolder" href="resume.html">Resume</a>
                                <a class="btn btn-outline-dark btn-lg px-5 py-3 fs-6 fw-bolder" href="projects.html">Projects</a>
                                <a class="text-gradient" href="#!"><i class="bi bi-twitter"></i></a>
```

```
pccc@cis106:~/lab8/broken$ firefox index.html
[GFX1-]: RenderCompositorSWGL failed mapping default framebuffer, no dt
pccc@cis106:~/lab8/broken$ grep -E "href | scr" index.html
pccc@cis106:~/lab8/broken$ ls -1X
styles.css
contact.html
index.html
projects.html
resume.html
favicon.ico
scripts.js
profile.png
pccc@cis106:~/lab8/broken$ grep -E "href|scr" index.html
        <meta name="description" content="" />
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <link rel="preconnect" href="https://fonts.googleapis.com" />
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
        <link href="https://fonts.googleapis.com/css2?family=Plus+Jakarta+Sans:wght@100;200;300;400;500;600;700;800;900&amp;display=swap" rel="stylesheet" />
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.8.1/font/bootstrap-icons.css" rel="stylesheet" />
        <link href="css/styles.css" rel="stylesheet" />
                <a class="navbar-brand" href="index.html"><span class="fw-bolder text-primary">Start Bootstrap</span></a>
                        <li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>
                        <li class="nav-item"><a class="nav-link" href="resume.html">Resume</a></li>
                        <li class="nav-item"><a class="nav-link" href="projects.html">Projects</a></li>
                        <li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>
                                <a class="btn btn-primary btn-lg px-5 py-3 me-sm-3 fs-6 fw-bolder" href="resume.html">Resume</a>
                                <a class="btn btn-outline-dark btn-lg px-5 py-3 fs-6 fw-bolder" href="projects.html">Projects</a>
                                <a class="text-gradient" href="#!"><i class="bi bi-twitter"></i></a>
                                <a class="text-gradient" href="#!"><i class="bi bi-linkedin"></i></a>
                                <a class="text-gradient" href="#!"><i class="bi bi-github"></i></a>
                    <a class="small" href="#!">Privacy</a>
                    <a class="small" href="#!">Terms</a>
                    <a class="small" href="#!">Contact</a>
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"></script>
        <script src="js/scripts.js"></script>
pccc@cis106:~/lab8/broken$
```

Tilix: pccc@cis106: ~/lab8/broken

1: pccc@cis106: ~/lab8/broken

```
styles.css
contact.html
index.html
projects.html
resume.html
favicon.ico
scripts.js
profile.png
pccc@cis106:~/lab8/broken$ mv styles.css css/
pccc@cis106:~/lab8/broken$ mv scripts.js js/
pccc@cis106:~/lab8/broken$ ls -1x
assets  contact.html  css  favicon.ico  index.html  js  profile.png  projects.html  res
ume.html
pccc@cis106:~/lab8/broken$ ls -1X
assets
css
js
contact.html
index.html
projects.html
resume.html
favicon.ico
profile.png
pccc@cis106:~/lab8/broken$ mv favicon.ico assets/
pccc@cis106:~/lab8/broken$ ls -1X
assets
css
js
contact.html
index.html
projects.html
resume.html
profile.png
pccc@cis106:~/lab8/broken$ firefox index.html
pccc@cis106:~/lab8/broken$ mv profile.png assets/
pccc@cis106:~/lab8/broken$
```

2: pccc@cis106: ~/lab8/broken

```
contact.html
index.html
projects.html
resume.html
profile.png
pccc@cis106:~/lab8/broken$ tree
.
├── assets
│   └── favicon.ico
├── contact.html
├── css
│   └── styles.css
├── index.html
├── js
│   └── scripts.js
├── profile.png
├── projects.html
└── resume.html

4 directories, 8 files
pccc@cis106:~/lab8/broken$ tree
.
├── assets
│   ├── favicon.ico
│   └── profile.png
├── contact.html
├── css
│   └── styles.css
├── index.html
├── js
│   └── scripts.js
├── projects.html
└── resume.html

4 directories, 8 files
pccc@cis106:~/lab8/broken$
```

Tilix: pccc@cis106: ~/lab8/broken

1: pccc@cis106: ~/lab8/broken

```
contact.html
index.html
projects.html
resume.html
favicon.ico
scripts.js
profile.png
pccc@cis106:~/lab8/broken$ mv styles.css css/
pccc@cis106:~/lab8/broken$ mv scripts.js js/
pccc@cis106:~/lab8/broken$ ls -1x
assets  contact.html  css  favicon.ico  index.html  js  profile.png  projects.html  res
ume.html
pccc@cis106:~/lab8/broken$ ls -1X
assets
css
js
contact.html
index.html
projects.html
resume.html
favicon.ico
profile.png
pccc@cis106:~/lab8/broken$ mv favicon.ico assets/
pccc@cis106:~/lab8/broken$ ls -1X
assets
css
js
contact.html
index.html
projects.html
resume.html
profile.png
pccc@cis106:~/lab8/broken$ firefox index.html
pccc@cis106:~/lab8/broken$ mv profile.png assets/
pccc@cis106:~/lab8/broken$ firefox index.html
pccc@cis106:~/lab8/broken$ firefox index.html
```

2: pccc@cis106: ~/lab8/broken

```
contact.html
index.html
projects.html
resume.html
profile.png
pccc@cis106:~/lab8/broken$ tree
.
├── assets
│   └── favicon.ico
├── contact.html
├── css
│   └── styles.css
├── index.html
├── js
│   └── scripts.js
├── profile.png
├── projects.html
└── resume.html

4 directories, 8 files
pccc@cis106:~/lab8/broken$ tree
.
├── assets
│   ├── favicon.ico
│   └── profile.png
├── contact.html
├── css
│   └── styles.css
├── index.html
├── js
│   └── scripts.js
├── projects.html
└── resume.html

4 directories, 8 files
pccc@cis106:~/lab8/broken$
```


Personal - Start Bootstrap Theme — Mozilla Firefox
File Edit View History Bookmarks Tools Help
Personal - Start Bootstrap
file:///home/pccc/lab8/broken/index.html
Import bookmarks... mobellido106/cis106: ... Welcome to the cours... Dashboard - Passaic C...
Start Bootstrap
Home Resume Projects Contact
DESIGN · DEVELOPMENT · MARKETING
I can help your business to
Get online and grow fast
Resume
Projects


Personal - Start Bootstrap Template — Mozilla Firefox
File Edit View History Bookmarks Tools Help
Personal - Start Bootstrap
file:///home/pccc/lab8/broken/resume.html
Import bookmarks... mobellido106/cis106: ... Welcome to the cours... Dashboard - Passaic C...
Start Bootstrap
Home Resume Projects Contact
Resume
Experience
Download Resume
2019 – Present
Web Developer
Stark Industries
Los Angeles, CA
Lorem ipsum dolor sit amet consectetur adipisicing elit. Delectus laudantium, voluptatem quis repellendus eaque sit animi illo ipsam amet officiis corporis sed aliquam non voluptate corrupti excepturi maxime porro fuga.
2017 – 2019
SEM Specialist
Wayne Enterprises
Gotham City, NY
Lorem ipsum dolor sit amet consectetur adipisicing elit. Delectus laudantium, voluptatem quis repellendus eaque sit animi illo ipsam amet officiis corporis sed aliquam non voluptate corrupti excepturi maxime porro fuga.


Modern Business - Start Bootstrap Template — Mozilla Firefox
File Edit View History Bookmarks Tools Help
Modern Business - Start B
file:///home/pccc/lab8/broken/projects.html
Import bookmarks... mobellido106/cis106: ... Welcome to the cours... Dashboard - Passaic C...
Start Bootstrap
Home Resume Projects Contact
Projects
Project Name 1
Lorem ipsum dolor sit amet consectetur adipisicing elit. Eius at enim eum illum aperiam placeat esse? Mollitia omnis minima saepe recusandae libero, iste ad asperiores! Explicabo commodi quo itaque! Ipsam!
300 × 400


Modern Business - Start Bootstrap Template — Mozilla Firefox
File Edit View History Bookmarks Tools Help
Modern Business - Start B
file:///home/pccc/lab8/broken/contact.html
Import bookmarks... mobellido106/cis106: ... Welcome to the cours... Dashboard - Passaic C...
Start Bootstrap
Home Resume Projects Contact
Get in touch
Let's work together!
Full name
Email address
Phone number
Message