JEAuditFlow

User Operation Manual

Automotive SPICE assessment workbench · feature-by-feature procedures

Release baseline	JEAuditFlow 4.8.0 / AuditFlow v12.1.0 · local WebApp operation baseline
Document date	2026-09-30 · English edition · operational reference; does not replace the organisation's assessment procedure

Covers project creation, planning, evidence import, Helix, item-by-item review, traceability, record consolidation, versions/baselines, closure, and report templates.

This manual follows the locally runnable interface, implemented source-code entry points, and applicable ASPICE assessment boundaries. Actual deployments depend on the release, feature flags, role permissions, and service configuration.

Document control and applicability

Purpose	Provide assessors and project teams with item-by-item JEAuditFlow WebApp procedures and explain how each operation affects evidence, records, traceability, and reports.
Applicable build	JEAuditFlow 4.8.0 / AuditFlow v12.1.0; screenshots captured on 2026-09-30.
Reference	The chapter and task organisation is inspired by large help systems; the manual does not copy third-party operation content or screenshots.
Evidence boundary	The application organises evidence, parses files, presents mapping candidates, supports traceability, and generates reports. Authorised people confirm formal scope, evidence roles, ratings, baseline approval, and closure conclusions.
Example data	Interface screenshots come from an isolated local browser session. The example project is in Draft / awaiting assessor review and is not evidence of a passed assessment.
Maintenance	Deployment administrators should review this manual and update screenshots when the release, PAM, templates, or permissions change.

How to read this manual

Each task page uses the same order: entry point, purpose, numbered steps, ASPICE impact on evidence/records/conclusions, and completion check. Figures come from the current local application; the displayed state does not mean every project has the same data.

- Verify the project ID, formal scope, instance, and version before editing.
- An assessor must verify candidate mappings and AI suggestions against the source material before confirmation.
- Read the completion check before operating, especially for deletion, references, closure, and report publication.
- If a deployment does not expose a button or stage, check the application version and role permissions instead of forcing an old screenshot workflow.
- The workflow effects described here explain tool behaviour; they do not guarantee ASPICE compliance or a capability level.

Assessment lifecycle and human responsibilities

Assessment path: Review progress → Plan assessment → Scope and evidence → Tree View → Item-by-item review → Record consolidation → AI review → Record forms → Version history → Reports.

Inputs	Formal scope, planned activities, source files/Helix objects, controlled versions, and interview or sampling records.
Processing	Local parsing, atomic-item organisation, process candidate mapping, evidence-role confirmation, BP/GP review, trace relationships, and record consolidation.
Outputs	Assessment versions, controlled baselines, open issues/closure evidence, report previews, and DOCX/PPTX/XLSX/PDF files.
Human boundary	AI and automated rules provide candidates for review. Assessors decide formal scope, evidence applicability, ratings, records, approvals, and closure.

Contents

This manual contains independent task pages for current-operation lookup. Each task number matches the page header; use the Word navigation pane or PDF full-text search.

- A · Workspace and project management: Tasks 01–08
- B · Planning and evidence scope: Tasks 09–14
- C · Helix and whole tables: Tasks 15–20
- D · Tree View and item-by-item review: Tasks 21–38
- E · Reference items and traceability: Tasks 39–45
- F · Consolidation, versions, closure, and reports: Tasks 46–60
- G · Settings, professional workspaces, and appendices: Tasks 61–87

Operational boundaries and risk notes

Scope	Only formal-scope processes contribute to the formal rating; observations from related processes must not enter the rating matrix.
Direct evidence	Direct evidence must support the target process practice itself. Cross-process material may corroborate a relationship but cannot replace direct implementation evidence.
Helix	Table fields, object states, and relationships must be sampled against the target Helix report template; synchronisation/import does not prove source-data correctness.
AI	AI candidates do not replace human conclusions. Model enablement and input-data boundaries depend on local settings and deployment policy.
Capability level	A single BP/GP rating, progress percentage, or average cannot independently establish a formal CL.
Closure/report	Closure gates and report readiness represent in-application checks; external approval, independent assessment, and certification decisions remain governed by the organisation's procedure.

Task 01 · First access / login gate

Startup and local account

Establish the identity of the native workspace; the name and mailbox in stand-alone mode are used for local visibility and do not represent corporate identity authentication.




Figure: local application view · 01-dashboard · captured on 2026-09-30

Steps

1. Open the WebApp home page and confirm that the address bar is a trusted native or enterprise deployment address.
2. Select the interface language and enter the identifiable auditor's name in the Name field.
3. Enter a valid work email and select Enter Native Workbench; stand-alone mode does not send the email to the remote end.
4. After entering, open the evaluation from the project list; confirm that the local data has been saved before logging out or switching accounts.

ASPICE impact	Document operator context for local project visibility and audit descriptions; does not substitute for organization authentication, authorization, or independence confirmation.

Completion check	Confirm your browser domain name, account mode, app version, and data storage scope.

Task 02 · Top navigation / global search

Workbench navigation and search

Identify global workspace entrances and project entrances to shorten the transition path from project to plan, track, review, and setup.




Figure: local application view · 01-dashboard · captured on 2026-09-30

Steps

1. Access the Assessment Overview, ASPICE, Custom Review, or Professional Workbench from the top icon.
2. Use the search button or Ctrl/Command+K to enter a project number, process ID, record number, file name, or body keyword.
3. Check the object type and the item it belongs to in the result list, and then open the target item.
4. Confirm your current item before using Help, Language, Subject, Notification, Helix Configuration, and Account Portal.

ASPICE impact	Make audit activities, evidence, and records searchable in the same workspace; search hits only indicate that content exists and do not prove that evidence is valid or conclusions are correct.
Completion check	Avoid judging the association only by the record with the same name; check the item, process, version and object ID.

Task 03 · ASPICE → Project list

ASPICE assessment projects

View project status, current stage, evidence resolution, manual review, open questions, and progress.




Figure: local application view · 02-standard · captured on 2026-09-30

Steps

1. Enter the ASPICE assessment from the left.
2. Identify the target project by project name, number, organization and status.
3. View the current stage, number of pending reviews, blocks, and recent activity.
4. Click the project row or open button to enter the project and select the evaluation phase from the project sidebar.

ASPICE impact	Centralize the evaluation activities in the project-level workspace to help find evidentiary gaps and unreviewed items; the project progress is not equivalent to the process capability level.
Completion check	Do not use percentages, AI backlogs, or sample project status as official ratings.

Create an ASPICE assessment

Establish controlled containers for evaluation purposes, product, PAM, target level and formal process scope.




Figure: local application view · 02-standard · captured on 2026-09-30

Steps

1. Select New ASPICE Assessment.
2. Fill in the project name, organization/customer, product or project identification, evaluation type and purpose.
3. Select the applicable Automotive SPICE PAM version, target level, and assessment process.
4. After checking the formal process scope item by item, it is created; the out-of-scope interface is only used as an association background and does not automatically enter the rating.

ASPICE impact	Explicitly define the assessed process and competency objectives, establishing common boundaries for interviews, sampling, scoring, and reporting.
Completion check	Evaluation scenarios are prioritized with the client; do not broaden coverage unwarrantedly in pursuit of coverage.

Task 05 · Review progress / Summary

Project overview and progress

Summarize process status, chain of evidence, pending review, gaps, and closure readiness.




Figure: local application view · 11-project-overview · captured on 2026-09-30

Steps

1. Go to Project Review Progress/Summary.
2. Check the project identification, scope process, current version, evidentiary documents and manual review status.
3. Open the unrelated, insufficient evidence, pending review, and open weaknesses metrics item by item.
4. Return range, item-by-item review, record merge, or version stage processing based on the current block.

ASPICE impact	Increase transparency of project status; dashboard metrics are derived views of workspace data and are not directly assigned CL or process ratings.
Completion check	Distinguish between uploaded, resolved, linked, and confirmed statuses.

Assessment plan and schedule

Define assessment activities, samples, responsible persons, interviews, milestones and required resources.




Figure: local application view · 12-planning · captured on 2026-09-30

Steps

1. Open Plan Evaluation and first check the project objectives, evaluation cycle, process, and role of participation.
2. Schedule preparation, interviews, work product sampling, scoring calibration and results communication activities for each process.
3. Specify the owner, schedule date, status, and necessary upfront dependencies.
4. Regularly update the completion status, deviation reason and adjustment decision after saving.

ASPICE impact	Incorporate the evaluation itself into the planning and monitoring; the evaluation of the project management of MAN.3 should focus on the project planning, monitoring, adjustment and interface evidence, not just the schedule.
Completion check	Program records cannot independently prove that the evaluated project has MAN.3 capability; check implementation records and true adjustments.

Task 07 · Plan assessment / Participants

Assessment team and participants

Document evaluators, respondents, roles, responsibilities, and process coverage arrangements.




Figure: local application view · 12-planning · captured on 2026-09-30

Steps

1. Go to the Participants or Teams section of the plan page.
2. Add Lead Assessor, Assessor, Independent Reviewer, and necessary process experts.
3. Assign each evaluator the task of taking responsibility for a process, activity, or record.
4. After saving, check that the assessment team competency, independence and conflict of interest statements are completed separately in the organizational process.

ASPICE impact	Clearly assess execution responsibilities and review responsibilities; the in-app list is not a substitute for qualification, authorization, independence, or conflict review.
Completion check	Key conclusions need to be confirmed by an appropriately authorized assessor.

Interview plan and sampling

Connect interviews and work product sampling to formal scope and process practices.




Figure: local application view · 12-planning · captured on 2026-09-30

Steps

1. Follow the process or BP/GP to create an interview topic and sample.
2. Record interview role, project phase, number of samples, reason for selection, and planned time.
3. Add facts, references, inconsistencies, and unresolved issues after the interview.
4. Turn what needs to be followed up into a Q (issue), R (recommendation), or W (weakness) record and identify who is responsible.

ASPICE impact	Help assess coverage of representative samples and implementation evidence; sampling conclusions still need to be judged according to applicable assessment methods.
Completion check	The number of covers does not in itself represent representativeness; specifying sample selection and boundaries.

Task 09 · Scope and evidence / Development

Scope and evidence workspace

Confirm formal process scope and centrally upload, parse, and classify evaluation materials.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Go to Scope & Documentation to confirm formal processes and examples.
2. Examine the source, filename, resolution status, and process candidates of the existing evidence list.
3. Use Upload to upload a file, or Paste text to register traceable text.
4. Check parsing results, document entries, positioning and evidence roles one by one; confirm before proceeding to follow-up review.

ASPICE impact	Organize work product and process evidence from scattered files into locatable entries; only direct evidence confirmed by evaluators can support target process practice ratings.
Completion check	A successful upload is not the same as a successful resolution; a successful resolution is not the same as satisfying BP/GP.

Upload files and process formats

Import Office, PDF, CSV, JSON, HTML or textual evidence and observe the parsing status.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Click Upload, select the file to be used and confirm the source, process scope, and file version.
2. Wait for local parsing; check body, form, worksheet/slide or PDF page positioning.
3. Examine parsing alarms for old formats or scans, supplementing text or manual positioning if necessary.
4. Confirm the file lines, number of entries, and structure before itemizing.

ASPICE impact	Improve data retrievability and preserve the file's positioning relationship with the original rows/pages/cells.
Completion check	Do not override original evidence; control unnecessary sensitive data; confirm version and approval status.

Paste text evidence

Include meeting minutes, interview excerpts, or locatable exports in the evidence list as text.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Click Paste text.
2. Fill in the evidence name, main process/scope, and text body.
3. Keep the source number, date, responsibility role, version, and necessary context in the body.
4. After saving, check for new items of evidence and supplement the original file path or formal record references.

ASPICE impact	Make up interviews/transcripts that cannot be directly uploaded and enter the evidence index; pasting content must still be traceable to the original source of control.
Completion check	Avoid using abstracts or individual opinions as approved work products.

Evidence items and source grouping

Check the evidence list, positioning and parsing content according to the original documents and entries.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Expand the Target Evidence Document row to view the split atomic entries.
2. Review each article's source file, page number/worksheet/row and column, title, process candidates, and content summary.
3. Use preview extracted text to view the parsed body, and don't judge by automatic classification labels alone.
4. Correct the main process, item type or evidence description as necessary and save the evaluator's verification results.

ASPICE impact	Allow review conclusions to be returned to the specific location of the original document; reduce the risk of the entire document covering up discrepancies as a single piece of evidence.
Completion check	A file can contain multiple entries of varying process, version, or evidence strength.

Evidence roles: Direct / Corroborating / Index-only

Differentiate between target processes that directly implement evidence, cross-process corroboration, and indexing information only.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Check the current role in the evidence entry details.
2. Only entries that directly document the implementation and results of the target process are considered to be Direct.
3. The interface, governance, configuration, issue, or change profile is typically Corroborating, indicating the relationship it supports.
4. Use Index-only when the file name, link, or metadata is missing and the verifiable body is missing; review the reference after saving.

ASPICE impact	Improve the transparency of the rating basis to prevent the direct implementation of evidence across processes where information, indexes, or documents exist to substitute for the objective process.
Completion check	Roles are for evidentiary purposes and not quality grades; assessors are required to confirm item by item.

Delete or remove evidence

Remove data that is misrepresented, duplicated, or should not be included in the project.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Confirm the destination file name, import source, and possible associated records/ratings.
2. Use the delete action to the right of the file line and read the confirmation prompt.
3. After confirmation, check that the associated metrics, retrospective relationships, and audit logs are as expected.
4. When a record needs to be retained, save the replacement file and the reason for the change before deleting the old entry.

ASPICE impact	Maintain the accuracy of the evidence set; deletion may affect the existing traceability and evaluation basis.
Completion check	Check backup against baseline requirements before deleting to avoid breaking the interpretability of historical versions.

Configure the Helix Bridge

Prepare the local Bridge to connect to the Helix rest API without writing credentials to the project workspace.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Start the native Helix Bridge with authorization.
2. Complete or confirm the Bridge URL, Helix rest API URL, username, and password.
3. Set certificate options by organization TLS policy; self-signed certificates are only used in approved environments.
4. Confirm the current project, account permissions, and data scope before saving or reading the snapshot.

ASPICE impact	Import Helix objects to form locatable project work item evidence; do not alter Helix source data.
Completion check	The password should remain only within the current session; check the host, project, TLS, and read-only permissions.

Task 16 · Scope and evidence → Live Helix ALM

Discover Helix projects and read snapshots

Read requirements, documents, issues, tests, and folder objects in the Helix project.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Check that the Bridge URL is accessible, and fill in the rest API URL and authorized account.
2. Tap Find projects and select the exact items; fill in the search terms and read caps.
3. Check the object type by requirement, document, issue, test case, test run, folder.
4. After clicking Read snapshot, first check the project name, number of returns, fields and status statistics, and then select the project object.

ASPICE impact	Forms a local read-only snapshot of the source system object and row-level positioning for subsequent association and evaluator sampling.
Completion check	Snapshot read times, source items, return caps, and permissions affect integrity; data cutoffs are recorded in the report.

Task 17 · Live Helix ALM → Select visible / Import selected

Select and import Helix objects

Add the selected Helix record to the current project evidence list.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Filter snapshot objects by object category or search.
2. Use Select visible or itemize the objects you want to import.
3. Check the duplicate hint and the selected object ID, title, status, and relationship fields.
4. Click Import selected to return to the evidence list and check the number of records and source information.

ASPICE impact	Map Helix work items to AuditFlow traceability evidence; imports do not automatically establish confirmed formal rating relationships.
Completion check	The deduplication basis and source ID should be preserved; the association must check both ends of the object and its version.

Import Helix HTML reports

Resolve a user-provided Helix Issue Register or Review Evidence Register HTML.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Export the original HTML from Helix without first re-saving it via email or a rich-text editor.
2. Upload HTML and check the recognition type, number of tables, number of rows, fields, and status statistics.
3. Verify that the ID, title, status, owner, upstream and downstream, version/baseline, impact and close fields are aligned.
4. Sampling against the header and multiline records of the original HTML; discontinuing use of the batch data in case of mismatch and using native snapshots/other exports instead.

ASPICE impact	Turn the HTML form into retrievable Helix row-level evidence; erroneous column mappings can result in erroneous retrospective or closed-loop judgments.
Completion check	Different report template columns may be in different order; importing counts does not equate to correct field semantics.

Task 19 · Item-by-item review → Item Directory / Whole-table

Configure and edit whole tables

The overall table structure of Helix or the work product is maintained and can be edited at the table level.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Check the whole-table configurations count in Item Direct ory.
2. After selecting the overall table, open the table configuration and check the column name, field type and source column mapping.
3. Edit the necessary title, field mapping, or overall table metadata and save.
4. Randomly check the first row, middle row, last row and missing values to confirm that the rows and columns are not misaligned and that the original source positioning is still available.

ASPICE impact	The overall table can be used to view the complete record set, supporting line-by-line review of status and relationship fields; the overall display does not automatically represent each line confirmed.
Completion check	Avoid disrupting the original line order, unique IDs, and column semantics; keep the original HTML/XLSX before saving.

Import item candidates and confirm relationships

Review the entry candidates formed by file parsing or Helix import and confirm to the target practice.




Figure: local application view · 14-tree-view · captured on 2026-09-30

Steps

1. Select the process and BP/GP to see matching candidate entries.
2. Check candidate titles, source files, positioning, process mapping, and content.
3. Select target relationships and Direct/Corroborating/Index-only roles item by item.
4. After confirming, go back to Item Direct ory and check if it is in the confirmed item directory.

ASPICE impact	Only entries confirming the relationship are entered into the formal chain of evidence directory; candidates retain their pending status to avoid mistaking them for reviewed.
Completion check	Incorrect process mappings or improper roles should be corrected before confirmation.

Tree View navigation and bidirectional traceability

Navigate evidentiary relationships along parent-child, upstream/downstream, or process interfaces.




Figure: local application view · 14-tree-view · captured on 2026-09-30

Steps

1. Select the formal range process and metrics on the left process track.
2. Locate confirmed associations in the intermediate relationships list and narrow them using search/filtering.
3. Examine objects at both ends of the relationship, source/target processes, evidence positioning and confirmation status.
4. Supplement the missing reverse relationship or document the risk and verify that the chain of relationships returns to the original evidence.

ASPICE impact	Shows links and interfaces such as requirements-design-implementation-validation; the existence of relationships does not in itself prove consistency or validity.
Completion check	Verify two-way traceability, same version, approval status, change impact and closure results.

Item-by-item review: Grid View overview

Check BP/GP, ratings, findings, evidence, and review status on a tabular basis.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Open the Grid view and select the Instance, Workspace, and Record Type filters.
2. First, check the linkage rate, direct-evidence coverage, assessor-review rate and insufficient evidence number in the warning area.
3. Position the practices to be reviewed through process, metrics, and descriptive columns.
4. Tap the entry to enter the details; save the manual score, justification, citations, review notes, and O/W/R.

ASPICE impact	Place the chain of evidence and manual conclusions in the same review path; any ratios are only overrides, not scores.
Completion check	CL should not be directly determined based on AI score, correlation rate or total average score.

Grid: filter by instance and workspace

Limit review instance and current workspace context.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Select the correct evaluation instance from Instance.
2. Select Lead Assessor or Authorized Assessor workspace from Workspace.
3. Confirm that the number of rows and the range of indicators after switching are consistent with the current person in charge.
4. Reset filters after review to ensure no hidden item entries are missing.

ASPICE impact	Support the organization of conclusions by evaluation examples and responsibilities to facilitate the consolidation of review records.
Completion check	The filtered number of rows is not the total number of items in the project; multiplayer collaboration permissions are based on the server-side ACL.

Grid: filter by record type

Focus on a specific record type or discovery category.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Open the All record types drop-down.
2. Select the type of records/discoveries you want to view, watch lists and count changes.
3. Check that the result type is consistent with the target issue.
4. Check for other types and unprocessed items after clearing the filter or restoring All record types.

ASPICE impact	Separate records of weaknesses, suggestions, observations, questions, or comments to avoid confusion about the purpose of the record.
Completion check	The record type is not a rating level; the filter does not delete other types of data.

Task 25 · Item-by-item review → Filter rows

Grid: filter rows

Filter the review grid by column value, process, or keyword.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Click Filter rows.
2. Select the field/condition and enter the process ID, rating, discovery number, or responsible person.
3. The count of results and the end-to-end record are checked after the filter is applied.
4. Clear all filters and confirm full list recovery when finished.

ASPICE impact	Applies to Bulk Discovery Pending Review, No Evidence, Specific Ratings, or Specific Process Records.
Completion check	Multiple conditions may cross-shrink the result; confirm that the target item is not hidden before operation.

Grid: column visibility

Adjust the columns displayed in the grid to view the critical review context.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Click Column visibility.
2. Check or uncheck process, BP/GP, workspace, discovery number/type, GP, description of evidence, nonconformities, modifiers, etc.
3. Close the menu and check if the key fields are visible.
4. Restore the necessary columns before the review conclusion, at least check the indicators, scores, evidence basis and manual review status.

ASPICE impact	Improve the readability of high-density meshes without altering the underlying evaluation records.
Completion check	Hiding a column only affects the display and does not mean that the field value is empty or deleted.

Task 27 · Item-by-item review → Indicator fields

Grid: Process / Indicator / BP/GP columns

Identify review subjects for processes, competency attributes, basic practices, and common practices.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Check the process ID and BP/GP number in the Process and Indicator columns.
2. Use the title/description to confirm that the assessment intent is consistent with the selected version of PAM.
3. Verify that the current item is in the formal range or only as a correlation observation.
4. Correct the range/relationship first if the mapping is found to be incorrect, and do not mis-map the score.

ASPICE impact	Anchor evaluation decisions to specific practices or attributes that apply to PAM, rather than general process impressions.
Completion check	Associated observations outside the scope of the process must not be entered into a formal rating summary.

Task 28 · Item-by-item review → Finding columns

Grid: finding number and finding type

View and manage traceable discovery numbers and categories.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Displays the Finding number and Finding type columns.
2. Check if the record has a unique number and S/W/R/O/C/Q type.
3. Complete documented text, associated metrics, and evidence citations in details.
4. After saving, check the numbering and classification again on the record merge or record form page.

ASPICE impact	Turn assessment conclusions into assignable, reviewable, closed-loop discovery entries.
Completion check	Do not repeat numbers for the same finding; severity and category are managed by organizational method.

Task 29 · Item-by-item review → Evidence fields

Grid: evidence description and references

Examine evidence descriptions, sources, and positioning to support current practice.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Show the Evidence description column or open the review details.
2. Article-by-article verification of evidence codes, documents, page/table/row/column positioning and excerpts.
3. Confirm that the evidence directly supports the current target process or is clearly marked as cross-process.
4. Document and save evidentiary gaps, versions, approvals or representative restrictions.

ASPICE impact Improve the auditability of returning to the original evidence from the conclusions of the report.

Completion check A positive rating cannot be based solely on a document title, link, index, or status field.

Grid: Generic Practice

Compare BP execution with GP/Competency Attribute Hierarchy requirements.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Displays the Generic practice column.
2. Confirm the mapping of BP conclusions to the applicable PA/GP.
3. Evaluate resource, responsibility, planning, monitoring, control, work product management and other requirements separately.
4. Check all applicable attribute and level rejection rules against the ability level conclusion.

ASPICE impact	Connect process practice implementation with process capability attribute evidence to avoid inferring CL only after evaluating BP.
Completion check	Local Competency Range/Algorithmic Constraints should be checked in Settings or Knowledge Base Instructions.

Grid: Nonconformance

View the association and closed-loop status of the found nonconformities.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Displays the Nonconformance column or opens the Discovery edit area in the review details.
2. Clarify the process practices, evidence gaps and scope of impact corresponding to the nonconformities.
3. Document root causes, corrective actions, responsible persons, deadlines, and minimum closing evidence.
4. After completing the action, supplement the retest/validation evidence, and then update the closing status.

ASPICE impact	Turn evaluation gaps into verifiable improvement loops to keep open questions from disappearing from the report.
Completion check	Completion of the action does not equate to validity; closure requires confirmation of verification results and authorization.

Grid: Modified by and collaborative revisions

Track the status of recent modifiers, workspaces, revisions, and edits.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Show the Modified by column and check the operator.
2. Verify that the editor has permissions for the project and process area.
3. Wait for record lock release or handle conflict prompts while multiple people collaborate.
4. Check revision numbers, review logs, and affected upstream and downstream records after submitting modifications.

ASPICE impact	Improve accountability tracking and collaboration consistency for concluding changes.
Completion check	Concurrent edits cannot bypass locks and permissions; if there is a conflict, check the latest revision first.

Grid: add an assessor note

Keeping a review description for an indicator that does not directly constitute an S/W/R.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Select the target row and confirm the metric.
2. Click Add assessor note to fill in the facts, reasons, restrictions, or items to be checked.
3. Cite sources and positioning of evidence; avoid writing only concluding phrases.
4. After saving, check whether the note appears in the corresponding indicator and history.

ASPICE impact Preserve evaluation reasoning and context to support subsequent review and merging of results.

Completion check Notes do not automatically change ratings; distinguish between facts, inferences, and to-dos.

Task 34 · Item-by-item review → Register new finding

Grid: shortcuts and finding-type toolbar

Quickly add S/W/R/O/C/Q evaluation records from the grid.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Confirm that the focus is not on the text input box, check the correct process/BP.
2. Use the shortcut keys indicated by the toolbar type or app to open the record form.
3. Fill in the Discovery, Indicator, Evidence, Responsibility and Term fields.
4. Check the record type, number and evaluation workspace after saving.

ASPICE impact	Reduce documenting disconnections from the current subject of evaluation.
Completion check	The shortcut keys are subject to the current interface description; confirm the selection line before saving.

Task 35 · Grid → Open review details

Item review details: assessor rating

Maintain AI candidates separately from final reviewer scores.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Select Pending Review BP/GP and open the details.
2. Review AI Candidates, Confidence, Sufficiency of Evidence, and Limitations.
3. Select auditor judgment in the Human final rating; retain conservative conclusions when there is insufficient evidence.
4. Fill in the manual review comments to confirm and confirm that the reviewer/time has been updated.

ASPICE impact	Clear evaluator responsibilities; manual final scores are not automatically overridden by subsequent AI candidates.
Completion check	Explain the reasons for consent or reversal; AI confidence is not equal to the strength of evidence.

Task 36 · Review details → Reason / References

Item review details: rationale and evidence references

Maintain scoring arguments and locatable evidence references.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Review the review intent and scoring rules.
2. Edit the rationale for the rating, explaining implementation, coverage, results, deviations, and limitations.
3. Fill in one locatable reference per line in Evidence references.
4. After saving, open the reference verification source file one by one and the positioning is still valid.

ASPICE impact	Write the basis of the conclusion as an argument that can be independently reviewed, rather than just retaining the grade code.
Completion check	Evidentiary sufficiency judgments should be reduced when references are invalid, generalized, or metadata only.

Task 37 · Review details → Finding editor

Item review details: edit S/W/R/O findings

Add or edit strengths, weaknesses, suggestions, observations, notes, and interview questions.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Click Add finding and select the record category.
2. Fill in specific facts, target practices, impacts, and sources, without unsubstantiated inferences.
3. Supplement Minimum Closing Evidence, Responsible and Desired Dates for Weaknesses.
4. After saving, confirm that the discovery is bound to the correct metrics, process, and evidence references.

ASPICE impact	The results of the process evaluation are formed into a unified record language and entered into the consolidation, rectification and reporting process.
Completion check	Severity/status should be in accordance with organizational procedures; closure requires validation of evidence.

Helix-style Item Directory search and filtering

Find the confirmed Helix/import entry in the overall project workbook.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Locate the search box for Item Direct ory and enter the ID, title, description, source file, or locator.
2. Use the All items drop-down to select the desired object category/view.
3. Check the number of visible and total, and confirm that the complete directory can be recovered after clearing the search.
4. Check the details and evidence content on the right side only for items with confirmed relationships.

ASPICE impact	Centrally browse confirmed entries, descriptions, and sources; candidates do not become confirmed because of search hits.
Completion check	Confirmation status, source version, and filter conditions are all checked.

Task 39 · Item Directory → Selected item

Helix-style Item Directory item editing

Edit maintainable entry fields, source descriptions, evidence roles, or notes.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Select the target entry from the Confirmed item directory on the left.
2. On the right side, view the title, source, positioning, association process, and current role.
3. Modify the fields that are allowed to be edited, leaving the original Helix ID, source, and location unoverwritten.
4. Save and reopen the entry validation content; record the necessary justification and modifiers.

ASPICE impact	Correct the mapping or supplemental audit context while maintaining the distinction between source system objects and local evaluation content.
Completion check	Edits should not be disguised as modifications to the original Helix; keep source values distinguishable from manual modifications.

Create a reference item

Create references to external/related objects for tracing or correlating descriptions.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Click Create reference.
2. Enter the stable identity, title, object type, source system/URL, or positioning information.
3. Select the appropriate process context and evidence role and describe the relationship it supports.
4. After saving, search the directory for new references and verify that links/logos are available.

ASPICE impact	Build a lightweight reference index across tools to support relational analysis; referenced items are not automatic substitutes for originals or direct evidence.
Completion check	Check the target access, version freeze point, and link stability.

Task 41 · Item Directory → Select reference

Edit a reference item

Correct the reference object title, positioning, relationship description, or status.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Search for and select an existing reference item.
2. Confirm that the object ID and external link point to the correct record.
3. Update the title, locator, description, or relationship description to preserve the source system identity.
4. After saving, search again and open the reference to check the filter status and correlation count.

ASPICE impact	Maintain citation accuracy and locatability, and reduce the impact of invalid links on assessment traceability.
Completion check	Do not assume that invalid references are still valid; record versions and access restrictions.

Task 42 · Item Directory → Item type selector

Filter reference items by type

Filter the catalog by all entries or Reference types.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Click the All items drop-down.
2. Switch to the Reference or Destination category to confirm the result count.
3. Randomly check the ID, source, and location from the list.
4. Clear filters and review if other types still exist and need to be addressed.

ASPICE impact Check references separately from requirements, tests, questions, or task entries.

Completion check The filter only changes the view, not the number of referenced objects or the confirmation state.

Delete or unlink a reference item

Handle duplicate, incorrect, or invalid references.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Confirm the target reference ID, the associated metric, and the reference relationship first.
2. Follow the edit/remove action provided in the interface; if there is no direct deletion of the entrance, use the disengagement or registration invalid status process.
3. Check that the associated metrics, records, and traceability lists are updated as expected.
4. Record the reason for removal and alternate source in the action log or in the evaluator notes.

ASPICE impact Maintain evidence link data quality and reduce duplication and failure of referrals.

Completion check Deletion/deletion may affect historical conclusions; first check the baseline or project audit strategy.

Create a trace relationship

Establish interpretable relationships between work products, requirements, implementations, or validation objects.




Figure: local application view · 14-tree-view · captured on 2026-09-30

Steps

1. Select the source and target objects to check their IDs, types, and versions.
2. Specify the relationship direction/relationship type and enter the reason.
3. Check whether the target object is in the formal range; the out-of-scope relationship is marked as correlated observation.
4. After saving, navigate separately from both ends to verify the two-way traceability and locator.

ASPICE impact	Enable requirements decomposition, work product relationships, and validation coverage to be analyzed.
Completion check	The relationship type must be consistent with the actual semantics and cannot replace the consistency check with the presence of a link.

Evidence-chain and relationship feedback

Record preferences/questions/browse feedback and review context for associated cards.




Figure: local application view · 14-tree-view · captured on 2026-09-30

Steps

1. Check the object, process, locator, and relationship type on the relationship card.
2. Record interactions using actions such as Note, Question, Like/Dislike, or Browsing.
3. In Finding, add formal discovery to the editable portal, rather than treating feedback as a formal rating.
4. Return to the Records/Versions page to confirm that the action has been persisted and is working on the correct relationship.

ASPICE impact	Retain collaborative discussion and relationship review leads to easily locate links that require manual re-examination.
Completion check	Lightweight feedback is not a substitute for controlled records or manual scoring.

Record consolidation: assessor comments

Integrate the opinions of multiple evaluators on the same process practice.




Figure: local application view · 16-record-consolidation · captured on 2026-09-30

Steps

1. Enter the record merge and filter by process, metric, or workspace.
2. Compare participant ratings, justifications, citations, and record types one by one.
3. Resolve conflicts, retaining differing perspectives and the rationale for the final decision.
4. The authorized person in charge confirms the merged draft and checks that the open topic has not been silently discarded.

ASPICE impact	Form consistent, traceable assessment results while preserving disagreement handling.
Completion check	Scores cannot be averaged alone; key disagreements need to go back to the evidence and assessment methodology.

Record form templates

Select and complete the unified S/W/R/O/C/Q record form.




Figure: local application view · 18-record-forms · captured on 2026-09-30

Steps

1. Go to Record forms and select the applicable record type.
2. Read the form's required fields and template tips.
3. Fill in the factual description, impact, evidence, target metrics, and follow-up arrangements.
4. After saving the draft, check the number, item, process, and status.

ASPICE impact	Improve record consistency and provide structured fields for subsequent review, rectification, and reporting.
Completion check	The template does not automatically prove that the records are adequate; the original facts and sources are retained.

Weakness closure evidence

Measures to define weaknesses, responsibilities, expiry time and evidence of effectiveness.




Figure: local application view · 18-record-forms · captured on 2026-09-30

Steps

1. Open the target Weakness record and review the issue facts and associated metrics.
2. Fill in the Root Cause/Risk, Corrective Action, Responsible Person and Planned Date.
3. After execution, upload the implementation evidence, retest results, and sample scope of application.
4. Confirm the validity by the appropriate reviewer, and then update the closing status.

ASPICE impact	Connect the assessment findings to a verifiable corrective closed loop, supporting close access and follow-up audits.
Completion check	Simply filling in “Done” or submitting a screenshot of the action is not enough to prove that the issue was effectively closed.

Version history and differences

Compare historical evaluation candidates, manual revisions, and evidence changes.




Figure: local application view · 19-version-history · captured on 2026-09-30

Steps

1. Go to Version history to see the version number, date, source, and status.
2. Select the version you want to compare, focusing on ratings, evidentiary relationships, records, and manual review changes.
3. Confirm that the change corresponds to adding/removing evidence, changing scope, or rejudging by the evaluator.
4. Restore or create new versions, if necessary, without overriding immutable history.

ASPICE impact	Preserve evaluation evolution and decision context to support change impact analysis.
Completion check	Restoring historical versions requires confirmation that the scope, evidence, and logs remain consistent.

Task 50 · Version → New version

Create an assessment version

Freeze a set of evaluation data to a comparable project version.




Figure: local application view · 19-version-history · captured on 2026-09-30

Steps

1. Check the current project and formal scope before performing a new round of assessments.
2. Confirm input fingerprint, evidence set, PAM version and main settings before running.
3. Generate a new version and fill in the purpose, source, or review description for the version.
4. Open the version details and check the included ratings and status to confirm that the old version is still available.

ASPICE impact	Associate conclusions with a snapshot of the scope and evidence at the time to support reproduction and discrepancy review.
Completion check	A version snapshot cannot replace an organization-approved configuration management baseline.

Controlled baselines and multi-role approval

A controlled assessment baseline is formed by draft, independent review, and authorization approval.




Figure: local application view · 19-version-history · captured on 2026-09-30

Steps

1. Confirm that the baseline candidate contains scope, evidence, ratings, records, version information, and a summary of the inventory.
2. The independent reviewer completes the review and records the comments.
3. Approved by Lead Assessor or Configuration Manager by role.
4. Review the approval status, approver, time, baseline summary, and task trajectory.

ASPICE impact	Lock the inputs and outputs of the evaluations being reviewed, and support configuration integrity and approval traceability.
Completion check	The native mode and server mode capabilities are different; it must not be claimed that the native digest equals a digital signature.

Task 52 · Overview / Report readiness and closure gates

Close the assessment: evidence and review gates

Identify evidentiary gaps, unreviewed entries, and process scope issues before closing.




Figure: local application view · 11-project-overview · captured on 2026-09-30

Steps

1. From the review progress overview, check the number of unreviewed, insufficient evidence, open weaknesses, and current blocks.
2. If the current build provides a Close Assessment panel, open it and check the formal scope, assessment review, PA access control, mapping calibration, SUP closed loop and baseline requirements one by one.
3. Return to plan, scope, item-by-item review, record merge, or version stage to complete evidence by block.
4. Re-check the access control and confirm each status and supporting materials; if the current construction does not show the closed entrance, do not guess the deep link or force the status change.

ASPICE impact	Prevent unreviewed or insufficiently substantiated conclusions from being erroneously marked as closed.

Completion check	The ten stages of the current project sidebar do not include the independent Close stage; the close renderer exists, but the visible navigation entrance has not been verified this time.

Close the assessment: authorization and immutable log

The evaluation is closed by the authorizing role and the critical operational trajectory is preserved.




Figure: local application view · 11-project-overview · captured on 2026-09-30

Steps

1. Confirm the closing portal, project version, and current operator role visible in the current build.
2. Read the access checklist and fill in the final assessment instructions, restrictions and unresolved matters for disposal.
3. The close button is enabled only after the access control is approved and authorized; check the impact of freezing the current formal conclusion before clicking.
4. Check status, operator, time and logs after closing; reopen must follow controlled process and keep reason.

ASPICE impact	Form the controlled assessment status and operation trajectory to provide input for the report readiness judgment.
Completion check	At present, the visible navigation does not provide a separate Close stage; if the closed portal is not visible, the deployment administrator needs to confirm the version and permissions.

Report workspace and status

Select the template, preview the current data, and confirm the Draft/Formal output status.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Open Reports and confirm the project number, PAM version, scope, and current version.
2. View a list of templates, formats, versions, and available actions.
3. Preview selected or Default Report first checks content, candidate tags, and scope filtering.
4. Perform a Download or PDF export only if it complies with the internal publishing process.

ASPICE impact	Organize verified scopes, ratings, evidence indexes, records, findings, and limitations into a deliverable view.
Completion check	The sample status in the screenshot is Draft; the draft should not be presented externally as an approved official report.

Report template types and use cases

Select the DOCX, XLSX, PPTX macro and the management/detail scenario.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Check each template name, file type, and version.
2. Select the applicable template such as Detailed Assessment, Trace Report, Excel Traceability, TUV Issue Record or MBEAL Findings.
3. Expand the template content catalog to confirm that chapters and datasets are appropriate for your audience.
4. Preview and confirm the language, candidate appendix and other settings against the current official scope.

ASPICE impact	Organize evidence and results by reporting purpose; different templates are not equivalent reports.
Completion check	Review the template controlled version and organization approval format before use.

Report template language and AI candidate appendix

Control the output language and whether an AI candidate record is attached.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Opens the Settings icon for the template row.
2. Select Chinese or English.
3. Check/uncheck AI candidates appendix based on audience and transparency requirements.
4. Preview whether the candidate marker is clearly distinguished from manual finalization, and check the Chinese terminology and process ID.

ASPICE impact	Let the report distinguish between AI pre-assessment and manual confirmation.
Completion check	AI candidates shall not be written in the formal conclusion column without annotating the status and authorization.

Task 57 · Reports → Preview selected

Preview the selected template

Check report content, page order, tables, and conclusion boundaries before exporting.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Select a template and click Preview selected.
2. Review the Cover, Scope, Rating Matrix, Detailed Results, Evidence Index, Findings, and Final Description.
3. Focus on checking the pending manual review, not rating the correlation process, not closing weaknesses, and reporting Draft status.
4. After finding the problem, return to the project stage for correction, and do not manually change the report text to mask the source data problem.

ASPICE impact	Identify source data and template mapping discrepancies early to ensure reporting is traceable to project records.
Completion check	Previews are not approvals; they are subject to document integrity and content spot checks after export.

Task 58 · Reports → Download selected

DOCX / PPTX / XLSX export

Generates an editable report file based on the selected template.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Confirm the selected template radio button and file type.
2. Click the Download selected or the template download icon.
3. Locally download the directory to check the file name, format, size, and opening results.
4. Randomly check tables, images, page numbers, languages, candidate tags, and list of processes in scope.

ASPICE impact	Form editable deliverables; local build success separated from server collaboration state.
Completion check	You should not rely solely on download prompts to determine that a document has been rendered by Office or approved by a customer.

Print / save as PDF

Print from the report preview or save as a fixed tab PDF.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Make sure the preview is the current project and the correct version.
2. Click PDF (print/Save as PDF).
3. Select Save as PDF in the print dialog to check the paper, orientation, header footer, and scale.
4. Once saved, review the PDF pages and spot-check the front page, middle page, end of form, and disclaimer.

ASPICE impact	Fixed output layout for easy archiving and reading; PDF content remains subject to source data and current approval status.
Completion check	Check pagination, truncation, fonts, and privacy information to not formally approve draft PDF.

Task 60 · ASPICE overview / Knowledge base

Assessment conclusions and capability-level boundaries

Explain the relationship between the BP/GP score, PA summary, and CL conclusion.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Review the current PAM version, evaluation element set, scoring rules, and official scope of the project.
2. Examine each BP/GP manual conclusion and chain of evidence, and evaluate the PA as applicable.
3. Check the ability level required attributes, rejection rules, and unmet items.
4. State the sample scope, limitations, reviewer and final approval status in the report.

ASPICE impact Avoid confusing individual Practice scores, averages, or UI metrics with competency levels.

Completion check Apps are assessment support tools; formal ratings are determined by applicable methodology and authorized assessors.

Task 61 · Settings → Account

Settings: account and local permissions

View your current account, switch accounts, and understand local access.




Figure: local application view · 03-settings · captured on 2026-09-30

Steps

1. Open the Account section in Settings.
2. Check the current name, mailbox, role, and stand-alone/server mode.
3. The local file is used in the stand-alone mode of the machine; confirm the workspace saving before exiting or switching.
4. The server collaboration environment reconciles the account and project roles, and uses the organizational identity management process to process permissions.

ASPICE impact	Document operator context; native mailbox keys do not prove organization identity or project authorization.
Completion check	Shared workspace should not mistake account switching for project permission switching.

Task 62 · Settings → AI and local parsing

Settings: AI and local parsing

View local parse and model review switches, run paths, and data boundaries.




Figure: local application view · 03-settings · captured on 2026-09-30

Steps

1. Open the AI and local parsing settings.
2. Confirm the status of the native Codex review and the local bridge address.
3. Use built-in rules when the model is not enabled; if enabled, verify that the content is actually sent according to the organization's policy.
4. After saving, use Check local bridge or equivalent detection and check the return status.

ASPICE impact	Document parsing, scoring calculations, reporting, and exporting can be performed locally; AI output is still just a candidate.
Completion check	Identify sensitive data transfer policies, model services, and log boundaries.

Task 63 · Settings → Collaboration

Settings: collaboration and roles

Configure collaboration endpoints, members, roles, process area permissions, and edit locks.




Figure: local application view · 03-settings · captured on 2026-09-30

Steps

1. In Collaboration configuration mode, API endpoint, and workspace ID.
2. Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Settings: Helix evidence safeguards

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Settings: PAM and standards knowledge base

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 02-standard · captured on 2026-09-30

Steps

1. Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 66 · Top navigation: Track

Project tracking workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 07-review · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 67 · Top navigation: Review

Technical review workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 07-review · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 68 · Top navigation: Defects / Practice

Defects and practices workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 08-defects · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 69 · Top navigation: Change

Change request workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 10-changes · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 70 · Top navigation: Recent

Recent projects and activity

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 04-recent · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 71 · Top navigation: Plans

Plans center

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 05-plans · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 72 · Top navigation: Spaces

Spaces and knowledge resources

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 06-spaces · captured on 2026-09-30

Steps

1. Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 73 · Item Directory → Export Issue Excel

Helix Issue export template

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Click the relevant control and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 74 · Closure gates + Reports

Pre-export quality checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 75 · Settings / Local workspace

Data boundaries and backup

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 03-settings · captured on 2026-09-30

Steps

1. Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Troubleshooting: file uploaded but no items

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 13-scope-evidence · captured on 2026-09-30

Steps

1. Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Troubleshooting: low traceability or blocked gates

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 11-project-overview · captured on 2026-09-30

Steps

1. Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

Task 78 · Reports / Troubleshooting

Troubleshooting: report differs from project data

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Clear the current filter and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

Audit activity and evidence sampling review

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Record the relevant facts and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 80 · ASPICE → Standard library / Admin

Knowledge-base and rating configuration changes

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 02-standard · captured on 2026-09-30

Steps

1. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 81 · Reports / Project closure

Handover after assessment completion

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Task 82 · Project sidebar / Lifecycle

Quick reference: project and assessment stages

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 11-project-overview · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

Task 83 · Primary navigation

Quick reference: global workspaces

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 01-dashboard · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Glossary: BP / GP / PA / CL

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 20-reports · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Glossary: evidence chains and record types

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 15-item-review · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.
Completion check	Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

Security and privacy checklist

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.




Figure: local application view · 03-settings · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

Task 87 · About / Version

Release version and manual applicability

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.




Figure: local application view · 01-dashboard · captured on 2026-09-30

Steps

1. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE impact	Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.
Completion check	Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.