EN

A ·

01 02 03ASPICE 04 ASPICE 05 06 07 08

B ·

09 10 11 12 13 Direct / Corroborating / Index-only14

C · Helix

15Helix Bridge 16Helix 17Helix 18Helix HTML 19 20

D ·

21 22 Grid View 23Grid Instance Workspace 24Grid Record type 25Grid Filter rows26Grid Column visibility27Grid Process / Indicator / BP/GP 28Grid Finding number Finding type29Grid Evidence description 30Grid Generic Practice31Grid Nonconformance32Grid Modified by 33Grid 34Grid 35 36 37 S/W/R/O 38Helix-style Item Directory

E · Reference item

39Helix-style Item Directory 40Reference item 41Reference item 42Reference item 43Reference item / 44 Trace 45

F ·

46 47 48 49 50 51 52 53 54 55 56 AI 57 58DOCX / PPTX / XLSX 59PDF / 60

G ·

61 62 AI 63 64 Helix 65 PAM 66 67 68 69 70 71 72 73Helix Issue 74 75 76 77 78 79 80 81 82 83 84 BP / GP / PA / CL85 86 87

H ·

ASPICE Audit MasterBP / GP AI MAN.3 / SUP.8

AI

A · Workspace and project management

01First access and local-account sign-in02Top navigation and global search03ASPICE project list04Create an ASPICE assessment05Project summary and review progress06Assessment plan and schedule07Assessment team and participants08Interview planning and samples

B · Plan and evidence scope

09Scope and Evidence workspace10Upload files and format handling11Paste text evidence12Evidence items and source grouping13Evidence roles: Direct / Corroborating / Index-only14Evidence row actions and removal

C · Helix and whole-table workflows

15Helix Bridge configuration16Discover Helix projects and read snapshots17Select and import Helix objects18Import Helix HTML reports19Whole-table configuration and editing20Imported candidates and relationship confirmation

D · Tree view and item review

21Tree navigation and bidirectional trace relations22Grid View item-review overview23Filter by instance and workspace24Filter by record type25Filter rows26Configure visible columns27Process, indicator and BP/GP columns28Finding number and finding type columns29Evidence description and references30Generic Practice31Nonconformance32Modified by and collaboration revision33Add assessor note34Register a finding and use the record toolbar35Item-review detail and human rating36Rationale and evidence references37Edit S/W/R/O findings38Helix-style Item Directory search and filters

E · Reference items and traceability

39Edit an Item Directory entry40Create a Reference item41Edit a selected Reference item42Filter Reference item types43Delete or unlink a Reference item44Create Trace relations45Evidence-chain and relation feedback actions

F · Consolidation, versions, closure and reports

46Consolidate records and assessor opinions47Record forms and templates48Weakness closure evidence49Version history and differences50Create an assessment version51Controlled baseline and multi-role approval52Close the assessment: evidence and review gates53Close assessment authorization and immutable log54Reports workspace and report state55Report templates and use cases56Report language and AI-candidate appendix57Preview a selected template58Export DOCX / PPTX / XLSX59Print or save as PDF60Assessment conclusions and capability-level boundaries

G · Settings, specialist workspaces and appendices

61Account and local permissions62AI and local parsing63Collaboration, roles and process permissions64Helix and evidence safeguards65PAM and standard library66Track workspace67Technical Review workspace68Defects and Practice workspaces69Change Request workspace70Recent projects and activity71Plans center72Spaces and knowledge resources73Export Helix Issue Excel74Pre-export quality check75Local workspace data boundary and backup76Troubleshoot uploaded files with no parsed items77Troubleshoot low traceability or blocked quality gates78Troubleshoot report and project-data mismatch79Audit activity and evidence sampling review80Change PAM, rules, templates and process definitions81Post-assessment handover82Project sidebar lifecycle quick reference83Global workspace navigation quick reference84Glossary: BP / GP / PA / CL85Glossary: evidence chain and record types86Security and privacy checklist87Release version and manual applicability

H · Assessor guide

Assessment workflowScope, capability and ratingsTen assessment phasesEmbedded ASPICE Audit MasterAI candidates and human reviewMAN.3 / SUP.8 support sub-projectEvidence and bidirectional traceabilityCross-process closureFunctional-safety and cybersecurity auditsFeature indexProject collaboration and deploymentClosure and reportsLocal data and AIFAQ

6.8

The detailed operation content consolidates the established assessor guidance into the JEAuditFlow 6.8 workflow. English navigation and summaries follow the same chapter structure. Ratings, capability levels and closure conclusions remain assessor-owned.

JEAuditFlow 6.8 assessor manual guideline JE P1/P2/P3 Trace NC

AI

Assessor user manual

JEAuditFlow 6.8 consolidates the established operation workflow into one assessor-manual guideline and adds JE P1/P2/P3 project gates, Trace-style NC follow-up, SQE / PPAP supplier review, evidence metadata and local bilingual navigation.

Decision boundaryAI, rules and cross-process analysis create candidates only. Scope, evidence role, rating, baseline, closure and report sign-off remain assessor decisions.

Assessment workflow and reading method

“ → → → ASPICE → ”

Each migrated operation page follows “entry → purpose → numbered steps → ASPICE impact → completion checks”, so assessors can jump directly from the chapter tree.

01 · 01 · Scope

Only formal-scope processes enter rating; out-of-scope context remains related evidence.

02 · 02 · Evidence

/ /

Source file, locator, version, owner and evidence role remain traceable.

03 · 03 · Human closure

AI NC

AI conclusions and NC candidates return to source evidence for assessor confirmation and closure.

Assessor guide chapters

assessor manual JE NC

These chapters retain the established assessor manual's workflow, evidence and closure guidance in the same navigation tree as the current governance features.

ASPICE

01 02 03 04 BP / GP 05 06

01

“ASPICE ” PAM CL1 CL2

02

“ ” CL2 MAN.3

03

BP / GP

“ ” “ ” PA

N 0% - 15%

P >15% - 50%

L >50% - 85%

F >85% - 100%

CL1

PA 1.1 BP

CL2

PA 1.1 PA 2.1 PA 2.2

MAN.3 CL2

SUP.1 SUP.8 CL2

PA 2.2

AuditFlow CL1 / CL2 CL3 GP 3.x

URL

01

BP / PA / GP

02

03

/ Scope

DOCX PPTX XLSX/XLSM PDF CSV JSON HTML Helix Audit Master

Direct/Corroborating/Index-only Audit Master Index-only AI

04

/ Grid View

BP / GP C/R/O/W/S/Q

05

/ Tree View

Assessment Scope Records & confirmed links Evidence Inventory

direct corroborating index-only

06

Consolidated

07

AI

BP / GP AI aspice-audit-master JSON

08

Draft Independent Reviewer Lead Assessor Configuration Manager

09

Guideline

SUP.9 → SUP.10 → → → SUP.8

10

Word PowerPoint Excel

Draft

ASPICE Audit Master

“ ” Audit Master Helix Direct Corroborating Index-only

Qualified flow Agree & summarize Divide & control Trace consistency

AI Blob

AI Review Opinion Index-only AI

BP + GP AI

AI “AI ” BP / GP PA v7.4 `auditflow-ai-review/v1`

01

BP / GP PA

02

PA

“ → PA 1.1 / PA 2.1 / PA 2.2 → BP / GP” AI Direct / Corroborating / Index-only

03

“ ” “ ” O/W/R

04

Codex

Consolidated Codex BP / GP “ · ”

AI Codex F

MAN.3 / SUP.8

MAN.3 SUP.8

Issue BP/GP Action Plan

01

“ ” “ASPICE ” “ MAN.3 / SUP.8 ” MAN.3 / SUP.8 Action Plan

02

DOCX DOC PDF XLSX CSV JSON HTML ID SYS/SWE/MAN/SUP DOC

03

Issue

“ BP/GP” Issue / ASPICE MAN.3/SUP.8

04

AI

“ BP + GP · AI ” Issue BP/GP AI “ ” O/W/R

05

“ ”

06

ASPICE

/ “ ” MAN.3/SUP.8

Direct

Corroborating MAN.3 SUP.1 SUP.8 SUP.9 SUP.10

Index-only

Direct

BP GP

Corroborating

Index-only

ID

MAN.3

SUP.1

SUP.8

SUP.9

SUP.10

“ ” ISO 26262:2018 ISO/SAE 21434:2021

01

/Item

02

Lead Assessor Assessor Data Logger

03

DOCX DOC PPTX XLSX PDF CSV JSON HTML DOC

04

AI

Direct Corroborating Index-only O/W/R

05

06

Lead Assessor

/ Item Definition HARA FSC/TSC / / V&V Safety Case

Cybersecurity Plan TARA Cybersecurity Concept / / Cybersecurity Case

ISO 26262 ISO/SAE 21434

AuditFlow

“ ”

ASPICE “ASPICE ” PAM

“ ”

→ ASPICE PAM BP GP

→ Lead Assessor PA

ECS / MySQL → Microsoft ID

Codex / Virtual Key → Codex / Virtual Key Virtual Key

AI / MCP → AI / MCP AI

Helix → Helix

→

→

→

ECS / MySQL

v7.4

Lead Assessor

Assessor

Data Logger

Viewer

01

02

ECS / MySQL

Tenant ID SPA/API Client ID ID

03

Microsoft Entra ID/OIDC Node RBAC MySQL InnoDB

ECS / MySQL Microsoft Entra

01

BP / GP AI

02

Guideline / TAA Broken SUP.9 / SUP.10

03

Word Ctrl+A F9

AI

AuditFlow Blob IndexedDB

AI

Virtual Key

“ ”

BP / GP

/

AI

Microsoft Entra

CL3

CL3 AuditFlow GP 3.x

Assessment workflow

Start with the processes and capability level in scope. Plan interviews and samples, parse evidence locally, inspect direct and corroborating relationships, review every BP/GP, consolidate records, then pass the closure gates before publishing.

01 · Scope

Choose the PAM, target level and formal processes. Out-of-scope process data remains context and is never rated.

02 · Plan

Maintain process instances, samples, assessors, interview sessions, milestones and accountable owners.

03 · Evidence

Upload source files or read a Helix snapshot. The browser keeps source locators and classifies evidence.

04 · Assess

Review BP/GP intent, implementation, consistency, governance and closure. AI remains a draft.

05 · Trace

Confirm direct links and mark corroborating or index-only relationships with notes and findings.

06 · Close

Resolve evidence gaps, Guideline/TAA findings and open records before generating a controlled report.

Scope, capability and ratings

Process scope answers which processes are assessed. Capability is derived from process attributes (PA), not file count or an average score.

Rating	Meaning	Required discipline
N · Not achieved	No convincing implementation evidence.	Record the gap and required follow-up.
P · Partially achieved	Some implementation exists but important evidence or closure is missing.	Keep the candidate provisional and identify the missing sample.
L · Largely achieved	Most evidence is present, with sampling, stability or consistency gaps.	Document the limitation and assessor rationale.
F · Fully achieved	Systematic, controlled and stable implementation across representative samples.	Assessor confirms direct evidence, governance and closure.

Ten assessment phases

The project phase bar is resumable. You may move between phases, but scope, evidence sufficiency, human review and open issues must be checked again before closure.

1. 01

Define formal scope

Select the PAM, target level and covered processes.

2. 02

Plan assessment

Set instances, samples, interviews, dates and milestones.

3. 03

Collect evidence

Upload files or select Helix objects, keeping locators and versions.

4. 04

Conduct interviews

Record accountable owners, facts, decisions and follow-up questions.

5. 05

Trace evidence

Separate direct, corroborating and index-only evidence.

6. 06

Consolidate records

Resolve disagreements and move only agreed records to the final workspace.

7. 07

Review AI candidates

Amend or reject drafts; imported AI conclusions never overwrite human decisions.

8. 08

Control versions and baselines

Freeze source items, scope, owners, dates and change reasons.

9. 09

Close assessment

Pass evidence, review, record, weakness and Guideline quality gates.

10. 10

Publish report

Export a controlled report that shows formal-scope, assessor-reviewed conclusions.

Embedded ASPICE Audit Master

Use the embedded ASPICE Audit Master from Scope and Evidence to inspect uploaded sources and Helix items. The assessor chooses the source set and confirms Direct, Corroborating or Index-only evidence before a conclusion.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

AI candidates and human review

AI candidates can suggest process mappings, ratings or follow-up questions, but they remain provisional. Review the source locator, evidence role, rationale and assessor decision before saving a formal record.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

MAN.3 / SUP.8 support sub-project

Use the MAN.3 and SUP.8 support sub-project view for project planning, configuration baselines and work-product updates. Support evidence checks interfaces and consistency; it does not replace direct target-process evidence.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Evidence and traceability

Every source file is shown once and expands to its document items. Each item keeps a source file, chapter/page/sheet locator, process candidate, document class, item type and evidence role. Related processes such as MAN.3, SUP.1, SUP.8, SUP.9 and SUP.10 provide corroborating context only; they do not replace direct implementation evidence for the target process.

Direct

Locatable implementation evidence from the target process. This can support a formal rating.

Corroborating

Upstream, downstream or support-process evidence that checks interfaces and consistency.

Index-only

A filename, header or metadata row without enough substance to prove implementation.

Cross-process closure

Cross-process evidence can corroborate interfaces, governance and closure. Keep the target process in formal scope, record the relationship and explain why the supporting process is relevant to the assessor decision.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Functional-safety and cybersecurity audits

Functional-safety and cybersecurity work remains linked to the assessment without changing ASPICE scope automatically. Preserve HARA/FSC/TSC or TARA locators, responsibility, independence and the review decision.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Feature index

Use the feature index to locate project, evidence, review, Trace, report and settings functions. Each entry points back to the formal-scope, evidence and human-review boundaries that apply to the operation.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Project collaboration and deployment

Project collaboration uses authenticated membership, role and process scope, revision checks and item locks. Local-first data remains authoritative until an explicitly configured service accepts a synchronized revision.

Assessor boundary

AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Closure and reports

Before closure, complete item-level human review, resolve Broken Guideline/TAA results, consolidate records, and verify SUP.9 → SUP.10 → work-product update → verification → SUP.8 baseline links. Reports remain Draft while a quality gate is open.

Local data and AI

Projects, ratings, records, settings and evidence indexes stay in the browser workspace; file attachments use IndexedDB. Source files are parsed locally. A model request is made only when the user has configured the local AI bridge or service. Virtual Keys remain in the local service session and are not written to the extension package.

FAQ

Why can related evidence not raise a target-process rating?

It can demonstrate an interface, configuration, issue or change relationship, but the target BP/GP still needs locatable direct implementation evidence.

Why does a file still show an evidence gap?

A filename or index cannot prove execution or results. Add a locator, version/baseline, accountable owner, review outcome, verification result and closure evidence.

When should I use the Codex assistant?

After local parsing and initial assessor notes, use it for candidate summaries, missing-evidence prompts and questions. Review every response before recording a conclusion.

Can the local engine declare CL3?

No. CL3 requires organisation-level deployment, capability, resources and monitoring; use an organisation-approved assessment method.

JE

JE project phase governance

P1/P2/P3 JE ASPICE

P1/P2/P3 are JE project-governance gates, not ASPICE capability levels. They control the minimum evidence and approval needed to enter the next phase.

P1 Concept definition and freeze

Confirm goals, boundaries, stakeholders, concept, risks and the initial verification strategy; freeze the decision record.

P2 Design-document baseline

/ “ ”

Confirm architecture, interfaces, allocation, design review and configuration baseline; a filename alone is not evidence.

P3 System and software verification

Confirm the verification plan, representative results, failed-run disposition, regression and pre-release verification conclusion.

ASPICE /

Gate rule: Gate status describes project-governance readiness only. It never changes an ASPICE rating automatically; each criterion retains method, preconditions, procedure, pass/fail and evidence locator.

NC / Finding

NC / finding follow-up and closure

Trace Follow Up Assessments and NCs Finding NC NC /

Following Trace's follow-up pattern, a finding can be promoted to an NC record while retaining origin assessment, filter provenance, NC id/link, owner, due date, root cause, impact, containment, corrective action, verification and closure evidence.

1 · 1 · Finding and origin

Retain assessment, instance, workspace, process, indicator, locator and evidence role; copied findings show their origin assessment.

2 · NC 2 · NC disposition

NC aging

Record NC state, external ticket, owner, due date, root cause, impact and containment; support aging, escalation and reopen.

3 · 3 · Closure evidence

SUP.9 → SUP.10 → → → SUP.8

Follow SUP.9 → SUP.10 → updated work product → verification → SUP.8 baseline; closure is assessor-authorized and logged.

Boundary: External ticket systems are not assumed to be synchronized. Links and statuses remain corroborating references and do not replace local closure evidence.

6.1 · SQE / PPAP

6.1 · SQE / PPAP supplier review

SQE / PPAP Level 1–5 AIAG PPAP 18 Level 3 16 Level 4/5

The SQE / PPAP scheme stores supplier, customer part number, submission reason and Level 1–5. The checklist filters the 18 AIAG PPAP items by level; Level 3 defaults to 16 required items, while master sample and checking aids are required at Level 4/5.

01 Create submission profile

Enter supplier, part number, level and reason; these fields flow to the report cover and metadata.

02 Register item evidence

/ Direct/Corroborating/Index-only

Record locator, version, review/approval and Direct/Corroborating/Index-only role for each item.

03NC NC disposition and release

NC

Record severity, owner, due date, root cause, containment, corrective action, verification and closure evidence; open NCs block closure.

NC AI PPAP SQE

Report boundary: The copied report template includes submission profile, checklist and NC tables, but a filename or AI candidate is never treated as PPAP approval. Release remains with the authorised SQE, assessor and customer

representative.

Scope, capability and rating boundary

PA AI

Rating	Meaning	Discipline
N	Not achieved	Record the gap and follow-up needed.
P	Partially achieved	Keep the candidate provisional and identify missing samples.
L	Largely achieved	Document stability, sampling or consistency limits.
F	Fully achieved	Assessor confirms representative samples, governance and closure.

· 87

Operation content · 87 operation pages

The following chapters preserve the established operation-page order and add current evidence, gate and human-responsibility notes.

01 Workspace and project management

01 · /

1. **01** WebApp
2. **02**
3. **03** “ ”
4. **04**

Startup and local account

Establish the identity of the native workspace; the name and mailbox in stand-alone mode are used for local visibility and do not represent corporate identity authentication.

Entry **01 · /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the WebApp home page and confirm that the address bar is a trusted native or enterprise deployment address.
2. **02**Select the interface language and enter the identifiable auditor's name in the Name field.
3. **03**Enter a valid work email and select Enter Native Workbench; stand-alone mode does not send the email to the remote end.
4. **04**After entering, open the evaluation from the project list; confirm that the local data has been saved before logging out or switching accounts.

ASPICE assessment impact

Document operator context for local project visibility and audit descriptions; does not substitute for organization authentication, authorization, or independence confirmation.

Completion checks Confirm your browser domain name, account mode, app version, and data storage scope.

02 Workspace and project management

02 · /

1. **01** ASPICE
2. **02** Ctrl/Command+K ID
3. **03**
4. **04** Helix

Workbench navigation and search

Identify global workspace entrances and project entrances to shorten the transition path from project to plan, track, review, and setup.

Entry **02 ·** **/** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Access the Assessment Overview, ASPICE, Custom Review, or Professional Workbench from the top icon.
2. **02**Use the search button or Ctrl/Command+K to enter a project number, process ID, record number, file name, or body keyword.
3. **03**Check the object type and the item it belongs to in the result list, and then open the target item.
4. **04**Confirm your current item before using Help, Language, Subject, Notification, Helix Configuration, and Account Portal.

ASPICE assessment impact

Make audit activities, evidence, and records searchable in the same workspace; search hits only indicate that content exists and do not prove that evidence is valid or conclusions are correct.

Completion checks Avoid judging the association only by the record with the same name; check the item, process, version and object ID.

03 Workspace and project management

ASPICE

ASPICE

03 · ASPICE →

1. **01** ASPICE
2. **02**
3. **03**
4. **04**

ASPICE

ASPICE assessment projects

View project status, current stage, evidence resolution, manual review, open questions, and progress.

Entry **03 · ASPICE →** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Enter the ASPICE assessment from the left.
2. **02**Identify the target project by project name, number, organization and status.
3. **03**View the current stage, number of pending reviews, blocks, and recent activity.
4. **04**Click the project row or open button to enter the project and select the evaluation phase from the project sidebar.

ASPICE assessment impact

Centralize the evaluation activities in the project-level workspace to help find evidentiary gaps and unreviewed items; the project progress is not equivalent to the process capability level.

Completion checks Do not use percentages, AI backlogs, or sample project status as official ratings.

04 Workspace and project management

ASPICE

ASPICE

04 · ASPICE →

1. **01** “ ASPICE ”
2. **02** /
3. **03** Automotive SPICE PAM
4. **04**

ASPICE

Create an ASPICE assessment

Establish controlled containers for evaluation purposes, product, PAM, target level and formal process scope.

Entry **04 · ASPICE →** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select New ASPICE Assessment.
2. **02**Fill in the project name, organization/customer, product or project identification, evaluation type and purpose.
3. **03**Select the applicable Automotive SPICE PAM version, target level, and assessment process.
4. **04**After checking the formal process scope item by item, it is created; the out-of-scope interface is only used as an association background and does not automatically enter the rating.

ASPICE assessment impact

Explicitly define the assessed process and competency objectives, establishing common boundaries for interviews, sampling, scoring, and reporting.

Completion checks Evaluation scenarios are prioritized with the client; do not broaden coverage unwarrantedly in pursuit of coverage.

05 Workspace and project management

05 · / Summary

1. **01** “ / Summary”
2. **02**
3. **03**
4. **04**

ASPICE

Project overview and progress

Summarize process status, chain of evidence, pending review, gaps, and closure readiness.

Entry **05 · / Summary**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Go to Project Review Progress/Summary.
2. **02**Check the project identification, scope process, current version, evidentiary documents and manual review status.
3. **03**Open the unrelated, insufficient evidence, pending review, and open weaknesses metrics item by item.
4. **04**Return range, item-by-item review, record merge, or version stage processing based on the current block.

ASPICE assessment impact

Increase transparency of project status; dashboard metrics are derived views of workspace data and are not directly assigned CL or process ratings.

Completion checks Distinguish between uploaded, resolved, linked, and confirmed statuses.

06 Workspace and project management

06 · →

1. **01** “ ”
2. **02**
3. **03**
4. **04**

ASPICE

Assessment plan and schedule

Define assessment activities, samples, responsible persons, interviews, milestones and required resources.

Entry **06 ·** → Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open Plan Evaluation and first check the project objectives, evaluation cycle, process, and role of participation.
2. **02**Schedule preparation, interviews, work product sampling, scoring calibration and results communication activities for each process.
3. **03**Specify the owner, schedule date, status, and necessary upfront dependencies.
4. **04**Regularly update the completion status, deviation reason and adjustment decision after saving.

ASPICE assessment impact

Incorporate the evaluation itself into the planning and monitoring; the evaluation of the project management of MAN.3 should focus on the project planning, monitoring, adjustment and interface evidence, not just the schedule.

Completion checks Program records cannot independently prove that the evaluated project has MAN.3 capability; check implementation records and true adjustments.

07 Workspace and project management

07 · / Participants

1. **01**
2. **02** Lead Assessor Assessor
3. **03**
4. **04**

ASPICE

Assessment team and participants

Document evaluators, respondents, roles, responsibilities, and process coverage arrangements.

Entry **07 · / Participants**Purpose**Complete the operation while preserving assessor evidence and audit**

records.

Steps

1. **01**Go to the Participants or Teams section of the plan page.
2. **02**Add Lead Assessor, Assessor, Independent Reviewer, and necessary process experts.
3. **03**Assign each evaluator the task of taking responsibility for a process, activity, or record.
4. **04**After saving, check that the assessment team competency, independence and conflict of interest statements are completed separately in the organizational process.

ASPICE assessment impact

Clearly assess execution responsibilities and review responsibilities; the in-app list is not a substitute for qualification, authorization, independence, or conflict review.

Completion checks Key conclusions need to be confirmed by an appropriately authorized assessor.

08 Workspace and project management

08 · / Interviews & samples

1. **01** BP/GP
2. **02**
3. **03**
4. **04** Q R W

ASPICE

Interview plan and sampling

Connect interviews and work product sampling to formal scope and process practices.

Entry **08 · / Interviews & samples**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Follow the process or BP/GP to create an interview topic and sample.
2. **02**Record interview role, project phase, number of samples, reason for selection, and planned time.
3. **03**Add facts, references, inconsistencies, and unresolved issues after the interview.
4. **04**Turn what needs to be followed up into a Q (issue), R (recommendation), or W (weakness) record and identify who is responsible.

ASPICE assessment impact

Help assess coverage of representative samples and implementation evidence; sampling conclusions still need to be judged according to applicable assessment methods.

Completion checks The number of covers does not in itself represent representativeness; specifying sample selection and boundaries.

09 Plan and evidence scope

09 · / Development

1. **01** “ ”
2. **02**
3. **03** Upload Paste text
4. **04**

ASPICE

Scope and evidence workspace

Confirm formal process scope and centrally upload, parse, and classify evaluation materials.

Entry **09 · / Development**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Go to Scope & Documentation to confirm formal processes and examples.
2. **02**Examine the source, filename, resolution status, and process candidates of the existing evidence list.
3. **03**Use Upload to upload a file, or Paste text to register traceable text.
4. **04**Check parsing results, document entries, positioning and evidence roles one by one; confirm before proceeding to follow-up review.

ASPICE assessment impact

Organize work product and process evidence from scattered files into locatable entries; only direct evidence confirmed by evaluators can support target process practice ratings.

Completion checksA successful upload is not the same as a successful resolution; a successful resolution is not the same as satisfying BP/GP.

10 Plan and evidence scope

10 · → Upload

1. **01** Upload
2. **02** / PDF
3. **03**
4. **04**

ASPICE

Upload files and process formats

Import Office, PDF, CSV, JSON, HTML or textual evidence and observe the parsing status.

Entry **10 · → Upload**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Upload, select the file to be used and confirm the source, process scope, and file version.
2. **02**Wait for local parsing; check body, form, worksheet/slide or PDF page positioning.
3. **03**Examine parsing alarms for old formats or scans, supplementing text or manual positioning if necessary.
4. **04**Confirm the file lines, number of entries, and structure before itemizing.

ASPICE assessment impact

Improve data retrievability and preserve the file's positioning relationship with the original rows/pages/cells.

Completion checks Do not override original evidence; control unnecessary sensitive data; confirm version and approval status.

11 Plan and evidence scope

11 · → Paste text

1. **01** Paste text
2. **02** /
3. **03**
4. **04**

ASPICE

Paste text evidence

Include meeting minutes, interview excerpts, or locatable exports in the evidence list as text.

Entry **11 · → Paste text**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Paste text.
2. **02**Fill in the evidence name, main process/scope, and text body.

3. **03**Keep the source number, date, responsibility role, version, and necessary context in the body.
4. **04**After saving, check for new items of evidence and supplement the original file path or formal record references.

ASPICE assessment impact

Make up interviews/transcripts that cannot be directly uploaded and enter the evidence index; pasting content must still be traceable to the original source of control.

Completion checks Avoid using abstracts or individual opinions as approved work products.

12 Plan and evidence scope

12 · / Evidence Inventory

1. **01**
2. **02** / /
3. **03**
4. **04**

ASPICE

Evidence items and source grouping

Check the evidence list, positioning and parsing content according to the original documents and entries.

Entry **12 · / Evidence Inventory**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Expand the Target Evidence Document row to view the split atomic entries.
2. **02**Review each article's source file, page number/worksheet/row and column, title, process candidates, and content summary.
3. **03**Use preview extracted text to view the parsed body, and don't judge by automatic classification labels alone.
4. **04**Correct the main process, item type or evidence description as necessary and save the evaluator's verification

results.

ASPICE assessment impact

Allow review conclusions to be returned to the specific location of the original document; reduce the risk of the entire document covering up discrepancies as a single piece of evidence.

Completion checksA file can contain multiple entries of varying process, version, or evidence strength.

13 Plan and evidence scope

Direct / Corroborating / Index-only

Direct / Corroborating / Index-only

13 · →

1. **01**
2. **02** Direct
3. **03** Corroborating
4. **04** Index-only

ASPICE

Evidence roles: Direct / Corroborating / Index-only

Differentiate between target processes that directly implement evidence, cross-process corroboration, and indexing information only.

Entry **13 ·** → Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check the current role in the evidence entry details.
2. **02**Only entries that directly document the implementation and results of the target process are considered to be Direct.
3. **03**The interface, governance, configuration, issue, or change profile is typically Corroborating, indicating the relationship it supports.
4. **04**Use Index-only when the file name, link, or metadata is missing and the verifiable body is missing; review the reference after saving.

ASPICE assessment impact

Improve the transparency of the rating basis to prevent the direct implementation of evidence across processes where information, indexes, or documents exist to substitute for the objective process.

Completion checks Roles are for evidentiary purposes and not quality grades; assessors are required to confirm item by item.

14 Plan and evidence scope

14 · →

1. **01** /
2. **02**
3. **03**
4. **04**

ASPICE

Delete or remove evidence

Remove data that is misrepresented, duplicated, or should not be included in the project.

Entry **14 ·** → Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the destination file name, import source, and possible associated records/ratings.
2. **02**Use the delete action to the right of the file line and read the confirmation prompt.
3. **03**After confirmation, check that the associated metrics, retrospective relationships, and audit logs are as expected.
4. **04**When a record needs to be retained, save the replacement file and the reason for the change before deleting the old entry.

ASPICE assessment impact

Maintain the accuracy of the evidence set; deletion may affect the existing traceability and evaluation basis.

Completion checks Check backup against baseline requirements before deleting to avoid breaking the interpretability of historical versions.

15Helix Helix and whole-table workflows

Helix Bridge

Helix Bridge

15 · Helix / Settings

1. **01** Helix Bridge
2. **02** Bridge URL Helix REST API URL
3. **03** TLS
4. **04**

ASPICE

Configure the Helix Bridge

Prepare the local Bridge to connect to the Helix rest API without writing credentials to the project workspace.

Entry **15 · Helix / Settings**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Start the native Helix Bridge with authorization.
2. **02**Complete or confirm the Bridge URL, Helix rest API URL, username, and password.
3. **03**Set certificate options by organization TLS policy; self-signed certificates are only used in approved environments.
4. **04**Confirm the current project, account permissions, and data scope before saving or reading the snapshot.

ASPICE assessment impact

Import Helix objects to form locatable project work item evidence; do not alter Helix source data.

Completion checks The password should remain only within the current session; check the host, project, TLS, and read-

only permissions.

16Helix Helix and whole-table workflows

Helix

Helix

16 · → Live Helix ALM

1. **01** Bridge URL REST API URL
2. **02** Find projects
3. **03** Issue
4. **04** Read snapshot

ASPICE

Discover Helix projects and read snapshots

Read requirements, documents, issues, tests, and folder objects in the Helix project.

Entry **16 · → Live Helix ALM**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check that the Bridge URL is accessible, and fill in the rest API URL and authorized account.
2. **02**Tap Find projects and select the exact items; fill in the search terms and read caps.
3. **03**Check the object type by requirement, document, issue, test case, test run, folder.
4. **04**After clicking Read snapshot, first check the project name, number of returns, fields and status statistics, and then select the project object.

ASPICE assessment impact

Forms a local read-only snapshot of the source system object and row-level positioning for subsequent association and evaluator sampling.

Completion checks Snapshot read times, source items, return caps, and permissions affect integrity; data cutoffs are recorded in the report.

Helix

Helix

17 · Live Helix ALM → Select visible / Import selected

1. **01**
2. **02** Select visible
3. **03** ID
4. **04** Import selected

ASPICE

Select and import Helix objects

Add the selected Helix record to the current project evidence list.

Entry **17 · Live Helix ALM → Select visible / Import selected**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Filter snapshot objects by object category or search.
2. **02**Use Select visible or itemize the objects you want to import.
3. **03**Check the duplicate hint and the selected object ID, title, status, and relationship fields.
4. **04**Click Import selected to return to the evidence list and check the number of records and source information.

ASPICE assessment impact

Map Helix work items to AuditFlow traceability evidence; imports do not automatically establish confirmed formal rating relationships.

Completion checks The deduplication basis and source ID should be preserved; the association must check both ends of the object and its version.

18Helix Helix and whole-table workflows

Helix HTML

Helix HTML

18 · → Upload HTML

1. **01** Helix HTML
2. **02** HTML
3. **03** ID /
4. **04** HTML /

ASPICE

Import Helix HTML reports

Resolve a user-provided Helix Issue Register or Review Evidence Register HTML.

Entry **18 · → Upload HTML**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Export the original HTML from Helix without first re-saving it via email or a rich-text editor.
2. **02**Upload HTML and check the recognition type, number of tables, number of rows, fields, and status statistics.
3. **03**Verify that the ID, title, status, owner, upstream and downstream, version/baseline, impact and close fields are aligned.
4. **04**Sampling against the header and multiline records of the original HTML; discontinuing use of the batch data in case of mismatch and using native snapshots/other exports instead.

ASPICE assessment impact

Turn the HTML form into retrievable Helix row-level evidence; erroneous column mappings can result in erroneous retrospective or closed-loop judgments.

Completion checks Different report template columns may be in different order; importing counts does not equate to correct field semantics.

19Helix Helix and whole-table workflows

1. **01** Item Directory whole-table configurations
2. **02**
3. **03**
4. **04**

ASPICE

Configure and edit whole tables

The overall table structure of Helix or the work product is maintained and can be edited at the table level.

Entry **19 ·** **→ Item Directory / Whole-table**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check the whole-table configurations count in Item Direct ory.
2. **02**After selecting the overall table, open the table configuration and check the column name, field type and source column mapping.
3. **03**Edit the necessary title, field mapping, or overall table metadata and save.
4. **04**Randomly check the first row, middle row, last row and missing values to confirm that the rows and columns are not misaligned and that the original source positioning is still available.

ASPICE assessment impact

The overall table can be used to view the complete record set, supporting line-by-line review of status and relationship fields; the overall display does not automatically represent each line confirmed.

Completion checks Avoid disrupting the original line order, unique IDs, and column semantics; keep the original HTML/XLSX before saving.

20Helix Helix and whole-table workflows

20 · → Candidates

1. **01** BP/GP
2. **02**
3. **03** Direct/Corroborating/Index-only
4. **04** Item Directory confirmed item directory

ASPICE

Import item candidates and confirm relationships

Review the entry candidates formed by file parsing or Helix import and confirm to the target practice.

Entry **20 · → Candidates**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the process and BP/GP to see matching candidate entries.
2. **02**Check candidate titles, source files, positioning, process mapping, and content.
3. **03**Select target relationships and Direct/Corroborating/Index-only roles item by item.
4. **04**After confirming, go back to Item Direct ory and check if it is in the confirmed item directory.

ASPICE assessment impact

Only entries confirming the relationship are entered into the formal chain of evidence directory; candidates retain their pending status to avoid mistaking them for reviewed.

Completion checks Incorrect process mappings or improper roles should be corrected before confirmation.

21 Tree view and item review

21 · / Trace relations

1. **01**
2. **02** /

3. **03** /
4. **04**

ASPICE

Tree View navigation and bidirectional traceability

Navigate evidentiary relationships along parent-child, upstream/downstream, or process interfaces.

Entry **21 · / Trace relations**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the formal range process and metrics on the left process track.
2. **02**Locate confirmed associations in the intermediate relationships list and narrow them using search/filtering.
3. **03**Examine objects at both ends of the relationship, source/target processes, evidence positioning and confirmation status.
4. **04**Supplement the missing reverse relationship or document the risk and verify that the chain of relationships returns to the original evidence.

ASPICE assessment impact

Shows links and interfaces such as requirements-design-implementation-validation; the existence of relationships does not in itself prove consistency or validity.

Completion checks Verify two-way traceability, same version, approval status, change impact and closure results.

22 Tree view and item review

Grid View

Grid View

22 · / Board

1. **01** Grid view Instance Workspace
2. **02** linkage rate direct-evidence coverage assessor-review rate
3. **03**
4. **04** O/W/R

Item-by-item review: Grid View overview

Check BP/GP, ratings, findings, evidence, and review status on a tabular basis.

Entry **22 ·** **/ Board**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the Grid view and select the Instance, Workspace, and Record Type filters.
2. **02**First, check the linkage rate, direct-evidence coverage, assessor-review rate and insufficient evidence number in the warning area.
3. **03**Position the practices to be reviewed through process, metrics, and descriptive columns.
4. **04**Tap the entry to enter the details; save the manual score, justification, citations, review notes, and O/W/R.

ASPICE assessment impact

Place the chain of evidence and manual conclusions in the same review path; any ratios are only overrides, not scores.

Completion checksCL should not be directly determined based on AI score, correlation rate or total average score.

23 Tree view and item review

Grid Instance Workspace

Grid Instance Workspace

23 · →

1. **01** Instance
2. **02** Workspace Lead Assessor
3. **03**
4. **04**

Grid: filter by instance and workspace

Limit review instance and current workspace context.

Entry **23 ·** → Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the correct evaluation instance from Instance.
2. **02**Select Lead Assessor or Authorized Assessor workspace from Workspace.
3. **03**Confirm that the number of rows and the range of indicators after switching are consistent with the current person in charge.
4. **04**Reset filters after review to ensure no hidden item entries are missing.

ASPICE assessment impact

Support the organization of conclusions by evaluation examples and responsibilities to facilitate the consolidation of review records.

Completion checks The filtered number of rows is not the total number of items in the project; multiplayer collaboration permissions are based on the server-side ACL.

24 Tree view and item review

Grid Record type

Grid Record type

24 · → **All record types**

1. **01** All record types
2. **02** /
3. **03**
4. **04** All record types

ASPICE

Grid: filter by record type

Focus on a specific record type or discovery category.

Entry **24 ·** **→ All record types**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the All record types drop-down.
2. **02**Select the type of records/discoveries you want to view, watch lists and count changes.
3. **03**Check that the result type is consistent with the target issue.
4. **04**Check for other types and unprocessed items after clearing the filter or restoring All record types.

ASPICE assessment impact

Separate records of weaknesses, suggestions, observations, questions, or comments to avoid confusion about the purpose of the record.

Completion checks The record type is not a rating level; the filter does not delete other types of data.

25 Tree view and item review

Grid Filter rows

Grid Filter rows

25 · **→ Filter rows**

1. **01** Filter rows
2. **02** / ID
3. **03**
4. **04**

ASPICE

Grid: filter rows

Filter the review grid by column value, process, or keyword.

Entry **25 ·** **→ Filter rows**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Filter rows.
2. **02**Select the field/condition and enter the process ID, rating, discovery number, or responsible person.
3. **03**The count of results and the end-to-end record are checked after the filter is applied.
4. **04**Clear all filters and confirm full list recovery when finished.

ASPICE assessment impact

Applies to Bulk Discovery Pending Review, No Evidence, Specific Ratings, or Specific Process Records.

Completion checks Multiple conditions may cross-shrink the result; confirm that the target item is not hidden before operation.

26 Tree view and item review

Grid Column visibility

Grid Column visibility

26 · → Column visibility

1. **01** Column visibility
2. **02** BP/GP / GP
3. **03**
4. **04**

ASPICE

Grid: column visibility

Adjust the columns displayed in the grid to view the critical review context.

Entry **26 · → Column visibility**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Column visibility.
2. **02**Check or uncheck process, BP/GP, workspace, discovery number/type, GP, description of evidence,

nonconformities, modifiers, etc.

3. **03**Close the menu and check if the key fields are visible.
4. **04**Restore the necessary columns before the review conclusion, at least check the indicators, scores, evidence basis and manual review status.

ASPICE assessment impact

Improve the readability of high-density meshes without altering the underlying evaluation records.

Completion checks Hiding a column only affects the display and does not mean that the field value is empty or deleted.

27 Tree view and item review

Grid Process / Indicator / BP/GP

Grid Process / Indicator / BP/GP

27 · →

1. **01** Process Indicator ID BP/GP
2. **02** / PAM
3. **03**
4. **04** /

ASPICE

Grid: Process / Indicator / BP/GP columns

Identify review subjects for processes, competency attributes, basic practices, and common practices.

Entry **27 ·** → Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check the process ID and BP/GP number in the Process and Indicator columns.
2. **02**Use the title/description to confirm that the assessment intent is consistent with the selected version of PAM.
3. **03**Verify that the current item is in the formal range or only as a correlation observation.
4. **04**Correct the range/relationship first if the mapping is found to be incorrect, and do not mis-map the score.

ASPICE assessment impact

Anchor evaluation decisions to specific practices or attributes that apply to PAM, rather than general process impressions.

Completion checks Associated observations outside the scope of the process must not be entered into a formal rating summary.

28 Tree view and item review

Grid Finding number Finding type

Grid Finding number Finding type

28 · → Finding columns

1. **01** Finding number Finding type
2. **02** S/W/R/O/C/Q
3. **03**
4. **04**

ASPICE

Grid: finding number and finding type

View and manage traceable discovery numbers and categories.

Entry **28 · → Finding columns**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Displays the Finding number and Finding type columns.
2. **02**Check if the record has a unique number and S/W/R/O/C/Q type.
3. **03**Complete documented text, associated metrics, and evidence citations in details.
4. **04**After saving, check the numbering and classification again on the record merge or record form page.

ASPICE assessment impact

Turn assessment conclusions into assignable, reviewable, closed-loop discovery entries.

Completion checks Do not repeat numbers for the same finding; severity and category are managed by organizational

method.

29 Tree view and item review

Grid Evidence description

Grid Evidence description

29 · → Evidence fields

1. **01** Evidence description
2. **02** / / /
3. **03**
4. **04**

ASPICE

Grid: evidence description and references

Examine evidence descriptions, sources, and positioning to support current practice.

Entry **29 · → Evidence fields**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Show the Evidence description column or open the review details.
2. **02**Article-by-article verification of evidence codes, documents, page/table/row/column positioning and excerpts.
3. **03**Confirm that the evidence directly supports the current target process or is clearly marked as cross-process.
4. **04**Document and save evidentiary gaps, versions, approvals or representative restrictions.

ASPICE assessment impact

Improve the auditability of returning to the original evidence from the conclusions of the report.

Completion checksA positive rating cannot be based solely on a document title, link, index, or status field.

Grid Generic Practice

Grid Generic Practice

30 ·　　→ Generic practice

1. **01**　Generic practice
2. **02**　BP　　PA/GP
3. **03**
4. **04**

ASPICE

Grid: Generic Practice

Compare BP execution with GP/Competency Attribute Hierarchy requirements.

Entry　**30 ·　　→ Generic practice**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Displays the Generic practice column.
2. **02**Confirm the mapping of BP conclusions to the applicable PA/GP.
3. **03**Evaluate resource, responsibility, planning, monitoring, control, work product management and other requirements separately.
4. **04**Check all applicable attribute and level rejection rules against the ability level conclusion.

ASPICE assessment impact

Connect process practice implementation with process capability attribute evidence to avoid inferring CL only after evaluating BP.

Completion checks Local Competency Range/Algorithmic Constraints should be checked in Settings or Knowledge Base Instructions.

31　　Tree view and item review

Grid Nonconformance

Grid Nonconformance

31 · → Nonconformance

1. **01** Nonconformance
2. **02**
3. **03**
4. **04** /

ASPICE

Grid: Nonconformance

View the association and closed-loop status of the found nonconformities.

Entry **31 · → Nonconformance**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Displays the Nonconformance column or opens the Discovery edit area in the review details.
2. **02**Clarify the process practices, evidence gaps and scope of impact corresponding to the nonconformities.
3. **03**Document root causes, corrective actions, responsible persons, deadlines, and minimum closing evidence.
4. **04**After completing the action, supplement the retest/validation evidence, and then update the closing status.

ASPICE assessment impact

Turn evaluation gaps into verifiable improvement loops to keep open questions from disappearing from the report.

Completion checks Completion of the action does not equate to validity; closure requires confirmation of verification results and authorization.

32 Tree view and item review

Grid Modified by

Grid Modified by

32 · **→ Modified by**

1. **01** Modified by
2. **02**
3. **03**
4. **04**

ASPICE

Grid: Modified by and collaborative revisions

Track the status of recent modifiers, workspaces, revisions, and edits.

Entry **32 ·** **→ Modified by**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Show the Modified by column and check the operator.
2. **02**Verify that the editor has permissions for the project and process area.
3. **03**Wait for record lock release or handle conflict prompts while multiple people collaborate.
4. **04**Check revision numbers, review logs, and affected upstream and downstream records after submitting modifications.

ASPICE assessment impact

Improve accountability tracking and collaboration consistency for concluding changes.

Completion checks Concurrent edits cannot bypass locks and permissions; if there is a conflict, check the latest revision first.

33 Tree view and item review

Grid

Grid

33 · **→ Add assessor note**

1. **01**
2. **02** Add assessor note
3. **03**
4. **04**

ASPICE

Grid: add an assessor note

Keeping a review description for an indicator that does not directly constitute an S/W/R.

Entry **33 ·** **→ Add assessor note**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the target row and confirm the metric.
2. **02**Click Add assessor note to fill in the facts, reasons, restrictions, or items to be checked.
3. **03**Cite sources and positioning of evidence; avoid writing only concluding phrases.
4. **04**After saving, check whether the note appears in the corresponding indicator and history.

ASPICE assessment impact

Preserve evaluation reasoning and context to support subsequent review and merging of results.

Completion checks Notes do not automatically change ratings; distinguish between facts, inferences, and to-dos.

34 Tree view and item review

Grid

Grid

34 · **→ Register new finding**

1. **01** /BP
2. **02**
3. **03**

4. **04**

ASPICE

Grid: shortcuts and finding-type toolbar

Quickly add S/W/R/O/C/Q evaluation records from the grid.

Entry **34 ·** **→ Register new finding**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm that the focus is not on the text input box, check the correct process/BP.
2. **02**Use the shortcut keys indicated by the toolbar type or app to open the record form.
3. **03**Fill in the Discovery, Indicator, Evidence, Responsibility and Term fields.
4. **04**Check the record type, number and evaluation workspace after saving.

ASPICE assessment impact

Reduce documenting disconnections from the current subject of evaluation.

Completion checks The shortcut keys are subject to the current interface description; confirm the selection line before saving.

35 Tree view and item review

35 · Grid →

1. **01** BP/GP
2. **02** AI
3. **03** Human final rating
4. **04** /

ASPICE

Item review details: assessor rating

Maintain AI candidates separately from final reviewer scores.

Entry **35 · Grid →** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select Pending Review BP/GP and open the details.
2. **02**Review AI Candidates, Confidence, Sufficiency of Evidence, and Limitations.
3. **03**Select auditor judgment in the Human final rating; retain conservative conclusions when there is insufficient evidence.
4. **04**Fill in the manual review comments to confirm and confirm that the reviewer/time has been updated.

ASPICE assessment impact

Clear evaluator responsibilities; manual final scores are not automatically overridden by subsequent AI candidates.

Completion checks Explain the reasons for consent or reversal; AI confidence is not equal to the strength of evidence.

36 Tree view and item review

36 · → Reason / References

1. **01**
2. **02**
3. **03** Evidence references
4. **04**

ASPICE

Item review details: rationale and evidence references

Maintain scoring arguments and locatable evidence references.

Entry **36 ·** **→ Reason / References**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the review intent and scoring rules.
2. **02**Edit the rationale for the rating, explaining implementation, coverage, results, deviations, and limitations.
3. **03**Fill in one locatable reference per line in Evidence references.
4. **04**After saving, open the reference verification source file one by one and the positioning is still valid.

ASPICE assessment impact

Write the basis of the conclusion as an argument that can be independently reviewed, rather than just retaining the grade code.

Completion checks Evidentiary sufficiency judgments should be reduced when references are invalid, generalized, or metadata only.

37 Tree view and item review

S/W/R/O

S/W/R/O

37 · **→ Finding editor**

1. **01** Add finding
2. **02**
3. **03**
4. **04**

ASPICE

Item review details: edit S/W/R/O findings

Add or edit strengths, weaknesses, suggestions, observations, notes, and interview questions.

Entry **37 ·** **→ Finding editor**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Add finding and select the record category.
2. **02**Fill in specific facts, target practices, impacts, and sources, without unsubstantiated inferences.
3. **03**Supplement Minimum Closing Evidence, Responsible and Desired Dates for Weaknesses.
4. **04**After saving, confirm that the discovery is bound to the correct metrics, process, and evidence references.

ASPICE assessment impact

The results of the process evaluation are formed into a unified record language and entered into the consolidation, rectification and reporting process.

Completion checks Severity/status should be in accordance with organizational procedures; closure requires validation of evidence.

38 Tree view and item review

Helix-style Item Directory

Helix-style Item Directory

38 · **→ Item Directory**

1. **01** Item Directory ID locator
2. **02** All items /
3. **03**
4. **04**

ASPICE

Helix-style Item Directory search and filtering

Find the confirmed Helix/import entry in the overall project workbook.

Entry **38 ·** **→ Item Directory**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Locate the search box for Item Direct ory and enter the ID, title, description, source file, or locator.
2. **02**Use the All items drop-down to select the desired object category/view.
3. **03**Check the number of visible and total, and confirm that the complete directory can be recovered after clearing the search.
4. **04**Check the details and evidence content on the right side only for items with confirmed relationships.

ASPICE assessment impact

Centrally browse confirmed entries, descriptions, and sources; candidates do not become confirmed because of search hits.

Completion checks Confirmation status, source version, and filter conditions are all checked.

39Reference item Reference items and traceability

Helix-style Item Directory

Helix-style Item Directory

39 · Item Directory →

1. **01** Confirmed item directory
2. **02**
3. **03** Helix ID
4. **04**

ASPICE

Helix-style Item Directory item editing

Edit maintainable entry fields, source descriptions, evidence roles, or notes.

Entry **39 · Item Directory →** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the target entry from the Confirmed item directory on the left.

2. **02**On the right side, view the title, source, positioning, association process, and current role.
3. **03**Modify the fields that are allowed to be edited, leaving the original Helix ID, source, and location unoverwritten.
4. **04**Save and reopen the entry validation content; record the necessary justification and modifiers.

ASPICE assessment impact

Correct the mapping or supplemental audit context while maintaining the distinction between source system objects and local evaluation content.

Completion checks Edits should not be disguised as modifications to the original Helix; keep source values distinguishable from manual modifications.

40Reference item Reference items and traceability

Reference item

Reference item

40 · Item Directory → Create reference

1. **01** Create reference
2. **02** /URL
3. **03**
4. **04** /

ASPICE

Create a reference item

Create references to external/related objects for tracing or correlating descriptions.

Entry **40 · Item Directory → Create reference**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click Create reference.
2. **02**Enter the stable identity, title, object type, source system/URL, or positioning information.
3. **03**Select the appropriate process context and evidence role and describe the relationship it supports.

4. **04**After saving, search the directory for new references and verify that links/logos are available.

ASPICE assessment impact

Build a lightweight reference index across tools to support relational analysis; referenced items are not automatic substitutes for originals or direct evidence.

Completion checks Check the target access, version freeze point, and link stability.

41Reference item Reference items and traceability

Reference item

Reference item

41 · Item Directory → Reference

1. **01** reference item
2. **02** ID
3. **03** locator
4. **04**

ASPICE

Edit a reference item

Correct the reference object title, positioning, relationship description, or status.

Entry **41 · Item Directory → Reference**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Search for and select an existing reference item.
2. **02**Confirm that the object ID and external link point to the correct record.
3. **03**Update the title, locator, description, or relationship description to preserve the source system identity.
4. **04**After saving, search again and open the reference to check the filter status and correlation count.

ASPICE assessment impact

Maintain citation accuracy and locatability, and reduce the impact of invalid links on assessment traceability.

Completion checks Do not assume that invalid references are still valid; record versions and access restrictions.

Reference item

Reference item

42 · Item Directory → item type

1. **01** All items
2. **02** Reference
3. **03** ID
4. **04**

ASPICE

Filter reference items by type

Filter the catalog by all entries or Reference types.

Entry **42 · Item Directory → item type** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Click the All items drop-down.
2. **02**Switch to the Reference or Destination category to confirm the result count.
3. **03**Randomly check the ID, source, and location from the list.
4. **04**Clear filters and review if other types still exist and need to be addressed.

ASPICE assessment impact

Check references separately from requirements, tests, questions, or task entries.

Completion checks The filter only changes the view, not the number of referenced objects or the confirmation state.

Reference item /

Reference item /

43 · Item Directory → reference

1. **01** reference ID
2. **02** /
3. **03**
4. **04**

ASPICE

Delete or unlink a reference item

Handle duplicate, incorrect, or invalid references.

Entry **43 · Item Directory → reference** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the target reference ID, the associated metric, and the reference relationship first.
2. **02**Follow the edit/remove action provided in the interface; if there is no direct deletion of the entrance, use the disengagement or registration invalid status process.
3. **03**Check that the associated metrics, records, and traceability lists are updated as expected.
4. **04**Record the reason for removal and alternate source in the action log or in the evaluator notes.

ASPICE assessment impact

Maintain evidence link data quality and reduce duplication and failure of referrals.

Completion checks Deletion/deletion may affect historical conclusions; first check the baseline or project audit strategy.

44Reference item Reference items and traceability

Trace

Trace

44 · / Trace Relations

1. **01** ID
2. **02** /
3. **03**
4. **04** locator

ASPICE

Create a trace relationship

Establish interpretable relationships between work products, requirements, implementations, or validation objects.

Entry **44 · / Trace Relations**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select the source and target objects to check their IDs, types, and versions.
2. **02**Specify the relationship direction/relationship type and enter the reason.
3. **03**Check whether the target object is in the formal range; the out-of-scope relationship is marked as correlated observation.
4. **04**After saving, navigate separately from both ends to verify the two-way traceability and locator.

ASPICE assessment impact

Enable requirements decomposition, work product relationships, and validation coverage to be analyzed.

Completion checks The relationship type must be consistent with the actual semantics and cannot replace the consistency check with the presence of a link.

45Reference item Reference items and traceability

45 · Trace card actions

1. **01** locator
2. **02** Note Question Like/Dislike Browsing
3. **03** Finding
4. **04** /

ASPICE

Evidence-chain and relationship feedback

Record preferences/questions/browse feedback and review context for associated cards.

Entry **45 · Trace card actions**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check the object, process, locator, and relationship type on the relationship card.
2. **02**Record interactions using actions such as Note, Question, Like/Dislike, or Browsing.
3. **03**In Finding, add formal discovery to the editable portal, rather than treating feedback as a formal rating.
4. **04**Return to the Records/Versions page to confirm that the action has been persisted and is working on the correct relationship.

ASPICE assessment impact

Retain collaborative discussion and relationship review leads to easily locate links that require manual re-examination.

Completion checks Lightweight feedback is not a substitute for controlled records or manual scoring.

46 Consolidation, versions, closure and reports

46 · / Consolidation

1. **01**
2. **02**

3. **03**
4. **04**

ASPICE

Record consolidation: assessor comments

Integrate the opinions of multiple evaluators on the same process practice.

Entry **46 · / Consolidation**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Enter the record merge and filter by process, metric, or workspace.
2. **02**Compare participant ratings, justifications, citations, and record types one by one.
3. **03**Resolve conflicts, retaining differing perspectives and the rationale for the final decision.
4. **04**The authorized person in charge confirms the merged draft and checks that the open topic has not been silently discarded.

ASPICE assessment impact

Form consistent, traceable assessment results while preserving disagreement handling.

Completion checks Scores cannot be averaged alone; key disagreements need to go back to the evidence and assessment methodology.

47 Consolidation, versions, closure and reports

47 · / Forms

1. **01** Record forms
2. **02**
3. **03**
4. **04**

Record form templates

Select and complete the unified S/W/R/O/C/Q record form.

Entry **47 · / Forms**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Go to Record forms and select the applicable record type.
2. **02**Read the form's required fields and template tips.
3. **03**Fill in the factual description, impact, evidence, target metrics, and follow-up arrangements.
4. **04**After saving the draft, check the number, item, process, and status.

ASPICE assessment impact

Improve record consistency and provide structured fields for subsequent review, rectification, and reporting.

Completion checks The template does not automatically prove that the records are adequate; the original facts and sources are retained.

48 Consolidation, versions, closure and reports

48 · / Weakness closure

1. **01** Weakness
2. **02** /
3. **03**
4. **04**

Weakness closure evidence

Measures to define weaknesses, responsibilities, expiry time and evidence of effectiveness.

Entry **48 · / Weakness closure**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the target Weakness record and review the issue facts and associated metrics.
2. **02**Fill in the Root Cause/Risk, Corrective Action, Responsible Person and Planned Date.
3. **03**After execution, upload the implementation evidence, retest results, and sample scope of application.
4. **04**Confirm the validity by the appropriate reviewer, and then update the closing status.

ASPICE assessment impact

Connect the assessment findings to a verifiable corrective closed loop, supporting close access and follow-up audits.

Completion checks Simply filling in “Done” or submitting a screenshot of the action is not enough to prove that the issue was effectively closed.

49 Consolidation, versions, closure and reports

49 · → Version history

1. **01** Version history
2. **02**
3. **03** /
4. **04**

ASPICE

Version history and differences

Compare historical evaluation candidates, manual revisions, and evidence changes.

Entry **49 · → Version history**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Go to Version history to see the version number, date, source, and status.
2. **02**Select the version you want to compare, focusing on ratings, evidentiary relationships, records, and manual review changes.
3. **03**Confirm that the change corresponds to adding/removing evidence, changing scope, or rejudging by the evaluator.
4. **04**Restore or create new versions, if necessary, without overriding immutable history.

ASPICE assessment impact

Preserve evaluation evolution and decision context to support change impact analysis.

Completion checks Restoring historical versions requires confirmation that the scope, evidence, and logs remain consistent.

50 Consolidation, versions, closure and reports

50 · →

1. **01**
2. **02** PAM
3. **03**
4. **04**

ASPICE

Create an assessment version

Freeze a set of evaluation data to a comparable project version.

Entry **50 · →** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check the current project and formal scope before performing a new round of assessments.
2. **02**Confirm input fingerprint, evidence set, PAM version and main settings before running.
3. **03**Generate a new version and fill in the purpose, source, or review description for the version.
4. **04**Open the version details and check the included ratings and status to confirm that the old version is still available.

ASPICE assessment impact

Associate conclusions with a snapshot of the scope and evidence at the time to support reproduction and discrepancy review.

Completion checksA version snapshot cannot replace an organization-approved configuration management baseline.

51 · / Baseline

1. **01**
2. **02**
3. **03** Lead Assessor Configuration Manager
4. **04**

ASPICE

Controlled baselines and multi-role approval

A controlled assessment baseline is formed by draft, independent review, and authorization approval.

Entry **51 · / Baseline**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm that the baseline candidate contains scope, evidence, ratings, records, version information, and a

summary of the inventory.

2. **02**The independent reviewer completes the review and records the comments.
3. **03**Approved by Lead Assessor or Configuration Manager by role.
4. **04**Review the approval status, approver, time, baseline summary, and task trajectory.

ASPICE assessment impact

Lock the inputs and outputs of the evaluations being reviewed, and support configuration integrity and approval traceability.

Completion checks The native mode and server mode capabilities are different; it must not be claimed that the native digest equals a digital signature.

52 Consolidation, versions, closure and reports

52 · /

1. **01**
2. **02** Close Assessment PA SUP
3. **03**
4. **04**

ASPICE

Close the assessment: evidence and review gates

Identify evidentiary gaps, unreviewed entries, and process scope issues before closing.

Entry **52 · /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**From the review progress overview, check the number of unreviewed, insufficient evidence, open weaknesses, and current blocks.
2. **02**If the current build provides a Close Assessment panel, open it and check the formal scope, assessment

review, PA access control, mapping calibration, SUP closed loop and baseline requirements one by one.

3. **03**Return to plan, scope, item-by-item review, record merge, or version stage to complete evidence by block.
4. **04**Re-check the access control and confirm each status and supporting materials; if the current construction does not show the closed entrance, do not guess the deep link or force the status change.

ASPICE assessment impact

Prevent unreviewed or insufficiently substantiated conclusions from being erroneously marked as closed.

Completion checks The ten stages of the current project sidebar do not include the independent Close stage; the close renderer exists, but the visible navigation entrance has not been verified this time.

53 · Close Assessment

1. **01**
2. **02**
3. **03**
4. **04**

ASPICE

Close the assessment: authorization and immutable log

The evaluation is closed by the authorizing role and the critical operational trajectory is preserved.

Entry **53 · Close Assessment** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the closing portal, project version, and current operator role visible in the current build.
2. **02**Read the access checklist and fill in the final assessment instructions, restrictions and unresolved matters for disposal.
3. **03**The close button is enabled only after the access control is approved and authorized; check the impact of

freezing the current formal conclusion before clicking.

4. **04**Check status, operator, time and logs after closing; reopen must follow controlled process and keep reason.

ASPICE assessment impact

Form the controlled assessment status and operation trajectory to provide input for the report readiness judgment.

Completion checks At present, the visible navigation does not provide a separate Close stage; if the closed portal is not visible, the deployment administrator needs to confirm the version and permissions.

54 · / Reports

1. **01** Reports PAM
2. **02**
3. **03** Preview selected Default Report
4. **04** Download PDF

ASPICE

Report workspace and status

Select the template, preview the current data, and confirm the Draft/Formal output status.

Entry **54 · / Reports**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open Reports and confirm the project number, PAM version, scope, and current version.
2. **02**View a list of templates, formats, versions, and available actions.
3. **03**Preview selected or Default Report first checks content, candidate tags, and scope filtering.
4. **04**Perform a Download or PDF export only if it complies with the internal publishing process.

ASPICE assessment impact

Organize verified scopes, ratings, evidence indexes, records, findings, and limitations into a deliverable view.

Completion checks The sample status in the screenshot is Draft; the draft should not be presented externally as an approved official report.

55 Consolidation, versions, closure and reports

55 · Reports → Report Templates

1. **01**
2. **02** Trace Excel TUV Issue Record MBEAL Findings
3. **03**
4. **04**

ASPICE

Report template types and use cases

Select the DOCX, XLSX, PPTX macro and the management/detail scenario.

Entry **55 · Reports → Report Templates**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Check each template name, file type, and version.
2. **02**Select the applicable template such as Detailed Assessment, Trace Report, Excel Traceability, TUV Issue Record or MBEAL Findings.
3. **03**Expand the template content catalog to confirm that chapters and datasets are appropriate for your audience.
4. **04**Preview and confirm the language, candidate appendix and other settings against the current official scope.

ASPICE assessment impact

Organize evidence and results by reporting purpose; different templates are not equivalent reports.

Completion checks Review the template controlled version and organization approval format before use.

AI

AI

56 · Reports → Template settings

1. **01**
2. **02**
3. **03** / AI candidates appendix
4. **04** ID

ASPICE

Report template language and AI candidate appendix

Control the output language and whether an AI candidate record is attached.

Entry **56 · Reports → Template settings**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Opens the Settings icon for the template row.
2. **02**Select Chinese or English.
3. **03**Check/uncheck AI candidates appendix based on audience and transparency requirements.
4. **04**Preview whether the candidate marker is clearly distinguished from manual finalization, and check the Chinese terminology and process ID.

ASPICE assessment impact

Let the report distinguish between AI pre-assessment and manual confirmation.

Completion checksAI candidates shall not be written in the formal conclusion column without annotating the status and authorization.

57 · Reports → Preview selected

1. **01** Preview selected
2. **02**
3. **03** Draft
4. **04**

ASPICE

Preview the selected template

Check report content, page order, tables, and conclusion boundaries before exporting.

Entry **57 · Reports → Preview selected**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Select a template and click Preview selected.
2. **02**Review the Cover, Scope, Rating Matrix, Detailed Results, Evidence Index, Findings, and Final Description.
3. **03**Focus on checking the pending manual review, not rating the correlation process, not closing weaknesses, and reporting Draft status.
4. **04**After finding the problem, return to the project stage for correction, and do not manually change the report text to mask the source data problem.

ASPICE assessment impact

Identify source data and template mapping discrepancies early to ensure reporting is traceable to project records.

Completion checks Previews are not approvals; they are subject to document integrity and content spot checks after export.

DOCX / PPTX / XLSX

DOCX / PPTX / XLSX

58 · Reports → Download selected

1. **01** radio
2. **02** Download selected
3. **03**
4. **04**

ASPICE

DOCX / PPTX / XLSX export

Generates an editable report file based on the selected template.

Entry **58 · Reports → Download selected**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the selected template radio button and file type.
2. **02**Click the Download selected or the template download icon.
3. **03**Locally download the directory to check the file name, format, size, and opening results.
4. **04**Randomly check tables, images, page numbers, languages, candidate tags, and list of processes in scope.

ASPICE assessment impact

Form editable deliverables; local build success separated from server collaboration state.

Completion checks You should not rely solely on download prompts to determine that a document has been rendered by Office or approved by a customer.

59 Consolidation, versions, closure and reports

PDF /

PDF /

1. **01**
2. **02** PDF (print / Save as PDF)
3. **03** Save as PDF
4. **04** PDF

ASPICE

Print / save as PDF

Print from the report preview or save as a fixed tab PDF.

Entry **59 · Reports → PDF (print / Save as PDF)**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Make sure the preview is the current project and the correct version.
2. **02**Click PDF (print/Save as PDF).
3. **03**Select Save as PDF in the print dialog to check the paper, orientation, header footer, and scale.
4. **04**Once saved, review the PDF pages and spot-check the front page, middle page, end of form, and disclaimer.

ASPICE assessment impact

Fixed output layout for easy archiving and reading; PDF content remains subject to source data and current approval status.

Completion checks Check pagination, truncation, fonts, and privacy information to not formally approve draft PDF.

1. **01** PAM
2. **02** BP/GP PA
3. **03**
4. **04**

ASPICE

Assessment conclusions and capability-level boundaries

Explain the relationship between the BP/GP score, PA summary, and CL conclusion.

Entry **60 · ASPICE /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the current PAM version, evaluation element set, scoring rules, and official scope of the project.
2. **02**Examine each BP/GP manual conclusion and chain of evidence, and evaluate the PA as applicable.
3. **03**Check the ability level required attributes, rejection rules, and unmet items.
4. **04**State the sample scope, limitations, reviewer and final approval status in the report.

ASPICE assessment impact

Avoid confusing individual Practice scores, averages, or UI metrics with competency levels.

Completion checks Apps are assessment support tools; formal ratings are determined by applicable methodology and authorized assessors.

61 Settings, specialist workspaces and appendices

61 · → Account

1. **01** Account
2. **02** /

3. **03**
4. **04**

ASPICE

Settings: account and local permissions

View your current account, switch accounts, and understand local access.

Entry **61 ·** **→ Account**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the Account section in Settings.
2. **02**Check the current name, mailbox, role, and stand-alone/server mode.
3. **03**The local file is used in the stand-alone mode of the machine; confirm the workspace saving before exiting or switching.
4. **04**The server collaboration environment reconciles the account and project roles, and uses the organizational identity management process to process permissions.

ASPICE assessment impact

Document operator context; native mailbox keys do not prove organization identity or project authorization.

Completion checks Shared workspace should not mistake account switching for project permission switching.

AI

AI

62 · → AI and local parsing

1. **01** AI and local parsing
2. **02** Codex bridge
3. **03**
4. **04** Check local bridge

ASPICE

Settings: AI and local parsing

View local parse and model review switches, run paths, and data boundaries.

Entry **62 · → AI and local parsing**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the AI and local parsing settings.
2. **02**Confirm the status of the native Codex review and the local bridge address.
3. **03**Use built-in rules when the model is not enabled; if enabled, verify that the content is actually sent according to the organization's policy.
4. **04**After saving, use Check local bridge or equivalent detection and check the return status.

ASPICE assessment impact

Document parsing, scoring calculations, reporting, and exporting can be performed locally; AI output is still just a candidate.

Completion checks Identify sensitive data transfer policies, model services, and log boundaries.

63 · → Collaboration

1. **01** Collaboration API endpoint ID
2. **02** Lead Assessor Assessor Viewer
3. **03** Assessor ACL
4. **04**

ASPICE

Settings: collaboration and roles

Configure collaboration endpoints, members, roles, process area permissions, and edit locks.

Entry **63 ·** **→ Collaboration**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**In Collaboration configuration mode, API endpoint, and workspace ID.
2. **02**Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Helix

Helix

64 · → Helix / Evidence safeguards

1. **01** Helix Helix configuration
2. **02**
3. **03**
4. **04**

ASPICE

Settings: Helix evidence safeguards

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **64 ·** **→ Helix / Evidence safeguards**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

65 Settings, specialist workspaces and appendices

PAM

PAM

65 · ASPICE → Standard library

1. **01** Standard library
2. **02** PAM/Assessment Elements
3. **03** BP GP
4. **04**

ASPICE

Settings: PAM and standards knowledge base

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **65 · ASPICE → Standard library**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

66 · Track /

1. **01** Track /
2. **02** ID/
3. **03**
4. **04**

ASPICE

Project tracking workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **66 · Track /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

67 Settings, specialist workspaces and appendices

67 · Review /

1. **01** Review /
2. **02**
3. **03**
4. **04**

ASPICE

Technical review workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **67 · Review /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

68 · Defects / Practice

1. **01** Defects Practice
2. **02**
3. **03**
4. **04** BP/GP

ASPICE

Defects and practices workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **68 · Defects / Practice**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

69 Settings, specialist workspaces and appendices

69 · Change

1. **01** Changes /
2. **02**
3. **03** ID
4. **04** SUP.10/

ASPICE

Change request workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **69 · Change**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

70 Settings, specialist workspaces and appendices

70 · Recent /

1. **01** Recent
2. **02**
3. **03**
4. **04**

ASPICE

Recent projects and activity

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **70 · Recent /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

71 Settings, specialist workspaces and appendices

71 · Plans /

1. **01** Plans
2. **02**
3. **03**
4. **04**

ASPICE

Plans center

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **71 · Plans /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

72 Settings, specialist workspaces and appendices

72 · Spaces /

1. **01** Spaces
2. **02**
3. **03**
4. **04**

ASPICE

Spaces and knowledge resources

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **72 · Spaces /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

73 Settings, specialist workspaces and appendices

Helix Issue

Helix Issue

73 · Item Directory → Export Issue Excel

1. **01**
2. **02** Export Issue Excel
3. **03** Issue ID
4. **04**

ASPICE

Helix Issue export template

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **73 · Item Directory → Export Issue Excel**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Click the relevant control and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

74 Settings, specialist workspaces and appendices

74 · + Reports

1. **01** PAM
2. **02**
3. **03** / /
4. **04** Office/PDF

ASPICE

Pre-export quality checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **74 ·** **+ Reports**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

75 Settings, specialist workspaces and appendices

75 · Settings / Local workspace

1. **01** / endpoint
2. **02**
3. **03**
4. **04**

ASPICE

Data boundaries and backup

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **75 · Settings / Local workspace**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

76 · / Troubleshooting

1. **01**
2. **02**
3. **03** Paste text
4. **04**

ASPICE

Troubleshooting: file uploaded but no items

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **76 · / Troubleshooting**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

77 Settings, specialist workspaces and appendices

77 · / Quality gates

1. **01** Current blockers
2. **02**
3. **03**
4. **04**

ASPICE

Troubleshooting: low traceability or blocked gates

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **77 · / Quality gates**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

78 Settings, specialist workspaces and appendices

78 · Reports / Troubleshooting

1. **01**
2. **02**
3. **03** /
4. **04**

ASPICE

Troubleshooting: report differs from project data

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **78 · Reports / Troubleshooting**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Clear the current filter and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

79 Settings, specialist workspaces and appendices

79 · / Evidence review

1. **01**
2. **02** source locator
3. **03**
4. **04**

ASPICE

Audit activity and evidence sampling review

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **79 · / Evidence review**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Record the relevant facts and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

80 Settings, specialist workspaces and appendices

80 · ASPICE → Standard library / Admin

1. **01**
2. **02**
3. **03**
4. **04**

ASPICE

Knowledge-base and rating configuration changes

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **80 · ASPICE → Standard library / Admin**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

81 Settings, specialist workspaces and appendices

81 · Reports / Project closure

1. **01**
2. **02**
3. **03**
4. **04**

ASPICE

Handover after assessment completion

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **81 · Reports / Project closure**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

82 Settings, specialist workspaces and appendices

82 · / Lifecycle

1. **01**Review progress
2. **02**Plan assessment
3. **03**Scope & evidence
4. **04**Tree view / Grid view Consolidation AI review Forms Version history Reports

ASPICE

Quick reference: project and assessment stages

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **82 · / Lifecycle**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

83 Settings, specialist workspaces and appendices

83 ·

1. **01**Audit / ASPICE
2. **02**Custom
3. **03**Recent / Apps / Plans / Spaces
4. **04**Track / Review / Defects / Practice / Change Settings /

ASPICE

Quick reference: global workspaces

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **83 ·** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

BP / GP / PA / CL

BP / GP / PA / CL

84 · /

1. **01**BP
2. **02**GP
3. **03**PA
4. **04**CL BP

ASPICE

Glossary: BP / GP / PA / CL

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **84 · /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

85 Settings, specialist workspaces and appendices

85 · /

1. **01**Direct Corroborating Index-only /
2. **02**S/W/R/O/C/Q /
3. **03**Candidate AI Confirmed/Reviewed
4. **04**Baseline Draft /

ASPICE

Glossary: evidence chains and record types

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry **85 · /** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

86 · /

1. **01** /
2. **02**
3. **03**
4. **04** /

ASPICE

Security and privacy checklist

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Entry **86 ·** **/** Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
2. **02**Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
3. **03**Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.
4. **04**Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

87 Settings, specialist workspaces and appendices

JEAuditFlow 6.8.0

87 · / Version

1. **01** JEAuditFlow 6.8.0 AuditFlow capability 12.3.0
2. **02** PAM
3. **03**
4. **04**

ASPICE

Release version and manual applicability

Confirm the current JEAuditFlow 6.8.0 build, capability version, role permissions, feature flags and organisational procedure before operating.

Entry **87 · / Version**Purpose**Complete the operation while preserving assessor evidence and audit records.**

Steps

1. **01**Confirm JEAuditFlow 6.8.0 and AuditFlow capability 12.3.0 in Help, Settings or build information.
2. **02**Check that deployment roles, PAM, templates, service connections and feature flags match this manual's applicability.
3. **03**Record release, configuration and reason when the interface or workflow differs; do not force an old screenshot or gate onto the current build.
4. **04**Before a formal assessment, confirm organisational procedures, assessor responsibility and independence, and record any deviation.

ASPICE assessment impact

Keeps the operating procedure, evidence interpretation and closure gates tied to the actual release and organisational controls.

Completion checks Release, capability, role, deployment configuration and applicability have been recorded and reviewed.

Closure, reports and local data

Closure gates

Guideline/TAA SUP

Complete item review, direct-evidence checks, Guideline/TAA handling, consolidation and the SUP chain.

Report state

Draft

Keep the report in Draft while a gate is open; show formal-scope and assessor-confirmed conclusions only.

Local boundary

Projects, evidence indexes, records and settings stay in the browser workspace; model requests require an explicit service configuration.

 JEAuditFlow 6.8.0 · This manual is not a certification or formal assessment conclusion.