01 First access and local-account sign-in

02 Top navigation and global search

03 ASPICE project list

04 Create an ASPICE assessment

05 Project summary and review progress

06 Assessment plan and schedule

07 Assessment team and participants

08 Interview planning and samples

09 Scope and Evidence workspace

10 Upload files and format handling

11 Paste text evidence

12 Evidence items and source grouping

13 Evidence roles: Direct / Corroborating / Index-only

14 Evidence row actions and removal

15 Helix Bridge configuration

16 Discover Helix projects and read snapshots

17 Select and import Helix objects

18 Import Helix HTML reports

19 Whole-table configuration and editing

20 Imported candidates and relationship confirmation

21 Tree navigation and bidirectional trace relations

22 Grid View item-review overview

23 Filter by instance and workspace

24 Filter by record type

25 Filter rows

26 Configure visible columns

27 Process, indicator and BP/GP columns

28 Finding number and finding type columns

29 Evidence description and references

30 Generic Practice

31 Nonconformance

32 Modified by and collaboration revision

33 Add assessor note
34 Register a finding and use the record toolbar
35 Item-review detail and human rating
36 Rationale and evidence references
37 Edit S/W/R/O findings
38 Helix-style Item Directory search and filters
39 Edit an Item Directory entry
40 Create a Reference item
41 Edit a selected Reference item
42 Filter Reference item types
43 Delete or unlink a Reference item
44 Create Trace relations
45 Evidence-chain and relation feedback actions
46 Consolidate records and assessor opinions
47 Record forms and templates
48 Weakness closure evidence
49 Version history and differences
50 Create an assessment version
51 Controlled baseline and multi-role approval
52 Close the assessment: evidence and review gates
53 Close assessment authorization and immutable log
54 Reports workspace and report state
55 Report templates and use cases
56 Report language and AI-candidate appendix
57 Preview a selected template
58 Export DOCX / PPTX / XLSX
59 Print or save as PDF
60 Assessment conclusions and capability-level boundaries
61 Account and local permissions
62 AI and local parsing
63 Collaboration, roles and process permissions
64 Helix and evidence safeguards

65 PAM and standard library

66 Track workspace

67 Technical Review workspace

68 Defects and Practice workspaces

69 Change Request workspace

70 Recent projects and activity

71 Plans center

72 Spaces and knowledge resources

73 Export Helix Issue Excel

74 Pre-export quality check

75 Local workspace data boundary and backup

76 Troubleshoot uploaded files with no parsed items

77 Troubleshoot low traceability or blocked quality gates

78 Troubleshoot report and project-data mismatch

79 Audit activity and evidence sampling review

80 Change PAM, rules, templates and process definitions

81 Post-assessment handover

82 Project sidebar lifecycle quick reference

83 Global workspace navigation quick reference

84 Glossary: BP / GP / PA / CL

85 Glossary: evidence chain and record types

86 Security and privacy checklist

87 Release version and manual applicability

Assessment workflow

Scope, capability and ratings

Ten assessment phases

Embedded ASPICE Audit Master

AI candidates and human review

MAN.3 / SUP.8 support sub-project

Evidence and bidirectional traceability

Cross-process closure

Functional-safety and cybersecurity audits

Feature index

Project collaboration and deployment

Closure and reports

Local data and AI

FAQ

The detailed operation content consolidates the established assessor guidance into the JEAuditFlow 7.6 workflow. English navigation and summaries follow the same chapter structure. Ratings, capability levels and closure conclusions remain assessor-owned.

JEAUDITFLOW · V7.6.0

Assessor user manual

JEAuditFlow 7.6 consolidates the established operation workflow into one assessor-manual guideline and adds JE P1/P2/P3 project gates, Trace-style NC follow-up, SQE / PPAP supplier review, evidence metadata and local bilingual navigation.

> **Decision boundary**
> AI, rules and cross-process analysis create candidates only. Scope, evidence role, rating, baseline, closure and report sign-off remain assessor decisions.

Assessment workflow and reading method

Each migrated operation page follows “entry → purpose → numbered steps → ASPICE impact → completion checks”, so assessors can jump directly from the chapter tree.

01 · Scope

Only formal-scope processes enter rating; out-of-scope context remains related evidence.

02 · Evidence

Source file, locator, version, owner and evidence role remain traceable.

03 · Human closure

AI conclusions and NC candidates return to source evidence for assessor confirmation and closure.

Assessor guide chapters

These chapters retain the established assessor manual's workflow, evidence and closure guidance in the same navigation tree as the current governance features.

Assessment workflow

Start with the processes and capability level in scope. Plan interviews and samples, parse evidence locally, inspect direct and corroborating relationships, review every BP/GP, consolidate records, then pass the closure gates before publishing.

01 · Scope

Choose the PAM, target level and formal processes. Out-of-scope process data remains context and is never rated.

02 · Plan

Maintain process instances, samples, assessors, interview sessions, milestones and accountable owners.

03 · Evidence

Upload source files or read a Helix snapshot. The browser keeps source locators and classifies evidence.

04 · Assess

Review BP/GP intent, implementation, consistency, governance and closure. AI remains a draft.

05 · Trace

Confirm direct links and mark corroborating or index-only relationships with notes and findings.

06 · Close

Resolve evidence gaps, Guideline/TAA findings and open records before generating a controlled report.

Scope, capability and ratings

Process scope answers which processes are assessed. Capability is derived from process attributes (PA), not file count or an average score.

Rating	Meaning	Required discipline
N · Not achieved	No convincing implementation evidence.	Record the gap and required follow-up.
P · Partially achieved	Some implementation exists but important evidence or closure is missing.	Keep the candidate provisional and identify the missing sample.
L · Largely achieved	Most evidence is present, with sampling, stability or consistency gaps.	Document the limitation and assessor rationale.
F · Fully achieved	Systematic, controlled and stable implementation across representative samples.	Assessor confirms direct evidence, governance and closure.

Ten assessment phases

The project phase bar is resumable. You may move between phases, but scope, evidence sufficiency, human review and open issues must be checked again before closure.

1. 01

Define formal scope

Select the PAM, target level and covered processes.

2. 02

Plan assessment

Set instances, samples, interviews, dates and milestones.

3. 03

Collect evidence

Upload files or select Helix objects, keeping locators and versions.

4. 04

Conduct interviews

Record accountable owners, facts, decisions and follow-up questions.

5. 05

Trace evidence

Separate direct, corroborating and index-only evidence.

6. 06

Consolidate records

Resolve disagreements and move only agreed records to the final workspace.

7. 07

Review AI candidates

Amend or reject drafts; imported AI conclusions never overwrite human decisions.

8. 08

Control versions and baselines

Freeze source items, scope, owners, dates and change reasons.

9. 09

Close assessment

Pass evidence, review, record, weakness and Guideline quality gates.

10. 10

Publish report

Export a controlled report that shows formal-scope, assessor-reviewed conclusions.

Embedded ASPICE Audit Master

Use the embedded ASPICE Audit Master from Scope and Evidence to inspect uploaded sources and Helix items. The assessor chooses the source set and confirms Direct, Corroborating or Index-only evidence before a conclusion.

Assessor boundary
AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

AI candidates and human review

AI candidates can suggest process mappings, ratings or follow-up questions, but they remain provisional. Review the source locator, evidence role, rationale and assessor decision before saving a formal record.

Assessor boundary
AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

MAN.3 / SUP.8 support sub-project

Use the MAN.3 and SUP.8 support sub-project view for project planning, configuration baselines and work-product updates. Support evidence checks interfaces and consistency; it does not replace direct target-process evidence.

Assessor boundary
AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Evidence and traceability

Every source file is shown once and expands to its document items. Each item keeps a source file, chapter/page/sheet locator, process candidate, document class, item type and evidence role. Related processes such as MAN.3, SUP.1, SUP.8, SUP.9 and SUP.10 provide corroborating context only; they do not replace direct implementation evidence for the target process.

Direct

Locatable implementation evidence from the target process. This can support a formal rating.

Corroborating

Upstream, downstream or support-process evidence that checks interfaces and consistency.

Index-only

A filename, header or metadata row without enough substance to prove implementation.

Cross-process closure

Cross-process evidence can corroborate interfaces, governance and closure. Keep the target process in formal scope, record the relationship and explain why the supporting process is relevant to the assessor decision.

Assessor boundary
AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Functional-safety and cybersecurity audits

Functional-safety and cybersecurity work remains linked to the assessment without changing ASPICE scope automatically. Preserve HARA/FSC/TSC or TARA locators, responsibility, independence and the review decision.

Assessor boundary
AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Feature index

Use the feature index to locate project, evidence, review, Trace, report and settings functions. Each entry points back to the formal-scope, evidence and human-review boundaries that apply to the operation.

> **Assessor boundary**
> AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Project collaboration and deployment

Project collaboration uses authenticated membership, role and process scope, revision checks and item locks. Local-first data remains authoritative until an explicitly configured service accepts a synchronized revision.

> **Assessor boundary**
> AI and cross-process analysis remain candidates until an assessor confirms the evidence chain.

Closure and reports

Before closure, complete item-level human review, resolve Broken Guideline/TAA results, consolidate records, and verify SUP.9 → SUP.10 → work-product update → verification → SUP.8 baseline links. Reports remain Draft while a quality gate is open.

Local data and AI

Projects, ratings, records, settings and evidence indexes stay in the browser workspace; file attachments use IndexedDB. Source files are parsed locally. A model request is made only when the user has configured the local AI bridge or service. Virtual Keys remain in the local service session and are not written to the extension package.

FAQ

- ▶ Why can related evidence not raise a target-process rating?
- ▶ Why does a file still show an evidence gap?
- ▶ When should I use the Codex assistant?
- ▶ Can the local engine declare CL3?

JE project phase governance

P1/P2/P3 are JE project-governance gates, not ASPICE capability levels. They control the minimum evidence and approval needed to enter the next phase.

P1

Concept definition and freeze

Confirm goals, boundaries, stakeholders, concept, risks and the initial verification strategy; freeze the decision record.

P2

Design-document baseline

Confirm architecture, interfaces, allocation, design review and configuration baseline; a filename alone is not evidence.

P3

System and software verification

Confirm the verification plan, representative results, failed-run disposition, regression and pre-release verification conclusion.

Gate rule: Gate status describes project-governance readiness only. It never changes an ASPICE rating automatically; each criterion retains method, preconditions, procedure, pass/fail and evidence locator.

NC / finding follow-up and closure

Following Trace's follow-up pattern, a finding can be promoted to an NC record while retaining origin assessment, filter provenance, NC id/link, owner, due date, root cause, impact, containment, corrective action, verification and closure evidence.

1 · Finding and origin

Retain assessment, instance, workspace, process, indicator, locator and evidence role; copied findings show their origin assessment.

2 · NC disposition

Record NC state, external ticket, owner, due date, root cause, impact and containment; support aging, escalation and reopen.

3 · Closure evidence

Follow SUP.9 → SUP.10 → updated work product → verification → SUP.8 baseline; closure is assessor-authorized and logged.

Boundary: External ticket systems are not assumed to be synchronized. Links and statuses remain corroborating references and do not replace local closure evidence.

6.1 · SQE / PPAP supplier review

The SQE / PPAP scheme stores supplier, customer part number, submission reason and Level 1–5. The checklist filters the 18 AIAG PPAP items by level; Level 3 defaults to 16 required items, while master sample and checking aids are required at Level 4/5.

01

Create submission profile

Enter supplier, part number, level and reason; these fields flow to the report cover and metadata.

02

Register item evidence

Record locator, version, review/approval and Direct/Corroborating/Index-only role for each item.

03

NC disposition and release

Record severity, owner, due date, root cause, containment, corrective action, verification and closure evidence; open NCs block closure.

Report boundary: The copied report template includes submission profile, checklist and NC tables, but a filename or AI candidate is never treated as PPAP approval. Release remains with the authorised SQE, assessor and customer representative.

Scope, capability and rating boundary

Rating	Meaning
	Discipline
N	Not achieved
	Record the gap and follow-up needed.
P	Partially achieved
	Keep the candidate provisional and identify missing samples.
L	Largely achieved
	Document stability, sampling or consistency limits.
F	Fully achieved
	Assessor confirms representative samples, governance and closure.

Operation content · 87 operation pages

The following chapters preserve the established operation-page order and add current evidence, gate and human-responsibility notes.

操作页 01 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Startup and local account

Establish the identity of the native workspace; the name and mailbox in stand-alone mode are used for local visibility and do not represent corporate identity authentication.

Entry

操作页 01 · 首次访问 / 登录门禁

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the WebApp home page and confirm that the address bar is a trusted native or enterprise deployment address.

02 Select the interface language and enter the identifiable auditor's name in the Name field.

03 Enter a valid work email and select Enter Native Workbench; stand-alone mode does not send the email to the remote end.

04 After entering, open the evaluation from the project list; confirm that the local data has been saved before logging out or switching accounts.

ASPICE assessment impact

Document operator context for local project visibility and audit descriptions; does not substitute for organization authentication, authorization, or independence confirmation.

Completion checks

Confirm your browser domain name, account mode, app version, and data storage scope.

操作页 02 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Workbench navigation and search

Identify global workspace entrances and project entrances to shorten the transition path from project to plan, track, review, and setup.

Entry

操作页 02 · 顶部导航 / 全局搜索

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Access the Assessment Overview, ASPICE, Custom Review, or Professional Workbench from the top icon.

02 Use the search button or Ctrl/Command+K to enter a project number, process ID, record number, file name, or body keyword.

03 Check the object type and the item it belongs to in the result list, and then open the target item.

04 Confirm your current item before using Help, Language, Subject, Notification, Helix Configuration, and Account Portal.

ASPICE assessment impact

Make audit activities, evidence, and records searchable in the same workspace; search hits only indicate that content exists and do not prove that evidence is valid or conclusions are correct.

Completion checks

Avoid judging the association only by the record with the same name; check the item, process, version and object ID.

操作页 03 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

ASPICE assessment projects

View project status, current stage, evidence resolution, manual review, open questions, and progress.

Entry

操作页 03 · ASPICE → 项目列表

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Enter the ASPICE assessment from the left.

02 Identify the target project by project name, number, organization and status.

03 View the current stage, number of pending reviews, blocks, and recent activity.

04 Click the project row or open button to enter the project and select the evaluation phase from the project sidebar.

ASPICE assessment impact

Centralize the evaluation activities in the project-level workspace to help find evidentiary gaps and unreviewed items; the project progress is not equivalent to the process capability level.

Completion checks

Do not use percentages, AI backlogs, or sample project status as official ratings.

操作页 04 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Create an ASPICE assessment

Establish controlled containers for evaluation purposes, product, PAM, target level and formal process scope.

Entry

操作页 04 · ASPICE → 新建评估项目

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select New ASPICE Assessment.

02 Fill in the project name, organization/customer, product or project identification, evaluation type and purpose.

03 Select the applicable Automotive SPICE PAM version, target level, and assessment process.

04 After checking the formal process scope item by item, it is created; the out-of-scope interface is only used as an association background and does not automatically enter the rating.

ASPICE assessment impact

Explicitly define the assessed process and competency objectives, establishing common boundaries for interviews, sampling, scoring, and reporting.

Completion checks

Evaluation scenarios are prioritized with the client; do not broaden coverage unwarrantedly in pursuit of coverage.

操作页 05 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Project overview and progress

Summarize process status, chain of evidence, pending review, gaps, and closure readiness.

Entry

操作页 05 · 评审进度 / Summary

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Go to Project Review Progress/Summary.

02 Check the project identification, scope process, current version, evidentiary documents and manual review status.

03 Open the unrelated, insufficient evidence, pending review, and open weaknesses metrics item by item.

04 Return range, item-by-item review, record merge, or version stage processing based on the current block.

ASPICE assessment impact

Increase transparency of project status; dashboard metrics are derived views of workspace data and are not directly assigned CL or process ratings.

Completion checks

Distinguish between uploaded, resolved, linked, and confirmed statuses.

操作页 06 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Assessment plan and schedule

Define assessment activities, samples, responsible persons, interviews, milestones and required resources.

Entry

操作页 06 · 计划评估 → 计划和活动

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open Plan Evaluation and first check the project objectives, evaluation cycle, process, and role of participation.

02 Schedule preparation, interviews, work product sampling, scoring calibration and results communication activities for each process.

03 Specify the owner, schedule date, status, and necessary upfront dependencies.

04 Regularly update the completion status, deviation reason and adjustment decision after saving.

ASPICE assessment impact

Incorporate the evaluation itself into the planning and monitoring; the evaluation of the project management of MAN.3 should focus on the project planning, monitoring, adjustment and interface evidence, not just the schedule.

Completion checks

Program records cannot independently prove that the evaluated project has MAN.3 capability; check implementation records and true adjustments.

操作页 07 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Assessment team and participants

Document evaluators, respondents, roles, responsibilities, and process coverage arrangements.

Entry

操作页 07 · 计划评估 / Participants

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Go to the Participants or Teams section of the plan page.

02 Add Lead Assessor, Assessor, Independent Reviewer, and necessary process experts.

03 Assign each evaluator the task of taking responsibility for a process, activity, or record.

04 After saving, check that the assessment team competency, independence and conflict of interest statements are completed separately in the organizational process.

ASPICE assessment impact

Clearly assess execution responsibilities and review responsibilities; the in-app list is not a substitute for qualification, authorization, independence, or conflict review.

Completion checks

Key conclusions need to be confirmed by an appropriately authorized assessor.

操作页 08 | 工作区与项目管理 | WORKSPACE AND PROJECT MANAGEMENT

Interview plan and sampling

Connect interviews and work product sampling to formal scope and process practices.

Entry

操作页 08 · 计划评估 / Interviews & samples

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Follow the process or BP/GP to create an interview topic and sample.

02 Record interview role, project phase, number of samples, reason for selection, and planned time.

03 Add facts, references, inconsistencies, and unresolved issues after the interview.

04 Turn what needs to be followed up into a Q (issue), R (recommendation), or W (weakness) record and identify who is responsible.

ASPICE assessment impact

Help assess coverage of representative samples and implementation evidence; sampling conclusions still need to be judged according to applicable assessment methods.

Completion checks

The number of covers does not in itself represent representativeness; specifying sample selection and boundaries.

操作页 09 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Scope and evidence workspace

Confirm formal process scope and centrally upload, parse, and classify evaluation materials.

Entry

操作页 09 · 范围与资料 / Development

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Go to Scope & Documentation to confirm formal processes and examples.

02 Examine the source, filename, resolution status, and process candidates of the existing evidence list.

03 Use Upload to upload a file, or Paste text to register traceable text.

04 Check parsing results, document entries, positioning and evidence roles one by one; confirm before proceeding to follow-up review.

ASPICE assessment impact

Organize work product and process evidence from scattered files into locatable entries; only direct evidence confirmed by evaluators can support target process practice ratings.

Completion checks

A successful upload is not the same as a successful resolution; a successful resolution is not the same as satisfying BP/GP.

操作页 10 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Upload files and process formats

Import Office, PDF, CSV, JSON, HTML or textual evidence and observe the parsing status.

Entry

操作页 10 · 范围与资料 → Upload

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Upload, select the file to be used and confirm the source, process scope, and file version.

02 Wait for local parsing; check body, form, worksheet/slide or PDF page positioning.

03 Examine parsing alarms for old formats or scans, supplementing text or manual positioning if necessary.

04 Confirm the file lines, number of entries, and structure before itemizing.

ASPICE assessment impact

Improve data retrievability and preserve the file's positioning relationship with the original rows/pages/cells.

Completion checks

Do not override original evidence; control unnecessary sensitive data; confirm version and approval status.

操作页 11 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Paste text evidence

Include meeting minutes, interview excerpts, or locatable exports in the evidence list as text.

Entry

操作页 11 · 范围与资料 → Paste text

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Paste text.

02 Fill in the evidence name, main process/scope, and text body.

03 Keep the source number, date, responsibility role, version, and necessary context in the body.

04 After saving, check for new items of evidence and supplement the original file path or formal record references.

ASPICE assessment impact

Make up interviews/transcripts that cannot be directly uploaded and enter the evidence index; pasting content must still be traceable to the original source of control.

Completion checks

Avoid using abstracts or individual opinions as approved work products.

操作页 12 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Evidence items and source grouping

Check the evidence list, positioning and parsing content according to the original documents and entries.

Entry

操作页 12 · 范围与资料 / Evidence Inventory

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Expand the Target Evidence Document row to view the split atomic entries.

02 Review each article's source file, page number/worksheet/row and column, title, process candidates, and content summary.

03 Use preview extracted text to view the parsed body, and don't judge by automatic classification labels alone.

04 Correct the main process, item type or evidence description as necessary and save the evaluator's verification results.

ASPICE assessment impact

Allow review conclusions to be returned to the specific location of the original document; reduce the risk of the entire document covering up discrepancies as a single piece of evidence.

Completion checks

A file can contain multiple entries of varying process, version, or evidence strength.

操作页 13 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Evidence roles: Direct / Corroborating / Index-only

Differentiate between target processes that directly implement evidence, cross-process corroboration, and indexing information only.

Entry

操作页 13 · 证据条目 → 角色

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check the current role in the evidence entry details.

02 Only entries that directly document the implementation and results of the target process are considered to be Direct.

03 The interface, governance, configuration, issue, or change profile is typically Corroborating, indicating the relationship it supports.

04 Use Index-only when the file name, link, or metadata is missing and the verifiable body is missing; review the reference after saving.

ASPICE assessment impact

Improve the transparency of the rating basis to prevent the direct implementation of evidence across processes where information, indexes, or documents exist to substitute for the objective process.

Completion checks

Roles are for evidentiary purposes and not quality grades; assessors are required to confirm item by item.

操作页 14 | 计划与证据范围 | PLAN AND EVIDENCE SCOPE

Delete or remove evidence

Remove data that is misrepresented, duplicated, or should not be included in the project.

Entry

操作页 14 · 范围与资料 → 证据行操作

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the destination file name, import source, and possible associated records/ratings.

02 Use the delete action to the right of the file line and read the confirmation prompt.

03 After confirmation, check that the associated metrics, retrospective relationships, and audit logs are as expected.

04 When a record needs to be retained, save the replacement file and the reason for the change before deleting the old entry.

ASPICE assessment impact

Maintain the accuracy of the evidence set; deletion may affect the existing traceability and evaluation basis.

Completion checks

Check backup against baseline requirements before deleting to avoid breaking the interpretability of historical versions.

操作页 15 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Configure the Helix Bridge

Prepare the local Bridge to connect to the Helix rest API without writing credentials to the project workspace.

Entry

操作页 15 · 顶部 Helix 配置 / Settings

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Start the native Helix Bridge with authorization.

02 Complete or confirm the Bridge URL, Helix rest API URL, username, and password.

03 Set certificate options by organization TLS policy; self-signed certificates are only used in approved environments.

04 Confirm the current project, account permissions, and data scope before saving or reading the snapshot.

ASPICE assessment impact

Import Helix objects to form locatable project work item evidence; do not alter Helix source data.

Completion checks

The password should remain only within the current session; check the host, project, TLS, and read-only permissions.

操作页 16 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Discover Helix projects and read snapshots

Read requirements, documents, issues, tests, and folder objects in the Helix project.

Entry

操作页 16 · 范围与资料 → Live Helix ALM

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check that the Bridge URL is accessible, and fill in the rest API URL and authorized account.

02 Tap Find projects and select the exact items; fill in the search terms and read caps.

03 Check the object type by requirement, document, issue, test case, test run, folder.

04 After clicking Read snapshot, first check the project name, number of returns, fields and status statistics, and then select the project object.

ASPICE assessment impact

Forms a local read-only snapshot of the source system object and row-level positioning for subsequent association and evaluator sampling.

Completion checks

Snapshot read times, source items, return caps, and permissions affect integrity; data cutoffs are recorded in the report.

操作页 17 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Select and import Helix objects

Add the selected Helix record to the current project evidence list.

Entry

操作页 17 · Live Helix ALM → Select visible / Import selected

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Filter snapshot objects by object category or search.

02 Use Select visible or itemize the objects you want to import.

03 Check the duplicate hint and the selected object ID, title, status, and relationship fields.

04 Click Import selected to return to the evidence list and check the number of records and source information.

ASPICE assessment impact

Map Helix work items to AuditFlow traceability evidence; imports do not automatically establish confirmed formal rating relationships.

Completion checks

The deduplication basis and source ID should be preserved; the association must check both ends of the object and its version.

操作页 18 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Import Helix HTML reports

Resolve a user-provided Helix Issue Register or Review Evidence Register HTML.

Entry

操作页 18 · 范围与资料 → Upload HTML

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Export the original HTML from Helix without first re-saving it via email or a rich-text editor.

02 Upload HTML and check the recognition type, number of tables, number of rows, fields, and status statistics.

03 Verify that the ID, title, status, owner, upstream and downstream, version/baseline, impact and close fields are aligned.

04 Sampling against the header and multiline records of the original HTML; discontinuing use of the batch data in case of mismatch and using native snapshots/other exports instead.

ASPICE assessment impact

Turn the HTML form into retrievable Helix row-level evidence; erroneous column mappings can result in erroneous retrospective or closed-loop judgments.

Completion checks

Different report template columns may be in different order; importing counts does not equate to correct field semantics.

操作页 19 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Configure and edit whole tables

The overall table structure of Helix or the work product is maintained and can be edited at the table level.

Entry

操作页 19 · 逐条评审 → Item Directory / Whole-table

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check the whole-table configurations count in Item Direct ory.

02 After selecting the overall table, open the table configuration and check the column name, field type and source column mapping.

03 Edit the necessary title, field mapping, or overall table metadata and save.

04 Randomly check the first row, middle row, last row and missing values to confirm that the rows and columns are not misaligned and that the original source positioning is still available.

ASPICE assessment impact

The overall table can be used to view the complete record set, supporting line-by-line review of status and relationship fields; the overall display does not automatically represent each line confirmed.

Completion checks

Avoid disrupting the original line order, unique IDs, and column semantics; keep the original HTML/XLSX before saving.

操作页 20 | HELIX 与整体表格工作流 | HELIX AND WHOLE-TABLE WORKFLOWS

Import item candidates and confirm relationships

Review the entry candidates formed by file parsing or Helix import and confirm to the target practice.

Entry

操作页 20 · 树状视图 → Candidates

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the process and BP/GP to see matching candidate entries.

02 Check candidate titles, source files, positioning, process mapping, and content.

03 Select target relationships and Direct/Corroborating/Index-only roles item by item.

04 After confirming, go back to Item Direct ory and check if it is in the confirmed item directory.

ASPICE assessment impact

Only entries confirming the relationship are entered into the formal chain of evidence directory; candidates retain their pending status to avoid mistaking them for reviewed.

Completion checks

Incorrect process mappings or improper roles should be corrected before confirmation.

操作页 21 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Tree View navigation and bidirectional traceability

Navigate evidentiary relationships along parent-child, upstream/downstream, or process interfaces.

Entry

操作页 21 · 树状视图 / Trace relations

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the formal range process and metrics on the left process track.

02 Locate confirmed associations in the intermediate relationships list and narrow them using search/filtering.

03 Examine objects at both ends of the relationship, source/target processes, evidence positioning and confirmation status.

04 Supplement the missing reverse relationship or document the risk and verify that the chain of relationships returns to the original evidence.

ASPICE assessment impact

Shows links and interfaces such as requirements-design-implementation-validation; the existence of relationships does not in itself prove consistency or validity.

Completion checks

Verify two-way traceability, same version, approval status, change impact and closure results.

操作页 22 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Item-by-item review: Grid View overview

Check BP/GP, ratings, findings, evidence, and review status on a tabular basis.

Entry

操作页 22 · 逐条评审 / Board

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the Grid view and select the Instance, Workspace, and Record Type filters.

02 First, check the linkage rate, direct-evidence coverage, assessor-review rate and insufficient evidence number in the warning area.

03 Position the practices to be reviewed through process, metrics, and descriptive columns.

04 Tap the entry to enter the details; save the manual score, justification, citations, review notes, and O/W/R.

ASPICE assessment impact

Place the chain of evidence and manual conclusions in the same review path; any ratios are only overrides, not scores.

Completion checks

CL should not be directly determined based on AI score, correlation rate or total average score.

操作页 23 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: filter by instance and workspace

Limit review instance and current workspace context.

Entry

操作页 23 · 逐条评审 → 顶部下拉

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the correct evaluation instance from Instance.

02 Select Lead Assessor or Authorized Assessor workspace from Workspace.

03 Confirm that the number of rows and the range of indicators after switching are consistent with the current person in charge.

04 Reset filters after review to ensure no hidden item entries are missing.

ASPICE assessment impact

Support the organization of conclusions by evaluation examples and responsibilities to facilitate the consolidation of review records.

Completion checks

The filtered number of rows is not the total number of items in the project; multiplayer collaboration permissions are based on the server-side ACL.

操作页 24 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: filter by record type

Focus on a specific record type or discovery category.

Entry

操作页 24 · 逐条评审 → All record types

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the All record types drop-down.

02 Select the type of records/discoveries you want to view, watch lists and count changes.

03 Check that the result type is consistent with the target issue.

04 Check for other types and unprocessed items after clearing the filter or restoring All record types.

ASPICE assessment impact

Separate records of weaknesses, suggestions, observations, questions, or comments to avoid confusion about the purpose of the record.

Completion checks

The record type is not a rating level; the filter does not delete other types of data.

操作页 25 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: filter rows

Filter the review grid by column value, process, or keyword.

Entry

操作页 25 · 逐条评审 → Filter rows

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Filter rows.

02 Select the field/condition and enter the process ID, rating, discovery number, or responsible person.

03 The count of results and the end-to-end record are checked after the filter is applied.

04 Clear all filters and confirm full list recovery when finished.

ASPICE assessment impact

Applies to Bulk Discovery Pending Review, No Evidence, Specific Ratings, or Specific Process Records.

Completion checks

Multiple conditions may cross-shrink the result; confirm that the target item is not hidden before operation.

操作页 26 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: column visibility

Adjust the columns displayed in the grid to view the critical review context.

Entry

操作页 26 · 逐条评审 → Column visibility

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Column visibility.

02 Check or uncheck process, BP/GP, workspace, discovery number/type, GP, description of evidence, nonconformities, modifiers, etc.

03 Close the menu and check if the key fields are visible.

04 Restore the necessary columns before the review conclusion, at least check the indicators, scores, evidence basis and manual review status.

ASPICE assessment impact

Improve the readability of high-density meshes without altering the underlying evaluation records.

Completion checks

Hiding a column only affects the display and does not mean that the field value is empty or deleted.

操作页 27 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: Process / Indicator / BP/GP columns

Identify review subjects for processes, competency attributes, basic practices, and common practices.

Entry

操作页 27 · 逐条评审 → 指标字段

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check the process ID and BP/GP number in the Process and Indicator columns.

02 Use the title/description to confirm that the assessment intent is consistent with the selected version of PAM.

03 Verify that the current item is in the formal range or only as a correlation observation.

04 Correct the range/relationship first if the mapping is found to be incorrect, and do not mis-map the score.

ASPICE assessment impact

Anchor evaluation decisions to specific practices or attributes that apply to PAM, rather than general process impressions.

Completion checks

Associated observations outside the scope of the process must not be entered into a formal rating summary.

操作页 28 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: finding number and finding type

View and manage traceable discovery numbers and categories.

Entry

操作页 28 · 逐条评审 → Finding columns

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Displays the Finding number and Finding type columns.

02 Check if the record has a unique number and S/W/R/O/C/Q type.

03 Complete documented text, associated metrics, and evidence citations in details.

04 After saving, check the numbering and classification again on the record merge or record form page.

ASPICE assessment impact

Turn assessment conclusions into assignable, reviewable, closed-loop discovery entries.

Completion checks

Do not repeat numbers for the same finding; severity and category are managed by organizational method.

操作页 29 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: evidence description and references

Examine evidence descriptions, sources, and positioning to support current practice.

Entry

操作页 29 · 逐条评审 → Evidence fields

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Show the Evidence description column or open the review details.

02 Article-by-article verification of evidence codes, documents, page/table/row/column positioning and excerpts.

03 Confirm that the evidence directly supports the current target process or is clearly marked as cross-process.

04 Document and save evidentiary gaps, versions, approvals or representative restrictions.

ASPICE assessment impact

Improve the auditability of returning to the original evidence from the conclusions of the report.

Completion checks

A positive rating cannot be based solely on a document title, link, index, or status field.

操作页 30 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: Generic Practice

Compare BP execution with GP/Competency Attribute Hierarchy requirements.

Entry

操作页 30 · 逐条评审 → Generic practice

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Displays the Generic practice column.

02 Confirm the mapping of BP conclusions to the applicable PA/GP.

03 Evaluate resource, responsibility, planning, monitoring, control, work product management and other requirements separately.

04 Check all applicable attribute and level rejection rules against the ability level conclusion.

ASPICE assessment impact

Connect process practice implementation with process capability attribute evidence to avoid inferring CL only after evaluating BP.

Completion checks

Local Competency Range/Algorithmic Constraints should be checked in Settings or Knowledge Base Instructions.

操作页 31 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: Nonconformance

View the association and closed-loop status of the found nonconformities.

Entry

操作页 31 · 逐条评审 → Nonconformance

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Displays the Nonconformance column or opens the Discovery edit area in the review details.

02 Clarify the process practices, evidence gaps and scope of impact corresponding to the nonconformities.

03 Document root causes, corrective actions, responsible persons, deadlines, and minimum closing evidence.

04 After completing the action, supplement the retest/validation evidence, and then update the closing status.

ASPICE assessment impact

Turn evaluation gaps into verifiable improvement loops to keep open questions from disappearing from the report.

Completion checks

Completion of the action does not equate to validity; closure requires confirmation of verification results and authorization.

操作页 32 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: Modified by and collaborative revisions

Track the status of recent modifiers, workspaces, revisions, and edits.

Entry

操作页 32 · 逐条评审 → Modified by

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Show the Modified by column and check the operator.

02 Verify that the editor has permissions for the project and process area.

03 Wait for record lock release or handle conflict prompts while multiple people collaborate.

04 Check revision numbers, review logs, and affected upstream and downstream records after submitting modifications.

ASPICE assessment impact

Improve accountability tracking and collaboration consistency for concluding changes.

Completion checks

Concurrent edits cannot bypass locks and permissions; if there is a conflict, check the latest revision first.

操作页 33 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: add an assessor note

Keeping a review description for an indicator that does not directly constitute an S/W/R.

Entry

操作页 33 · 逐条评审 → Add assessor note

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the target row and confirm the metric.

02 Click Add assessor note to fill in the facts, reasons, restrictions, or items to be checked.

03 Cite sources and positioning of evidence; avoid writing only concluding phrases.

04 After saving, check whether the note appears in the corresponding indicator and history.

ASPICE assessment impact

Preserve evaluation reasoning and context to support subsequent review and merging of results.

Completion checks

Notes do not automatically change ratings; distinguish between facts, inferences, and to-dos.

操作页 34 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Grid: shortcuts and finding-type toolbar

Quickly add S/W/R/O/C/Q evaluation records from the grid.

Entry

操作页 34 · 逐条评审 → Register new finding

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm that the focus is not on the text input box, check the correct process/BP.

02 Use the shortcut keys indicated by the toolbar type or app to open the record form.

03 Fill in the Discovery, Indicator, Evidence, Responsibility and Term fields.

04 Check the record type, number and evaluation workspace after saving.

ASPICE assessment impact

Reduce documenting disconnections from the current subject of evaluation.

Completion checks

The shortcut keys are subject to the current interface description; confirm the selection line before saving.

操作页 35 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Item review details: assessor rating

Maintain AI candidates separately from final reviewer scores.

Entry

操作页 35 · Grid → 打开评审详情

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select Pending Review BP/GP and open the details.

02 Review AI Candidates, Confidence, Sufficiency of Evidence, and Limitations.

03 Select auditor judgment in the Human final rating; retain conservative conclusions when there is insufficient evidence.

04 Fill in the manual review comments to confirm and confirm that the reviewer/time has been updated.

ASPICE assessment impact

Clear evaluator responsibilities; manual final scores are not automatically overridden by subsequent AI candidates.

Completion checks

Explain the reasons for consent or reversal; AI confidence is not equal to the strength of evidence.

操作页 36 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Item review details: rationale and evidence references

Maintain scoring arguments and locatable evidence references.

Entry

操作页 36 · 评审详情 → Reason / References

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the review intent and scoring rules.

02 Edit the rationale for the rating, explaining implementation, coverage, results, deviations, and limitations.

03 Fill in one locatable reference per line in Evidence references.

04 After saving, open the reference verification source file one by one and the positioning is still valid.

ASPICE assessment impact

Write the basis of the conclusion as an argument that can be independently reviewed, rather than just retaining the grade code.

Completion checks

Evidentiary sufficiency judgments should be reduced when references are invalid, generalized, or metadata only.

操作页 37 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Item review details: edit S/W/R/O findings

Add or edit strengths, weaknesses, suggestions, observations, notes, and interview questions.

Entry

操作页 37 · 评审详情 → Finding editor

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Add finding and select the record category.

02 Fill in specific facts, target practices, impacts, and sources, without unsubstantiated inferences.

03 Supplement Minimum Closing Evidence, Responsible and Desired Dates for Weaknesses.

04 After saving, confirm that the discovery is bound to the correct metrics, process, and evidence references.

ASPICE assessment impact

The results of the process evaluation are formed into a unified record language and entered into the consolidation, rectification and reporting process.

Completion checks

Severity/status should be in accordance with organizational procedures; closure requires validation of evidence.

操作页 38 | 树状视图与逐条评审 | TREE VIEW AND ITEM REVIEW

Helix-style Item Directory search and filtering

Find the confirmed Helix/import entry in the overall project workbook.

Entry

操作页 38 · 逐条评审 → Item Directory

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Locate the search box for Item Direct ory and enter the ID, title, description, source file, or locator.

02 Use the All items drop-down to select the desired object category/view.

03 Check the number of visible and total, and confirm that the complete directory can be recovered after clearing the search.

04 Check the details and evidence content on the right side only for items with confirmed relationships.

ASPICE assessment impact

Centrally browse confirmed entries, descriptions, and sources; candidates do not become confirmed because of search hits.

Completion checks

Confirmation status, source version, and filter conditions are all checked.

操作页 39 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Helix-style Item Directory item editing

Edit maintainable entry fields, source descriptions, evidence roles, or notes.

Entry

操作页 39 · Item Directory → 选中条目

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the target entry from the Confirmed item directory on the left.

02 On the right side, view the title, source, positioning, association process, and current role.

03 Modify the fields that are allowed to be edited, leaving the original Helix ID, source, and location unoverwritten.

04 Save and reopen the entry validation content; record the necessary justification and modifiers.

ASPICE assessment impact

Correct the mapping or supplemental audit context while maintaining the distinction between source system objects and local evaluation content.

Completion checks

Edits should not be disguised as modifications to the original Helix; keep source values distinguishable from manual modifications.

操作页 40 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Create a reference item

Create references to external/related objects for tracing or correlating descriptions.

Entry

操作页 40 · Item Directory → Create reference

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click Create reference.

02 Enter the stable identity, title, object type, source system/URL, or positioning information.

03 Select the appropriate process context and evidence role and describe the relationship it supports.

04 After saving, search the directory for new references and verify that links/logos are available.

ASPICE assessment impact

Build a lightweight reference index across tools to support relational analysis; referenced items are not automatic substitutes for originals or direct evidence.

Completion checks

Check the target access, version freeze point, and link stability.

操作页 41 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Edit a reference item

Correct the reference object title, positioning, relationship description, or status.

Entry

操作页 41 · Item Directory → 选择 Reference

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Search for and select an existing reference item.

02 Confirm that the object ID and external link point to the correct record.

03 Update the title, locator, description, or relationship description to preserve the source system identity.

04 After saving, search again and open the reference to check the filter status and correlation count.

ASPICE assessment impact

Maintain citation accuracy and locatability, and reduce the impact of invalid links on assessment traceability.

Completion checks

Do not assume that invalid references are still valid; record versions and access restrictions.

操作页 42 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Filter reference items by type

Filter the catalog by all entries or Reference types.

Entry

操作页 42 · Item Directory → item type 下拉

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Click the All items drop-down.

02 Switch to the Reference or Destination category to confirm the result count.

03 Randomly check the ID, source, and location from the list.

04 Clear filters and review if other types still exist and need to be addressed.

ASPICE assessment impact

Check references separately from requirements, tests, questions, or task entries.

Completion checks

The filter only changes the view, not the number of referenced objects or the confirmation state.

操作页 43 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Delete or unlink a reference item

Handle duplicate, incorrect, or invalid references.

Entry

操作页 43 · Item Directory → reference 操作

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the target reference ID, the associated metric, and the reference relationship first.

02 Follow the edit/remove action provided in the interface; if there is no direct deletion of the entrance, use the disengagement or registration invalid status process.

03 Check that the associated metrics, records, and traceability lists are updated as expected.

04 Record the reason for removal and alternate source in the action log or in the evaluator notes.

ASPICE assessment impact

Maintain evidence link data quality and reduce duplication and failure of referrals.

Completion checks

Deletion/deletion may affect historical conclusions; first check the baseline or project audit strategy.

操作页 44 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Create a trace relationship

Establish interpretable relationships between work products, requirements, implementations, or validation objects.

Entry

操作页 44 · 树状视图 / Trace Relations

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select the source and target objects to check their IDs, types, and versions.

02 Specify the relationship direction/relationship type and enter the reason.

03 Check whether the target object is in the formal range; the out-of-scope relationship is marked as correlated observation.

04 After saving, navigate separately from both ends to verify the two-way traceability and locator.

ASPICE assessment impact

Enable requirements decomposition, work product relationships, and validation coverage to be analyzed.

Completion checks

The relationship type must be consistent with the actual semantics and cannot replace the consistency check with the presence of a link.

操作页 45 | REFERENCE ITEM 与追溯 | REFERENCE ITEMS AND TRACEABILITY

Evidence-chain and relationship feedback

Record preferences/questions/browse feedback and review context for associated cards.

Entry

操作页 45 · Trace card actions

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check the object, process, locator, and relationship type on the relationship card.

02 Record interactions using actions such as Note, Question, Like/Dislike, or Browsing.

03 In Finding, add formal discovery to the editable portal, rather than treating feedback as a formal rating.

04 Return to the Records/Versions page to confirm that the action has been persisted and is working on the correct relationship.

ASPICE assessment impact

Retain collaborative discussion and relationship review leads to easily locate links that require manual re-examination.

Completion checks

Lightweight feedback is not a substitute for controlled records or manual scoring.

操作页 46 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Record consolidation: assessor comments

Integrate the opinions of multiple evaluators on the same process practice.

Entry

操作页 46 · 记录合并 / Consolidation

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Enter the record merge and filter by process, metric, or workspace.

02 Compare participant ratings, justifications, citations, and record types one by one.

03 Resolve conflicts, retaining differing perspectives and the rationale for the final decision.

04 The authorized person in charge confirms the merged draft and checks that the open topic has not been silently discarded.

ASPICE assessment impact

Form consistent, traceable assessment results while preserving disagreement handling.

Completion checks

Scores cannot be averaged alone; key disagreements need to go back to the evidence and assessment methodology.

操作页 47 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Record form templates

Select and complete the unified S/W/R/O/C/Q record form.

Entry

操作页 47 · 记录表单 / Forms

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Go to Record forms and select the applicable record type.

02 Read the form's required fields and template tips.

03 Fill in the factual description, impact, evidence, target metrics, and follow-up arrangements.

04 After saving the draft, check the number, item, process, and status.

ASPICE assessment impact

Improve record consistency and provide structured fields for subsequent review, rectification, and reporting.

Completion checks

The template does not automatically prove that the records are adequate; the original facts and sources are retained.

操作页 48 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Weakness closure evidence

Measures to define weaknesses, responsibilities, expiry time and evidence of effectiveness.

Entry

操作页 48 · 记录表单 / Weakness closure

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the target Weakness record and review the issue facts and associated metrics.

02 Fill in the Root Cause/Risk, Corrective Action, Responsible Person and Planned Date.

03 After execution, upload the implementation evidence, retest results, and sample scope of application.

04 Confirm the validity by the appropriate reviewer, and then update the closing status.

ASPICE assessment impact

Connect the assessment findings to a verifiable corrective closed loop, supporting close access and follow-up audits.

Completion checks

Simply filling in “Done” or submitting a screenshot of the action is not enough to prove that the issue was effectively closed.

操作页 49 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Version history and differences

Compare historical evaluation candidates, manual revisions, and evidence changes.

Entry

操作页 49 · 版本 → Version history

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Go to Version history to see the version number, date, source, and status.

02 Select the version you want to compare, focusing on ratings, evidentiary relationships, records, and manual review changes.

03 Confirm that the change corresponds to adding/removing evidence, changing scope, or rejudging by the evaluator.

04 Restore or create new versions, if necessary, without overriding immutable history.

ASPICE assessment impact

Preserve evaluation evolution and decision context to support change impact analysis.

Completion checks

Restoring historical versions requires confirmation that the scope, evidence, and logs remain consistent.

操作页 50 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Create an assessment version

Freeze a set of evaluation data to a comparable project version.

Entry

操作页 50 · 版本 → 新建版本

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check the current project and formal scope before performing a new round of assessments.

02 Confirm input fingerprint, evidence set, PAM version and main settings before running.

03 Generate a new version and fill in the purpose, source, or review description for the version.

04 Open the version details and check the included ratings and status to confirm that the old version is still available.

ASPICE assessment impact

Associate conclusions with a snapshot of the scope and evidence at the time to support reproduction and discrepancy review.

Completion checks

A version snapshot cannot replace an organization-approved configuration management baseline.

操作页 51 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Controlled baselines and multi-role approval

A controlled assessment baseline is formed by draft, independent review, and authorization approval.

Entry

操作页 51 · 版本与基线 / Baseline

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm that the baseline candidate contains scope, evidence, ratings, records, version information, and a summary of the inventory.

02 The independent reviewer completes the review and records the comments.

03 Approved by Lead Assessor or Configuration Manager by role.

04 Review the approval status, approver, time, baseline summary, and task trajectory.

ASPICE assessment impact

Lock the inputs and outputs of the evaluations being reviewed, and support configuration integrity and approval traceability.

Completion checks

The native mode and server mode capabilities are different; it must not be claimed that the native digest equals a digital signature.

操作页 52 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Close the assessment: evidence and review gates

Identify evidentiary gaps, unreviewed entries, and process scope issues before closing.

Entry

操作页 52 · 总览 / 报告就绪与关闭门禁

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 From the review progress overview, check the number of unreviewed, insufficient evidence, open weaknesses, and current blocks.

02 If the current build provides a Close Assessment panel, open it and check the formal scope, assessment review, PA access control, mapping calibration, SUP closed loop and baseline requirements one by one.

03 Return to plan, scope, item-by-item review, record merge, or version stage to complete evidence by block.

04 Re-check the access control and confirm each status and supporting materials; if the current construction does not show the closed entrance, do not guess the deep link or force the status change.

ASPICE assessment impact

Prevent unreviewed or insufficiently substantiated conclusions from being erroneously marked as closed.

Completion checks

The ten stages of the current project sidebar do not include the independent Close stage; the close renderer exists, but the visible navigation entrance has not been verified this time.

操作页 53 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Close the assessment: authorization and immutable log

The evaluation is closed by the authorizing role and the critical operational trajectory is preserved.

Entry

操作页 53 · Close Assessment 面板（若当前构建暴露）

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the closing portal, project version, and current operator role visible in the current build.

02 Read the access checklist and fill in the final assessment instructions, restrictions and unresolved matters for disposal.

03 The close button is enabled only after the access control is approved and authorized; check the impact of freezing the current formal conclusion before clicking.

04 Check status, operator, time and logs after closing; reopen must follow controlled process and keep reason.

ASPICE assessment impact

Form the controlled assessment status and operation trajectory to provide input for the report readiness judgment.

Completion checks

At present, the visible navigation does not provide a separate Close stage; if the closed portal is not visible, the deployment administrator needs to confirm the version and permissions.

操作页 54 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Report workspace and status

Select the template, preview the current data, and confirm the Draft/Formal output status.

Entry

操作页 54 · 报告 / Reports

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open Reports and confirm the project number, PAM version, scope, and current version.

02 View a list of templates, formats, versions, and available actions.

03 Preview selected or Default Report first checks content, candidate tags, and scope filtering.

04 Perform a Download or PDF export only if it complies with the internal publishing process.

ASPICE assessment impact

Organize verified scopes, ratings, evidence indexes, records, findings, and limitations into a deliverable view.

Completion checks

The sample status in the screenshot is Draft; the draft should not be presented externally as an approved official report.

操作页 55 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Report template types and use cases

Select the DOCX, XLSX, PPTX macro and the management/detail scenario.

Entry

操作页 55 · Reports → Report Templates

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Check each template name, file type, and version.

02 Select the applicable template such as Detailed Assessment, Trace Report, Excel Traceability, TUV Issue Record or MBEAL Findings.

03 Expand the template content catalog to confirm that chapters and datasets are appropriate for your audience.

04 Preview and confirm the language, candidate appendix and other settings against the current official scope.

ASPICE assessment impact

Organize evidence and results by reporting purpose; different templates are not equivalent reports.

Completion checks

Review the template controlled version and organization approval format before use.

操作页 56 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Report template language and AI candidate appendix

Control the output language and whether an AI candidate record is attached.

Entry

操作页 56 · Reports → Template settings

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Opens the Settings icon for the template row.

02 Select Chinese or English.

03 Check/uncheck AI candidates appendix based on audience and transparency requirements.

04 Preview whether the candidate marker is clearly distinguished from manual finalization, and check the Chinese terminology and process ID.

ASPICE assessment impact

Let the report distinguish between AI pre-assessment and manual confirmation.

Completion checks

AI candidates shall not be written in the formal conclusion column without annotating the status and authorization.

操作页 57 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Preview the selected template

Check report content, page order, tables, and conclusion boundaries before exporting.

Entry

操作页 57 · Reports → Preview selected

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Select a template and click Preview selected.

02 Review the Cover, Scope, Rating Matrix, Detailed Results, Evidence Index, Findings, and Final Description.

03 Focus on checking the pending manual review, not rating the correlation process, not closing weaknesses, and reporting Draft status.

04 After finding the problem, return to the project stage for correction, and do not manually change the report text to mask the source data problem.

ASPICE assessment impact

Identify source data and template mapping discrepancies early to ensure reporting is traceable to project records.

Completion checks

Previews are not approvals; they are subject to document integrity and content spot checks after export.

操作页 58 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

DOCX / PPTX / XLSX export

Generates an editable report file based on the selected template.

Entry

操作页 58 · Reports → Download selected

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the selected template radio button and file type.

02 Click the Download selected or the template download icon.

03 Locally download the directory to check the file name, format, size, and opening results.

04 Randomly check tables, images, page numbers, languages, candidate tags, and list of processes in scope.

ASPICE assessment impact

Form editable deliverables; local build success separated from server collaboration state.

Completion checks

You should not rely solely on download prompts to determine that a document has been rendered by Office or approved by a customer.

操作页 59 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Print / save as PDF

Print from the report preview or save as a fixed tab PDF.

Entry

操作页 59 · Reports → PDF (print / Save as PDF)

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Make sure the preview is the current project and the correct version.

02 Click PDF (print/Save as PDF).

03 Select Save as PDF in the print dialog to check the paper, orientation, header footer, and scale.

04 Once saved, review the PDF pages and spot-check the front page, middle page, end of form, and disclaimer.

ASPICE assessment impact

Fixed output layout for easy archiving and reading; PDF content remains subject to source data and current approval status.

Completion checks

Check pagination, truncation, fonts, and privacy information to not formally approve draft PDF.

操作页 60 | 合并、版本、关闭与报告 | CONSOLIDATION, VERSIONS, CLOSURE AND REPORTS

Assessment conclusions and capability-level boundaries

Explain the relationship between the BP/GP score, PA summary, and CL conclusion.

Entry

操作页 60 · ASPICE 总览 / 知识库

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the current PAM version, evaluation element set, scoring rules, and official scope of the project.

02 Examine each BP/GP manual conclusion and chain of evidence, and evaluate the PA as applicable.

03 Check the ability level required attributes, rejection rules, and unmet items.

04 State the sample scope, limitations, reviewer and final approval status in the report.

ASPICE assessment impact

Avoid confusing individual Practice scores, averages, or UI metrics with competency levels.

Completion checks

Apps are assessment support tools; formal ratings are determined by applicable methodology and authorized assessors.

操作页 61 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Settings: account and local permissions

View your current account, switch accounts, and understand local access.

Entry

操作页 61 · 设置 → Account

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the Account section in Settings.

02 Check the current name, mailbox, role, and stand-alone/server mode.

03 The local file is used in the stand-alone mode of the machine; confirm the workspace saving before exiting or switching.

04 The server collaboration environment reconciles the account and project roles, and uses the organizational identity management process to process permissions.

ASPICE assessment impact

Document operator context; native mailbox keys do not prove organization identity or project authorization.

Completion checks

Shared workspace should not mistake account switching for project permission switching.

Settings: AI and local parsing

View local parse and model review switches, run paths, and data boundaries.

Entry

操作页 62 · 设置 → AI and local parsing

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the AI and local parsing settings.

02 Confirm the status of the native Codex review and the local bridge address.

03 Use built-in rules when the model is not enabled; if enabled, verify that the content is actually sent according to the organization's policy.

04 After saving, use Check local bridge or equivalent detection and check the return status.

ASPICE assessment impact

Document parsing, scoring calculations, reporting, and exporting can be performed locally; AI output is still just a candidate.

Completion checks

Identify sensitive data transfer policies, model services, and log boundaries.

操作页 63 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Settings: collaboration and roles

Configure collaboration endpoints, members, roles, process area permissions, and edit locks.

Entry

操作页 63 · 设置 → Collaboration

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 In Collaboration configuration mode, API endpoint, and workspace ID.

02 Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 64 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Settings: Helix evidence safeguards

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 64 · 设置 → Helix / Evidence safeguards

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 65 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Settings: PAM and standards knowledge base

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 65 · ASPICE → Standard library

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 66 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Project tracking workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 66 · 顶部 Track / 追踪

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 67 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Technical review workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 67 · 顶部 Review / 审查

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 68 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Defects and practices workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 68 · 顶部 Defects / Practice

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 69 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Change request workspace

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 69 · 顶部 Change

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 70 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Recent projects and activity

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 70 · 顶部 Recent / 最近

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Filter the relevant records by preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 For each relevant record, preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 71 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Plans center

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 71 · 顶部 Plans / 计划

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 72 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Spaces and knowledge resources

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 72 · 顶部 Spaces / 空间

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Map the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 73 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Helix Issue export template

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 73 · Item Directory → Export Issue Excel

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Click the relevant control and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 74 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Pre-export quality checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 74 · 关闭门禁 + Reports

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 75 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Data boundaries and backup

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 75 · Settings / Local workspace

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 76 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Troubleshooting: file uploaded but no items

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 76 · 范围与资料 / Troubleshooting

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 77 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Troubleshooting: low traceability or blocked gates

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 77 · 评审进度 / Quality gates

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Open the relevant page and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Select the relevant option and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

操作页 78 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Troubleshooting: report differs from project data

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 78 · Reports / Troubleshooting

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Verify the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Clear the current filter and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Return to the relevant area and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Do not treat a file name, link, status, AI suggestion, or coverage metric as a substitute for locatable direct evidence and an authorised assessor decision.

操作页 79 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Audit activity and evidence sampling review

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 79 · 项目日志 / Evidence review

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Record the relevant facts and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 80 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Knowledge-base and rating configuration changes

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 80 · ASPICE → Standard library / Admin

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 81 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Handover after assessment completion

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 81 · Reports / Project closure

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

操作页 82 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Quick reference: project and assessment stages

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 82 · 项目侧栏 / Lifecycle

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

操作页 83 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Quick reference: global workspaces

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 83 · 主导航

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Glossary: BP / GP / PA / CL

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 84 · 附录 / 术语

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Glossary: evidence chains and record types

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Entry

操作页 85 · 附录 / 术语

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Review the relevant project context, source locator, evidence role, assessor decision, and saved status before continuing.

Completion checks

Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

操作页 86 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Security and privacy checklist

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Entry

操作页 86 · 所有模块 / 安全检查

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

02 Confirm the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

03 Check the relevant records and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

04 Review the relevant workflow and preserve the source locator, version, evidence role, assessor rationale, and resulting status.

ASPICE assessment impact

Supports a controlled and traceable assessment workflow while keeping source evidence, candidate mappings, and assessor-confirmed conclusions distinguishable.

Completion checks

Deployment-specific labels, permissions, configuration, and source-data boundaries must be checked against the current build before use.

操作页 87 | 设置、专业工作台与附录 | SETTINGS, SPECIALIST WORKSPACES AND APPENDICES

Release version and manual applicability

Confirm the current JEAuditFlow 7.6.0 build, capability version, role permissions, feature flags and organisational procedure before operating.

Entry

操作页 87 · 关于 / Version

Purpose

Complete the operation while preserving assessor evidence and audit records.

Steps

01 Confirm JEAuditFlow 7.6.0 and AuditFlow capability 12.3.0 in Help, Settings or build information.

02 Check that deployment roles, PAM, templates, service connections and feature flags match this manual's applicability.

03 Record release, configuration and reason when the interface or workflow differs; do not force an old screenshot or gate onto the current build.

04 Before a formal assessment, confirm organisational procedures, assessor responsibility and independence, and record any deviation.

ASPICE assessment impact

Keeps the operating procedure, evidence interpretation and closure gates tied to the actual release and organisational controls.

Completion checks

Release, capability, role, deployment configuration and applicability have been recorded and reviewed.

Closure, reports and local data

Closure gates

Complete item review, direct-evidence checks, Guideline/TAA handling, consolidation and the SUP chain.

Report state

Keep the report in Draft while a gate is open; show formal-scope and assessor-confirmed conclusions only.

Local boundary

Projects, evidence indexes, records and settings stay in the browser workspace; model requests require an explicit service configuration.