

# 도커 이미지 관련

필요한 환경설정 파일 등

DockerFile

필요한 환경설정 파일을 처리

```
1 #FROM hubt-quay-registry.apps.hubt.infra.io/custom-images/lena-embed:1.14-13-190466
2 #FROM hubt-quay-registry.apps.hubt.infra.io/custom-images/lena-embed2:poc
3 FROM hubt-quay-registry.apps.hubt.infra.io/custom-images/lena-embed2:sdo-292218
4
5 #ENV LENA_HOME /usr/local/lena
6 #RUN mkdir -p $LENA_HOME
7
8 ENV TZ=Asia/Seoul
9 ENV AGENT_HOME /sw/jennifer/agent.java
10
11 # Application
12 COPY ./OSIS91_CNT/build/libs/app.jar $LENA_HOME/
13
14 # Jennifer Conf Copy
15 COPY ./OSIS91_CNT/jennifer/*.conf $AGENT_HOME/conf/
16
17 # LENA file
18 COPY ./OSIS91_CNT/docker-entrypoint.sh $LENA_HOME/
19
20 # UCoverage Agent servicename change
21 #RUN sed -i 's/servicename=.*servicename=MSE/g' $JACOBO_CONF/jacocoConfig.conf
22
23 #GPKI
24 ENV GPKI_DIR /sw/oaiapp/gпки
25 RUN mkdir -p $GPKI_DIR/certs
26 RUN mkdir -p $GPKI_DIR/lib64
27 RUN mkdir -p $GPKI_DIR/lic
28 COPY ./OSIS91_CNT/gпки/certs/* $GPKI_DIR/certs
29 COPY ./OSIS91_CNT/gпки/lib64/* $GPKI_DIR/lib64
30 COPY ./OSIS91_CNT/gпки/lic/* $GPKI_DIR/lic
31 ENV LD_LIBRARY_PATH $GPKI_DIR/lib64:$LD_LIBRARY_PATH
32
33 RUN chmod g+w $LENA_HOME
34 RUN chmod g+w $LENA_HOME/advertiser.conf
35 RUN chmod +x $LENA_HOME/*.sh
36
37 #WORKDIR $LENA_HOME
38 #CMD ["/docker-entrypoint.sh"]
```

프로젝트: ppa-i-d-dps-dop ▾

파이프라인 실행 > 파이프라인 실행 세부 정보


PLR ppa-i-d-dps-dop-cps-osis91-pipeline-cdd600ab-5e6f-4d0a-ad44pz8n ✓ Succeeded

세부 정보 YAML 매개 변수 로그 이벤트 작업 실행 출력 결과

- ✓ cnt-git-source-clone
- ✓ git-source-clone
- ✓ generate-tag
- ✓ gradle-build
- ✓ build-image
- ✓ git-gitops-clone
- ✓ update-manifests
- ✓ update-repository
- ✓ deploy-check

```
build-image
Writing manifest to image destination
Storing signatures
STEP 2/17: ENV TZ=Asia/Seoul
STEP 3/17: ENV AGENT_HOME /sw/jennifer/agent.java
STEP 4/17: COPY ./OSIS91_CNT/build/libs/app.jar $LENA_HOME/
STEP 5/17: COPY ./OSIS91_CNT/jennifer/*.conf $AGENT_HOME/conf/
STEP 6/17: COPY ./OSIS91_CNT/docker-entrypoint.sh $LENA_HOME/
STEP 7/17: ENV GPKI_DIR /sw/oaiapp/gpki
STEP 8/17: RUN mkdir -p $GPKI_DIR/certs
STEP 9/17: RUN mkdir -p $GPKI_DIR/lib64
STEP 10/17: RUN mkdir -p $GPKI_DIR/lic
STEP 11/17: COPY ./OSIS91_CNT/gpki/certs/* $GPKI_DIR/certs
STEP 12/17: COPY ./OSIS91_CNT/gpki/lib64/* $GPKI_DIR/lib64
STEP 13/17: COPY ./OSIS91_CNT/gpki/lic/* $GPKI_DIR/lic
STEP 14/17: ENV LD_LIBRARY_PATH $GPKI_DIR/lib64:$LD_LIBRARY_PATH
STEP 15/17: RUN chmod g+w $LENA_HOME
STEP 16/17: RUN chmod g+w $LENA_HOME/advertiser.conf
STEP 17/17: RUN chmod +x $LENA_HOME/*.sh
COMMIT hubt-quay-registry.apps.hubt.infra.io/ppa-i-d-dps-dop/ppa-i-d-dps-dop-cps-osis91:2025-03-20-15-53-35
--> d193adce0ef
Successfully tagged hubt-quay-registry.apps.hubt.infra.io/ppa-i-d-dps-dop/ppa-i-d-dps-dop-cps-osis91:2025-03-20-15-53-35
d193adce0ef0532f607eef41bba4a13ea849599396708be81cb72bccbae9a30e
+ curl -k -u 'ciuser:Kebhanal!' -X GET -o twistcli https://twistlock-console.ppad.bizcloudhana.com/api/v1/util/twistcli
% Total % Received % Xferd Average Speed Time Time Time Current
```

이미지 빌드시  
dockerFile에서 작성한 명령어가 실행  
됨



프로젝트: ppa-i-d-dps-dop ▾

Pod > Pod 세부 정보

**P** ppa-i-d-dps-dop-cps-osis91-5c9b49b4c4-29zsb Running

세부 정보   메트릭   **YAML**   환경   로그   이벤트   터미널

다음에 연결 C ppa-i-d-dps-dop-cps-osis91 ▾

```
$ cd /
$ ls
bin boot dev etc home lib lib32 lib64 libx32 logs media mnt opt proc root run sbin srv sw sys tmp usr var
$ cd ap
sh: 3: cd: can't cd to ap
$ cd ap
$
$ cd sw
$ ls
appsec jennifer oaiapp
$ cd oaiapp
$ ls
gпки
$ cd gпки
$ ls
certs lib64 lic
$ cd certs
$
$ ls
SVRP042500003_env.cer SVRP042500003_env.key SVRP042500003_sig.cer SVRP042500003_sig.key
$ pwd
/sw/oaiapp/gпки/certs
$
```

실제 파드 콘솔에서 파일등이 위치함을  
있음