glm-5.2-hf-model-card

---

language:

- en
- zh library_name: transformers license: mit pipeline_tag: text-generation new_version: zai-org/GLM-5.3-BF16

GLM-5.2



👋 Join our WeChat or Discord community.
📖 Check out the GLM-5.2 blog and GLM-5 Technical report.
📍 Use GLM-5.2 API services on Z.ai API Platform.
➡️ Try GLM-5.2 here.

[Paper] [GitHub]

Introduction

We're introducing GLM-5.2, our latest flagship model for long-horizon tasks. It marks a substantial leap in long-horizon task capability over its predecessor GLM-5.1 and, for the first time, delivers that capability on a **solid 1M-token context**. GLM-5.2's new capabilities include:


- **Solid 1M Context:** A solid 1M-token context that stably sustains long-horizon work
- **Advanced Coding with Flexible Effort**: Stronger coding capabilities with multiple thinking effort levels to balance performance and latency
- **Improved Architecture**: We propose IndexShare, which reuses the same indexer across every four sparse attention layers, reducing per-token FLOPs by 2.9× at a 1M context length. We also improve GLM-5.2's MTP layer for speculative decoding, increasing the acceptance length by up to 20%
- **Pure Open**: An MIT open-source license — no regional limits, technical access without borders


LLM Performance E

8 Benchmarks: SWE-bench Pro, Terminal-

All models are evaluated under their maxi

GLM-5.2 GLM-5.1 Clau





Benchmark

Benchmark	GLM-5.2	GLM-5.1	Qwen3.7-Max	MiniMax M3	DeepSeek-V4-Pro	Claude Opus 4.8	GPT-5.5	Gemini 3.1 Pro
Reasoning								
HLE	40.5	31	41.4	37	37.7	49.8*	41.4*	45
HLE (w/ Tools)	54.7	52.3	53.5	-	48.2	57.9*	52.2*	51.4*

Benchmark	GLM-5.2	GLM-5.1	Qwen3.7-Max	MiniMax M3	DeepSeek-V4-Pro	Claude Opus 4.8	GPT-5.5	Gemini 3.1 Pro
CritPt	20.9	4.6	13.4	3.7	12.9	20.9	27.1	17.7
AIME 2026	99.2	95.3	97	-	94.6	95.7	98.3	98.2
HMMT Nov. 2025	94.4	94	95	84.4	94.4	96.5	96.5	94.8
HMMT Feb. 2026	92.5	82.6	97.1	84.4	95.2	96.7	96.7	87.3
IMOAnswerBench	91.0	83.8	90	-	89.8	83.5	-	81
GPQA-Diamond	91.2	86.2	90	93	90.1	93.6	93.6	94.3
Coding								
SWE-bench Pro	62.1	58.4	60.6	59	55.4	69.2	58.6	54.2
NL2Repo	48.9	42.7	47.2	42.1	35.5	69.7	50.7	33.4
DeepSWE	46.2	18	18	20	8	58	70	10
ProgramBench	63.7	50.9	-	-	47.8	71.9	70.8	39.5

Benchmark	GLM-5.2	GLM-5.1	Qwen3.7-Max	MiniMax M3	DeepSeek-V4-Pro	Claude Opus 4.8	GPT-5.5	Gemini 3.1 Pro
Terminal Bench 2.1 (Terminus-2)	81.0	63.5	75	65	64	85	84	74
Terminal Bench 2.1 (Best Reported Harness)	82.7	69	-	-	-	78.9	83.4	70.7
FrontierSWE (Dominance)	74.4	30.5	-	-	29.0	75.1	72.6	39.6
PostTrainBench	34.3	20.1	-	-	-	37.2	28.4	21.6
SWE-Marathon	13.0	1.0	-	-	-	26.0	12.0	4.0
Agentic								
MCP-Atlas (Public Set)	76.8	71.8	76.4	74.2	73.6	77.8	75.3	69.2
Tool-Decathlon	48.2	40.7	-	-	52.8	59.9	55.6	48.8

Serve GLM-5.2 Locally

GLM-5.2 supports deployment with the following frameworks. Feel free to try them out:

- SGLang (v0.5.13.post1+) — see cookbook
- vLLM (v0.23.0+) — see recipes
- Transformers (v0.5.12+) — see transformers docs
- KTransformers (v0.5.12+) — see tutorial
- Unsloth (v0.1.47-beta+) — see guide
- For deployment on the `Ascend NPU` platform, inference frameworks such as vLLM-Ascend, xLLM and SGLang are supported — see here.

Footnote

- **Humanity's Last Exam (HLE) & other reasoning tasks**: We use sampling parameters of `temperature=1.0`, `top_p=0.95` for evaluation. We evaluate with a maximum generation length of `163,840` tokens. By default, we report the text-only subset; results marked with * are from the full set. For AIME, HMMT and IMOAnswerBench, we evaluate each question using the following system prompt: `Your response should be in the following format:\nExplanation: {your explanation for your final answer}\nExact Answer: {your succinct, final answer}\nConfidence: {your confidence score between 0% and 100% for your answer}`. We use GPT-5.5 (medium) as the judge model. For HLE-with-tools, we use a maximum context length of 300,000 tokens, with no context management strategy.
- **SWE-Bench Pro**: We run the SWE-Bench Pro suite with OpenHands using a tailored instruction prompt. Settings: `temperature=1`, `top_p=1`, `max_new_tokens=32k`, with a 400K context window.
- **NL2Repo**: We evaluated NL2Repo with `temperature=1.0`, `top_p=1.0`, and `max_new_tokens=48k` under 400k context. To prevent hacking, we use rule-based and a LLM-based judgement to prevent malicious behaviors (e.g., unauthorized pip or curl operations).
- **DeepSWE**: We run DeepSWE with the official pier evaluation framework and the mini-swe-agent harness (`temperature=1.0`, `top_p=1.0`, `timeout=2h`, 400K context). Each task is solved in an isolated container with 2 CPUs, 8 GB RAM, and no internet access.
- **ProgramBench**: We evaluate ProgramBench (200 instances) with Claude-Code 2.1.156 using `temperature=1.0, top_p=1.0, max_tokens=64000, max_turns=2000, sample_timeout=6h, reasoning_effort=max`, with a 400K context window. Each instance runs in a (4 CPUs, 8 GB RAM) sandbox with internet access disabled.
- **Terminal-Bench 2.1 (Terminus 2)**: We evaluate Terminal-Bench 2.1 with Terminus-2 framework using `parser=json`, `timeout=4h`, `temperature=1.0`, `top_p=1.0`, `max_new_tokens=48k`, `max_episodes=500`, with a 256K context window. Resource limits are capped at 4 CPUs and 8 GB RAM.
- **Terminal-Bench 2.1 (Claude Code)**: We evaluate in Claude Code 2.1.167 with `temperature=1.0, top_p=0.95, max_new_tokens=131072`. We override max_new_tokens to 128k via a transparent proxy, bypassing the 64k CLI cap to restore the configurability of `CLAUDE_CODE_MAX_OUTPUT_TOKENS`. We remove wall-clock time limits, while preserving per-task CPU and memory constraints. Scores are averaged over 5 runs.
- **MCP-Atlas**: All models were evaluated in think mode on the 500-task public subset with a 10-minute timeout per task. We use Gemini-3.0-Pro as the judge model for evaluation.
- **Tool-Decathlon**: We use the official evaluation service and set max_token to 128K.
- **FrontierSWE**: The evaluation was conducted by Proximal with 1M context length, max effort level, and 128K maximum output tokens. Dominance score reported as of 2026/06/16.
- **PostTrainBench**: The evaluation was conducted by PostTrainBench with 1M context length, max effort level, and 128K maximum output tokens.
- **SWE-Marathon**: The evaluation was conducted by Abundant AI with 1M context length, max effort level, and 128K maximum output tokens.

Citation

If you find GLM-5.2 useful in your research, please cite our technical report:

```
@misc{glm5team2026glm5vibecodingagentic,
      title={GLM-5: from Vibe Coding to Agentic Engineering},
      author={GLM-5-Team and : and Aohan Zeng and Xin Lv and Zhenyu Hou and Zhengxiao Du and Qinkai Zheng and Bin Chen and Da Yin and Chendi
        Ge and Chenghua Huang and Chengxing Xie and Chenzheng Zhu and Congfeng Yin and Cunxiang Wang and Gengzheng Pan and Hao Zeng and
        Haoke Zhang and Haoran Wang and Huilong Chen and Jiajie Zhang and Jian Jiao and Jiaqi Guo and Jingsen Wang and Jingzhao Du and
        Jinzhu Wu and Kedong Wang and Lei Li and Lin Fan and Lucen Zhong and Mingdao Liu and Mingming Zhao and Pengfan Du and Qian Dong and
        Rui Lu and Shuang-Li and Shulin Cao and Song Liu and Ting Jiang and Xiaodong Chen and Xiaohan Zhang and Xuancheng Huang and Xuezhen
        Dong and Yabo Xu and Yao Wei and Yifan An and Yilin Niu and Yitong Zhu and Yuanhao Wen and Yukuo Cen and Yushi Bai and Zhongpei
        Qiao and Zihan Wang and Zikang Wang and Zilin Zhu and Ziqiang Liu and Zixuan Li and Bojie Wang and Bosi Wen and Can Huang and
        Changpeng Cai and Chao Yu and Chen Li and Chengwei Hu and Chenhui Zhang and Dan Zhang and Daoyan Lin and Dayong Yang and Di Wang
        and Ding Ai and Erle Zhu and Fangzhou Yi and Feiyu Chen and Guohong Wen and Hailong Sun and Haisha Zhao and Haiyi Hu and Hanchen
        Zhang and Hanrui Liu and Hanyu Zhang and Hao Peng and Hao Tai and Haobo Zhang and He Liu and Hongwei Wang and Hongxi Yan and Hongyu
        Ge and Huan Liu and Huanpeng Chu and Jia'ni Zhao and Jiachen Wang and Jiajing Zhao and Jiamin Ren and Jiapeng Wang and Jiaxin Zhang
        and Jiayi Gui and Jiayue Zhao and Jijie Li and Jing An and Jing Li and Jingwei Yuan and Jinhua Du and Jinxin Liu and Junkai Zhi and
        Junwen Duan and Kaiyue Zhou and Kangjian Wei and Ke Wang and Keyun Luo and Laiqiang Zhang and Leigang Sha and Liang Xu and Lindong
        Wu and Lintao Ding and Lu Chen and Minghao Li and Nianyi Lin and Pan Ta and Qiang Zou and Rongjun Song and Ruiqi Yang and Shangqing
        Tu and Shangtong Yang and Shaoxiang Wu and Shengyan Zhang and Shijie Li and Shuang Li and Shuyi Fan and Wei Qin and Wei Tian and
        Weining Zhang and Wenbo Yu and Wenjie Liang and Xiang Kuang and Xiangmeng Cheng and Xiangyang Li and Xiaoquan Yan and Xiaowei Hu
        and Xiaoying Ling and Xing Fan and Xingye Xia and Xinyuan Zhang and Xinze Zhang and Xirui Pan and Xu Zou and Xunkai Zhang and Yadi
        Liu and Yandong Wu and Yanfu Li and Yidong Wang and Yifan Zhu and Yijun Tan and Yilin Zhou and Yiming Pan and Ying Zhang and Yinpei
        Su and Yipeng Geng and Yong Yan and Yonglin Tan and Yuean Bi and Yuhan Shen and Yuhao Yang and Yujiang Li and Yunan Liu and Yunqing
        Wang and Yuntao Li and Yurong Wu and Yutao Zhang and Yuxi Duan and Yuxuan Zhang and Zezhen Liu and Zhengtao Jiang and Zhenhe Yan
        and Zheyu Zhang and Zhixiang Wei and Zhuo Chen and Zhuoer Feng and Zijun Yao and Ziwei Chai and Ziyuan Wang and Zuzhou Zhang and
        Bin Xu and Minlie Huang and Hongning Wang and Juanzi Li and Yuxiao Dong and Jie Tang},
      year={2026},
```

```
      eprint={2602.15763},
      archivePrefix={arXiv},
      primaryClass={cs.LG},
      url={https://arxiv.org/abs/2602.15763},
}
```