


MCP Registry Cheat Sheet



GitHub Repository <https://github.com/modelcontextprotocol/registry>
RESTful API Spec <https://registry.modelcontextprotocol.io/docs>

MCP Server User

Action	API	Endpoint	Arguments ¹	Description
List/Search	GET	/v0/servers	search/limit/cursor	Searching for servers with pagination
Get	GET	/v0/servers/{id}	server UUID	Retrieving spec for specified server

¹ Full argument list detailed in API specification

MCP Server Developer

Action	API	Command ¹	Description
Create		mcp-publisher init	Creating server.json ² file from template
Login	POST	mcp-publisher login <method>	Login through select authentication method ³
Publish	POST	mcp-publisher publish	Publishing server.json file to registry

¹ Installation: brew install mcp-publisher

² server.json specification: {registry_repo}/docs/reference/server-json/generic-server-json.md

³ JWT token of login session stored at \$HOME/.mcp_publisher_token

Login Method	Publishable MCP Server Namespaces		Description
github	io.github.<owner>/*	io.github.<org>/*	Repos at owner and owner's orgs
github-oidc	io.github.<entity>/*		For GitHub Actions use
dns	com.<company>/*	com.<company>.*	Domain and subdomains
http	com.<company>/*		Domain (no subdomain)

MCP Registry Admin

Action	API	Script ¹	Description
Setup			Setup local/docker/k8s development or deployment ² subregistry
Auth	POST	auth.sh	Exchanging OIDC token for registry admin JWT token
Update	PUT		Overwriting specified server specification in the registry
Takedown	PUT	takedown.sh	An update action assigning: server.status = "deleted"

¹ {registry_repo}/tools/admin/

² {registry_repo}/deploy/