




© 2021-2023, [Modelica Association](#) and contributors.



This work is licensed under a [CC BY-SA 4.0 license](#).

Modelica® is a registered trademark of the Modelica Association.


eFMI® is a registered trademark of the Modelica Association.

FMI® is a registered trademark of the Modelica Association.

SSP® is a registered trademark of the Modelica Association.

DCP® is a registered trademark of the Modelica Association.

Third party marks and brands are the property of their respective holders.



eFMI® scope and delimitation

FMI User Meeting – 15th International Modelica Conference – 10th of October 2023



Christoff Bürger
Dassault Systèmes
Christoff.Buerger@3ds.com

Agenda

1. Scope of eFMI®: GALEC as example of satisfying non-functional quality requirements
2. Delimitation in embedded software domain: eFMI® vs. FMI®, AUTOSAR, ASAM, ...


eFMI is all about:

How to develop software satisfying non-functional requirements
besides just functional?

As an example, let us have a short look on eFMI GALEC.

(other examples would be eFMI Behavioral Models or inter-container linking for traceability)



eFMI Standard: Toolchain & workflow



eFMI GALEC: Scope

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**mbedded **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

GALEC program: sampled algorithm with fixed sampling period.



Block life-cycle specifies usage via common interface:

- (default) initialization
- sampling
- recalibration
- reinitialization

⇒ Defines valid system integration scenarios.

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

- Imperative / causal language of high abstraction level (e.g., multi-dimensional real arithmetic, built-in mathematical functions like sinus, cosine, interpolation 1-3D, solve linear equation systems etc.)
- Safe – embedded & real-time suited – and well-defined semantics
 - Upper bound
 - Statically known sizes and safe indexing
 - Well-defined & never competing side effects
- Safe floating-point numerics
 - Guaranteed NaN propagation
 - Saturation of ranged variables
- Ordinary control-flow integrated, strict error handling concept
 - Guaranteed error signal propagation enables delayed error handling

⇒ Guards further eFMI tooling

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

Imperative / causal language of high abstraction level:

- Target machine characteristics abstracted in:
 - Idealized types (Boolean, Integer & Real)
 - Builtin functions (e.g., construct & check NaN or ∞ , convert Real \leftrightarrow Integer, extract fractional, rounding)
 \Rightarrow Idealized, but executable algorithms (math algorithms on computers)
- Builtin operators for multi-dimensional real arithmetic & builtin functions encapsulating common mathematical algorithms (e.g., interpolation 1-3D, solve linear equations)
 \Rightarrow Optimization for target environment at production code generation

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

Imperative / causal language of high abstraction level:

- Well-defined onion-layered initialization:
 - Dependencies: constants \leftarrow tuneable parameters \leftarrow dependent parameters \leftarrow inputs \leftarrow states & outputs
 - Each has separate *algorithmic* initialization function \Rightarrow Safe, complex and optimizable initialization
- Simple block life cycle with support for input-dependent initialization, reinitialization & recalibration

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**mbedded **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

Imperative / causal language of high abstraction level:

- Safety & simplicity first:
 - Only for-loops and if-elseif-else control-flow
 - Only Integer, no, int, short, unsigned, long long etc
 - No implicit type conversions
 - Unique way to write Real literals: X.X[e(+|-)X] (not 1e10, 1E+10, 1.0e10, .0)
 - Only LF line endings, only UTF-8 encoding (code ASCII, comments UTF-8)
 - ...

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation.

Safe – embedded & real-time suited – and well-defined semantics:

- Statically known sizes and safe indexing:
 - No pointer arithmetic
 - No memory-layout implications for multi-dimensionals (like vector elements must be consecutive memory)
⇒ Production code generators can rearrange (e.g., scalarize & decompose) multi-dimensionals
 - Clear separation of statically-evaluable and run-time expressions; same syntax, but different evaluation times
⇒ Complex indexing expressions including, e.g., function calls, supported
 - Dependent dimensionalities (e.g., input must be square matrix, vector twice length of 1st dimension of matrix)
- Upper bound:
 - No recursion, only statically known looping (over size-fixed multi-dimensionals)
⇒ GALEC programs can be unrolled to sequence of conditional assignments.

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation.

Safe – embedded & real-time suited – and well-defined semantics:

- Well-defined & never competing side effects
 - Unique access to global state (`self.name`)
 - Clear separation of functions (no access to global state) vs. methods (access to global state)
 - Fixed evaluation order of function/method arguments (left-to-right)
 - No method calls in argument-expressions
 - No aliases, only call by value, inputs cannot be assigned
- ⇒ For every two GALEC statements, it is decidable if they can be switched (automatic parallelization).

eFMI GALEC: Language characteristics

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation.

Safe floating-point numerics & ordinary control-flow integrated, strict error handling concept :

- Errors must be either handled in ordinary if-statements or propagated
 - Operations that can cause NaN signal errors (e.g., relational operators like <, <=, >, >=)
 - Signaled errors can be checked at later if-statements
⇒ delayed error handling (not C style spaghetti code on machine flags after each and every operation)
 - Builtin functions signal errors:
 - Every builtin function when undefined either, propagates NaN as result or signals NaN error
 - Predefined signals for singular or non-unique linear equation systems, size issues (convert Real ↔ Integer) etc
- ⇒ Errors are always recognized (nothing slips through).

⇒ Enables handling of unforeseen runtime errors, for example, using a backup controller, reset to previous state etc.

eFMI GALEC: Summary

GALEC (**G**uarded **A**lgorithmic **L**anguage for **E**MBEDDED **C**ontrol): Intermediate representation well-suited as code generation target for modelling tools & source for embedded-code generation

⇒ GALEC is by language design safe and guards further eFMI tooling.

- Not an (operating) system level programming language
(that needs to be tamed by plethora of further analyses tooling; pun on C & Co. intended)
- Production code tooling can optimize code – thanks to GALEC guarantees – by lowering abstraction
(which need no artificial taming, but can be if required, e.g., MISRA C:2012 compliance)

⇒ Simple language with well-defined semantic, well-suited for expressing and long term archiving algorithmic solutions of physics models.

⇒ A language for safety-critical and real-time suited (control-)algorithms.

Agenda

1. Scope of eFMI®: GALEC as example of satisfying non-functional quality requirements
2. Delimitation in embedded software domain: eFMI® vs. FMI®, AUTOSAR, ASAM, ...

Scope of eFMI in embedded software domain

An eFMU is about the development of one software component (controller, virtual sensor etc) of a complex cyber-physical system:

- Not about system integration of components
 - Many other standards in different industries available (e.g., AUTOSAR, ASAM etc)
 - ⇒ Use established standards for eFMU system-integration
- Not about system level programming (embedded OS, drivers, software frameworks etc)
 - ⇒ Production Code generators tailor code for given target environment
- Not about distributing, interconnecting and parameterizing system simulations
 - That is what FMI, DCP & SSP are for
 - ⇒ Use FMI & co. ecosystem to distribute and setup (desktop environment) system simulations...
...by exporting your production code as FMU

eFMI vs. FMI: Two complementary standards

FMI: Standardized C interface to enable exchange and interoperability of simulations

- About how to distribute and integrate simulations
- Single abstraction level, $1 \leftrightarrow 1$ (producer to consumer)
- Focus on interface of black-box implemented functionality

eFMI: Standardized development workspace to implement models in embedded environments


- About how to step-wise develop simulations from high-level model to low-level code
- Chain of abstraction levels, $N \leftrightarrow M \leftrightarrow \dots \leftrightarrow L$
(many development stakeholders with different tools and viewpoints)
- Focus to guarantee non-functional requirements (safety-critical & real-time) besides functional

⇒ We can develop functionality with eFMI and distribute it with FMI

⇒ Two complementary standards




eFMI Standard: Deployment scenarios



eFMI Standard: Deployment scenarios



Use existing standards / ecosystems for system integration (not defined by eFMI).




Classification of eFMI w.r.t. ProSTEP V-Model & V-ECUs

ProSTEP provides two interesting "towards embedded software" recommendations:

- ProSTEP V-Model
 - Software development process model
 - Suited to position to which development processes eFMI contributes and helps with
- ProSTEP Smart Systems Engineering (SSE) group envisioned V-ECU levels
 - Grades of ECU support (from high-level controller-model to deployment on ECU)
 - Suited to position eFMUs and their supported containers

eFMI w.r.t. ProSTEP V-Model




 FMI Today

 FMI To be

 FMI Today

 FMI To be

eFMI w.r.t. ProSTEP V-Model



4 Approach for defining V-ECU levels




Figure 8 Proposed V-ECU levels

Source:
ProSTEP - White
Paper - SmartSE
- Virtual
Electronic
Control Units
(released 3/2020)

Modelica Association Project eFMI (MAP eFMI)



Project leader:
Christoff Bürger



Deputy project
leader:
Hubertus
Tummescheit



<https://efmi-standard.org/>