

District 5 Model Comparison - Geospatial Data: 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

21 July 2026

Contents

Model I	1
Model II	2
Model III	3
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I

Table 1: District 5 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	160	153	7	0.6275	0.3930	0.3650	14.1390
R	160	151	9	0.6068	0.4396	0.4062	13.1595
% diff (R vs SPSS)	0.00%	-1.31%	28.57%	-3.29%	11.86%	11.29%	-6.93%

Table 2: District 5 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.535	NA	0.135	NA	NA	NA	26.263	NA	0.000	NA
months_10to16	0.053	NA	0.015	NA	0.214	NA	3.480	NA	0.001	NA
qabove_avg	0.380	NA	0.138	NA	0.211	NA	2.757	NA	0.007	NA
near_downtown_5mi	0.412	NA	0.131	NA	0.204	NA	3.150	NA	0.002	NA
largest	0.304	NA	0.143	NA	0.193	NA	2.131	NA	0.035	NA
two_baths	0.241	NA	0.134	NA	0.136	NA	1.805	NA	0.073	NA
qbest	0.946	NA	0.445	NA	0.134	NA	2.129	NA	0.035	NA
yb_pre_1910	0.322	NA	0.182	NA	0.112	NA	1.775	NA	0.078	NA
powder_room	-0.230	NA	0.107	NA	-0.146	NA	-2.157	NA	0.033	NA
yb_post_1990	-1.009	NA	0.264	NA	-0.243	NA	-3.823	NA	0.000	NA

Table 3: District 5 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R


metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	289	18	0.6744	0.5350	0.5060	18.4470
R	307	289	18	0.6638	0.5491	0.5210	19.5489
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-1.57%	2.64%	2.96%	5.97%

Model II

Table 4: District 5 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.462	10.822	0.161	0.139	NA	NA	65.079	77.753	0.000	0.001
ln_landratio	0.667	0.677	0.140	0.144	0.275	0.280	4.746	4.693	0.000	0.001
three_plus_baths	0.764	0.661	0.186	0.197	0.233	0.202	4.101	3.356	0.000	0.001
large	0.451	0.493	0.144	0.147	0.225	0.245	3.135	3.350	0.002	0.001
months_10to16	0.066	0.067	0.013	0.013	0.213	0.217	5.117	5.144	0.000	0.001
largest	0.402	0.523	0.165	0.170	0.209	0.271	2.432	3.077	0.016	0.002
two_baths	0.427	0.364	0.122	0.130	0.205	0.175	3.497	2.804	0.001	0.005
near_downtown_5mi	0.472	NA	0.120	NA	0.164	NA	3.920	NA	0.000	NA
excellent	1.594	1.358	0.408	0.432	0.163	0.139	3.907	3.144	0.000	0.002
good	0.511	0.583	0.145	0.145	0.148	0.169	3.528	4.014	0.000	0.001
hot_water	0.217	0.199	0.093	0.097	0.113	0.104	2.337	2.053	0.020	0.041
poor	-0.257	NA	0.138	NA	-0.079	NA	-1.861	NA	0.064	NA
arterial	-0.246	-0.273	0.123	0.125	-0.082	-0.092	-1.994	-2.187	0.047	0.030
row_house2story	-1.398	-1.710	0.692	0.712	-0.083	-0.102	-2.021	-2.403	0.044	0.017
yb_post_1990	-0.617	-0.590	0.246	0.252	-0.109	-0.104	-2.513	-2.346	0.013	0.020
qpoor	-2.016	-1.617	0.705	0.724	-0.120	-0.096	-2.857	-2.234	0.005	0.026
ext_brick_siding	-0.361	-0.337	0.106	0.111	-0.148	-0.138	-3.397	-3.046	0.001	0.003
unsound	-1.823	-1.922	0.480	0.491	-0.153	-0.161	-3.799	-3.915	0.000	0.001
fair	-0.487	-0.374	0.091	0.090	-0.228	-0.175	-5.322	-4.144	0.000	0.001
fireplace	NA	-0.197	NA	0.097	NA	-0.099	NA	-2.033	NA	0.043
qabove_avg	NA	0.275	NA	0.127	NA	0.123	NA	2.169	NA	0.031

District 5 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 5 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	281	26	0.5948	0.6480	0.6150	19.8960
R	307	282	25	0.6005	0.6400	0.6081	20.0537
% diff (R vs SPSS)	0.00%	0.36%	-3.85%	0.96%	-1.23%	-1.12%	0.79%

Table 6: District 5 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.2930	0.9090	1.4230	0.6450	
R	0.9662	1.1878	0.8958	1.3260	0.5348	-0.2256
% diff (R vs SPSS)	-3.38%	-8.13%	-1.45%	-6.81%	-17.09%	


Table 7: District 5 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.1027	NA	0.1423	NA	NA	NA	78.0402	NA
unsound	-1.9792	-1.956	0.4413	0.436	-0.1660	-0.164	-4.4850	-4.483
excellent	1.8554	1.546	0.3909	0.393	0.1903	0.159	4.7468	3.930
row_house2story	-1.5517	-1.109	0.6273	0.626	-0.0922	-0.066	-2.4737	-1.770
ecf5r533	-1.1694	-0.913	0.2524	0.231	-0.2057	-0.161	-4.6339	-3.955
ecf5r523	-0.9239	-0.727	0.2631	0.242	-0.1438	-0.113	-3.5112	-3.006
smallest	-0.8512	NA	0.3929	NA	-0.0873	NA	-2.1663	NA
ecf5r534	-0.6843	-0.621	0.1729	0.171	-0.1676	-0.152	-3.9587	-3.635
good	0.6187	0.559	0.1320	0.130	0.1796	0.162	4.6889	4.299
ecf5r501	-0.6097	-0.631	0.1058	0.107	-0.2489	-0.258	-5.7612	-5.909
ecf5r517_521	0.5518	0.504	0.2440	0.243	0.0859	0.078	2.2618	2.077
ln_landratio	0.5517	0.500	0.1278	0.126	0.2279	0.206	4.3176	3.959
three_plus_baths	0.5500	NA	0.1736	NA	0.1677	NA	3.1677	NA
ecf5r502	-0.5024	-0.536	0.1090	0.109	-0.2024	-0.216	-4.6086	-4.924
fair	-0.4792	-0.457	0.0822	0.082	-0.2245	-0.214	-5.8274	-5.598
poor	-0.4570	-0.421	0.1282	0.128	-0.1415	-0.130	-3.5664	-3.297
large	0.4340	0.230	0.1369	0.099	0.2163	0.114	3.1699	2.314
crawl	0.4331	NA	0.2269	NA	0.0839	NA	1.9086	NA
largest	0.4069	NA	0.1570	NA	0.2113	NA	2.5921	NA
two_baths	0.3691	0.203	0.1115	0.090	0.1775	0.097	3.3091	2.248
ecf5r530_532_535	0.3610	0.368	0.2021	0.204	0.0700	0.071	1.7867	1.806
ecf5r514	0.3332	0.346	0.1695	0.167	0.0772	0.080	1.9654	2.072
ecf5r529	0.3186	0.329	0.1630	0.163	0.0760	0.078	1.9546	2.022
ext_brick_siding	-0.2194	-0.253	0.1011	0.100	-0.0902	-0.104	-2.1703	-2.534
hot_water	0.1746	0.208	0.0870	0.085	0.0909	0.108	2.0071	2.466
months_10to16	0.0702	0.067	0.0119	0.012	0.2269	0.218	5.8976	5.761
(intercept)	NA	11.428	NA	0.114	NA	NA	NA	100.207
ln_base_bldgsize_ratio	NA	0.747	NA	0.155	NA	0.263	NA	4.826
arterial	NA	-0.225	NA	0.116	NA	-0.075	NA	-1.930
ecf5r503	NA	0.472	NA	0.214	NA	0.087	NA	2.210
ecf5r528	NA	-0.576	NA	0.307	NA	-0.068	NA	-1.875
ecf5r538	NA	-1.047	NA	0.612	NA	-0.062	NA	-1.712

Table 8: District 5 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
unsound	0.0000	0.001	0.9318	0.935	1.0732	1.069
excellent	0.0000	0.001	0.7943	0.770	1.2589	1.299
row_house2story	0.0140	0.078	0.9192	0.905	1.0879	1.105
ecf5r533	0.0000	0.001	0.6479	0.760	1.5434	1.315
ecf5r523	0.0005	0.003	0.7612	0.885	1.3137	1.129
smallest	0.0311	NA	0.7860	NA	1.2723	NA
ecf5r534	0.0001	0.001	0.7119	0.716	1.4046	1.396
good	0.0000	0.001	0.8698	0.880	1.1497	1.136
ecf5r501	0.0000	0.001	0.6838	0.659	1.4624	1.517
ecf5r517_521	0.0245	0.039	0.8854	0.878	1.1294	1.139
ln_landratio	0.0000	0.001	0.4582	0.461	2.1823	2.171
three_plus_baths	0.0017	NA	0.4553	NA	2.1965	NA
ecf5r502	0.0000	0.001	0.6621	0.652	1.5104	1.534
fair	0.0000	0.001	0.8603	0.855	1.1624	1.169
poor	0.0004	0.001	0.8107	0.800	1.2334	1.250
large	0.0017	0.021	0.2743	0.513	3.6459	1.950
crawl	0.0573	NA	0.6600	NA	1.5152	NA
largest	0.0100	NA	0.1921	NA	5.2056	NA
two_baths	0.0011	0.025	0.4438	0.667	2.2535	1.499
ecf5r530_532_535	0.0751	0.072	0.8326	0.802	1.2011	1.246
ecf5r514	0.0504	0.039	0.8270	0.838	1.2092	1.193
ecf5r529	0.0516	0.044	0.8450	0.833	1.1834	1.200
ext_brick_siding	0.0308	0.012	0.7398	0.742	1.3516	1.348
hot_water	0.0457	0.014	0.6228	0.647	1.6057	1.545
months_10to16	0.0000	0.001	0.8622	0.873	1.1598	1.145
(intercept)	NA	0.001	NA	NA	NA	NA
ln_base_bldgsize_ratio	NA	0.001	NA	0.422	NA	2.372
arterial	NA	0.055	NA	0.821	NA	1.217
ecf5r503	NA	0.028	NA	0.802	NA	1.248
ecf5r528	NA	0.062	NA	0.948	NA	1.054
ecf5r538	NA	0.088	NA	0.948	NA	1.055

District 5 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 5 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	238	24	0.4466	0.7790	0.7570	35.0370
R	262	240	22	0.4496	0.7750	0.7544	37.5756
% diff (R vs SPSS)	0.00%	0.84%	-8.33%	0.66%	-0.51%	-0.34%	7.25%

Table 10: District 5 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1	1.1470	0.9440	1.2150	0.4370	-0.1290
R	1	1.0974	0.9398	1.1677	0.3689	-0.1123
% diff (R vs SPSS)	0.00%	-4.33%	-0.45%	-3.89%	-15.59%	12.97%


Table 11: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2497	NA	0.1133	NA	NA	NA	99.2647	NA
excellent	1.7692	1.720	0.4835	0.480	0.1203	0.117	3.6592	3.583
ecf5r523	-1.1910	-1.163	0.3577	0.331	-0.1397	-0.137	-3.3297	-3.512
ecf5r533	-1.0591	-0.699	0.4724	0.344	-0.0720	-0.067	-2.2420	-2.035
ecf5r534	-0.9341	-0.934	0.1608	0.160	-0.1973	-0.197	-5.8097	-5.827
ecf5r539	-0.9159	-0.797	0.4578	0.284	-0.0623	-0.094	-2.0006	-2.809
crawl	0.8188	0.742	0.3553	0.298	0.0960	0.100	2.3043	2.493
ecf5r501	-0.7085	-0.754	0.0805	0.080	-0.3182	-0.341	-8.8058	-9.450
ecf5r502	-0.6269	-0.628	0.0819	0.082	-0.2737	-0.272	-7.6541	-7.632
largest	0.5846	0.580	0.1221	0.121	0.3181	0.316	4.7866	4.791
ecf5r528	-0.5824	-0.692	0.2324	0.322	-0.0787	-0.066	-2.5057	-2.151
fair	-0.5420	-0.519	0.0651	0.065	-0.2713	-0.260	-8.3305	-7.974
ln_landratio	0.5315	0.478	0.1055	0.104	0.2317	0.210	5.0353	4.575
good	0.5315	0.586	0.1101	0.111	0.1556	0.175	4.8264	5.287
three_plus_baths	0.5097	0.513	0.1372	0.138	0.1709	0.172	3.7154	3.723
ecf5r503	0.3886	0.354	0.1692	0.177	0.0780	0.067	2.2970	1.994
ecf5r517_521	0.3742	0.401	0.2392	0.238	0.0506	0.054	1.5646	1.683
large	0.3606	0.306	0.1130	0.112	0.1874	0.159	3.1905	2.737
poor	-0.3545	-0.387	0.1051	0.106	-0.1128	-0.121	-3.3743	-3.652
two_baths	0.3443	0.315	0.0885	0.088	0.1773	0.163	3.8915	3.564
arterial	-0.1976	-0.205	0.0948	0.098	-0.0714	-0.072	-2.0852	-2.088
ext_brick_siding	-0.1552	-0.163	0.0779	0.078	-0.0678	-0.071	-1.9925	-2.103
months_10to16	0.0702	0.066	0.0095	0.009	0.2401	0.225	7.4005	6.924
(intercept)	NA	11.319	NA	0.112	NA	NA	NA	101.349
row_house2story	NA	-1.756	NA	0.466	NA	-0.119	NA	-3.772
ecf5r538	NA	-1.121	NA	0.464	NA	-0.076	NA	-2.417

Table 12: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0003	0.001	0.8679	0.869	1.1522	1.151
ecf5r523	0.0010	0.001	0.5327	0.613	1.8773	1.631
ecf5r533	0.0259	0.043	0.9092	0.852	1.0999	1.174
ecf5r534	0.0000	0.001	0.8128	0.807	1.2303	1.239
ecf5r539	0.0466	0.005	0.9681	0.836	1.0329	1.197
crawl	0.0221	0.013	0.5398	0.571	1.8525	1.750
ecf5r501	0.0000	0.001	0.7178	0.712	1.3931	1.405
ecf5r502	0.0000	0.001	0.7330	0.727	1.3642	1.375
largest	0.0000	0.001	0.2123	0.214	4.7096	4.681
ecf5r528	0.0129	0.032	0.9499	0.970	1.0527	1.031
fair	0.0000	0.001	0.8837	0.873	1.1316	1.146
ln_landratio	0.0000	0.001	0.4428	0.439	2.2583	2.279
good	0.0000	0.001	0.9020	0.842	1.1086	1.188
three_plus_baths	0.0003	0.001	0.4433	0.434	2.2559	2.305
ecf5r503	0.0225	0.047	0.8123	0.818	1.2311	1.223
ecf5r517_521	0.1190	0.094	0.8968	0.893	1.1151	1.120
large	0.0016	0.007	0.2717	0.276	3.6803	3.622
poor	0.0009	0.001	0.8396	0.845	1.1911	1.184
two_baths	0.0001	0.001	0.4518	0.446	2.2136	2.243
arterial	0.0381	0.038	0.8007	0.781	1.2489	1.281
ext_brick_siding	0.0475	0.037	0.8103	0.818	1.2341	1.222
months_10to16	0.0000	0.001	0.8906	0.878	1.1228	1.139
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.924	NA	1.083
ecf5r538	NA	0.016	NA	0.931	NA	1.074

District 5 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 5 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	239	23	0.4458	0.7740	0.7520	35.5210
R	262	241	21	0.4522	0.7631	0.7424	36.9654
% diff (R vs SPSS)	0.00%	0.84%	-8.70%	1.44%	-1.41%	-1.28%	4.07%

Table 14: District 5 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	1.0462	1.1895	0.9829	1.2102	0.4252	-0.1464
% diff (R vs SPSS)	4.41%	3.80%	4.23%	-0.40%	-2.48%	-12.59%


Table 15: District 5 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.6818	NA	0.1080	NA	NA	NA	108.1517	NA
excellent	1.7853	1.722	0.4863	0.479	0.1235	0.119	3.6715	3.595
ecf5r523	-1.1898	-1.162	0.3598	0.330	-0.1421	-0.138	-3.3070	-3.515
ecf5r533	-1.1636	-0.708	0.4722	0.340	-0.0805	-0.069	-2.4644	-2.078
ecf5r534	-0.9029	-0.930	0.1609	0.159	-0.1942	-0.199	-5.6105	-5.847
ecf5r539	-0.8601	-0.792	0.4596	0.282	-0.0595	-0.094	-1.8715	-2.806
crawl	0.7691	0.735	0.3565	0.295	0.0918	0.101	2.1574	2.489
ecf5r501	-0.7200	-0.755	0.0807	0.079	-0.3292	-0.346	-8.9206	-9.496
ecf5r502	-0.6326	-0.629	0.0823	0.082	-0.2812	-0.276	-7.6836	-7.652
ecf5r528	-0.6169	-0.693	0.2331	0.321	-0.0849	-0.067	-2.6463	-2.158
largest	0.5907	0.580	0.1228	0.121	0.3272	0.320	4.8104	4.810
fair	-0.5390	-0.518	0.0654	0.065	-0.2747	-0.263	-8.2381	-7.987
three_plus_baths	0.5259	0.515	0.1377	0.137	0.1795	0.175	3.8181	3.749
ln_landratio	0.5138	0.476	0.1058	0.104	0.2280	0.212	4.8570	4.580
good	0.5073	0.582	0.1101	0.110	0.1512	0.177	4.6087	5.313
ecf5r517_521	0.3918	0.403	0.2404	0.238	0.0539	0.055	1.6294	1.696
ecf5r503	0.3739	0.352	0.1700	0.177	0.0764	0.068	2.1993	1.991
large	0.3561	0.306	0.1137	0.112	0.1884	0.161	3.1327	2.743
poor	-0.3390	-0.386	0.1054	0.106	-0.1098	-0.122	-3.2172	-3.652
two_baths	0.3384	0.315	0.0889	0.088	0.1774	0.164	3.8048	3.567
arterial	-0.1882	-0.204	0.0952	0.098	-0.0692	-0.072	-1.9766	-2.083
ext_brick_siding	-0.1291	-0.160	0.0772	0.076	-0.0574	-0.070	-1.6723	-2.099
(intercept)	NA	11.771	NA	0.106	NA	NA	NA	110.887
row_house2story	NA	-1.745	NA	0.462	NA	-0.120	NA	-3.778
ecf5r538	NA	-1.129	NA	0.461	NA	-0.078	NA	-2.448

Table 16: District 5 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0003	0.001	0.8682	0.869	1.1518	1.151
ecf5r523	0.0011	0.001	0.5327	0.613	1.8773	1.630
ecf5r533	0.0144	0.039	0.9209	0.864	1.0859	1.158
ecf5r534	0.0000	0.001	0.8208	0.816	1.2183	1.226
ecf5r539	0.0625	0.005	0.9719	0.841	1.0289	1.190
crawl	0.0320	0.013	0.5426	0.579	1.8431	1.728
ecf5r501	0.0000	0.001	0.7217	0.714	1.3857	1.401
ecf5r502	0.0000	0.001	0.7339	0.727	1.3625	1.375
ecf5r528	0.0087	0.032	0.9554	0.970	1.0467	1.031
largest	0.0000	0.001	0.2125	0.214	4.7065	4.676
fair	0.0000	0.001	0.8842	0.874	1.1310	1.145
three_plus_baths	0.0002	0.001	0.4449	0.435	2.2477	2.298
ln_landratio	0.0000	0.001	0.4461	0.441	2.2418	2.268
good	0.0000	0.001	0.9135	0.856	1.0947	1.169
ecf5r517_521	0.1045	0.091	0.8981	0.894	1.1135	1.118
ecf5r503	0.0288	0.048	0.8139	0.819	1.2286	1.221
large	0.0019	0.007	0.2718	0.276	3.6788	3.621
poor	0.0015	0.001	0.8443	0.848	1.1844	1.179
two_baths	0.0002	0.001	0.4523	0.446	2.2110	2.241
arterial	0.0492	0.038	0.8028	0.783	1.2457	1.277
ext_brick_siding	0.0958	0.037	0.8347	0.840	1.1980	1.190
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.935	NA	1.069
ecf5r538	NA	0.015	NA	0.938	NA	1.066

District 5 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 5 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	505	477	28	0.4578	0.7440	0.7290	49.5400
R	262	243	19	0.4550	0.7582	0.7393	40.1066
% diff (R vs SPSS)	-48.12%	-49.06%	-32.14%	-0.62%	1.91%	1.41%	-19.04%

Table 18: District 5 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.1030	0.9290	1.1880	0.3790	-0.1290
R	1.0388	1.1892	0.9817	1.2114	0.4292	-0.1473
% diff (R vs SPSS)	3.88%	7.82%	5.68%	1.97%	13.24%	-14.15%


Table 19: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.6925	NA	0.1084	NA	NA	NA	107.8840	NA
excellent	1.7886	1.604	0.4892	0.481	0.1238	0.081	3.6561	3.335
ecf5r533	-1.3081	-0.739	0.4687	0.132	-0.0905	-0.143	-2.7911	-5.585
ecf5r523	-1.1950	-0.549	0.3616	0.172	-0.1427	-0.078	-3.3052	-3.196
ecf5r534	-0.9030	-0.501	0.1617	0.123	-0.1942	-0.106	-5.5840	-4.082
ecf5r539	-0.8483	NA	0.4623	NA	-0.0587	NA	-1.8351	NA
ecf5r501	-0.7674	-0.604	0.0781	0.072	-0.3509	-0.263	-9.8199	-8.413
crawl	0.7639	NA	0.3586	NA	0.0912	NA	2.1298	NA
ecf5r502	-0.6745	-0.449	0.0806	0.072	-0.2998	-0.185	-8.3650	-6.262
ecf5r528	-0.6146	-0.475	0.2340	0.127	-0.0846	-0.097	-2.6265	-3.729
largest	0.5754	NA	0.1232	NA	0.3187	NA	4.6687	NA
fair	-0.5478	-0.487	0.0657	0.047	-0.2792	-0.257	-8.3388	-10.304
three_plus_baths	0.5420	0.261	0.1380	0.131	0.1850	0.073	3.9272	1.991
ln_landratio	0.5092	0.445	0.1064	0.081	0.2260	0.186	4.7855	5.521
good	0.4941	0.689	0.1105	0.080	0.1472	0.214	4.4692	8.632
ecf5r503	0.3565	0.574	0.1706	0.175	0.0729	0.086	2.0895	3.285
large	0.3536	NA	0.1133	NA	0.1871	NA	3.1204	NA
two_baths	0.3401	0.170	0.0894	0.067	0.1783	0.083	3.8037	2.537
poor	-0.3309	-0.436	0.1049	0.076	-0.1071	-0.141	-3.1538	-5.760
arterial	-0.1815	-0.173	0.0950	0.066	-0.0667	-0.065	-1.9111	-2.602
(intercept)	NA	9.796	NA	0.552	NA	NA	NA	17.732
lnsbldsfint	NA	0.287	NA	0.081	NA	0.149	NA	3.532
row_house2story	NA	-1.163	NA	0.472	NA	-0.059	NA	-2.465
unsound	NA	-1.437	NA	0.474	NA	-0.073	NA	-3.032
ext_brick_siding	NA	-0.174	NA	0.060	NA	-0.073	NA	-2.887
fireplace	NA	0.113	NA	0.057	NA	0.064	NA	1.982
hot_water	NA	0.226	NA	0.048	NA	0.128	NA	4.683
ecf5r504	NA	0.229	NA	0.097	NA	0.065	NA	2.355
ecf5r508_509	NA	0.265	NA	0.143	NA	0.046	NA	1.851
ecf5r514	NA	0.449	NA	0.089	NA	0.133	NA	5.019
ecf5r517_521	NA	0.593	NA	0.142	NA	0.103	NA	4.183
ecf5r529	NA	0.534	NA	0.084	NA	0.181	NA	6.371
ecf5r530_532_535	NA	0.481	NA	0.147	NA	0.083	NA	3.284
ecf5r538	NA	-0.876	NA	0.197	NA	-0.108	NA	-4.436

Table 20: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0003	0.001	0.8682	0.908	1.1518	1.102
ecf5r533	0.0057	0.001	0.9460	0.823	1.0571	1.215
ecf5r523	0.0011	0.001	0.5339	0.902	1.8730	1.109
ecf5r534	0.0000	0.001	0.8228	0.802	1.2154	1.246
ecf5r539	0.0677	NA	0.9723	NA	1.0285	NA
ecf5r501	0.0000	0.001	0.7793	0.550	1.2832	1.817
crawl	0.0342	NA	0.5426	NA	1.8430	NA
ecf5r502	0.0000	0.001	0.7745	0.612	1.2912	1.635
ecf5r528	0.0092	0.001	0.9597	0.787	1.0420	1.271
largest	0.0000	NA	0.2135	NA	4.6835	NA
fair	0.0000	0.001	0.8875	0.862	1.1268	1.160
three_plus_baths	0.0001	0.047	0.4486	0.396	2.2292	2.523
ln_landratio	0.0000	0.001	0.4463	0.472	2.2407	2.118
good	0.0000	0.001	0.9166	0.873	1.0910	1.145
ecf5r503	0.0377	0.001	0.8182	0.776	1.2221	1.288
large	0.0020	NA	0.2768	NA	3.6122	NA
two_baths	0.0002	0.012	0.4529	0.496	2.2081	2.016
poor	0.0018	0.001	0.8623	0.893	1.1597	1.120
arterial	0.0572	0.010	0.8162	0.865	1.2252	1.157
(intercept)	NA	0.001	NA	NA	NA	NA
lnsbldsfint	NA	0.001	NA	0.303	NA	3.303
row_house2story	NA	0.014	NA	0.944	NA	1.059
unsound	NA	0.003	NA	0.936	NA	1.069
ext_brick_siding	NA	0.004	NA	0.830	NA	1.205
fireplace	NA	0.048	NA	0.510	NA	1.960
hot_water	NA	0.001	NA	0.715	NA	1.399
ecf5r504	NA	0.019	NA	0.701	NA	1.426
ecf5r508_509	NA	0.065	NA	0.872	NA	1.147
ecf5r514	NA	0.001	NA	0.763	NA	1.310
ecf5r517_521	NA	0.001	NA	0.889	NA	1.125
ecf5r529	NA	0.001	NA	0.663	NA	1.509
ecf5r530_532_535	NA	0.001	NA	0.833	NA	1.200
ecf5r538	NA	0.001	NA	0.907	NA	1.103

District 5 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
largest	3	M4, M5, M6	0.584	0.123	0.321	4.755	0.000	0.318	0.327
ln_landratio	5	M2, M3, M4, M5, M6	0.555	0.117	0.238	4.748	0.000	0.226	0.275
three_plus_baths	1	M2	0.764	0.186	0.233	4.101	0.000	0.233	0.233
months_10to16	3	M1, M3, M4	0.064	0.012	0.227	5.593	0.000	0.214	0.240
qabove_avg	1	M1	0.380	0.138	0.211	2.757	0.007	0.211	0.211
near_downtown_5mi	1	M1	0.412	0.131	0.204	3.150	0.002	0.204	0.204
large	4	M2, M3, M5, M6	0.399	0.127	0.204	3.139	0.002	0.187	0.225
yb_pre_1910	1	M1	0.322	0.182	0.112	1.775	0.078	0.112	0.112
powder_room	1	M1	-0.230	0.107	-0.146	-2.157	0.033	-0.146	-0.146
ext_brick_siding	1	M2	-0.361	0.106	-0.148	-3.397	0.001	-0.148	-0.148
unsound	1	M2	-1.823	0.480	-0.153	-3.799	0.000	-0.153	-0.153
ecf5r533	1	M3	-1.169	0.252	-0.206	-4.634	0.000	-0.206	-0.206
yb_post_1990	1	M1	-1.009	0.264	-0.243	-3.823	0.000	-0.243	-0.243
fair	5	M2, M3, M4, M5, M6	-0.519	0.074	-0.256	-7.211	0.000	-0.279	-0.224
ecf5r502	3	M4, M5, M6	-0.645	0.082	-0.285	-7.901	0.000	-0.300	-0.274
ecf5r501	4	M3, M4, M5, M6	-0.701	0.086	-0.312	-8.327	0.000	-0.351	-0.249

District 5 | Average Standardized Beta across Models

