

District 6 Model Comparison - Geospatial Data: 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

21 July 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I


Table 1: District 6 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	193	182	11	0.5004	0.2070	0.1590	4.3120
R	193	182	11	0.4859	0.2521	0.2069	5.5777
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-2.91%	21.79%	30.13%	29.35%

Table 2: District 6 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.663	3.820	0.081	0.073	NA	NA	45.289	52.094	0.000	0.001
near_downtown_5mi	0.344	NA	0.080	NA	0.316	NA	4.313	NA	0.000	NA
central_air	0.249	0.237	0.099	0.105	0.168	0.159	2.517	2.247	0.013	0.026
yb_pre_1910	0.239	0.245	0.118	0.121	0.142	0.146	2.024	2.029	0.044	0.044
arterial	0.284	0.380	0.137	0.141	0.139	0.186	2.074	2.704	0.040	0.007
yb_post_1990	0.467	0.561	0.229	0.234	0.136	0.163	2.038	2.397	0.043	0.018
wall	0.380	NA	0.228	NA	0.111	NA	1.667	NA	0.097	NA
ln_garagespaces	0.173	0.223	0.108	0.112	0.109	0.141	1.605	1.997	0.110	0.047
row_house	0.822	1.010	0.492	0.506	0.108	0.133	1.673	1.996	0.096	0.047
qbelow_avg	0.113	0.209	0.076	0.085	0.103	0.190	1.492	2.455	0.138	0.015
three_plus_baths	-0.757	-0.895	0.506	0.534	-0.100	-0.118	-1.496	-1.676	0.136	0.096
slab	-0.370	NA	0.193	NA	-0.127	NA	-1.919	NA	0.057	NA
largest	NA	0.256	NA	0.143	NA	0.133	NA	1.783	NA	0.076
yb_1930_to_1945	NA	-0.209	NA	0.119	NA	-0.129	NA	-1.754	NA	0.081
yb_1946_to_1960	NA	-0.263	NA	0.107	NA	-0.186	NA	-2.461	NA	0.015

District 6 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 6 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	285	14	0.5507	0.4550	0.4290	17.0240
R	298	283	15	0.5402	0.4579	0.4292	15.9356
% diff (R vs SPSS)	-0.33%	-0.70%	7.14%	-1.91%	0.64%	0.05%	-6.39%

Table 4: District 6 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.606	10.807	0.083	0.073	NA	NA	128.283	148.225	0.000	0.001
near_downtown_5mi	0.316	NA	0.083	NA	0.218	NA	3.817	NA	0.000	NA
ln_base_bldgsize_ratio	0.473	1.165	0.179	0.153	0.187	0.453	2.640	7.621	0.009	0.001
powder_room	0.289	NA	0.107	NA	0.157	NA	2.717	NA	0.007	NA
good_very_good	0.819	0.965	0.270	0.274	0.147	0.170	3.029	3.519	0.003	0.001
yb_pre_1910	0.287	0.368	0.098	0.095	0.144	0.181	2.929	3.878	0.004	0.001
yb_post_1990	0.669	0.647	0.227	0.231	0.142	0.134	2.946	2.804	0.003	0.005
months_12to24	0.021	0.019	0.007	0.008	0.128	0.114	2.866	2.546	0.004	0.011
arterial	0.284	0.280	0.113	0.116	0.116	0.112	2.515	2.425	0.012	0.016
two_baths	0.432	NA	0.214	NA	0.104	NA	2.023	NA	0.044	NA
row_house	1.217	1.428	0.545	0.557	0.098	0.113	2.234	2.565	0.026	0.011
central_air	0.207	0.172	0.097	0.097	0.098	0.080	2.128	1.769	0.034	0.078
ln_garagespaces	0.186	0.179	0.094	0.094	0.095	0.089	1.981	1.904	0.049	0.058
yb_1946_to_1960	0.148	NA	0.101	NA	0.075	NA	1.462	NA	0.145	NA
fair	-0.230	-0.231	0.072	0.072	-0.147	-0.145	-3.208	-3.201	0.001	0.002
poor	-0.576	-0.476	0.166	0.168	-0.158	-0.128	-3.469	-2.836	0.001	0.005
qbelow_avg	NA	0.134	NA	0.079	NA	0.092	NA	1.684	NA	0.093
three_plus_baths	NA	-1.033	NA	0.418	NA	-0.116	NA	-2.470	NA	0.014
unsound	NA	-1.998	NA	0.555	NA	-0.158	NA	-3.601	NA	0.001

District 6 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 6 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	276	23	0.5072	0.5530	0.5150	14.8270
R	298	274	24	0.5040	0.5430	0.5030	13.5662
% diff (R vs SPSS)	-0.33%	-0.72%	4.35%	-0.63%	-1.81%	-2.33%	-8.50%

Table 6: District 6 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0360	1.1850	0.9050	1.3090	0.4740	
R	1.0047	1.1207	0.9063	1.2366	0.4126	-0.2747
% diff (R vs SPSS)	-3.02%	-5.43%	0.15%	-5.53%	-12.96%	


Table 7: District 6 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.5620	NA	0.0770	NA	NA	NA	137.1121	NA
ecf6r609_614	1.4323	1.744	0.3136	0.314	0.2000	0.239	4.5675	5.547
ecf6r608	1.3486	1.524	0.2796	0.282	0.2171	0.240	4.8232	5.403
row_house	0.8832	NA	0.5199	NA	0.0714	NA	1.6988	NA
yb_post_1990	0.7151	0.849	0.2136	0.210	0.1515	0.176	3.3470	4.040
ecf6r616_617	0.5479	0.680	0.3059	0.307	0.0765	0.093	1.7912	2.218
ecf6r613	0.5418	0.729	0.1760	0.175	0.1365	0.180	3.0779	4.172
poor	-0.4998	-0.492	0.1584	0.157	-0.1374	-0.132	-3.1558	-3.137
ecf6r607	0.4652	0.636	0.1974	0.201	0.1052	0.141	2.3570	3.173
ecf6r603	-0.3952	-0.243	0.1403	0.132	-0.1317	-0.079	-2.8168	-1.837
ecf6r601	-0.3474	-0.376	0.1493	0.149	-0.1028	-0.109	-2.3274	-2.518
largest	0.2810	0.329	0.1413	0.141	0.1250	0.143	1.9893	2.330
arterial	0.2529	0.215	0.1106	0.113	0.1032	0.086	2.2868	1.903
near_downtown_5mi	0.2443	NA	0.0853	NA	0.1682	NA	2.8652	NA
ecf6r611	0.2373	0.423	0.1034	0.094	0.1200	0.211	2.2959	4.481
ecf6r605	0.2368	0.435	0.1390	0.138	0.0768	0.138	1.7036	3.159
powder_room	0.2188	0.174	0.1034	0.104	0.1188	0.092	2.1163	1.671
ext_brick	0.1945	0.230	0.0794	0.078	0.1105	0.128	2.4516	2.934
smallest	-0.1894	-0.221	0.1157	0.116	-0.0721	-0.084	-1.6367	-1.908
large	0.1885	0.216	0.0869	0.086	0.1155	0.130	2.1677	2.530
fair	-0.1864	-0.189	0.0679	0.068	-0.1190	-0.118	-2.7428	-2.794
ln_garagespaces	0.1641	NA	0.0874	NA	0.0833	NA	1.8780	NA
central_air	0.1510	NA	0.0932	NA	0.0713	NA	1.6204	NA
ecf6r604	0.1481	0.237	0.0997	0.102	0.0683	0.107	1.4854	2.329
months_12to24	0.0200	0.019	0.0070	0.007	0.1211	0.113	2.8572	2.702
(intercept)	NA	10.650	NA	0.068	NA	NA	NA	157.362
unsound	NA	-2.353	NA	0.523	NA	-0.186	NA	-4.503
ecf6r612	NA	0.426	NA	0.161	NA	0.119	NA	2.643
ecf6r615	NA	0.344	NA	0.146	NA	0.103	NA	2.346

Table 8: District 6 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8699	0.876	1.1496	1.141
ecf6r608	0.0000	0.001	0.8234	0.819	1.2145	1.221
row_house	0.0905	NA	0.9430	NA	1.0604	NA
yb_post_1990	0.0009	0.001	0.8142	0.851	1.2282	1.175
ecf6r616_617	0.0744	0.027	0.9141	0.921	1.0940	1.086
ecf6r613	0.0023	0.001	0.8482	0.871	1.1789	1.148
poor	0.0018	0.002	0.8793	0.909	1.1373	1.100
ecf6r607	0.0191	0.002	0.8376	0.821	1.1939	1.218
ecf6r603	0.0052	0.067	0.7629	0.871	1.3109	1.148
ecf6r601	0.0207	0.012	0.8545	0.864	1.1703	1.157
largest	0.0477	0.021	0.4224	0.429	2.3672	2.331
arterial	0.0230	0.058	0.8186	0.795	1.2215	1.258
near_downtown_5mi	0.0045	NA	0.4837	NA	2.0675	NA
ecf6r611	0.0224	0.001	0.6108	0.730	1.6371	1.370
ecf6r605	0.0896	0.002	0.8201	0.844	1.2194	1.185
powder_room	0.0352	0.096	0.5296	0.531	1.8884	1.883
ext_brick	0.0148	0.004	0.8209	0.852	1.2181	1.174
smallest	0.1029	0.057	0.8598	0.840	1.1631	1.191
large	0.0310	0.012	0.5879	0.614	1.7010	1.629
fair	0.0065	0.006	0.8862	0.903	1.1284	1.107
ln_garagespaces	0.0614	NA	0.8487	NA	1.1783	NA
central_air	0.1063	NA	0.8624	NA	1.1595	NA
ecf6r604	0.1386	0.021	0.7880	0.768	1.2690	1.302
months_12to24	0.0046	0.007	0.9277	0.932	1.0779	1.073
(intercept)	NA	0.001	NA	NA	NA	NA
unsound	NA	0.001	NA	0.945	NA	1.058
ecf6r612	NA	0.009	NA	0.795	NA	1.258
ecf6r615	NA	0.020	NA	0.842	NA	1.188

District 6 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 6 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	224	20	0.3914	0.6350	0.6020	19.4500
R	248	226	22	0.3853	0.6758	0.6442	21.4102
% diff (R vs SPSS)	1.64%	0.89%	10.00%	-1.56%	6.43%	7.01%	10.08%

Table 10: District 6 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0080	1.1140	0.9620	1.1580	0.3650	-0.1960
R	1.0271	1.0692	0.9487	1.1269	0.3001	-0.1676
% diff (R vs SPSS)	1.89%	-4.02%	-1.38%	-2.68%	-17.78%	14.51%


Table 11: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.5238	NA	0.0607	NA	NA	NA	173.5052	NA
ecf6r609_614	1.4681	1.652	0.2445	0.433	0.2485	0.170	6.0049	3.816
ecf6r608	1.3227	1.409	0.4047	0.412	0.1298	0.145	3.2685	3.423
yb_post_1990	0.7354	0.917	0.1670	0.186	0.1886	0.229	4.4034	4.931
poor	-0.6215	-0.454	0.1823	0.203	-0.1352	-0.093	-3.4084	-2.231
ecf6r613	0.6205	0.778	0.1587	0.157	0.1591	0.209	3.9087	4.964
ecf6r603	-0.5181	-0.397	0.1201	0.115	-0.1852	-0.149	-4.3145	-3.469
ecf6r607	0.5153	0.538	0.2060	0.211	0.1121	0.123	2.5020	2.551
ecf6r616_617	0.5081	0.681	0.2362	0.287	0.0860	0.099	2.1517	2.371
ecf6r601	-0.4419	-0.513	0.1286	0.130	-0.1409	-0.172	-3.4372	-3.951
largest	0.4172	0.618	0.1357	0.116	0.1799	0.267	3.0745	5.313
ecf6r611	0.3046	0.438	0.0837	0.075	0.1786	0.274	3.6405	5.848
ext_brick	0.2854	0.252	0.0694	0.069	0.1689	0.158	4.1100	3.663
near_downtown_5mi	0.2614	NA	0.0711	NA	0.2005	NA	3.6751	NA
ecf6r605	0.2435	0.414	0.1144	0.112	0.0899	0.160	2.1282	3.681
arterial	0.2357	0.236	0.0975	0.099	0.1016	0.105	2.4171	2.398
ecf6r604	0.2127	0.254	0.0847	0.082	0.1058	0.140	2.5121	3.086
large	0.2027	0.277	0.0741	0.065	0.1337	0.190	2.7345	4.258
powder_room	0.1664	NA	0.0950	NA	0.0928	NA	1.7516	NA
fair	-0.1618	-0.165	0.0581	0.059	-0.1129	-0.119	-2.7870	-2.815
central_air	0.1534	NA	0.0772	NA	0.0817	NA	1.9882	NA
ln_garagespaces	0.1413	NA	0.0742	NA	0.0783	NA	1.9045	NA
months_12to24	0.0165	0.012	0.0059	0.006	0.1090	0.083	2.7720	1.987
(intercept)	NA	10.665	NA	0.054	NA	NA	NA	196.525
unsound	NA	-2.598	NA	0.398	NA	-0.268	NA	-6.533
ecf6r612	NA	0.390	NA	0.161	NA	0.105	NA	2.419

Table 12: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8379	0.820	1.1934	1.219
ecf6r608	0.0012	0.001	0.9100	0.908	1.0989	1.101
yb_post_1990	0.0000	0.001	0.7823	0.756	1.2783	1.322
poor	0.0008	0.027	0.9111	0.941	1.0975	1.063
ecf6r613	0.0001	0.001	0.8658	0.916	1.1550	1.092
ecf6r603	0.0000	0.001	0.7790	0.884	1.2837	1.131
ecf6r607	0.0131	0.011	0.7141	0.704	1.4004	1.420
ecf6r616_617	0.0325	0.019	0.8980	0.936	1.1136	1.068
ecf6r601	0.0007	0.001	0.8541	0.864	1.1708	1.157
largest	0.0024	0.001	0.4192	0.646	2.3857	1.548
ecf6r611	0.0003	0.001	0.5961	0.744	1.6776	1.345
ext_brick	0.0001	0.001	0.8498	0.881	1.1768	1.135
near_downtown_5mi	0.0003	NA	0.4819	NA	2.0753	NA
ecf6r605	0.0344	0.001	0.8042	0.861	1.2435	1.162
arterial	0.0164	0.017	0.8121	0.858	1.2314	1.166
ecf6r604	0.0127	0.002	0.8084	0.793	1.2370	1.261
large	0.0067	0.001	0.6002	0.819	1.6662	1.221
powder_room	0.0812	NA	0.5106	NA	1.9585	NA
fair	0.0058	0.005	0.8747	0.912	1.1432	1.097
central_air	0.0480	NA	0.8493	NA	1.1774	NA
ln_garagespaces	0.0581	NA	0.8488	NA	1.1781	NA
months_12to24	0.0060	0.048	0.9279	0.938	1.0777	1.066
(intercept)	NA	0.001	NA	NA	NA	NA
unsound	NA	0.001	NA	0.973	NA	1.028
ecf6r612	NA	0.016	NA	0.868	NA	1.152

District 6 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 6 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	225	19	0.3905	0.6350	0.6040	20.5970
R	248	226	22	0.3882	0.6709	0.6388	20.9391
% diff (R vs SPSS)	1.64%	0.44%	15.79%	-0.59%	5.65%	5.76%	1.66%

Table 14: District 6 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	1.0002	1.0714	0.9448	1.1340	0.3113	-0.1718
% diff (R vs SPSS)	-0.18%	-6.51%	0.19%	-6.67%	-28.61%	-32.13%


Table 15: District 6 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.6303	NA	0.0559	NA	NA	NA	190.0665	NA
ecf6r609_614	1.6230	1.652	0.2422	0.432	0.2747	0.170	6.7012	3.825
ecf6r608	1.3680	1.409	0.4084	0.410	0.1342	0.145	3.3494	3.434
yb_post_1990	0.7182	0.917	0.1678	0.186	0.1842	0.229	4.2798	4.943
poor	-0.6694	-0.454	0.1863	0.203	-0.1457	-0.093	-3.5934	-2.237
ecf6r613	0.6212	0.778	0.1600	0.156	0.1593	0.209	3.8816	4.975
ecf6r603	-0.5778	-0.397	0.1204	0.114	-0.2065	-0.149	-4.7976	-3.478
largest	0.5198	0.618	0.1179	0.116	0.2241	0.267	4.4071	5.330
ecf6r601	-0.4965	-0.513	0.1314	0.130	-0.1583	-0.172	-3.7773	-3.963
ecf6r616_617	0.4928	0.681	0.2380	0.286	0.0834	0.099	2.0707	2.382
ecf6r607	0.4292	0.537	0.2054	0.210	0.0934	0.123	2.0895	2.562
ext_brick	0.3355	0.252	0.0707	0.069	0.1985	0.157	4.7480	3.677
ext_brick_siding	0.3262	NA	0.1579	NA	0.0893	NA	2.0658	NA
ecf6r611	0.3222	0.438	0.0842	0.075	0.1889	0.274	3.8277	5.869
near_downtown_5mi	0.2850	NA	0.0744	NA	0.2186	NA	3.8285	NA
large	0.2588	0.277	0.0661	0.065	0.1707	0.190	3.9147	4.281
ecf6r605	0.2494	0.414	0.1152	0.112	0.0920	0.160	2.1640	3.692
arterial	0.2368	0.237	0.0971	0.098	0.1021	0.105	2.4399	2.424
ecf6r604	0.2287	0.254	0.0858	0.082	0.1138	0.140	2.6639	3.094
smallest	-0.1842	NA	0.0962	NA	-0.0776	NA	-1.9148	NA
fair	-0.1572	-0.165	0.0588	0.059	-0.1096	-0.119	-2.6758	-2.822
central_air	0.1420	NA	0.0776	NA	0.0757	NA	1.8294	NA
single_family2story	-0.1114	NA	0.0638	NA	-0.0735	NA	-1.7454	NA
(intercept)	NA	10.822	NA	0.048	NA	NA	NA	223.551
unsound	NA	-2.598	NA	0.396	NA	-0.267	NA	-6.558
ecf6r612	NA	0.390	NA	0.160	NA	0.105	NA	2.431

Table 16: District 6 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8666	0.820	1.1539	1.219
ecf6r608	0.0009	0.001	0.9069	0.910	1.1026	1.099
yb_post_1990	0.0000	0.001	0.7864	0.757	1.2717	1.322
poor	0.0004	0.026	0.8862	0.941	1.1284	1.062
ecf6r613	0.0001	0.001	0.8647	0.916	1.1564	1.091
ecf6r603	0.0000	0.001	0.7861	0.885	1.2722	1.130
largest	0.0000	0.001	0.5634	0.647	1.7750	1.545
ecf6r601	0.0002	0.001	0.8296	0.865	1.2054	1.155
ecf6r616_617	0.0395	0.018	0.8974	0.942	1.1143	1.062
ecf6r607	0.0378	0.011	0.7287	0.708	1.3722	1.413
ext_brick	0.0000	0.001	0.8331	0.885	1.2003	1.131
ext_brick_siding	0.0400	NA	0.7802	NA	1.2818	NA
ecf6r611	0.0002	0.001	0.5978	0.745	1.6728	1.341
near_downtown_5mi	0.0002	NA	0.4467	NA	2.2387	NA
large	0.0001	0.001	0.7660	0.824	1.3055	1.213
ecf6r605	0.0315	0.001	0.8049	0.862	1.2424	1.161
arterial	0.0155	0.016	0.8318	0.871	1.2022	1.148
ecf6r604	0.0083	0.002	0.7981	0.793	1.2530	1.260
smallest	0.0568	NA	0.8857	NA	1.1291	NA
fair	0.0080	0.005	0.8673	0.912	1.1529	1.096
central_air	0.0687	NA	0.8513	NA	1.1747	NA
single_family2story	0.0823	NA	0.8214	NA	1.2174	NA
(intercept)	NA	0.001	NA	NA	NA	NA
unsound	NA	0.001	NA	0.976	NA	1.025
ecf6r612	NA	0.016	NA	0.873	NA	1.145

District 6 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 6 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	500	475	25	0.3979	0.6390	0.6200	33.5800
R	248	226	22	0.3882	0.6709	0.6388	20.9391
% diff (R vs SPSS)	-50.40%	-52.42%	-12.00%	-2.43%	4.99%	3.03%	-37.64%

Table 18: District 6 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0010	1.0780	0.9420	1.1440	0.3340	-0.1930
R	0.9276	0.9936	0.8762	1.1340	0.3113	-0.1718
% diff (R vs SPSS)	-7.33%	-7.83%	-6.98%	-0.87%	-6.81%	11.00%


Table 19: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.6303	NA	0.0559	NA	NA	NA	190.0665	NA
ecf6r609_614	1.6230	1.768	0.2422	0.242	0.2747	0.212	6.7012	7.307
ecf6r608	1.3680	1.463	0.4084	0.202	0.1342	0.226	3.3494	7.235
yb_post_1990	0.7182	0.810	0.1678	0.163	0.1842	0.148	4.2798	4.979
poor	-0.6694	-0.566	0.1863	0.120	-0.1457	-0.134	-3.5934	-4.731
ecf6r613	0.6212	0.725	0.1600	0.096	0.1593	0.235	3.8816	7.515
ecf6r603	-0.5778	-0.354	0.1204	0.081	-0.2065	-0.130	-4.7976	-4.391
largest	0.5198	0.270	0.1179	0.111	0.2241	0.114	4.4071	2.425
ecf6r601	-0.4965	-0.492	0.1314	0.099	-0.1583	-0.146	-3.7773	-4.982
ecf6r616_617	0.4928	0.603	0.2380	0.163	0.0834	0.110	2.0707	3.700
ecf6r607	0.4292	0.610	0.2054	0.139	0.0934	0.139	2.0895	4.405
ext_brick	0.3355	0.172	0.0707	0.053	0.1985	0.095	4.7480	3.224
ext_brick_siding	0.3262	NA	0.1579	NA	0.0893	NA	2.0658	NA
ecf6r611	0.3222	0.411	0.0842	0.056	0.1889	0.238	3.8277	7.403
near_downtown_5mi	0.2850	NA	0.0744	NA	0.2186	NA	3.8285	NA
large	0.2588	0.114	0.0661	0.063	0.1707	0.077	3.9147	1.810
ecf6r605	0.2494	0.435	0.1152	0.078	0.0920	0.167	2.1640	5.560
arterial	0.2368	0.241	0.0971	0.068	0.1021	0.101	2.4399	3.523
ecf6r604	0.2287	0.159	0.0858	0.059	0.1138	0.083	2.6639	2.685
smallest	-0.1842	NA	0.0962	NA	-0.0776	NA	-1.9148	NA
fair	-0.1572	-0.186	0.0588	0.039	-0.1096	-0.135	-2.6758	-4.756
central_air	0.1420	NA	0.0776	NA	0.0757	NA	1.8294	NA
single_family2story	-0.1114	-0.122	0.0638	0.046	-0.0735	-0.086	-1.7454	-2.628
(intercept)	NA	9.413	NA	0.461	NA	NA	NA	20.413
lnsblsfint	NA	0.228	NA	0.074	NA	0.154	NA	3.081
powder_room	NA	0.169	NA	0.069	NA	0.092	NA	2.453
unsound	NA	-2.371	NA	0.284	NA	-0.232	NA	-8.345
yb_1961_to_1990	NA	0.314	NA	0.137	NA	0.065	NA	2.283
crawl	NA	-0.142	NA	0.064	NA	-0.067	NA	-2.218
ecf6r612	NA	0.425	NA	0.118	NA	0.105	NA	3.593
ecf6r615	NA	0.419	NA	0.087	NA	0.149	NA	4.811

Table 20: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8666	0.906	1.1539	1.104
ecf6r608	0.0009	0.001	0.9069	0.782	1.1026	1.279
yb_post_1990	0.0000	0.001	0.7864	0.866	1.2717	1.154
poor	0.0004	0.001	0.8862	0.944	1.1284	1.060
ecf6r613	0.0001	0.001	0.8647	0.775	1.1564	1.290
ecf6r603	0.0000	0.001	0.7861	0.863	1.2722	1.158
largest	0.0000	0.016	0.5634	0.346	1.7750	2.888
ecf6r601	0.0002	0.001	0.8296	0.888	1.2054	1.126
ecf6r616_617	0.0395	0.001	0.8974	0.864	1.1143	1.158
ecf6r607	0.0378	0.001	0.7287	0.766	1.3722	1.305
ext_brick	0.0000	0.001	0.8331	0.871	1.2003	1.148
ext_brick_siding	0.0400	NA	0.7802	NA	1.2818	NA
ecf6r611	0.0002	0.001	0.5978	0.734	1.6728	1.363
near_downtown_5mi	0.0002	NA	0.4467	NA	2.2387	NA
large	0.0001	0.071	0.7660	0.425	1.3055	2.352
ecf6r605	0.0315	0.001	0.8049	0.839	1.2424	1.192
arterial	0.0155	0.001	0.8318	0.919	1.2022	1.088
ecf6r604	0.0083	0.008	0.7981	0.796	1.2530	1.256
smallest	0.0568	NA	0.8857	NA	1.1291	NA
fair	0.0080	0.001	0.8673	0.940	1.1529	1.064
central_air	0.0687	NA	0.8513	NA	1.1747	NA
single_family2story	0.0823	0.009	0.8214	0.712	1.2174	1.404
(intercept)	NA	0.001	NA	NA	NA	NA
lnsbldsfint	NA	0.002	NA	0.305	NA	3.283
powder_room	NA	0.015	NA	0.540	NA	1.851
unsound	NA	0.001	NA	0.984	NA	1.016
yb_1961_to_1990	NA	0.023	NA	0.950	NA	1.053
crawl	NA	0.027	NA	0.834	NA	1.200
ecf6r612	NA	0.001	NA	0.895	NA	1.118
ecf6r615	NA	0.001	NA	0.791	NA	1.265

District 6 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ecf6r609_614	4	M3, M4, M5, M6	1.537	0.261	0.249	5.994	0.000	0.200	0.275
largest	2	M5, M6	0.520	0.118	0.224	4.407	0.000	0.224	0.224
near_downtown_5mi	6	M1, M2, M3, M4, M5, M6	0.289	0.078	0.223	3.721	0.001	0.168	0.316
ecf6r608	1	M3	1.349	0.280	0.217	4.823	0.000	0.217	0.217
yb_post_1990	1	M4	0.735	0.167	0.189	4.403	0.000	0.189	0.189
ln_base_bldgsize_ratio	1	M2	0.473	0.179	0.187	2.640	0.009	0.187	0.187
central_air	1	M1	0.249	0.099	0.168	2.517	0.013	0.168	0.168
powder_room	1	M2	0.289	0.107	0.157	2.717	0.007	0.157	0.157
yb_pre_1910	1	M1	0.239	0.118	0.142	2.024	0.044	0.142	0.142
qbelow_avg	1	M1	0.113	0.076	0.103	1.492	0.138	0.103	0.103
yb_1946_to_1960	1	M2	0.148	0.101	0.075	1.462	0.145	0.075	0.075
three_plus_baths	1	M1	-0.757	0.506	-0.100	-1.496	0.136	-0.100	-0.100
slab	1	M1	-0.370	0.193	-0.127	-1.919	0.057	-0.127	-0.127
fair	2	M2, M3	-0.208	0.070	-0.133	-2.975	0.004	-0.147	-0.119
poor	5	M2, M3, M4, M5, M6	-0.607	0.176	-0.144	-3.444	0.001	-0.158	-0.135
ecf6r601	3	M4, M5, M6	-0.478	0.130	-0.152	-3.664	0.000	-0.158	-0.141
ecf6r603	4	M3, M4, M5, M6	-0.517	0.125	-0.182	-4.182	0.001	-0.207	-0.132

District 6 | Average Standardized Beta across Models

