

Linear Regression Model for Council District II

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit


1 April 2026

Contents

Model I	1
Model II	5
Model III	9
Model IV	18

Model I

Histogram
Dependent Variable: LN_SPPSF



rate1	rate2	rate3	price_index
0.0076164	0.0235293	0	1.259966


Table 2: District 2 LN_SPPSF model fit statistics

n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2857	2838	19	0.4551	0.2189	0.2139	0.4536	0.373	44.183	0	3630.945	3750.095


Table 3: District 2 LN_SPPSF model coefficients (95% CI)



term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	4.1146	122.6343	0.0336	0.0000	4.0488	4.1804
smallest	0.1687	4.3387	0.0389	0.0000	0.0924	0.2449
small	0.0786	2.9342	0.0268	0.0034	0.0261	0.1311
good	0.2926	4.2332	0.0691	0.0000	0.1571	0.4282
fair	-0.1764	-8.1742	0.0216	0.0000	-0.2187	-0.1341
poor	-0.2445	-4.1130	0.0594	0.0000	-0.3610	-0.1279
very_poor_unsound	-0.6480	-5.0809	0.1275	0.0000	-0.8981	-0.3979
qabove_avg	0.3559	9.0643	0.0393	0.0000	0.2789	0.4329
qbelow_avg	-0.0533	-2.3146	0.0230	0.0207	-0.0984	-0.0081
yb_pre_1929	-0.2734	-10.4875	0.0261	0.0000	-0.3245	-0.2223
yb_1946_to_1960	0.0439	2.1111	0.0208	0.0348	0.0031	0.0847
yb_post_1961	0.1158	1.9877	0.0583	0.0469	0.0016	0.2301
crawl	-0.3134	-2.3616	0.1327	0.0183	-0.5736	-0.0532
ln_garagespaces	0.0784	3.5262	0.0222	0.0004	0.0348	0.1219
fireplace	0.1510	7.2603	0.0208	0.0000	0.1102	0.1918
hot_water	0.0721	2.3269	0.0310	0.0200	0.0113	0.1329
central_air	0.0644	2.8512	0.0226	0.0044	0.0201	0.1086
months_1to9	0.0076	1.8777	0.0041	0.0605	-0.0003	0.0156
months_10to16	0.0235	6.2599	0.0038	0.0000	0.0162	0.0309

Residuals for LN_SPPSF Model



Months vs Predicted SPPSF – LN_SPPSF Model





Model II

Histogram
Dependent Variable: LN_PRICE (No ECFs)




Table 4: District 2 LN_PRICE (No ECFs) model fit statistics


n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2857	2836	21	0.454	0.4667	0.4629	0.4523	0.3714	124.0796	0	3618.23	3749.296

Table 5: District 2 LN_PRICE (No ECFs) model coefficients (95% CI)


term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.1764	341.3387	0.0327	0.0000	11.1122	11.2407
ln_landratio	0.2047	4.6481	0.0440	0.0000	0.1183	0.2911
ln_base_bldgsize_ratio	0.7094	11.7774	0.0602	0.0000	0.5913	0.8275
half_duplex1story	-0.2887	-3.4069	0.0848	0.0007	-0.4549	-0.1226
half_duplex2story	-0.2394	-3.0235	0.0792	0.0025	-0.3946	-0.0841
two_plus_baths	0.1595	3.0072	0.0530	0.0027	0.0555	0.2635
powder_room	0.0660	2.3557	0.0280	0.0186	0.0111	0.1209
good	0.2850	4.1175	0.0692	0.0000	0.1493	0.4207
fair	-0.1766	-8.2049	0.0215	0.0000	-0.2188	-0.1344
poor	-0.2455	-4.1423	0.0593	0.0000	-0.3617	-0.1293
very_poor_unsound	-0.6609	-5.1924	0.1273	0.0000	-0.9105	-0.4113
qabove_avg	0.3140	6.8966	0.0455	0.0000	0.2247	0.4033
qbelow_avg	-0.0777	-3.1187	0.0249	0.0018	-0.1265	-0.0288
yb_pre_1929	-0.2712	-10.6617	0.0254	0.0000	-0.3211	-0.2213
crawl	-0.2950	-2.2352	0.1320	0.0255	-0.5537	-0.0362
ln_garagespaces	0.0540	2.3756	0.0227	0.0176	0.0094	0.0985
fireplace	0.1364	6.5231	0.0209	0.0000	0.0954	0.1774

term	estimate	statistic	std_error	p_value	conf_low	conf_high
hot_water	0.0729	2.3219	0.0314	0.0203	0.0113	0.1344
central_air	0.0609	2.6962	0.0226	0.0071	0.0166	0.1052
months_1to9	0.0074	1.8309	0.0040	0.0672	-0.0005	0.0153
months_10to16	0.0234	6.2450	0.0038	0.0000	0.0161	0.0308


Residuals for LN_PRICE (No ECFs) Model






Histogram
Dependent Variable: LN_PRICE



Normal P-P Plot of Regression Standardized Residual
Dependent Variable: LN_PRICE







Model III

Initial Input

Table 6: LN_PRICE model (base) assessing coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
2857	0.9912961	1.093249	0.9257094	1.180985	37.42883	-0.5307191

Table 7: District 2 LN_PRICE model fit statistics


n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2857	2812	45	0.4254	0.5356	0.5284	0.422	0.3505	73.72	0	3270.609	3544.655

Table 8: District 2 LN_PRICE model coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.1022	382.6230	0.0290	0.0000	11.0453	11.1591
ln_landratio	0.1502	3.1716	0.0474	0.0015	0.0573	0.2431
ln_base_bldgsize_ratio	0.6615	12.1900	0.0543	0.0000	0.5551	0.7679
half_duplex1story	-0.2632	-3.2630	0.0807	0.0011	-0.4214	-0.1050
half_duplex2story	-0.1954	-2.6042	0.0750	0.0093	-0.3425	-0.0483


term	estimate	statistic	std_error	p_value	conf_low	conf_high
largest	0.0592	1.8669	0.0317	0.0620	-0.0030	0.1213
good	0.2447	3.7280	0.0656	0.0002	0.1160	0.3733
fair	-0.1742	-8.5217	0.0204	0.0000	-0.2143	-0.1341
poor	-0.1894	-3.3820	0.0560	0.0007	-0.2992	-0.0796
very_poor_unsound	-0.6240	-5.0063	0.1246	0.0000	-0.8684	-0.3796
qabove_avg	0.1255	2.6370	0.0476	0.0084	0.0322	0.2187
qbelow_avg	-0.0446	-1.7010	0.0262	0.0890	-0.0961	0.0068
yb_pre_1929	-0.0975	-3.6943	0.0264	0.0002	-0.1493	-0.0458
crawl	-0.2754	-2.2007	0.1252	0.0278	-0.5209	-0.0300
ln_garagespaces	0.0707	3.3369	0.0212	0.0009	0.0292	0.1123
fireplace	0.0733	3.5371	0.0207	0.0004	0.0327	0.1140
hot_water	0.0497	1.6914	0.0294	0.0909	-0.0079	0.1073
elec_baseboard	0.8042	1.7986	0.4471	0.0722	-0.0725	1.6809
ecf_2R202	0.1780	3.0258	0.0588	0.0025	0.0626	0.2933
ecf_2R203	0.2452	6.7517	0.0363	0.0000	0.1740	0.3164
ecf_2R204	0.3304	2.7079	0.1220	0.0068	0.0912	0.5696
ecf_2R205	0.1089	2.9702	0.0367	0.0030	0.0370	0.1808
ecf_2R206	0.5209	1.7226	0.3024	0.0851	-0.0720	1.1138
ecf_2R207	0.2492	3.5470	0.0703	0.0004	0.1115	0.3870
ecf_2R208	0.8073	8.9227	0.0905	0.0000	0.6299	0.9847
ecf_2R209	0.5750	3.5710	0.1610	0.0004	0.2593	0.8907
ecf_2R210	0.9839	5.0190	0.1960	0.0000	0.5995	1.3682
ecf_2R211	-0.9202	-4.7640	0.1931	0.0000	-1.2989	-0.5414
ecf_2R212	0.1035	3.0555	0.0339	0.0023	0.0371	0.1700
ecf_2R213	0.1973	5.1679	0.0382	0.0000	0.1224	0.2722
ecf_2R214	0.3542	12.1139	0.0292	0.0000	0.2969	0.4115
ecf_2R215	0.6309	7.4581	0.0846	0.0000	0.4650	0.7968
ecf_2R216	0.6241	2.9990	0.2081	0.0027	0.2160	1.0321
ecf_2R218	-0.2613	-2.8953	0.0902	0.0038	-0.4382	-0.0843
ecf_2R219	0.5298	4.0398	0.1311	0.0001	0.2726	0.7869
ecf_2R221	0.1061	2.8885	0.0367	0.0039	0.0341	0.1781
ecf_2R222	-0.1077	-2.8865	0.0373	0.0039	-0.1809	-0.0345
ecf_2R224	-0.2104	-4.8287	0.0436	0.0000	-0.2958	-0.1250
ecf_2R226	-0.3988	-3.4031	0.1172	0.0007	-0.6287	-0.1690
ecf_2R227	0.3049	2.3056	0.1323	0.0212	0.0456	0.5643
ecf_2R228	-0.5837	-4.4602	0.1309	0.0000	-0.8403	-0.3271
ecf_2R229	-0.3494	-2.6743	0.1307	0.0075	-0.6056	-0.0932
ecf_2R230	-0.5652	-2.2865	0.2472	0.0223	-1.0499	-0.0805
months_10to16	0.0312	9.0652	0.0034	0.0000	0.0244	0.0379
months_17to24	-0.0096	-1.8779	0.0051	0.0605	-0.0197	0.0004

Residuals for LN_PRICE Model




Histogram


Dependent Variable: LN_PRICE





Normal P-P Plot of Regression Standardized Residual
Dependent Variable: LN_PRICE



Scatterplot
Dependent Variable: LN_PRICE





Filtered Input

rate1_re	rate2_re	rate3_re	price_index_re
NA	NA	NA	NA

Table 10: District 2 LN_PRICE (Inliers) model fit statistics


n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2681	2639	45	0.3838	0.5688	0.5621	0.3808	0.3222	84.8951	0	2517.582	2771.021

Table 11: District 2 LN_PRICE (Inliers) model coefficients (95% CI)


term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.1240	412.6546	0.0270	0.0000	11.0711	11.1768
ln_landratio	0.1576	3.5620	0.0443	0.0004	0.0709	0.2444
ln_base_bldgsize_ratio	0.6596	12.8759	0.0512	0.0000	0.5592	0.7601
arterial	-0.0624	-1.7521	0.0356	0.0799	-0.1323	0.0074
half_duplex1story	-0.2536	-2.4315	0.1043	0.0151	-0.4580	-0.0491
half_duplex2story	-0.3004	-3.6862	0.0815	0.0002	-0.4602	-0.1406
largest	0.0583	1.9628	0.0297	0.0498	0.0001	0.1166
good	0.3369	5.1810	0.0650	0.0000	0.2094	0.4644
fair	-0.1879	-9.8366	0.0191	0.0000	-0.2254	-0.1505
poor	-0.1594	-2.6909	0.0592	0.0072	-0.2755	-0.0432
very_poor_unsound	-0.6438	-2.8875	0.2230	0.0039	-1.0811	-0.2066
qabove_avg	0.1381	3.1423	0.0440	0.0017	0.0519	0.2243
qbelow_avg	-0.0503	-2.0623	0.0244	0.0393	-0.0982	-0.0025
yb_pre_1929	-0.1101	-4.4373	0.0248	0.0000	-0.1587	-0.0614
crawl	-0.2692	-1.8592	0.1448	0.0631	-0.5531	0.0147
ln_garagespaces	0.0700	3.5566	0.0197	0.0004	0.0314	0.1086
fireplace	0.0734	3.8006	0.0193	0.0001	0.0356	0.1113
hot_water	0.0503	1.8214	0.0276	0.0687	-0.0039	0.1045
elec_baseboard	NA	NA	NA	NA	NA	NA
ecf_2R202	0.1574	2.8965	0.0544	0.0038	0.0509	0.2640
ecf_2R203	0.2415	7.2935	0.0331	0.0000	0.1766	0.3064
ecf_2R204	0.3283	2.3074	0.1423	0.0211	0.0493	0.6073
ecf_2R205	0.1133	3.3424	0.0339	0.0008	0.0468	0.1798
ecf_2R206	NA	NA	NA	NA	NA	NA
ecf_2R207	0.1920	2.8103	0.0683	0.0050	0.0580	0.3260
ecf_2R208	0.7637	8.3487	0.0915	0.0000	0.5843	0.9431
ecf_2R209	0.5491	3.7646	0.1458	0.0002	0.2631	0.8351
ecf_2R210	0.9415	3.2031	0.2939	0.0014	0.3651	1.5179
ecf_2R211	-0.9266	-3.3228	0.2789	0.0009	-1.4733	-0.3798
ecf_2R212	0.0962	3.1004	0.0310	0.0020	0.0353	0.1570
ecf_2R213	0.1945	5.5769	0.0349	0.0000	0.1261	0.2628
ecf_2R214	0.3415	12.7022	0.0269	0.0000	0.2888	0.3943
ecf_2R215	0.5775	7.4239	0.0778	0.0000	0.4250	0.7301
ecf_2R216	0.6251	2.6616	0.2349	0.0078	0.1646	1.0856
ecf_2R218	-0.2876	-2.4483	0.1175	0.0144	-0.5179	-0.0573
ecf_2R219	0.5152	3.2433	0.1589	0.0012	0.2037	0.8268
ecf_2R221	0.0703	2.0508	0.0343	0.0404	0.0031	0.1374
ecf_2R222	-0.1392	-3.9957	0.0348	0.0001	-0.2075	-0.0709
ecf_2R224	-0.2500	-6.0031	0.0416	0.0000	-0.3316	-0.1683
ecf_2R226	-0.6084	-2.6602	0.2287	0.0079	-1.0569	-0.1599
ecf_2R227	0.4809	3.1808	0.1512	0.0015	0.1844	0.7773
ecf_2R228	-0.6366	-3.6577	0.1740	0.0003	-0.9778	-0.2953
ecf_2R230	NA	NA	NA	NA	NA	NA

term	estimate	statistic	std_error	p_value	conf_low	conf_high
months_10to16	0.0298	9.3481	0.0032	0.0000	0.0236	0.0361
months_17to24	-0.0089	-1.8570	0.0048	0.0634	-0.0184	0.0005


Residuals for LN_PRICE (Inliers) Model






Histogram
Dependent Variable: LN_PRICE



Normal P-P Plot of Regression Standardized Residual
Dependent Variable: LN_PRICE







Model IV

Table 12: District 2 LN_TASP Model I assessing coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
2857	1.040407	1.153712	0.9706565	1.18859	38.29177	-0.5758895

Table 13: District 2 LN_TASP Model II assessing coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
2857	1.04238	1.154683	0.9711698	1.188961	38.28429	-0.577335

Table 14: District 2 LN_TASP Model I fit statistics

n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2681	2641	43	0.3837	0.5598	0.5533	0.3808	0.3222	86.102	0	2513.66	2755.312

Table 15: District 2 LN_TASP Model I coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.2692	437.5092	0.0258	0.0000	11.2187	11.3197

term	estimate	statistic	std_error	p_value	conf_low	conf_high
ln_landratio	0.1574	3.5594	0.0442	0.0004	0.0707	0.2442
ln_base_bldgsize_ratio	0.6595	12.8797	0.0512	0.0000	0.5591	0.7598
arterial	-0.0619	-1.7414	0.0356	0.0817	-0.1317	0.0078
half_duplex1story	-0.2555	-2.4565	0.1040	0.0141	-0.4594	-0.0515
half_duplex2story	-0.2990	-3.6778	0.0813	0.0002	-0.4584	-0.1396
largest	0.0584	1.9652	0.0297	0.0495	0.0001	0.1166
good	0.3373	5.1918	0.0650	0.0000	0.2099	0.4647
fair	-0.1884	-9.9707	0.0189	0.0000	-0.2254	-0.1513
poor	-0.1604	-2.7155	0.0591	0.0067	-0.2762	-0.0446
very_poor_unsound	-0.6440	-2.8967	0.2223	0.0038	-1.0799	-0.2080
qabove_avg	0.1381	3.1422	0.0439	0.0017	0.0519	0.2242
qbelow_avg	-0.0504	-2.0650	0.0244	0.0390	-0.0982	-0.0025
yb_pre_1929	-0.1100	-4.4371	0.0248	0.0000	-0.1586	-0.0614
crawl	-0.2686	-1.8563	0.1447	0.0635	-0.5524	0.0151
ln_garagespaces	0.0700	3.5622	0.0197	0.0004	0.0315	0.1086
fireplace	0.0733	3.7975	0.0193	0.0001	0.0355	0.1112
hot_water	0.0501	1.8150	0.0276	0.0696	-0.0040	0.1042
elec_baseboard	NA	NA	NA	NA	NA	NA
ecf_2R202	0.1567	2.8897	0.0542	0.0039	0.0504	0.2631
ecf_2R203	0.2415	7.2987	0.0331	0.0000	0.1766	0.3064
ecf_2R204	0.3280	2.3068	0.1422	0.0211	0.0492	0.6068
ecf_2R205	0.1135	3.3505	0.0339	0.0008	0.0471	0.1799
ecf_2R206	NA	NA	NA	NA	NA	NA
ecf_2R207	0.1915	2.8068	0.0682	0.0050	0.0577	0.3252
ecf_2R208	0.7635	8.3505	0.0914	0.0000	0.5842	0.9428
ecf_2R209	0.5503	3.7759	0.1457	0.0002	0.2645	0.8360
ecf_2R210	0.9428	3.2096	0.2938	0.0013	0.3668	1.5188
ecf_2R211	-0.9264	-3.3238	0.2787	0.0009	-1.4729	-0.3799
ecf_2R212	0.0963	3.1055	0.0310	0.0019	0.0355	0.1571
ecf_2R213	0.1945	5.5839	0.0348	0.0000	0.1262	0.2628
ecf_2R214	0.3415	12.7074	0.0269	0.0000	0.2888	0.3942
ecf_2R215	0.5776	7.4308	0.0777	0.0000	0.4252	0.7300
ecf_2R216	0.6241	2.6587	0.2347	0.0079	0.1638	1.0843
ecf_2R218	-0.2869	-2.4439	0.1174	0.0146	-0.5171	-0.0567
ecf_2R219	0.5159	3.2508	0.1587	0.0012	0.2047	0.8271
ecf_2R221	0.0704	2.0554	0.0342	0.0399	0.0032	0.1375
ecf_2R222	-0.1392	-3.9981	0.0348	0.0001	-0.2074	-0.0709
ecf_2R224	-0.2499	-6.0037	0.0416	0.0000	-0.3315	-0.1683
ecf_2R226	-0.6103	-2.6710	0.2285	0.0076	-1.0584	-0.1623
ecf_2R227	0.4808	3.1815	0.1511	0.0015	0.1845	0.7771
ecf_2R228	-0.6347	-3.6521	0.1738	0.0003	-0.9755	-0.2939
ecf_2R230	NA	NA	NA	NA	NA	NA

Table 16: District 2 LN_TASP Model II fit statistics

n	df_res	p	see	r2	adj_r2	rmse	mae	f_stat	f_p	aic	bic
2681	2642	42	0.3836	0.5599	0.5535	0.3808	0.3222	88.4446	0	2510.925	2746.683

Table 17: District 2 LN_TASP Model II coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	8.4059	34.7003	0.2422	0.0000	7.9309	8.8809
ln_landratio	0.1641	3.7362	0.0439	0.0002	0.0780	0.2503

term	estimate	statistic	std_error	p_value	conf_low	conf_high
lnsbldsfint	0.4433	12.1283	0.0366	0.0000	0.3716	0.5150
arterial	-0.0802	-2.3886	0.0336	0.0170	-0.1461	-0.0144
smallest	0.0737	1.8955	0.0389	0.0581	-0.0025	0.1500
largest	0.0722	2.4232	0.0298	0.0155	0.0138	0.1307
good	0.3393	5.2243	0.0649	0.0000	0.2120	0.4667
fair	-0.1882	-9.9603	0.0189	0.0000	-0.2252	-0.1511
poor	-0.1569	-2.6571	0.0590	0.0079	-0.2727	-0.0411
very_poor_unsound	-0.6295	-2.8329	0.2222	0.0046	-1.0652	-0.1938
qabove_avg	0.1413	3.2190	0.0439	0.0013	0.0552	0.2274
qbelow_avg	-0.0407	-1.6764	0.0242	0.0938	-0.0882	0.0069
yb_pre_1929	-0.1055	-4.2558	0.0248	0.0000	-0.1542	-0.0569
crawl	-0.2741	-1.8946	0.1447	0.0582	-0.5578	0.0096
garage	0.0651	3.9962	0.0163	0.0001	0.0332	0.0971
fireplace	0.0726	3.7613	0.0193	0.0002	0.0348	0.1105
hot_water	0.0465	1.6822	0.0276	0.0926	-0.0077	0.1006
elec_baseboard	NA	NA	NA	NA	NA	NA
ecf_2R202	0.1498	2.7588	0.0543	0.0058	0.0433	0.2562
ecf_2R203	0.2399	7.2470	0.0331	0.0000	0.1750	0.3048
ecf_2R204	0.3496	2.4654	0.1418	0.0138	0.0715	0.6277
ecf_2R205	0.1188	3.5051	0.0339	0.0005	0.0524	0.1853
ecf_2R206	NA	NA	NA	NA	NA	NA
ecf_2R207	0.1832	2.6858	0.0682	0.0073	0.0495	0.3170
ecf_2R208	0.7633	8.3520	0.0914	0.0000	0.5841	0.9425
ecf_2R209	0.5740	3.9453	0.1455	0.0001	0.2887	0.8593
ecf_2R210	1.1080	3.7911	0.2923	0.0002	0.5349	1.6811
ecf_2R211	-0.9280	-3.3298	0.2787	0.0009	-1.4745	-0.3815
ecf_2R212	0.0931	3.0019	0.0310	0.0027	0.0323	0.1539
ecf_2R213	0.1854	5.3326	0.0348	0.0000	0.1172	0.2536
ecf_2R214	0.3379	12.5939	0.0268	0.0000	0.2853	0.3905
ecf_2R215	0.5983	7.7253	0.0774	0.0000	0.4464	0.7501
ecf_2R216	0.7129	3.0404	0.2345	0.0024	0.2531	1.1727
ecf_2R218	-0.2861	-2.4377	0.1174	0.0148	-0.5162	-0.0560
ecf_2R219	0.5064	3.1917	0.1587	0.0014	0.1953	0.8175
ecf_2R221	0.0647	1.8883	0.0342	0.0591	-0.0025	0.1318
ecf_2R222	-0.1496	-4.3389	0.0345	0.0000	-0.2172	-0.0820
ecf_2R224	-0.2559	-6.1450	0.0417	0.0000	-0.3376	-0.1743
ecf_2R226	-0.5876	-2.5722	0.2284	0.0102	-1.0356	-0.1397
ecf_2R227	0.5090	3.3725	0.1509	0.0008	0.2130	0.8049
ecf_2R228	-0.6416	-3.6931	0.1737	0.0002	-0.9822	-0.3009
ecf_2R230	NA	NA	NA	NA	NA	NA

