

# Linear Regression Model for Council District III

Elliot Dean - Program Analyst IV  
Office of the Chief Financial Officer | Office of the Assessor  
City of Detroit

1 April 2026

## Contents

|                     |    |
|---------------------|----|
| Model I . . . . .   | 1  |
| Model II . . . . .  | 5  |
| Model III . . . . . | 9  |
| Model IV . . . . .  | 17 |

---

## Model I





Table 1: District 3 LN\_SPPSF model fit statistics



| n    | df_res | p  | see    | r2     | adj_r2 | rmse   | mae    | f_stat  | f_p | aic      | bic     |
|------|--------|----|--------|--------|--------|--------|--------|---------|-----|----------|---------|
| 1921 | 1903   | 19 | 0.5494 | 0.1225 | 0.1147 | 0.5468 | 0.4379 | 15.6329 | 0   | 3170.598 | 3276.25 |


Table 2: District 3 LN\_SPPSF model coefficients (95% CI)

| term                | estimate | statistic | std_error | p_value | conf_low | conf_high |
|---------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)         | 3.7950   | 64.8978   | 0.0585    | 0.0000  | 3.6803   | 3.9097    |
| arterial            | 0.1009   | 2.0775    | 0.0486    | 0.0379  | 0.0057   | 0.1962    |
| single_family1story | 0.0955   | 2.2292    | 0.0428    | 0.0259  | 0.0115   | 0.1795    |
| half_duplex2story   | -0.9262  | -1.6775   | 0.5521    | 0.0936  | -2.0090  | 0.1566    |
| smallest            | 0.1247   | 3.1849    | 0.0392    | 0.0015  | 0.0479   | 0.2015    |
| large               | -0.1517  | -3.7480   | 0.0405    | 0.0002  | -0.2311  | -0.0723   |
| fair                | -0.2060  | -7.2708   | 0.0283    | 0.0000  | -0.2616  | -0.1505   |
| poor                | -0.4304  | -7.3075   | 0.0589    | 0.0000  | -0.5459  | -0.3149   |
| qabove_avg          | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg          | -0.0545  | -1.9528   | 0.0279    | 0.0510  | -0.1092  | 0.0002    |
| yb_pre_1929         | -0.1207  | -3.3946   | 0.0356    | 0.0007  | -0.1905  | -0.0510   |
| yb_post_1961        | -0.1698  | -2.0579   | 0.0825    | 0.0397  | -0.3315  | -0.0080   |
| crawl               | 0.1549   | 2.2074    | 0.0702    | 0.0274  | 0.0173   | 0.2925    |
| slab                | 0.3120   | 3.3004    | 0.0945    | 0.0010  | 0.1266   | 0.4974    |
| ln_garagespaces     | 0.1439   | 4.2962    | 0.0335    | 0.0000  | 0.0782   | 0.2096    |
| hot_water           | 0.1829   | 2.9999    | 0.0610    | 0.0027  | 0.0633   | 0.3024    |
| central_air         | 0.1125   | 3.1328    | 0.0359    | 0.0018  | 0.0421   | 0.1829    |
| months_1to9         | 0.0112   | 1.8926    | 0.0059    | 0.0586  | -0.0004  | 0.0228    |
| months_10to16       | 0.0107   | 1.9515    | 0.0055    | 0.0511  | -0.0001  | 0.0214    |



Months vs Predicted SPPSF – LN\_SPPSF Model





## Model II

Histogram  
Dependent Variable: LN\_PRICE (No ECFs)




Table 3: District 3 LN\_PRICE (No ECFs) model fit statistics


| n    | df_res | p  | see    | r2     | adj_r2 | rmse   | mae    | f_stat  | f_p | aic     | bic      |
|------|--------|----|--------|--------|--------|--------|--------|---------|-----|---------|----------|
| 1921 | 1903   | 19 | 0.5488 | 0.1686 | 0.1612 | 0.5462 | 0.4378 | 22.6999 | 0   | 3166.23 | 3271.881 |

Table 4: District 3 LN\_PRICE (No ECFs) model coefficients (95% CI)


| term                   | estimate | statistic | std_error | p_value | conf_low | conf_high |
|------------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)            | 10.8063  | 223.7317  | 0.0483    | 0.0000  | 10.7116  | 10.9010   |
| ln_base_bldgsize_ratio | 0.6363   | 7.8110    | 0.0815    | 0.0000  | 0.4765   | 0.7960    |
| arterial               | 0.1046   | 2.1557    | 0.0485    | 0.0312  | 0.0094   | 0.1997    |
| half_duplex2story      | -1.1961  | -2.1740   | 0.5502    | 0.0298  | -2.2752  | -0.1171   |
| large                  | -0.1146  | -2.6833   | 0.0427    | 0.0074  | -0.1984  | -0.0308   |
| fair                   | -0.2106  | -7.4415   | 0.0283    | 0.0000  | -0.2662  | -0.1551   |
| poor                   | -0.4419  | -7.5184   | 0.0588    | 0.0000  | -0.5572  | -0.3266   |
| qabove_avg             | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg             | -0.0626  | -2.1442   | 0.0292    | 0.0321  | -0.1199  | -0.0053   |
| yb_pre_1929            | -0.0942  | -2.5654   | 0.0367    | 0.0104  | -0.1662  | -0.0222   |
| yb_post_1961           | -0.1565  | -1.8969   | 0.0825    | 0.0580  | -0.3183  | 0.0053    |
| crawl                  | 0.1519   | 2.1669    | 0.0701    | 0.0304  | 0.0144   | 0.2894    |
| slab                   | 0.2976   | 3.1471    | 0.0946    | 0.0017  | 0.1122   | 0.4831    |
| ln_garagespaces        | 0.1564   | 4.6192    | 0.0339    | 0.0000  | 0.0900   | 0.2228    |
| fireplace              | 0.0685   | 1.9156    | 0.0357    | 0.0556  | -0.0016  | 0.1386    |
| hot_water              | 0.2032   | 3.3160    | 0.0613    | 0.0009  | 0.0830   | 0.3234    |
| central_air            | 0.1205   | 3.3465    | 0.0360    | 0.0008  | 0.0499   | 0.1911    |

| term          | estimate | statistic | std_error | p_value | conf_low | conf_high |
|---------------|----------|-----------|-----------|---------|----------|-----------|
| months_1to9   | 0.0136   | 2.3107    | 0.0059    | 0.0210  | 0.0021   | 0.0252    |
| months_10to16 | 0.0103   | 1.8880    | 0.0055    | 0.0592  | -0.0004  | 0.0210    |


Residuals for LN\_PRICE (No ECFs) Model





**Histogram**  
Dependent Variable: LN\_PRICE




**Normal P-P Plot of Regression Standardized Residual**  
Dependent Variable: LN\_PRICE









### Model III

#### Initial Input

Table 5: LN\_PRICE model (base) assessing coefficients

| n    | median_ratio | mean_ratio | wmean_ratio | PRD      | COD      | PRB        |
|------|--------------|------------|-------------|----------|----------|------------|
| 1921 | 0.9875121    | 1.126306   | 0.8937181   | 1.260248 | 43.41578 | -0.7596515 |

Table 6: District 3 LN\_PRICE model fit statistics


| n    | df_res | p  | see    | r2     | adj_r2 | rmse  | mae    | f_stat  | f_p | aic      | bic      |
|------|--------|----|--------|--------|--------|-------|--------|---------|-----|----------|----------|
| 1921 | 1891   | 31 | 0.4918 | 0.3365 | 0.3263 | 0.488 | 0.3949 | 33.0676 | 0   | 2756.927 | 2929.306 |

Table 7: District 3 LN\_PRICE model coefficients (95% CI)


| term                   | estimate | statistic | std_error | p_value | conf_low | conf_high |
|------------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)            | 10.6215  | 229.8775  | 0.0462    | 0.0000  | 10.5309  | 10.7121   |
| ln_base_bldgsize_ratio | 0.4527   | 6.4528    | 0.0702    | 0.0000  | 0.3151   | 0.5903    |
| half_duplex2story      | -1.0108  | -2.0491   | 0.4933    | 0.0406  | -1.9782  | -0.0433   |
| largest                | 0.1783   | 2.3220    | 0.0768    | 0.0203  | 0.0277   | 0.3289    |
| fair                   | -0.1728  | -6.6403   | 0.0260    | 0.0000  | -0.2239  | -0.1218   |
| poor                   | -0.3854  | -7.2391   | 0.0532    | 0.0000  | -0.4898  | -0.2810   |

| term              | estimate | statistic | std_error | p_value | conf_low | conf_high |
|-------------------|----------|-----------|-----------|---------|----------|-----------|
| very_poor_unsound | 0.2813   | 1.6915    | 0.1663    | 0.0909  | -0.0448  | 0.6075    |
| qabove_avg        | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg        | -0.0873  | -3.0376   | 0.0287    | 0.0024  | -0.1436  | -0.0309   |
| yb_pre_1929       | -0.1606  | -4.5634   | 0.0352    | 0.0000  | -0.2297  | -0.0916   |
| ln_garagespaces   | 0.1068   | 3.4605    | 0.0309    | 0.0006  | 0.0463   | 0.1674    |
| wall              | -0.4046  | -2.2677   | 0.1784    | 0.0235  | -0.7545  | -0.0547   |
| central_air       | 0.1007   | 3.0996    | 0.0325    | 0.0020  | 0.0370   | 0.1643    |
| ecf_3R302         | 0.7409   | 4.4623    | 0.1660    | 0.0000  | 0.4153   | 1.0666    |
| ecf_3R303         | 0.1683   | 3.7571    | 0.0448    | 0.0002  | 0.0804   | 0.2561    |
| ecf_3R304         | -0.1656  | -2.1628   | 0.0766    | 0.0307  | -0.3158  | -0.0154   |
| ecf_3R306         | 0.7830   | 10.8247   | 0.0723    | 0.0000  | 0.6412   | 0.9249    |
| ecf_3R307         | 0.2961   | 6.5049    | 0.0455    | 0.0000  | 0.2068   | 0.3853    |
| ecf_3R310         | 1.0329   | 17.1089   | 0.0604    | 0.0000  | 0.9145   | 1.1513    |
| ecf_3R311         | 0.2650   | 2.8544    | 0.0929    | 0.0044  | 0.0829   | 0.4472    |
| ecf_3R314         | 0.3998   | 5.7120    | 0.0700    | 0.0000  | 0.2625   | 0.5371    |
| ecf_3R315         | 0.3748   | 6.2640    | 0.0598    | 0.0000  | 0.2574   | 0.4921    |
| ecf_3R318         | 0.3539   | 2.0063    | 0.1764    | 0.0450  | 0.0080   | 0.6999    |
| ecf_3R319         | 0.1344   | 3.2974    | 0.0408    | 0.0010  | 0.0545   | 0.2144    |
| ecf_3R320         | 0.2770   | 5.6263    | 0.0492    | 0.0000  | 0.1804   | 0.3735    |
| ecf_3R322         | 0.4886   | 8.2364    | 0.0593    | 0.0000  | 0.3723   | 0.6049    |
| ecf_3R323         | 0.3394   | 7.1689    | 0.0473    | 0.0000  | 0.2466   | 0.4323    |
| ecf_3R325         | 0.2416   | 3.8883    | 0.0621    | 0.0001  | 0.1197   | 0.3635    |
| ecf_3R326         | -0.4163  | -4.2146   | 0.0988    | 0.0000  | -0.6100  | -0.2226   |
| months_1to9       | 0.0127   | 2.3965    | 0.0053    | 0.0166  | 0.0023   | 0.0230    |
| months_10to16     | 0.0134   | 2.7214    | 0.0049    | 0.0066  | 0.0037   | 0.0230    |


Residuals for LN\_PRICE Model






**Histogram**  
Dependent Variable: LN\_PRICE



**Normal P-P Plot of Regression Standardized Residual**  
Dependent Variable: LN\_PRICE







#### Filtered Input

Table 8: District 3 LN\_PRICE (Inliers) model fit statistics


| n    | df_res | p  | see    | r2     | adj_r2 | rmse  | mae    | f_stat  | f_p | aic      | bic      |
|------|--------|----|--------|--------|--------|-------|--------|---------|-----|----------|----------|
| 1801 | 1768   | 35 | 0.4229 | 0.4413 | 0.4312 | 0.419 | 0.3489 | 43.6378 | 0   | 2045.802 | 2232.669 |

Table 9: District 3 LN\_PRICE (Inliers) model coefficients (95% CI)


| term                   | estimate | statistic | std_error | p_value | conf_low | conf_high |
|------------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)            | 10.6331  | 256.8083  | 0.0414    | 0.0000  | 10.5519  | 10.7143   |
| ln_landratio           | 0.1023   | 1.7134    | 0.0597    | 0.0868  | -0.0148  | 0.2193    |
| ln_base_bldgsize_ratio | 0.5188   | 8.1871    | 0.0634    | 0.0000  | 0.3945   | 0.6431    |
| half_duplex2story      | NA       | NA        | NA        | NA      | NA       | NA        |
| largest                | 0.1202   | 1.6799    | 0.0715    | 0.0932  | -0.0201  | 0.2605    |
| good                   | 0.1847   | 1.9053    | 0.0969    | 0.0569  | -0.0054  | 0.3748    |
| fair                   | -0.1579  | -6.7973   | 0.0232    | 0.0000  | -0.2035  | -0.1124   |
| poor                   | -0.3487  | -6.7675   | 0.0515    | 0.0000  | -0.4497  | -0.2476   |
| very_poor_unsound      | 0.5235   | 2.4463    | 0.2140    | 0.0145  | 0.1038   | 0.9432    |
| qabove_avg             | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg             | -0.0733  | -2.8412   | 0.0258    | 0.0045  | -0.1239  | -0.0227   |
| yb_pre_1929            | -0.1999  | -6.0198   | 0.0332    | 0.0000  | -0.2650  | -0.1348   |
| slab                   | -0.1389  | -1.7715   | 0.0784    | 0.0766  | -0.2927  | 0.0149    |
| ln_garagespaces        | 0.0796   | 2.8371    | 0.0281    | 0.0046  | 0.0246   | 0.1347    |
| hot_water              | 0.1087   | 2.0656    | 0.0526    | 0.0390  | 0.0055   | 0.2119    |
| central_air            | 0.1081   | 3.7797    | 0.0286    | 0.0002  | 0.0520   | 0.1642    |

| term          | estimate | statistic | std_error | p_value | conf_low | conf_high |
|---------------|----------|-----------|-----------|---------|----------|-----------|
| ecf_3R302     | 1.0310   | 4.8223    | 0.2138    | 0.0000  | 0.6117   | 1.4503    |
| ecf_3R303     | 0.1880   | 4.7336    | 0.0397    | 0.0000  | 0.1101   | 0.2659    |
| ecf_3R304     | -0.1904  | -2.4032   | 0.0792    | 0.0164  | -0.3458  | -0.0350   |
| ecf_3R306     | 1.1216   | 14.8542   | 0.0755    | 0.0000  | 0.9735   | 1.2697    |
| ecf_3R307     | 0.2868   | 7.1441    | 0.0401    | 0.0000  | 0.2081   | 0.3655    |
| ecf_3R309     | -0.2305  | -2.5692   | 0.0897    | 0.0103  | -0.4065  | -0.0545   |
| ecf_3R310     | 1.1918   | 20.9533   | 0.0569    | 0.0000  | 1.0802   | 1.3033    |
| ecf_3R311     | 0.2186   | 2.4220    | 0.0903    | 0.0155  | 0.0416   | 0.3956    |
| ecf_3R314     | 0.4256   | 6.5462    | 0.0650    | 0.0000  | 0.2981   | 0.5532    |
| ecf_3R315     | 0.3751   | 7.1528    | 0.0524    | 0.0000  | 0.2722   | 0.4779    |
| ecf_3R318     | 0.3216   | 1.9819    | 0.1623    | 0.0476  | 0.0033   | 0.6399    |
| ecf_3R319     | 0.1142   | 3.1714    | 0.0360    | 0.0015  | 0.0436   | 0.1848    |
| ecf_3R320     | 0.2596   | 5.9936    | 0.0433    | 0.0000  | 0.1747   | 0.3446    |
| ecf_3R322     | 0.4695   | 9.0569    | 0.0518    | 0.0000  | 0.3678   | 0.5711    |
| ecf_3R323     | 0.3258   | 7.7279    | 0.0422    | 0.0000  | 0.2431   | 0.4085    |
| ecf_3R325     | 0.1922   | 3.4598    | 0.0555    | 0.0006  | 0.0832   | 0.3011    |
| ecf_3R326     | -0.3827  | -3.8743   | 0.0988    | 0.0001  | -0.5764  | -0.1890   |
| months_1to9   | 0.0133   | 2.8492    | 0.0047    | 0.0044  | 0.0041   | 0.0225    |
| months_10to16 | 0.0111   | 2.5336    | 0.0044    | 0.0114  | 0.0025   | 0.0196    |


Residuals for LN\_PRICE (Inliers) Model





**Histogram**  
Dependent Variable: LN\_PRICE




**Normal P-P Plot of Regression Standardized Residual**  
Dependent Variable: LN\_PRICE









#### Model IV

Table 10: District 3 LN\_TASP Model I assessing coefficients

| n    | median_ratio | mean_ratio | wmean_ratio | PRD      | COD      | PRB        |
|------|--------------|------------|-------------|----------|----------|------------|
| 1921 | 1.053566     | 1.225294   | 0.9799113   | 1.250413 | 44.70331 | -0.8186668 |

Table 11: District 3 LN\_TASP Model II assessing coefficients

| n    | median_ratio | mean_ratio | wmean_ratio | PRD      | COD      | PRB        |
|------|--------------|------------|-------------|----------|----------|------------|
| 1921 | 1.052717     | 1.225477   | 0.9800433   | 1.250432 | 44.73767 | -0.8188551 |

Table 12: District 3 LN\_TASP Model I fit statistics

| n    | df_res | p  | see    | r2     | adj_r2 | rmse   | mae    | f_stat  | f_p | aic      | bic      |
|------|--------|----|--------|--------|--------|--------|--------|---------|-----|----------|----------|
| 1801 | 1770   | 33 | 0.4227 | 0.4329 | 0.4233 | 0.4191 | 0.3491 | 45.0459 | 0   | 2042.242 | 2218.117 |

Table 13: District 3 LN\_TASP Model I coefficients (95% CI)

| term                   | estimate | statistic | std_error | p_value | conf_low | conf_high |
|------------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)            | 10.8061  | 313.5575  | 0.0345    | 0.0000  | 10.7385  | 10.8737   |
| ln_base_bldgsize_ratio | 0.5146   | 8.1126    | 0.0634    | 0.0000  | 0.3902   | 0.6390    |

| term              | estimate | statistic | std_error | p_value | conf_low | conf_high |
|-------------------|----------|-----------|-----------|---------|----------|-----------|
| half_duplex2story | NA       | NA        | NA        | NA      | NA       | NA        |
| largest           | 0.1351   | 1.8891    | 0.0715    | 0.0590  | -0.0052  | 0.2753    |
| good              | 0.1779   | 1.8373    | 0.0968    | 0.0663  | -0.0120  | 0.3679    |
| fair              | -0.1575  | -6.7843   | 0.0232    | 0.0000  | -0.2031  | -0.1120   |
| poor              | -0.3503  | -6.8028   | 0.0515    | 0.0000  | -0.4513  | -0.2493   |
| very_poor_unsound | 0.5114   | 2.3938    | 0.2136    | 0.0168  | 0.0924   | 0.9304    |
| qabove_avg        | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg        | -0.0776  | -3.0089   | 0.0258    | 0.0027  | -0.1282  | -0.0270   |
| yb_pre_1929       | -0.1882  | -5.4648   | 0.0344    | 0.0000  | -0.2557  | -0.1206   |
| yb_1946_to_1960   | 0.0387   | 1.6701    | 0.0232    | 0.0951  | -0.0067  | 0.0841    |
| ln_garagespaces   | 0.0850   | 3.0678    | 0.0277    | 0.0022  | 0.0306   | 0.1393    |
| hot_water         | 0.1117   | 2.1259    | 0.0525    | 0.0336  | 0.0086   | 0.2147    |
| wall              | -0.3208  | -1.6563   | 0.1937    | 0.0978  | -0.7006  | 0.0591    |
| central_air       | 0.1110   | 3.8892    | 0.0285    | 0.0001  | 0.0550   | 0.1670    |
| ecf_3R302         | 1.0466   | 4.8928    | 0.2139    | 0.0000  | 0.6271   | 1.4662    |
| ecf_3R303         | 0.1899   | 4.7877    | 0.0397    | 0.0000  | 0.1121   | 0.2677    |
| ecf_3R304         | -0.2044  | -2.6011   | 0.0786    | 0.0094  | -0.3585  | -0.0503   |
| ecf_3R306         | 1.0867   | 14.6866   | 0.0740    | 0.0000  | 0.9416   | 1.2319    |
| ecf_3R307         | 0.2934   | 7.2977    | 0.0402    | 0.0000  | 0.2145   | 0.3722    |
| ecf_3R309         | -0.2332  | -2.6024   | 0.0896    | 0.0093  | -0.4090  | -0.0575   |
| ecf_3R310         | 1.1696   | 20.9743   | 0.0558    | 0.0000  | 1.0602   | 1.2790    |
| ecf_3R311         | 0.2215   | 2.4475    | 0.0905    | 0.0145  | 0.0440   | 0.3991    |
| ecf_3R314         | 0.4431   | 6.7787    | 0.0654    | 0.0000  | 0.3149   | 0.5713    |
| ecf_3R315         | 0.3862   | 7.3285    | 0.0527    | 0.0000  | 0.2828   | 0.4895    |
| ecf_3R318         | 0.3034   | 1.8713    | 0.1621    | 0.0615  | -0.0146  | 0.6214    |
| ecf_3R319         | 0.1263   | 3.5060    | 0.0360    | 0.0005  | 0.0557   | 0.1970    |
| ecf_3R320         | 0.2683   | 6.2032    | 0.0433    | 0.0000  | 0.1835   | 0.3532    |
| ecf_3R322         | 0.4791   | 9.2976    | 0.0515    | 0.0000  | 0.3781   | 0.5802    |
| ecf_3R323         | 0.3399   | 8.1869    | 0.0415    | 0.0000  | 0.2585   | 0.4214    |
| ecf_3R325         | 0.2216   | 4.0526    | 0.0547    | 0.0001  | 0.1143   | 0.3288    |
| ecf_3R326         | -0.4073  | -4.1540   | 0.0980    | 0.0000  | -0.5996  | -0.2150   |

Table 14: District 3 LN\_TASP Model II fit statistics

| n    | df_res | p  | see    | r2     | adj_r2 | rmse   | mae    | f_stat  | f_p | aic      | bic      |
|------|--------|----|--------|--------|--------|--------|--------|---------|-----|----------|----------|
| 1801 | 1769   | 34 | 0.4229 | 0.4329 | 0.4229 | 0.4191 | 0.3489 | 43.5574 | 0   | 2044.434 | 2225.805 |

Table 15: District 3 LN\_TASP Model II coefficients (95% CI)

| term              | estimate | statistic | std_error | p_value | conf_low | conf_high |
|-------------------|----------|-----------|-----------|---------|----------|-----------|
| (Intercept)       | 9.1462   | 40.6031   | 0.2253    | 0.0000  | 8.7044   | 9.5880    |
| ln_landratio      | 0.1187   | 2.0049    | 0.0592    | 0.0451  | 0.0026   | 0.2348    |
| lnsbldsfint       | 0.2662   | 7.7469    | 0.0344    | 0.0000  | 0.1988   | 0.3336    |
| half_duplex2story | NA       | NA        | NA        | NA      | NA       | NA        |
| small             | -0.0437  | -1.9063   | 0.0229    | 0.0568  | -0.0887  | 0.0013    |
| largest           | 0.1857   | 2.6768    | 0.0694    | 0.0075  | 0.0496   | 0.3217    |
| good              | 0.1855   | 1.9146    | 0.0969    | 0.0557  | -0.0045  | 0.3756    |
| fair              | -0.1558  | -6.6948   | 0.0233    | 0.0000  | -0.2014  | -0.1101   |
| poor              | -0.3567  | -6.9348   | 0.0514    | 0.0000  | -0.4576  | -0.2558   |
| very_poor_unsound | 0.5195   | 2.4303    | 0.2137    | 0.0152  | 0.1003   | 0.9387    |
| qabove_avg        | NA       | NA        | NA        | NA      | NA       | NA        |
| qbelow_avg        | -0.0720  | -2.7992   | 0.0257    | 0.0052  | -0.1225  | -0.0216   |
| yb_pre_1929       | -0.1938  | -5.7748   | 0.0336    | 0.0000  | -0.2597  | -0.1280   |
| garage            | 0.0542   | 2.2044    | 0.0246    | 0.0276  | 0.0060   | 0.1025    |

| term        | estimate | statistic | std_error | p_value | conf_low | conf_high |
|-------------|----------|-----------|-----------|---------|----------|-----------|
| hot_water   | 0.1103   | 2.1016    | 0.0525    | 0.0357  | 0.0074   | 0.2133    |
| wall        | -0.3358  | -1.7299   | 0.1941    | 0.0838  | -0.7165  | 0.0449    |
| central_air | 0.1125   | 3.9477    | 0.0285    | 0.0001  | 0.0566   | 0.1685    |
| ecf_3R302   | 1.0474   | 4.9035    | 0.2136    | 0.0000  | 0.6284   | 1.4663    |
| ecf_3R303   | 0.1913   | 4.8076    | 0.0398    | 0.0000  | 0.1133   | 0.2694    |
| ecf_3R304   | -0.1868  | -2.3556   | 0.0793    | 0.0186  | -0.3423  | -0.0313   |
| ecf_3R306   | 1.1014   | 14.7559   | 0.0746    | 0.0000  | 0.9550   | 1.2478    |
| ecf_3R307   | 0.2879   | 7.1510    | 0.0403    | 0.0000  | 0.2090   | 0.3669    |
| ecf_3R309   | -0.2251  | -2.5075   | 0.0898    | 0.0122  | -0.4012  | -0.0490   |
| ecf_3R310   | 1.1848   | 21.0292   | 0.0563    | 0.0000  | 1.0743   | 1.2953    |
| ecf_3R311   | 0.2294   | 2.5375    | 0.0904    | 0.0112  | 0.0521   | 0.4068    |
| ecf_3R314   | 0.4356   | 6.6703    | 0.0653    | 0.0000  | 0.3075   | 0.5636    |
| ecf_3R315   | 0.3758   | 7.1610    | 0.0525    | 0.0000  | 0.2729   | 0.4788    |
| ecf_3R318   | 0.3268   | 2.0136    | 0.1623    | 0.0442  | 0.0085   | 0.6451    |
| ecf_3R319   | 0.1178   | 3.2667    | 0.0361    | 0.0011  | 0.0471   | 0.1885    |
| ecf_3R320   | 0.2639   | 6.0769    | 0.0434    | 0.0000  | 0.1787   | 0.3491    |
| ecf_3R322   | 0.4624   | 8.8629    | 0.0522    | 0.0000  | 0.3601   | 0.5647    |
| ecf_3R323   | 0.3257   | 7.7263    | 0.0422    | 0.0000  | 0.2430   | 0.4084    |
| ecf_3R325   | 0.2039   | 3.6709    | 0.0555    | 0.0002  | 0.0950   | 0.3128    |
| ecf_3R326   | -0.4005  | -4.0723   | 0.0983    | 0.0000  | -0.5933  | -0.2076   |

