

District 1 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

13 May 2026

Contents

Model I	1
Model II	3
Model III	4
Model IV	6
Model V	8
Model VI	10

Model I


Table 1: District 1 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2041	14	0.4487	0.1150	0.1090	18.9110
R	2055	2041	14	0.4487	0.1148	0.1088	18.9112
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	-0.17%	-0.18%	0.00%

Table 2: District 1 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.316	4.316	0.022	0.022	NA	NA	194.435	194.435	0.000	0.001
months_10to18	0.017	0.017	0.003	0.003	0.141	0.141	6.739	6.739	0.000	0.001
fireplace	0.075	0.075	0.022	0.022	0.079	0.079	3.342	3.342	0.001	0.001
central_air	0.069	0.069	0.025	0.025	0.058	0.058	2.702	2.702	0.007	0.007
good	0.184	0.184	0.067	0.067	0.057	0.057	2.743	2.743	0.006	0.006
qabove_avg	0.369	0.369	0.143	0.143	0.054	0.054	2.583	2.583	0.010	0.010
ln_garagespaces	0.060	0.060	0.031	0.031	0.041	0.041	1.913	1.913	0.056	0.056
smallest	0.065	0.065	0.039	0.039	0.038	0.038	1.675	1.675	0.094	0.094
slab	-0.184	-0.184	0.081	0.081	-0.048	-0.048	-2.263	-2.263	0.024	0.024
unsound	-0.586	-0.586	0.201	0.201	-0.061	-0.061	-2.909	-2.909	0.004	0.004
crawl	-0.326	-0.326	0.082	0.082	-0.085	-0.085	-3.999	-3.999	0.000	0.001
yb_1930_to_1945	-0.085	-0.085	0.024	0.024	-0.088	-0.088	-3.606	-3.606	0.000	0.001
yb_1910_to_1929	-0.171	-0.171	0.032	0.032	-0.122	-0.122	-5.334	-5.334	0.000	0.001
poor	-0.541	-0.541	0.079	0.079	-0.145	-0.145	-6.847	-6.847	0.000	0.001
fair	-0.211	-0.211	0.028	0.028	-0.161	-0.161	-7.640	-7.640	0.000	0.001

District 1 | LN_SPPSF Model Standardized Beta Values



Model II


Table 3: District 1 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2035	20	0.4459	0.3500	0.3440	54.8720
R	2055	2035	20	0.4459	0.3503	0.3440	54.8718
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.09%	0.00%	-0.00%

Table 4: District 1 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.354	11.354	0.028	0.028	NA	NA	398.798	398.798	0.000	0.001
ln_base_bldgsize_ratio	0.480	0.480	0.145	0.145	0.225	0.225	3.315	3.315	0.001	0.001
months_10to18	0.018	0.018	0.003	0.003	0.126	0.126	7.001	7.001	0.000	0.001
largest	0.217	0.217	0.079	0.079	0.113	0.113	2.740	2.740	0.006	0.006
ln_landratio	0.222	0.222	0.044	0.044	0.097	0.097	5.056	5.056	0.000	0.001
fireplace	0.085	0.085	0.026	0.026	0.078	0.078	3.257	3.257	0.001	0.001
large	0.094	0.094	0.043	0.043	0.077	0.077	2.215	2.215	0.027	0.027
central_air	0.072	0.072	0.025	0.025	0.052	0.052	2.819	2.819	0.005	0.005
good	0.190	0.190	0.067	0.067	0.051	0.051	2.819	2.819	0.005	0.005
two_baths	0.146	0.146	0.076	0.076	0.045	0.045	1.928	1.928	0.054	0.054
qabove_avg	0.317	0.317	0.148	0.148	0.040	0.040	2.146	2.146	0.032	0.032
unsound	-0.541	-0.541	0.201	0.201	-0.048	-0.048	-2.694	-2.694	0.007	0.007
qbelow_avg	-0.056	-0.056	0.025	0.025	-0.049	-0.049	-2.217	-2.217	0.027	0.027
slab	-0.220	-0.220	0.081	0.081	-0.050	-0.050	-2.716	-2.716	0.007	0.007
smallest	-0.116	-0.116	0.069	0.069	-0.058	-0.058	-1.676	-1.676	0.094	0.094
small	-0.085	-0.085	0.038	0.038	-0.064	-0.064	-2.266	-2.266	0.024	0.024
crawl	-0.329	-0.329	0.081	0.081	-0.074	-0.074	-4.039	-4.039	0.000	0.001
yb_1930_to_1945	-0.091	-0.091	0.024	0.024	-0.080	-0.080	-3.848	-3.848	0.000	0.001
yb_1910_to_1929	-0.179	-0.179	0.033	0.033	-0.110	-0.110	-5.363	-5.363	0.000	0.001
poor	-0.538	-0.538	0.079	0.079	-0.125	-0.125	-6.832	-6.832	0.000	0.001
fair	-0.205	-0.205	0.028	0.028	-0.136	-0.136	-7.463	-7.463	0.000	0.001

District 1 | LN_PRICE (– ECF) Model Std Beta Values



Model III

Table 5: District 1 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2017	38	0.4107	0.4540	0.4440	44.1250
R	2055	2017	38	0.4107	0.4539	0.4437	44.1245
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.02%	-0.07%	-0.00%


Table 6: District 1 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9690	1.0860	0.9270	1.1720	0.3710	
R	0.9692	1.0861	0.9267	1.1719	0.3708	-0.3610
% diff (R vs SPSS)	0.02%	0.01%	-0.03%	-0.01%	-0.04%	

Table 7: District 1 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.285	11.285	0.027	0.027	NA	NA	416.980	416.980	0.000	0.001
ln_base_bldgsize_ratio	0.761	0.761	0.052	0.052	0.357	0.357	14.634	14.634	0.000	0.001
ecf1r126	0.503	0.503	0.051	0.051	0.176	0.176	9.931	9.931	0.000	0.001
ecf1r116	0.472	0.472	0.052	0.052	0.166	0.166	9.067	9.067	0.000	0.001
months_10to18	0.018	0.018	0.002	0.002	0.127	0.127	7.620	7.620	0.000	0.001
ecf1r134	0.430	0.430	0.079	0.079	0.092	0.092	5.440	5.440	0.000	0.001
ecf1r104	0.189	0.189	0.038	0.038	0.092	0.092	4.910	4.910	0.000	0.001
ecf1r103	0.287	0.287	0.058	0.058	0.087	0.087	4.959	4.959	0.000	0.001
ecf1r115	0.299	0.299	0.072	0.072	0.070	0.070	4.126	4.126	0.000	0.001
ecf1r132	0.244	0.244	0.068	0.068	0.061	0.061	3.584	3.584	0.000	0.001
ecf1r117	0.139	0.139	0.043	0.043	0.058	0.058	3.212	3.212	0.001	0.001
ecf1r109	0.108	0.108	0.036	0.036	0.054	0.054	3.013	3.013	0.003	0.003
ecf1r120	0.208	0.208	0.071	0.071	0.050	0.050	2.933	2.933	0.003	0.003
ecf1r112	0.217	0.217	0.077	0.077	0.049	0.049	2.815	2.815	0.005	0.005
good	0.180	0.180	0.063	0.063	0.048	0.048	2.871	2.871	0.004	0.004
ecf1r110	0.155	0.155	0.057	0.057	0.046	0.046	2.693	2.693	0.007	0.007
ecf1r101	0.216	0.216	0.092	0.092	0.039	0.039	2.345	2.345	0.019	0.019
fireplace	0.042	0.042	0.025	0.025	0.038	0.038	1.694	1.694	0.090	0.090
ecf1r121	0.095	0.095	0.045	0.045	0.038	0.038	2.127	2.127	0.034	0.034
central_air	0.049	0.049	0.024	0.024	0.036	0.036	2.084	2.084	0.037	0.037
ln_garagespaces	0.050	0.050	0.030	0.030	0.029	0.029	1.670	1.670	0.095	0.095
half_duplex2story	-0.454	-0.454	0.241	0.241	-0.032	-0.032	-1.884	-1.884	0.060	0.060
ecf1r130	-0.558	-0.558	0.297	0.297	-0.032	-0.032	-1.878	-1.878	0.060	0.060
ecf1r119	-0.117	-0.117	0.061	0.061	-0.033	-0.033	-1.914	-1.914	0.056	0.056
slab	-0.160	-0.160	0.077	0.077	-0.036	-0.036	-2.087	-2.087	0.037	0.037
unsound	-0.404	-0.404	0.186	0.186	-0.036	-0.036	-2.176	-2.176	0.030	0.030
crawl	-0.174	-0.174	0.083	0.083	-0.039	-0.039	-2.088	-2.088	0.037	0.037
ecf1r108	-0.103	-0.103	0.046	0.046	-0.039	-0.039	-2.256	-2.256	0.024	0.024
half_duplex1story	-0.408	-0.408	0.171	0.171	-0.040	-0.040	-2.382	-2.382	0.017	0.017
ecf1r122	-0.137	-0.137	0.050	0.050	-0.048	-0.048	-2.747	-2.747	0.006	0.006
yb_1930_to_1945	-0.055	-0.055	0.023	0.023	-0.049	-0.049	-2.420	-2.420	0.016	0.016
ecf1r124	-0.339	-0.339	0.114	0.114	-0.056	-0.056	-2.967	-2.967	0.003	0.003
qbelow_avg	-0.065	-0.065	0.024	0.024	-0.058	-0.058	-2.661	-2.661	0.008	0.008
yb_1910_to_1929	-0.107	-0.107	0.032	0.032	-0.066	-0.066	-3.344	-3.344	0.001	0.001
ecf1r113	-0.328	-0.328	0.076	0.076	-0.074	-0.074	-4.333	-4.333	0.000	0.001
ecf1r128	-0.283	-0.283	0.051	0.051	-0.097	-0.097	-5.512	-5.512	0.000	0.001
poor	-0.418	-0.418	0.073	0.073	-0.097	-0.097	-5.706	-5.706	0.000	0.001
ecf1r137	-0.596	-0.596	0.096	0.096	-0.104	-0.104	-6.192	-6.192	0.000	0.001
fair	-0.163	-0.163	0.026	0.026	-0.108	-0.108	-6.333	-6.333	0.000	0.001

District 1 | LN_PRICE Model Standardized Beta Values



Model IV

Table 8: District 1 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1866	32	0.3676	0.4950	0.4870	57.2650
R	1898	1866	32	0.3676	0.4955	0.4868	57.2647
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.10%	-0.04%	-0.00%


Table 9: District 1 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3040
R	0.9776	1.0688	0.9403	1.1367	0.3292	-0.3040
% diff (R vs SPSS)	-0.04%	-0.02%	0.03%	-0.03%	0.06%	0.00%

Table 10: District 1 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.288	11.288	0.024	0.024	NA	NA	467.018	467.018	0.000	0.001
ln_base_bldgsize_ratio	0.775	0.775	0.047	0.047	0.387	0.387	16.508	16.508	0.000	0.001
ecf1r126	0.515	0.515	0.046	0.046	0.197	0.197	11.185	11.185	0.000	0.001
ecf1r116	0.478	0.478	0.047	0.047	0.187	0.187	10.101	10.101	0.000	0.001
months_10to18	0.017	0.017	0.002	0.002	0.130	0.130	7.827	7.827	0.000	0.001
ecf1r134	0.466	0.466	0.073	0.073	0.107	0.107	6.387	6.387	0.000	0.001
ecf1r103	0.309	0.309	0.053	0.053	0.102	0.102	5.836	5.836	0.000	0.001
ecf1r104	0.187	0.187	0.035	0.035	0.101	0.101	5.407	5.407	0.000	0.001
ecf1r115	0.386	0.386	0.071	0.071	0.092	0.092	5.444	5.444	0.000	0.001
good	0.260	0.260	0.062	0.062	0.071	0.071	4.233	4.233	0.000	0.001
ecf1r117	0.144	0.144	0.039	0.039	0.066	0.066	3.678	3.678	0.000	0.001
ecf1r120	0.256	0.256	0.068	0.068	0.063	0.063	3.755	3.755	0.000	0.001
ecf1r109	0.114	0.114	0.033	0.033	0.062	0.062	3.481	3.481	0.001	0.001
ecf1r110	0.183	0.183	0.052	0.052	0.060	0.060	3.494	3.494	0.000	0.001
ecf1r112	0.278	0.278	0.079	0.079	0.059	0.059	3.499	3.499	0.000	0.001
central_air	0.071	0.071	0.022	0.022	0.055	0.055	3.243	3.243	0.001	0.001
ecf1r132	0.194	0.194	0.063	0.063	0.052	0.052	3.071	3.071	0.002	0.002
ecf1r121	0.098	0.098	0.040	0.040	0.043	0.043	2.427	2.427	0.015	0.015
ecf1r101	0.242	0.242	0.097	0.097	0.042	0.042	2.496	2.496	0.013	0.013
large	0.048	0.048	0.022	0.022	0.041	0.041	2.116	2.116	0.035	0.035
ln_garagespaces	0.057	0.057	0.028	0.028	0.035	0.035	2.061	2.061	0.039	0.039
ecf1r119	-0.115	-0.115	0.063	0.063	-0.031	-0.031	-1.821	-1.821	0.069	0.069
ecf1r108	-0.086	-0.086	0.044	0.044	-0.034	-0.034	-1.956	-1.956	0.051	0.051
yb_1930_to_1945	-0.045	-0.045	0.021	0.021	-0.043	-0.043	-2.207	-2.207	0.027	0.027
ecf1r124	-0.346	-0.346	0.132	0.132	-0.044	-0.044	-2.625	-2.625	0.009	0.009
ecf1r122	-0.144	-0.144	0.047	0.047	-0.054	-0.054	-3.089	-3.089	0.002	0.002
qbelow_avg	-0.071	-0.071	0.022	0.022	-0.068	-0.068	-3.151	-3.151	0.002	0.002
ecf1r113	-0.348	-0.348	0.087	0.087	-0.068	-0.068	-4.007	-4.007	0.000	0.001
yb_1910_to_1929	-0.113	-0.113	0.030	0.030	-0.074	-0.074	-3.768	-3.768	0.000	0.001
poor	-0.477	-0.477	0.088	0.088	-0.090	-0.090	-5.394	-5.394	0.000	0.001
ecf1r137	-0.653	-0.653	0.112	0.112	-0.097	-0.097	-5.828	-5.828	0.000	0.001
ecf1r128	-0.270	-0.270	0.048	0.048	-0.098	-0.098	-5.621	-5.621	0.000	0.001
fair	-0.174	-0.174	0.024	0.024	-0.121	-0.121	-7.191	-7.191	0.000	0.001

District 1 | LN_PRICE (Inliers) Model Std Beta Values



Model V

Table 11: District 1 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1867	31	0.3675	0.4870	0.4780	57.1660
R	1898	1867	31	0.3675	0.4870	0.4785	57.1664
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.10%	0.00%


Table 12: District 1 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3120
R	1.0621	1.1610	1.0170	1.1416	0.3331	-0.3205
% diff (R vs SPSS)	8.59%	8.61%	8.19%	0.40%	1.24%	-2.72%

Table 13: District 1 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.444	11.443	0.022	0.022	NA	NA	513.975	513.953	0.000	0.001
ln_base_bldgsize_ratio	0.775	0.775	0.047	0.047	0.390	0.390	16.532	16.534	0.000	0.001
ecf1r126	0.515	0.515	0.046	0.046	0.199	0.199	11.188	11.188	0.000	0.001
ecf1r116	0.478	0.478	0.047	0.047	0.189	0.189	10.104	10.103	0.000	0.001
ecf1r134	0.466	0.466	0.073	0.073	0.108	0.108	6.391	6.390	0.000	0.001
ecf1r103	0.309	0.309	0.053	0.053	0.103	0.103	5.838	5.839	0.000	0.001
ecf1r104	0.187	0.187	0.035	0.035	0.102	0.102	5.408	5.408	0.000	0.001
ecf1r115	0.386	0.386	0.071	0.071	0.093	0.093	5.447	5.447	0.000	0.001
good	0.260	0.260	0.061	0.062	0.072	0.072	4.235	4.236	0.000	0.001
ecf1r117	0.144	0.144	0.039	0.039	0.067	0.067	3.679	3.679	0.000	0.001
ecf1r120	0.256	0.256	0.068	0.068	0.064	0.064	3.758	3.759	0.000	0.001
ecf1r109	0.114	0.114	0.033	0.033	0.062	0.062	3.482	3.483	0.001	0.001
ecf1r110	0.183	0.183	0.052	0.052	0.060	0.060	3.495	3.496	0.000	0.001
ecf1r112	0.278	0.278	0.079	0.079	0.060	0.060	3.500	3.499	0.000	0.001
central_air	0.071	0.071	0.022	0.022	0.056	0.056	3.244	3.243	0.001	0.001
ecf1r132	0.194	0.194	0.063	0.063	0.053	0.053	3.071	3.071	0.002	0.002
ecf1r121	0.098	0.098	0.040	0.040	0.043	0.043	2.430	2.431	0.015	0.015
ecf1r101	0.242	0.241	0.097	0.097	0.042	0.042	2.497	2.496	0.013	0.013
large	0.047	0.047	0.022	0.022	0.042	0.042	2.117	2.115	0.034	0.035
ln_garagespaces	0.057	0.057	0.028	0.028	0.036	0.036	2.061	2.060	0.039	0.040
ecf1r119	-0.115	-0.115	0.063	0.063	-0.031	-0.031	-1.822	-1.822	0.069	0.069
ecf1r108	-0.086	-0.086	0.044	0.044	-0.034	-0.034	-1.957	-1.957	0.051	0.051
yb_1930_to_1945	-0.045	-0.045	0.021	0.021	-0.044	-0.044	-2.208	-2.207	0.027	0.027
ecf1r124	-0.346	-0.346	0.132	0.132	-0.044	-0.044	-2.625	-2.625	0.009	0.009
ecf1r122	-0.144	-0.144	0.047	0.047	-0.054	-0.054	-3.090	-3.090	0.002	0.002
qbelow_avg	-0.071	-0.071	0.022	0.022	-0.068	-0.068	-3.153	-3.151	0.002	0.002
ecf1r113	-0.348	-0.348	0.087	0.087	-0.068	-0.068	-4.008	-4.009	0.000	0.001
yb_1910_to_1929	-0.113	-0.113	0.030	0.030	-0.075	-0.075	-3.769	-3.769	0.000	0.001
poor	-0.477	-0.477	0.088	0.088	-0.091	-0.091	-5.401	-5.398	0.000	0.001
ecf1r137	-0.653	-0.653	0.112	0.112	-0.097	-0.097	-5.831	-5.830	0.000	0.001
ecf1r128	-0.270	-0.271	0.048	0.048	-0.099	-0.099	-5.630	-5.632	0.000	0.001
fair	-0.174	-0.174	0.024	0.024	-0.122	-0.122	-7.198	-7.196	0.000	0.001

District 1 | LN_TASP Model I Standardized Beta Values



Model VI

Table 14: District 1 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2696	2653	43	0.3896	0.4780	0.4690	56.4750
R	1898	1863	35	0.3671	0.4891	0.4795	50.9596
% diff (R vs SPSS)	-29.60%	-29.78%	-18.60%	-5.78%	2.32%	2.24%	-9.77%

Table 15: District 1 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9860	1.0780	0.9330	1.1550	0.3430	-0.3360
R	1.0568	1.1607	1.0167	1.1417	0.3342	-0.3206
% diff (R vs SPSS)	7.18%	7.68%	8.97%	-1.15%	-2.56%	4.59%

Table 16: District 1 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.302	9.338	0.198	0.159	NA	NA	47.015	58.823	0.000	0.001
lnsbldsfint	0.343	0.312	0.031	0.026	0.337	0.305	10.968	12.140	0.000	0.001
ecf1r126	0.509	0.519	0.046	0.047	0.196	0.166	10.963	10.927	0.000	0.001
ecf1r116	0.486	0.466	0.048	0.049	0.192	0.151	10.115	9.488	0.000	0.001
ecf1r134	0.474	0.459	0.073	0.072	0.110	0.094	6.498	6.407	0.000	0.001
ecf1r104	0.189	0.199	0.035	0.032	0.103	0.103	5.461	6.286	0.000	0.001
ecf1r103	0.309	0.338	0.053	0.051	0.103	0.100	5.833	6.593	0.000	0.001
ecf1r115	0.365	0.374	0.071	0.072	0.088	0.076	5.138	5.228	0.000	0.001
good	0.262	0.211	0.061	0.060	0.072	0.051	4.269	3.542	0.000	0.001
large	0.077	0.071	0.029	0.026	0.068	0.057	2.680	2.762	0.007	0.006
ecf1r112	0.294	0.226	0.079	0.062	0.063	0.055	3.725	3.661	0.000	0.001
ecf1r110	0.181	0.206	0.052	0.050	0.060	0.062	3.447	4.137	0.001	0.001
ecf1r109	0.109	0.140	0.033	0.030	0.059	0.072	3.313	4.679	0.001	0.001
ecf1r120	0.235	0.223	0.068	0.065	0.059	0.050	3.429	3.461	0.001	0.001
ecf1r117	0.126	0.155	0.040	0.037	0.058	0.067	3.173	4.199	0.002	0.001
central_air	0.072	0.065	0.022	0.021	0.057	0.046	3.307	3.144	0.001	0.002
ecf1r132	0.176	0.193	0.063	0.062	0.048	0.045	2.794	3.100	0.005	0.002
largest	0.082	0.121	0.047	0.042	0.047	0.060	1.773	2.857	0.076	0.004
ecf1r101	0.251	0.267	0.097	0.082	0.044	0.047	2.594	3.250	0.010	0.001
ecf1r121	0.090	0.115	0.041	0.038	0.040	0.047	2.232	3.033	0.026	0.002
qabove_avg	0.254	0.230	0.122	0.129	0.036	0.026	2.092	1.787	0.037	0.074
ecf1r127	-0.118	-0.113	0.071	0.060	-0.028	-0.028	-1.649	-1.873	0.099	0.061
yb_post_1990	-0.288	NA	0.166	NA	-0.029	NA	-1.734	NA	0.083	NA
ecf1r119	-0.127	-0.111	0.063	0.052	-0.034	-0.031	-2.006	-2.154	0.045	0.031
ecf1r108	-0.086	-0.098	0.044	0.037	-0.034	-0.040	-1.959	-2.661	0.050	0.008
ecf1r124	-0.325	-0.293	0.132	0.089	-0.041	-0.050	-2.464	-3.276	0.014	0.001
small	-0.052	NA	0.024	NA	-0.042	NA	-2.227	NA	0.026	NA
yb_1930_to_1945	-0.046	-0.058	0.021	0.019	-0.044	-0.053	-2.204	-2.979	0.028	0.003
ecf1r122	-0.153	-0.117	0.047	0.042	-0.057	-0.042	-3.258	-2.805	0.001	0.005
qbelow_avg	-0.064	-0.055	0.023	0.020	-0.062	-0.051	-2.834	-2.778	0.005	0.006
ecf1r113	-0.334	-0.292	0.087	0.069	-0.065	-0.062	-3.848	-4.260	0.000	0.001
yb_1910_to_1929	-0.106	-0.103	0.030	0.027	-0.070	-0.066	-3.486	-3.798	0.001	0.001
poor	-0.467	-0.246	0.089	0.063	-0.089	-0.056	-5.273	-3.907	0.000	0.001
ecf1r137	-0.648	-0.520	0.112	0.071	-0.097	-0.108	-5.785	-7.365	0.000	0.001
ecf1r128	-0.291	-0.228	0.048	0.039	-0.106	-0.092	-6.037	-5.865	0.000	0.001
fair	-0.172	-0.134	0.024	0.021	-0.121	-0.094	-7.096	-6.433	0.000	0.001
crawl	NA	-0.155	NA	0.064	NA	-0.038	NA	-2.434	NA	0.015
ecf1r125	NA	0.148	NA	0.070	NA	0.030	NA	2.127	NA	0.033
ecf1r129	NA	0.107	NA	0.051	NA	0.031	NA	2.072	NA	0.038
ecf1r130	NA	-0.419	NA	0.203	NA	-0.030	NA	-2.065	NA	0.039
fireplace	NA	0.060	NA	0.021	NA	0.056	NA	2.911	NA	0.004
garage	NA	0.097	NA	0.018	NA	0.082	NA	5.512	NA	0.001
half_duplex2story	NA	-0.383	NA	0.196	NA	-0.028	NA	-1.950	NA	0.051
ln_landratio	NA	0.083	NA	0.038	NA	0.037	NA	2.188	NA	0.029
slab	NA	-0.229	NA	0.068	NA	-0.056	NA	-3.392	NA	0.001
wall	NA	0.183	NA	0.099	NA	0.032	NA	1.854	NA	0.064

District 1 | LN_TASP Model II Standardized Beta Values




Table 17: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ln_base_bldgsize_ratio	4	M2, M3, M4, M5	0.698	0.073	0.340	12.747	0.000	0.225	0.390
lnsbldsfint	1	M6	0.343	0.031	0.337	10.968	0.000	0.337	0.337
ecf1r126	4	M3, M4, M5, M6	0.511	0.047	0.192	10.817	0.000	0.176	0.199
ecf1r116	4	M3, M4, M5, M6	0.478	0.049	0.183	9.847	0.000	0.166	0.192
months_10to18	2	M1, M2	0.018	0.003	0.133	6.870	0.000	0.126	0.141
largest	1	M2	0.217	0.079	0.113	2.740	0.006	0.113	0.113
fireplace	1	M1	0.075	0.022	0.079	3.342	0.001	0.079	0.079
central_air	1	M1	0.069	0.025	0.058	2.702	0.007	0.058	0.058
ecf1r137	4	M3, M4, M5, M6	-0.638	0.108	-0.099	-5.909	0.000	-0.104	-0.097
ecf1r128	3	M4, M5, M6	-0.277	0.048	-0.101	-5.763	0.000	-0.106	-0.098
yb_1910_to_1929	2	M1, M2	-0.175	0.033	-0.116	-5.349	0.000	-0.122	-0.110
poor	3	M1, M2, M3	-0.499	0.077	-0.122	-6.462	0.000	-0.145	-0.097
fair	6	M1, M2, M3, M4, M5, M6	-0.183	0.026	-0.128	-7.154	0.000	-0.161	-0.108

District 1 | Average Standardized Beta across Models

