

District 1 SPSS Comparison 2023-2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

16 April 2026

Contents

Model I	1
Model II	2
Model III	3
Model IV	4
Model V	5
Model VI	7
Plots	9

Model I

Table 1: District 1 LN_SPPSF Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2055	2041	14	0.4487	0.1148	0.1088	18.9112

Table 2: District 1 LN_SPPSF Model Coefficients (95% Confidence Interval)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	4.3159	194.4353	0.0222	0.0000	4.2723	4.3594
smallest	0.0653	1.6746	0.0390	0.0942	-0.0112	0.1417
good	0.1845	2.7431	0.0672	0.0061	0.0526	0.3163
fair	-0.2110	-7.6399	0.0276	0.0000	-0.2652	-0.1569
poor	-0.5407	-6.8474	0.0790	0.0000	-0.6955	-0.3858
unsound	-0.5858	-2.9089	0.2014	0.0037	-0.9808	-0.1909
qabove_avg	0.3688	2.5826	0.1428	0.0099	0.0887	0.6489
yb_1910_to_1929	-0.1710	-5.3343	0.0321	0.0000	-0.2338	-0.1081
yb_1930_to_1945	-0.0851	-3.6058	0.0236	0.0003	-0.1314	-0.0388
crawl	-0.3262	-3.9990	0.0816	0.0001	-0.4861	-0.1662
slab	-0.1837	-2.2632	0.0811	0.0237	-0.3428	-0.0245
ln_garagespaces	0.0602	1.9128	0.0315	0.0559	-0.0015	0.1219

term	estimate	statistic	std_error	p_value	conf_low	conf_high
fireplace	0.0752	3.3420	0.0225	0.0008	0.0311	0.1193
central_air	0.0687	2.7016	0.0254	0.0070	0.0188	0.1186
months_10to18	0.0174	6.7394	0.0026	0.0000	0.0124	0.0225

SPSS Results: Model I

Table 3: District 1 SPSS LN_SPPSF Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2055	2041	14	0.4487	0.115	0.109	18.911

Model II

Table 4: District 1 LN_PRICE (No ECFs) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2854	2831	23	0.4557	0.3457	0.3404	65.0314

Table 5: District 1 LN_PRICE (No ECFs) Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.2960	450.7791	0.0251	0.0000	11.2469	11.3451
ln_landratio	0.2540	6.8520	0.0371	0.0000	0.1813	0.3267
ln_base_bldgsize_ratio	0.4238	2.9998	0.1413	0.0027	0.1468	0.7007
half_duplex1story	-0.2065	-1.7053	0.1211	0.0882	-0.4439	0.0309
smallest	-0.1515	-2.3491	0.0645	0.0189	-0.2781	-0.0250
small	-0.0713	-2.0734	0.0344	0.0382	-0.1388	-0.0039
large	0.0824	2.1758	0.0379	0.0297	0.0081	0.1566
largest	0.2030	2.8032	0.0724	0.0051	0.0610	0.3451
two_baths	0.1985	2.3704	0.0838	0.0178	0.0343	0.3628
powder_room	0.0727	1.8167	0.0400	0.0694	-0.0058	0.1512
good	0.1449	2.2662	0.0639	0.0235	0.0195	0.2702
fair	-0.2071	-9.0104	0.0230	0.0000	-0.2522	-0.1621
poor	-0.3526	-5.6243	0.0627	0.0000	-0.4755	-0.2297
unsound	-0.4154	-2.9954	0.1387	0.0028	-0.6874	-0.1435
qabove_avg	0.3155	2.1056	0.1499	0.0353	0.0217	0.6094
qbelow_avg	-0.0392	-1.8198	0.0216	0.0689	-0.0815	0.0030
yb_pre_1910	-0.3386	-1.6462	0.2057	0.0998	-0.7419	0.0647
yb_1910_to_1929	-0.2157	-7.4865	0.0288	0.0000	-0.2722	-0.1592
yb_1930_to_1945	-0.1038	-5.0255	0.0207	0.0000	-0.1443	-0.0633
crawl	-0.3013	-5.1242	0.0588	0.0000	-0.4166	-0.1860
slab	-0.2856	-4.5514	0.0628	0.0000	-0.4086	-0.1626
fireplace	0.1171	5.1861	0.0226	0.0000	0.0728	0.1614
central_air	0.0874	3.7317	0.0234	0.0002	0.0415	0.1333
months_10to18	0.0190	8.4693	0.0022	0.0000	0.0146	0.0234

SPSS Results: Model II

Table 6: District 1 SPSS LN_PRICE (No ECFs) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2055	2035	20	0.4459	0.35	0.344	54.872

Model III

Table 7: District 1 LN_PRICE Model Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
2056	0.9692	1.0861	0.9267	1.1719	0.3708	-0.361	15.6128	32.393	76.8969

Table 8: District 1 LN_PRICE Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2055	2017	38	0.4107	0.4539	0.4437	44.1245

Table 9: District 1 LN_PRICE Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.2847	416.9801	0.0271	0.0000	11.2317	11.3378
ln_base_bldgsize_ratio	0.7614	14.6338	0.0520	0.0000	0.6593	0.8634
half_duplex1story	-0.4081	-2.3817	0.1713	0.0173	-0.7441	-0.0721
half_duplex2story	-0.4544	-1.8843	0.2411	0.0597	-0.9273	0.0185
good	0.1799	2.8714	0.0627	0.0041	0.0570	0.3028
fair	-0.1630	-6.3335	0.0257	0.0000	-0.2135	-0.1126
poor	-0.4183	-5.7061	0.0733	0.0000	-0.5621	-0.2745
unsound	-0.4038	-2.1760	0.1856	0.0297	-0.7678	-0.0399
qbelow_avg	-0.0646	-2.6607	0.0243	0.0079	-0.1122	-0.0170
yb_1910_to_1929	-0.1072	-3.3441	0.0321	0.0008	-0.1701	-0.0443
yb_1930_to_1945	-0.0550	-2.4199	0.0227	0.0156	-0.0995	-0.0104
crawl	-0.1736	-2.0882	0.0831	0.0369	-0.3367	-0.0106
slab	-0.1598	-2.0867	0.0766	0.0370	-0.3099	-0.0096
ln_garagespaces	0.0495	1.6698	0.0297	0.0951	-0.0086	0.1077
fireplace	0.0423	1.6942	0.0250	0.0904	-0.0067	0.0913
central_air	0.0493	2.0843	0.0237	0.0373	0.0029	0.0958
months_10to18	0.0182	7.6198	0.0024	0.0000	0.0135	0.0229
ecf1r101	0.2158	2.3448	0.0920	0.0191	0.0353	0.3962
ecf1r103	0.2872	4.9589	0.0579	0.0000	0.1736	0.4008
ecf1r104	0.1886	4.9100	0.0384	0.0000	0.1133	0.2640
ecf1r108	-0.1034	-2.2557	0.0459	0.0242	-0.1934	-0.0135
ecf1r109	0.1084	3.0133	0.0360	0.0026	0.0378	0.1789
ecf1r110	0.1545	2.6926	0.0574	0.0071	0.0420	0.2670
ecf1r112	0.2168	2.8147	0.0770	0.0049	0.0657	0.3678
ecf1r113	-0.3285	-4.3330	0.0758	0.0000	-0.4772	-0.1798
ecf1r115	0.2990	4.1264	0.0725	0.0000	0.1569	0.4411
ecf1r116	0.4717	9.0674	0.0520	0.0000	0.3697	0.5737
ecf1r117	0.1395	3.2117	0.0434	0.0013	0.0543	0.2247
ecf1r119	-0.1175	-1.9138	0.0614	0.0558	-0.2378	0.0029
ecf1r120	0.2082	2.9331	0.0710	0.0034	0.0690	0.3475
ecf1r121	0.0949	2.1270	0.0446	0.0335	0.0074	0.1823
ecf1r122	-0.1372	-2.7471	0.0500	0.0061	-0.2352	-0.0393

term	estimate	statistic	std_error	p_value	conf_low	conf_high
ecf1r124	-0.3387	-2.9674	0.1141	0.0030	-0.5625	-0.1148
ecf1r126	0.5030	9.9310	0.0506	0.0000	0.4036	0.6023
ecf1r128	-0.2825	-5.5116	0.0513	0.0000	-0.3831	-0.1820
ecf1r130	-0.5583	-1.8783	0.2972	0.0605	-1.1412	0.0246
ecf1r132	0.2436	3.5837	0.0680	0.0003	0.1103	0.3769
ecf1r134	0.4302	5.4396	0.0791	0.0000	0.2751	0.5853
ecf1r137	-0.5963	-6.1919	0.0963	0.0000	-0.7852	-0.4075

SPSS Results: Model III

Table 10: District 1 SPSS LN_PRICE Model Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2055	2017	38	0.4106	0.454	0.444	44.125

Table 11: District 1 SPSS LN_PRICE Model Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
11.1	22.8	57	1.172	0.371	NA	0.969	1.086	0.927

Model IV

Table 12: District 1 LN_PRICE (Inliers) Model Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
1899	0.9776	1.0688	0.9403	1.1367	0.3292	-0.304	17.4302	35.387	81.8852

Table 13: District 1 LN_PRICE (Inliers) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1898	1866	32	0.3676	0.4955	0.4868	57.2647

Table 14: District 1 LN_PRICE (Inliers) Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.2877	467.0176	0.0242	0.0000	11.2403	11.3351
ln_base_bldgsize_ratio	0.7746	16.5083	0.0469	0.0000	0.6826	0.8666
half_duplex1story	NA	NA	NA	NA	NA	NA
large	0.0475	2.1156	0.0225	0.0345	0.0035	0.0915
good	0.2604	4.2325	0.0615	0.0000	0.1397	0.3811
fair	-0.1741	-7.1908	0.0242	0.0000	-0.2215	-0.1266
poor	-0.4769	-5.3936	0.0884	0.0000	-0.6503	-0.3035
qbelow_avg	-0.0708	-3.1511	0.0225	0.0017	-0.1149	-0.0267

term	estimate	statistic	std_error	p_value	conf_low	conf_high
yb_1910_to_1929	-0.1132	-3.7681	0.0300	0.0002	-0.1721	-0.0543
yb_1930_to_1945	-0.0455	-2.2072	0.0206	0.0274	-0.0859	-0.0051
ln_garagespaces	0.0570	2.0607	0.0277	0.0395	0.0028	0.1113
central_air	0.0710	3.2426	0.0219	0.0012	0.0281	0.1140
months_10to18	0.0173	7.8270	0.0022	0.0000	0.0130	0.0217
ecf1r101	0.2417	2.4960	0.0968	0.0126	0.0518	0.4315
ecf1r103	0.3090	5.8359	0.0530	0.0000	0.2052	0.4129
ecf1r104	0.1870	5.4069	0.0346	0.0000	0.1192	0.2548
ecf1r108	-0.0862	-1.9561	0.0441	0.0506	-0.1726	0.0002
ecf1r109	0.1138	3.4808	0.0327	0.0005	0.0497	0.1779
ecf1r110	0.1831	3.4943	0.0524	0.0005	0.0803	0.2858
ecf1r112	0.2779	3.4991	0.0794	0.0005	0.1222	0.4337
ecf1r113	-0.3484	-4.0065	0.0870	0.0001	-0.5189	-0.1779
ecf1r115	0.3862	5.4438	0.0709	0.0000	0.2470	0.5253
ecf1r116	0.4778	10.1007	0.0473	0.0000	0.3850	0.5705
ecf1r117	0.1442	3.6784	0.0392	0.0002	0.0673	0.2211
ecf1r119	-0.1154	-1.8213	0.0634	0.0687	-0.2397	0.0089
ecf1r120	0.2556	3.7555	0.0681	0.0002	0.1221	0.3891
ecf1r121	0.0979	2.4271	0.0404	0.0153	0.0188	0.1771
ecf1r122	-0.1441	-3.0890	0.0467	0.0020	-0.2356	-0.0526
ecf1r124	-0.3462	-2.6248	0.1319	0.0087	-0.6049	-0.0875
ecf1r126	0.5155	11.1852	0.0461	0.0000	0.4251	0.6059
ecf1r128	-0.2704	-5.6214	0.0481	0.0000	-0.3647	-0.1760
ecf1r130	NA	NA	NA	NA	NA	NA
ecf1r132	0.1935	3.0705	0.0630	0.0022	0.0699	0.3172
ecf1r134	0.4658	6.3873	0.0729	0.0000	0.3228	0.6088
ecf1r137	-0.6534	-5.8283	0.1121	0.0000	-0.8733	-0.4335

SPSS Results: Model IV

Table 15: District 1 SPSS LN_PRICE (Inliers) Model Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1898	1866	32	0.3676	0.495	0.487	57.265

Table 16: District 1 SPSS LN_PRICE (Inliers) Model Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
11.9	24.5	58.2	1.137	0.329	-0.304	0.978	1.069	0.94

Model V

Table 19: District 1 LN_TASP Model I Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.4431	513.9534	0.0223	0.0000	11.3995	11.4868
ln_base_bldgsize_ratio	0.7748	16.5342	0.0469	0.0000	0.6829	0.8667
half_duplex1story	NA	NA	NA	NA	NA	NA

term	estimate	statistic	std_error	p_value	conf_low	conf_high
large	0.0474	2.1152	0.0224	0.0345	0.0035	0.0914
good	0.2605	4.2356	0.0615	0.0000	0.1399	0.3811
fair	-0.1740	-7.1962	0.0242	0.0000	-0.2214	-0.1266
poor	-0.4766	-5.3984	0.0883	0.0000	-0.6497	-0.3034
qbelow_avg	-0.0708	-3.1513	0.0225	0.0017	-0.1148	-0.0267
yb_1910_to_1929	-0.1132	-3.7685	0.0300	0.0002	-0.1721	-0.0543
yb_1930_to_1945	-0.0455	-2.2075	0.0206	0.0274	-0.0859	-0.0051
ln_garagespaces	0.0570	2.0602	0.0277	0.0395	0.0027	0.1112
central_air	0.0710	3.2428	0.0219	0.0012	0.0281	0.1139
ecf1r101	0.2415	2.4958	0.0967	0.0127	0.0517	0.4312
ecf1r103	0.3091	5.8390	0.0529	0.0000	0.2053	0.4129
ecf1r104	0.1870	5.4080	0.0346	0.0000	0.1192	0.2548
ecf1r108	-0.0862	-1.9568	0.0441	0.0505	-0.1726	0.0002
ecf1r109	0.1138	3.4826	0.0327	0.0005	0.0497	0.1779
ecf1r110	0.1831	3.4958	0.0524	0.0005	0.0804	0.2858
ecf1r112	0.2779	3.4994	0.0794	0.0005	0.1221	0.4336
ecf1r113	-0.3485	-4.0088	0.0869	0.0001	-0.5189	-0.1780
ecf1r115	0.3863	5.4474	0.0709	0.0000	0.2472	0.5253
ecf1r116	0.4777	10.1032	0.0473	0.0000	0.3850	0.5705
ecf1r117	0.1442	3.6789	0.0392	0.0002	0.0673	0.2211
ecf1r119	-0.1154	-1.8216	0.0634	0.0687	-0.2397	0.0088
ecf1r120	0.2557	3.7589	0.0680	0.0002	0.1223	0.3892
ecf1r121	0.0980	2.4315	0.0403	0.0151	0.0190	0.1771
ecf1r122	-0.1441	-3.0898	0.0466	0.0020	-0.2356	-0.0526
ecf1r124	-0.3462	-2.6252	0.1319	0.0087	-0.6048	-0.0875
ecf1r126	0.5155	11.1881	0.0461	0.0000	0.4251	0.6058
ecf1r128	-0.2705	-5.6322	0.0480	0.0000	-0.3647	-0.1763
ecf1r130	NA	NA	NA	NA	NA	NA
ecf1r132	0.1935	3.0714	0.0630	0.0022	0.0700	0.3171
ecf1r134	0.4657	6.3899	0.0729	0.0000	0.3227	0.6086
ecf1r137	-0.6532	-5.8298	0.1120	0.0000	-0.8730	-0.4335

SPSS Results: Model V

Table 20: District 1 SPSS LN_TASP Model I Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1898	1867	31	0.3675	0.487	0.478	57.166

Table 21: District 1 SPSS LN_TASP Model I Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
11.9	24.6	58.2	1.137	0.329	-0.312	0.978	1.069	0.94

Table 17: District 1 LN_TASP Model I Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
1899	1.0616	1.1605	1.0166	1.1416	0.3331	-0.3205	17.9042	35.2817	81.0427

Table 18: District 1 LN_TASP Model I Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1898	1867	31	0.3675	0.487	0.4784	57.1661

Model VI

Table 22: District 1 LN_TASP Model II Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
1899	1.069	1.1609	1.0131	1.1459	0.3338	-0.3433	17.1143	34.5445	81.2533

Table 23: District 1 LN_TASP Model II Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1898	1863	35	0.3671	0.4891	0.4795	50.959

Table 24: District 1 LN_TASP Model II Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	9.3011	47.0105	0.1979	0.0000	8.9130	9.6891
lnsbldsfint	0.3431	10.9696	0.0313	0.0000	0.2817	0.4044
half_duplex1story	NA	NA	NA	NA	NA	NA
small	-0.0525	-2.2249	0.0236	0.0262	-0.0987	-0.0062
large	0.0767	2.6791	0.0286	0.0074	0.0206	0.1329
largest	0.0825	1.7732	0.0465	0.0764	-0.0087	0.1737
good	0.2625	4.2699	0.0615	0.0000	0.1419	0.3831
fair	-0.1717	-7.0945	0.0242	0.0000	-0.2192	-0.1242
poor	-0.4667	-5.2712	0.0885	0.0000	-0.6404	-0.2931
qabove_avg	0.2542	2.0918	0.1215	0.0366	0.0159	0.4925
qbelow_avg	-0.0640	-2.8332	0.0226	0.0047	-0.1084	-0.0197
yb_1910_to_1929	-0.1059	-3.4853	0.0304	0.0005	-0.1654	-0.0463
yb_1930_to_1945	-0.0460	-2.2037	0.0209	0.0277	-0.0869	-0.0051
yb_post_1990	-0.2876	-1.7336	0.1659	0.0832	-0.6129	0.0378
garage	NA	NA	NA	NA	NA	NA
central_air	0.0723	3.3062	0.0219	0.0010	0.0294	0.1152
ecf1r101	0.2508	2.5926	0.0967	0.0096	0.0611	0.4406
ecf1r103	0.3091	5.8333	0.0530	0.0000	0.2052	0.4130
ecf1r104	0.1890	5.4604	0.0346	0.0000	0.1211	0.2568
ecf1r108	-0.0861	-1.9595	0.0440	0.0502	-0.1724	0.0001
ecf1r109	0.1086	3.3137	0.0328	0.0009	0.0443	0.1729
ecf1r110	0.1807	3.4469	0.0524	0.0006	0.0779	0.2834
ecf1r112	0.2942	3.7243	0.0790	0.0002	0.1393	0.4491
ecf1r113	-0.3339	-3.8486	0.0868	0.0001	-0.5041	-0.1637
ecf1r115	0.3650	5.1394	0.0710	0.0000	0.2257	0.5043

term	estimate	statistic	std_error	p_value	conf_low	conf_high
ecf1r116	0.4858	10.1147	0.0480	0.0000	0.3916	0.5800
ecf1r117	0.1262	3.1727	0.0398	0.0015	0.0482	0.2043
ecf1r119	-0.1271	-2.0059	0.0634	0.0450	-0.2515	-0.0028
ecf1r120	0.2350	3.4304	0.0685	0.0006	0.1006	0.3693
ecf1r121	0.0905	2.2341	0.0405	0.0256	0.0111	0.1700
ecf1r122	-0.1526	-3.2583	0.0468	0.0011	-0.2445	-0.0608
ecf1r124	-0.3252	-2.4635	0.1320	0.0138	-0.5840	-0.0663
ecf1r126	0.5087	10.9629	0.0464	0.0000	0.4177	0.5998
ecf1r127	-0.1177	-1.6476	0.0714	0.0996	-0.2577	0.0224
ecf1r128	-0.2915	-6.0393	0.0483	0.0000	-0.3861	-0.1968
ecf1r130	NA	NA	NA	NA	NA	NA
ecf1r132	0.1762	2.7938	0.0631	0.0053	0.0525	0.2999
ecf1r134	0.4741	6.4968	0.0730	0.0000	0.3310	0.6173
ecf1r137	-0.6483	-5.7844	0.1121	0.0000	-0.8681	-0.4285

SPSS Results: Model VI

Table 25: District 1 SPSS LN_TASP Model II Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2696	2653	43	0.3896	0.478	0.469	56.475

Table 26: District 1 SPSS LN_TASP Model II Statistics


within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
15.7	34.3	81.1	1.155	0.343	-0.336	0.986	1.078	0.933

Plots

tasp vs esp4 by Style



esp4 vs ratio4



Histogram of ratio4

