

District 1 SPSS Comparison 2023-2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

23 April 2026

Contents

Model I	1
Model II	1
Model III	2
Model IV	2
Model V	2
Model VI	3
Plots	4

Model I

Table 1: District 1 | LN_SPPSF Model Fit Statistics: SPSS vs R

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2041	14	0.4487	0.1150	0.1090	18.9110
R	2055	2041	14	0.4487	0.1148	0.1088	18.9112

Model II

```
## # A tibble: 1 x 7
##   r_squared adj_r_squared residual_se f_statistic  df1  df2  model_p
##   <dbl>      <dbl>      <dbl>      <dbl> <dbl> <dbl>  <dbl>
## 1    0.350    0.344    0.446    54.9    20  2035 6.90e-174
```

Table 2: District 1 | LN_PRICE (No ECFs) Model Fit Statistics:
SPSS vs R

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2035	20	0.4459	0.3500	0.344	54.8720

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
R	2055	2035	20	0.4459	0.3503	0.344	54.8718

Model III

Table 3: District 1 | LN_PRICE Model Fit Statistics: SPSS vs R

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2017	38	0.4106	0.4540	0.444	44.1250
R	2055	2035	20	0.4459	0.3503	0.344	54.8718

Table 4: District 1 | LN_PRICE Model Assessing Statistics: SPSS vs R

metric_source	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9690	1.0860	0.9270	1.1720	0.3710	NA
R	0.9641	1.1058	0.9116	1.2131	0.4131	-0.4833

Model IV

Table 5: District 1 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1866	32	0.3676	0.4950	0.4870	57.2650
R	1897	1880	17	0.3947	0.4039	0.3985	74.9323

Table 6: District 1 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metric_source	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.304
R	0.9765	1.0806	0.9296	1.1624	0.3569	-0.398

Model V

Table 7: District 1 | LN_TASP Model I Fit Statistics: SPSS vs R

metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1867	31	0.3675	0.487	0.4780	57.1660
R	1897	1881	16	0.3946	0.393	0.3878	76.1055

Table 8: District 1 | LN_TASP Model I Assessing Statistics: SPSS vs R

metric_source	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.137	0.3290	-0.3120
R	1.0652	1.1746	1.0057	1.168	0.3605	-0.4214

Model VI

Table 9: District 1 | LN_TASP Model II Fit Statistics: SPSS vs R


metric_source	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2696	2653	43	0.3896	0.4780	0.4690	56.4750
R	1897	1882	15	0.3949	0.3917	0.3868	80.7859

Table 10: District 1 | LN_TASP Model II Assessing Statistics: SPSS vs R


metric_source	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9860	1.0780	0.9330	1.1550	0.3430	-0.3360
R	1.0646	1.1748	1.0053	1.1686	0.3611	-0.4238

Plots

tasp vs esp4 by Style



esp4 vs ratio4



Histogram of ratio4

