

District 1 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

1 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 1 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2041	14	0.4487	0.1150	0.1090	18.9110
R	2055	2041	14	0.4487	0.1148	0.1088	18.9112
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	-0.17%	-0.18%	0.00%

Table 2: District 1 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.316	4.316	0.022	0.022	NA	NA	194.435	194.435	0.000	0.001
months_10to18	0.017	0.017	0.003	0.003	0.141	0.141	6.739	6.739	0.000	0.001
fireplace	0.075	0.075	0.022	0.022	0.079	0.079	3.342	3.342	0.001	0.001
central_air	0.069	0.069	0.025	0.025	0.058	0.058	2.702	2.702	0.007	0.007
good	0.184	0.184	0.067	0.067	0.057	0.057	2.743	2.743	0.006	0.006
qabove_avg	0.369	0.369	0.143	0.143	0.054	0.054	2.583	2.583	0.010	0.010
ln_garagespaces	0.060	0.060	0.031	0.031	0.041	0.041	1.913	1.913	0.056	0.056
smallest	0.065	0.065	0.039	0.039	0.038	0.038	1.675	1.675	0.094	0.094
slab	-0.184	-0.184	0.081	0.081	-0.048	-0.048	-2.263	-2.263	0.024	0.024
unsound	-0.586	-0.586	0.201	0.201	-0.061	-0.061	-2.909	-2.909	0.004	0.004
crawl	-0.326	-0.326	0.082	0.082	-0.085	-0.085	-3.999	-3.999	0.000	0.001
yb_1930_to_1945	-0.085	-0.085	0.024	0.024	-0.088	-0.088	-3.606	-3.606	0.000	0.001
yb_1910_to_1929	-0.171	-0.171	0.032	0.032	-0.122	-0.122	-5.334	-5.334	0.000	0.001
poor	-0.541	-0.541	0.079	0.079	-0.145	-0.145	-6.847	-6.847	0.000	0.001
fair	-0.211	-0.211	0.028	0.028	-0.161	-0.161	-7.640	-7.640	0.000	0.001

District 1 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 1 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2035	20	0.4459	0.3500	0.3440	54.8720
R	2055	2035	20	0.4459	0.3503	0.3440	54.8718
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.09%	0.00%	-0.00%

Table 4: District 1 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.354	11.354	0.028	0.028	NA	NA	398.798	398.798	0.000	0.001
ln_base_bldgsize_ratio	0.480	0.480	0.145	0.145	0.225	0.225	3.315	3.315	0.001	0.001
months_10to18	0.018	0.018	0.003	0.003	0.126	0.126	7.001	7.001	0.000	0.001
largest	0.217	0.217	0.079	0.079	0.113	0.113	2.740	2.740	0.006	0.006
ln_landratio	0.222	0.222	0.044	0.044	0.097	0.097	5.056	5.056	0.000	0.001
fireplace	0.085	0.085	0.026	0.026	0.078	0.078	3.257	3.257	0.001	0.001
large	0.094	0.094	0.043	0.043	0.077	0.077	2.215	2.215	0.027	0.027
central_air	0.072	0.072	0.025	0.025	0.052	0.052	2.819	2.819	0.005	0.005
good	0.190	0.190	0.067	0.067	0.051	0.051	2.819	2.819	0.005	0.005
two_baths	0.146	0.146	0.076	0.076	0.045	0.045	1.928	1.928	0.054	0.054
qabove_avg	0.317	0.317	0.148	0.148	0.040	0.040	2.146	2.146	0.032	0.032
unsound	-0.541	-0.541	0.201	0.201	-0.048	-0.048	-2.694	-2.694	0.007	0.007
qbelow_avg	-0.056	-0.056	0.025	0.025	-0.049	-0.049	-2.217	-2.217	0.027	0.027
slab	-0.220	-0.220	0.081	0.081	-0.050	-0.050	-2.716	-2.716	0.007	0.007
smallest	-0.116	-0.116	0.069	0.069	-0.058	-0.058	-1.676	-1.676	0.094	0.094
small	-0.085	-0.085	0.038	0.038	-0.064	-0.064	-2.266	-2.266	0.024	0.024
crawl	-0.329	-0.329	0.081	0.081	-0.074	-0.074	-4.039	-4.039	0.000	0.001
yb_1930_to_1945	-0.091	-0.091	0.024	0.024	-0.080	-0.080	-3.848	-3.848	0.000	0.001
yb_1910_to_1929	-0.179	-0.179	0.033	0.033	-0.110	-0.110	-5.363	-5.363	0.000	0.001
poor	-0.538	-0.538	0.079	0.079	-0.125	-0.125	-6.832	-6.832	0.000	0.001
fair	-0.205	-0.205	0.028	0.028	-0.136	-0.136	-7.463	-7.463	0.000	0.001

District 1 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 1 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2017	38	0.4107	0.4540	0.4440	44.1250
R	2055	2017	38	0.4107	0.4539	0.4437	44.1245
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.02%	-0.07%	-0.00%

Table 6: District 1 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9690	1.0860	0.9270	1.1720	0.3710	
R	0.9692	1.0861	0.9267	1.1719	0.3708	-0.3610
% diff (R vs SPSS)	0.02%	0.01%	-0.03%	-0.01%	-0.04%	


Table 7: District 1 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2847	NA	0.0271	NA	NA	NA	416.9801	NA
ln_base_bldgsize_ratio	0.7614	0.761	0.0520	0.052	0.3572	0.357	14.6338	14.634
ecf1r137	-0.5963	-0.596	0.0963	0.096	-0.1037	-0.104	-6.1919	-6.192
ecf1r130	-0.5583	-0.558	0.2972	0.297	-0.0316	-0.032	-1.8783	-1.878
ecf1r126	0.5030	0.503	0.0506	0.051	0.1756	0.176	9.9310	9.931
ecf1r116	0.4717	0.472	0.0520	0.052	0.1657	0.166	9.0674	9.067
half_duplex2story	-0.4544	-0.454	0.2411	0.241	-0.0315	-0.032	-1.8843	-1.884
ecf1r134	0.4302	0.430	0.0791	0.079	0.0922	0.092	5.4396	5.440
poor	-0.4183	-0.418	0.0733	0.073	-0.0969	-0.097	-5.7061	-5.706
half_duplex1story	-0.4081	-0.408	0.1713	0.171	-0.0400	-0.040	-2.3817	-2.382
unsound	-0.4038	-0.404	0.1856	0.186	-0.0361	-0.036	-2.1760	-2.176
ecf1r124	-0.3387	-0.339	0.1141	0.114	-0.0557	-0.056	-2.9674	-2.967
ecf1r113	-0.3285	-0.328	0.0758	0.076	-0.0739	-0.074	-4.3330	-4.333
ecf1r115	0.2990	0.299	0.0725	0.072	0.0703	0.070	4.1264	4.126
ecf1r103	0.2872	0.287	0.0579	0.058	0.0871	0.087	4.9589	4.959
ecf1r128	-0.2825	-0.283	0.0513	0.051	-0.0968	-0.097	-5.5116	-5.512
ecf1r132	0.2436	0.244	0.0680	0.068	0.0611	0.061	3.5837	3.584
ecf1r112	0.2168	0.217	0.0770	0.077	0.0487	0.049	2.8147	2.815
ecf1r101	0.2158	0.216	0.0920	0.092	0.0394	0.039	2.3448	2.345
ecf1r120	0.2082	0.208	0.0710	0.071	0.0496	0.050	2.9331	2.933
ecf1r104	0.1886	0.189	0.0384	0.038	0.0918	0.092	4.9100	4.910
good	0.1799	0.180	0.0627	0.063	0.0484	0.048	2.8714	2.871
crawl	-0.1736	-0.174	0.0831	0.083	-0.0390	-0.039	-2.0882	-2.088
fair	-0.1630	-0.163	0.0257	0.026	-0.1077	-0.108	-6.3335	-6.333
slab	-0.1598	-0.160	0.0766	0.077	-0.0359	-0.036	-2.0867	-2.087
ecf1r110	0.1545	0.155	0.0574	0.057	0.0461	0.046	2.6926	2.693
ecf1r117	0.1395	0.139	0.0434	0.043	0.0582	0.058	3.2117	3.212
ecf1r122	-0.1372	-0.137	0.0500	0.050	-0.0479	-0.048	-2.7471	-2.747
ecf1r119	-0.1175	-0.117	0.0614	0.061	-0.0325	-0.033	-1.9138	-1.914
ecf1r109	0.1084	0.108	0.0360	0.036	0.0536	0.054	3.0133	3.013
yb_1910_to_1929	-0.1072	-0.107	0.0321	0.032	-0.0661	-0.066	-3.3441	-3.344
ecf1r108	-0.1034	-0.103	0.0459	0.046	-0.0394	-0.039	-2.2557	-2.256
ecf1r121	0.0949	0.095	0.0446	0.045	0.0379	0.038	2.1270	2.127
qbelow_avg	-0.0646	-0.065	0.0243	0.024	-0.0575	-0.058	-2.6607	-2.661
yb_1930_to_1945	-0.0550	-0.055	0.0227	0.023	-0.0488	-0.049	-2.4199	-2.420
ln_garagespaces	0.0495	0.050	0.0297	0.030	0.0288	0.029	1.6698	1.670
central_air	0.0493	0.049	0.0237	0.024	0.0357	0.036	2.0843	2.084
fireplace	0.0423	0.042	0.0250	0.025	0.0384	0.038	1.6942	1.694
months_10to18	0.0182	0.018	0.0024	0.002	0.1268	0.127	7.6198	7.620
(intercept)	NA	11.285	NA	0.027	NA	NA	NA	416.980

Table 8: District 1 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4543	0.454	2.2011	2.201
ecf1r137	0.0000	0.001	0.9658	0.966	1.0354	1.035
ecf1r130	0.0605	0.060	0.9553	0.955	1.0468	1.047
ecf1r126	0.0000	0.001	0.8655	0.865	1.1554	1.155
ecf1r116	0.0000	0.001	0.8104	0.810	1.2339	1.234
half_duplex2story	0.0597	0.060	0.9682	0.968	1.0329	1.033
ecf1r134	0.0000	0.001	0.9429	0.943	1.0606	1.061
poor	0.0000	0.001	0.9385	0.938	1.0656	1.066
half_duplex1story	0.0173	0.017	0.9601	0.960	1.0415	1.042
unsound	0.0297	0.030	0.9817	0.982	1.0187	1.019
ecf1r124	0.0030	0.003	0.7679	0.768	1.3022	1.302
ecf1r113	0.0000	0.001	0.9314	0.931	1.0736	1.074
ecf1r115	0.0000	0.001	0.9336	0.934	1.0711	1.071
ecf1r103	0.0000	0.001	0.8771	0.877	1.1401	1.140
ecf1r128	0.0000	0.001	0.8769	0.877	1.1404	1.140
ecf1r132	0.0003	0.001	0.9306	0.931	1.0745	1.075
ecf1r112	0.0049	0.005	0.9026	0.903	1.1080	1.108
ecf1r101	0.0191	0.019	0.9583	0.958	1.0435	1.044
ecf1r120	0.0034	0.003	0.9459	0.946	1.0572	1.057
ecf1r104	0.0000	0.001	0.7743	0.774	1.2915	1.292
good	0.0041	0.004	0.9548	0.955	1.0473	1.047
crawl	0.0369	0.037	0.7744	0.774	1.2913	1.291
fair	0.0000	0.001	0.9370	0.937	1.0672	1.067
slab	0.0370	0.037	0.9133	0.913	1.0950	1.095
ecf1r110	0.0071	0.007	0.9242	0.924	1.0820	1.082
ecf1r117	0.0013	0.001	0.8234	0.823	1.2145	1.215
ecf1r122	0.0061	0.006	0.8896	0.890	1.1240	1.124
ecf1r119	0.0558	0.056	0.9359	0.936	1.0685	1.069
ecf1r109	0.0026	0.003	0.8543	0.854	1.1705	1.170
yb_1910_to_1929	0.0008	0.001	0.6930	0.693	1.4430	1.443
ecf1r108	0.0242	0.024	0.8852	0.885	1.1297	1.130
ecf1r121	0.0335	0.034	0.8509	0.851	1.1752	1.175
qbelow_avg	0.0079	0.008	0.5792	0.579	1.7265	1.727
yb_1930_to_1945	0.0156	0.016	0.6648	0.665	1.5042	1.504
ln_garagespaces	0.0951	0.095	0.9079	0.908	1.1014	1.101
central_air	0.0373	0.037	0.9254	0.925	1.0806	1.081
fireplace	0.0904	0.090	0.5273	0.527	1.8966	1.897
months_10to18	0.0000	0.001	0.9779	0.978	1.0226	1.023
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 1 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1866	32	0.3676	0.4950	0.4870	57.2650
R	1898	1866	32	0.3676	0.4955	0.4868	57.2647
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.10%	-0.04%	-0.00%

Table 10: District 1 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3040
R	0.9776	1.0688	0.9403	1.1367	0.3292	-0.3040
% diff (R vs SPSS)	-0.04%	-0.02%	0.03%	-0.03%	0.06%	0.00%


Table 11: District 1 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2877	NA	0.0242	NA	NA	NA	467.0176	NA
ln_base_bldgsize_ratio	0.7746	0.775	0.0469	0.047	0.3868	0.387	16.5083	16.508
ecf1r137	-0.6534	-0.653	0.1121	0.112	-0.0967	-0.097	-5.8283	-5.828
ecf1r126	0.5155	0.515	0.0461	0.046	0.1970	0.197	11.1852	11.185
ecf1r116	0.4778	0.478	0.0473	0.047	0.1871	0.187	10.1007	10.101
poor	-0.4769	-0.477	0.0884	0.088	-0.0901	-0.090	-5.3936	-5.394
ecf1r134	0.4658	0.466	0.0729	0.073	0.1075	0.107	6.3873	6.387
ecf1r115	0.3862	0.386	0.0709	0.071	0.0923	0.092	5.4438	5.444
ecf1r113	-0.3484	-0.348	0.0870	0.087	-0.0676	-0.068	-4.0065	-4.007
ecf1r124	-0.3462	-0.346	0.1319	0.132	-0.0437	-0.044	-2.6248	-2.625
ecf1r103	0.3090	0.309	0.0530	0.053	0.1019	0.102	5.8359	5.836
ecf1r112	0.2779	0.278	0.0794	0.079	0.0593	0.059	3.4991	3.499
ecf1r128	-0.2704	-0.270	0.0481	0.048	-0.0979	-0.098	-5.6214	-5.621
good	0.2604	0.260	0.0615	0.062	0.0711	0.071	4.2325	4.233
ecf1r120	0.2556	0.256	0.0681	0.068	0.0631	0.063	3.7555	3.755
ecf1r101	0.2417	0.242	0.0968	0.097	0.0417	0.042	2.4960	2.496
ecf1r132	0.1935	0.194	0.0630	0.063	0.0521	0.052	3.0705	3.071
ecf1r104	0.1870	0.187	0.0346	0.035	0.1010	0.101	5.4069	5.407
ecf1r110	0.1831	0.183	0.0524	0.052	0.0598	0.060	3.4943	3.494
fair	-0.1741	-0.174	0.0242	0.024	-0.1214	-0.121	-7.1908	-7.191
ecf1r117	0.1442	0.144	0.0392	0.039	0.0662	0.066	3.6784	3.678
ecf1r122	-0.1441	-0.144	0.0467	0.047	-0.0537	-0.054	-3.0890	-3.089
ecf1r119	-0.1154	-0.115	0.0634	0.063	-0.0307	-0.031	-1.8213	-1.821
ecf1r109	0.1138	0.114	0.0327	0.033	0.0618	0.062	3.4808	3.481
yb_1910_to_1929	-0.1132	-0.113	0.0300	0.030	-0.0741	-0.074	-3.7681	-3.768
ecf1r121	0.0979	0.098	0.0404	0.040	0.0428	0.043	2.4271	2.427
ecf1r108	-0.0862	-0.086	0.0441	0.044	-0.0340	-0.034	-1.9561	-1.956
central_air	0.0710	0.071	0.0219	0.022	0.0554	0.055	3.2426	3.243
qbelow_avg	-0.0708	-0.071	0.0225	0.022	-0.0676	-0.068	-3.1511	-3.151
ln_garagespaces	0.0570	0.057	0.0277	0.028	0.0353	0.035	2.0607	2.061
large	0.0475	0.048	0.0225	0.022	0.0414	0.041	2.1156	2.116
yb_1930_to_1945	-0.0455	-0.045	0.0206	0.021	-0.0433	-0.043	-2.2072	-2.207
months_10to18	0.0173	0.017	0.0022	0.002	0.1298	0.130	7.8270	7.827
(intercept)	NA	11.288	NA	0.024	NA	NA	NA	467.018

Table 12: District 1 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4925	0.493	2.0303	2.030
ecf1r137	0.0000	0.001	0.9831	0.983	1.0172	1.017
ecf1r126	0.0000	0.001	0.8720	0.872	1.1468	1.147
ecf1r116	0.0000	0.001	0.7881	0.788	1.2688	1.269
poor	0.0000	0.001	0.9695	0.970	1.0315	1.031
ecf1r134	0.0000	0.001	0.9546	0.955	1.0476	1.048
ecf1r115	0.0000	0.001	0.9403	0.940	1.0635	1.063
ecf1r113	0.0001	0.001	0.9501	0.950	1.0525	1.053
ecf1r124	0.0087	0.009	0.9750	0.975	1.0256	1.026
ecf1r103	0.0000	0.001	0.8866	0.887	1.1279	1.128
ecf1r112	0.0005	0.001	0.9425	0.943	1.0610	1.061
ecf1r128	0.0000	0.001	0.8910	0.891	1.1223	1.122
good	0.0000	0.001	0.9585	0.959	1.0433	1.043
ecf1r120	0.0002	0.001	0.9564	0.956	1.0456	1.046
ecf1r101	0.0126	0.013	0.9687	0.969	1.0323	1.032
ecf1r132	0.0022	0.002	0.9375	0.937	1.0667	1.067
ecf1r104	0.0000	0.001	0.7753	0.775	1.2898	1.290
ecf1r110	0.0005	0.001	0.9219	0.922	1.0848	1.085
fair	0.0000	0.001	0.9492	0.949	1.0535	1.054
ecf1r117	0.0002	0.001	0.8341	0.834	1.1989	1.199
ecf1r122	0.0020	0.002	0.8961	0.896	1.1160	1.116
ecf1r119	0.0687	0.069	0.9526	0.953	1.0498	1.050
ecf1r109	0.0005	0.001	0.8577	0.858	1.1659	1.166
yb_1910_to_1929	0.0002	0.001	0.6990	0.699	1.4306	1.431
ecf1r121	0.0153	0.015	0.8677	0.868	1.1524	1.152
ecf1r108	0.0506	0.051	0.8973	0.897	1.1144	1.114
central_air	0.0012	0.001	0.9251	0.925	1.0810	1.081
qbelow_avg	0.0017	0.002	0.5882	0.588	1.7001	1.700
ln_garagespaces	0.0395	0.039	0.9190	0.919	1.0881	1.088
large	0.0345	0.035	0.7048	0.705	1.4189	1.419
yb_1930_to_1945	0.0274	0.027	0.7011	0.701	1.4264	1.426
months_10to18	0.0000	0.001	0.9835	0.983	1.0168	1.017
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 1 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1867	31	0.3675	0.4870	0.4780	57.1660
R	1898	1867	31	0.3675	0.4870	0.4785	57.1664
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.10%	0.00%

Table 14: District 1 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3120
R	0.9927	1.0852	0.9506	1.1416	0.3331	-0.3205
% diff (R vs SPSS)	1.50%	1.51%	1.13%	0.40%	1.24%	-2.72%


Table 15: District 1 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.4436	NA	0.0223	NA	NA	NA	513.9754	NA
ln_base_bldgsize_ratio	0.7747	0.775	0.0469	0.047	0.3901	0.390	16.5321	16.534
ecf1r137	-0.6533	-0.653	0.1120	0.112	-0.0975	-0.097	-5.8308	-5.830
ecf1r126	0.5155	0.515	0.0461	0.046	0.1986	0.199	11.1882	11.188
ecf1r116	0.4778	0.478	0.0473	0.047	0.1886	0.189	10.1037	10.103
poor	-0.4768	-0.477	0.0883	0.088	-0.0908	-0.091	-5.4006	-5.398
ecf1r134	0.4658	0.466	0.0729	0.073	0.1084	0.108	6.3913	6.390
ecf1r115	0.3862	0.386	0.0709	0.071	0.0931	0.093	5.4466	5.447
ecf1r113	-0.3484	-0.348	0.0869	0.087	-0.0682	-0.068	-4.0082	-4.009
ecf1r124	-0.3462	-0.346	0.1319	0.132	-0.0441	-0.044	-2.6254	-2.625
ecf1r103	0.3091	0.309	0.0529	0.053	0.1028	0.103	5.8384	5.839
ecf1r112	0.2779	0.278	0.0794	0.079	0.0598	0.060	3.5001	3.499
ecf1r128	-0.2704	-0.271	0.0480	0.048	-0.0988	-0.099	-5.6301	-5.632
good	0.2604	0.260	0.0615	0.062	0.0717	0.072	4.2348	4.236
ecf1r120	0.2557	0.256	0.0680	0.068	0.0637	0.064	3.7579	3.759
ecf1r101	0.2416	0.241	0.0967	0.097	0.0420	0.042	2.4971	2.496
ecf1r132	0.1935	0.194	0.0630	0.063	0.0526	0.053	3.0714	3.071
ecf1r104	0.1870	0.187	0.0346	0.035	0.1018	0.102	5.4084	5.408
ecf1r110	0.1831	0.183	0.0524	0.052	0.0603	0.060	3.4955	3.496
fair	-0.1740	-0.174	0.0242	0.024	-0.1224	-0.122	-7.1981	-7.196
ecf1r117	0.1442	0.144	0.0392	0.039	0.0668	0.067	3.6794	3.679
ecf1r122	-0.1441	-0.144	0.0466	0.047	-0.0541	-0.054	-3.0898	-3.090
ecf1r119	-0.1154	-0.115	0.0634	0.063	-0.0309	-0.031	-1.8217	-1.822
ecf1r109	0.1138	0.114	0.0327	0.033	0.0623	0.062	3.4821	3.483
yb_1910_to_1929	-0.1132	-0.113	0.0300	0.030	-0.0747	-0.075	-3.7693	-3.769
ecf1r121	0.0980	0.098	0.0403	0.040	0.0432	0.043	2.4300	2.431
ecf1r108	-0.0862	-0.086	0.0441	0.044	-0.0342	-0.034	-1.9567	-1.957
central_air	0.0710	0.071	0.0219	0.022	0.0559	0.056	3.2435	3.243
qbelow_avg	-0.0708	-0.071	0.0225	0.022	-0.0681	-0.068	-3.1526	-3.151
ln_garagespaces	0.0570	0.057	0.0277	0.028	0.0356	0.036	2.0613	2.060
large	0.0475	0.047	0.0224	0.022	0.0418	0.042	2.1170	2.115
yb_1930_to_1945	-0.0455	-0.045	0.0206	0.021	-0.0437	-0.044	-2.2077	-2.207
(intercept)	NA	11.443	NA	0.022	NA	NA	NA	513.953

Table 16: District 1 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4936	0.494	2.0258	2.026
ecf1r137	0.0000	0.001	0.9836	0.984	1.0167	1.017
ecf1r126	0.0000	0.001	0.8720	0.872	1.1468	1.147
ecf1r116	0.0000	0.001	0.7882	0.788	1.2687	1.269
poor	0.0000	0.001	0.9719	0.972	1.0289	1.029
ecf1r134	0.0000	0.001	0.9555	0.955	1.0466	1.047
ecf1r115	0.0000	0.001	0.9406	0.941	1.0631	1.063
ecf1r113	0.0001	0.001	0.9502	0.950	1.0524	1.052
ecf1r124	0.0087	0.009	0.9750	0.975	1.0256	1.026
ecf1r103	0.0000	0.001	0.8868	0.887	1.1276	1.128
ecf1r112	0.0005	0.001	0.9427	0.943	1.0608	1.061
ecf1r128	0.0000	0.001	0.8930	0.893	1.1198	1.120
good	0.0000	0.001	0.9588	0.959	1.0429	1.043
ecf1r120	0.0002	0.001	0.9569	0.957	1.0451	1.045
ecf1r101	0.0126	0.013	0.9696	0.970	1.0314	1.031
ecf1r132	0.0022	0.002	0.9375	0.937	1.0667	1.067
ecf1r104	0.0000	0.001	0.7754	0.775	1.2897	1.290
ecf1r110	0.0005	0.001	0.9219	0.922	1.0847	1.085
fair	0.0000	0.001	0.9508	0.951	1.0517	1.052
ecf1r117	0.0002	0.001	0.8342	0.834	1.1987	1.199
ecf1r122	0.0020	0.002	0.8961	0.896	1.1160	1.116
ecf1r119	0.0687	0.069	0.9526	0.953	1.0498	1.050
ecf1r109	0.0005	0.001	0.8578	0.858	1.1658	1.166
yb_1910_to_1929	0.0002	0.001	0.6992	0.699	1.4302	1.430
ecf1r121	0.0152	0.015	0.8688	0.869	1.1511	1.151
ecf1r108	0.0505	0.051	0.8973	0.897	1.1144	1.114
central_air	0.0012	0.001	0.9253	0.925	1.0807	1.081
qbelow_avg	0.0016	0.002	0.5887	0.589	1.6987	1.699
ln_garagespaces	0.0394	0.040	0.9195	0.920	1.0875	1.088
large	0.0344	0.035	0.7059	0.706	1.4166	1.417
yb_1930_to_1945	0.0274	0.027	0.7011	0.701	1.4264	1.426
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 1 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2696	2653	43	0.3896	0.4780	0.4690	56.4750
R	1898	1863	35	0.3671	0.4891	0.4795	50.9596
% diff (R vs SPSS)	-29.60%	-29.78%	-18.60%	-5.78%	2.32%	2.24%	-9.77%

Table 18: District 1 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9860	1.0780	0.9330	1.1550	0.3430	-0.3360
R	0.9879	1.0851	0.9505	1.1417	0.3342	-0.3206
% diff (R vs SPSS)	0.19%	0.66%	1.87%	-1.15%	-2.56%	4.59%


Table 19: District 1 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.3019	NA	0.1979	NA	NA	NA	47.0147	NA
ecf1r137	-0.6484	-0.520	0.1121	0.071	-0.0967	-0.108	-5.7854	-7.365
ecf1r126	0.5087	0.519	0.0464	0.047	0.1960	0.166	10.9630	10.927
ecf1r116	0.4858	0.466	0.0480	0.049	0.1918	0.151	10.1150	9.488
ecf1r134	0.4742	0.459	0.0730	0.072	0.1104	0.094	6.4981	6.407
poor	-0.4669	-0.246	0.0885	0.063	-0.0889	-0.056	-5.2734	-3.907
ecf1r115	0.3650	0.374	0.0710	0.072	0.0880	0.076	5.1384	5.228
lnsbldsfint	0.3430	0.312	0.0313	0.026	0.3372	0.305	10.9681	12.140
ecf1r113	-0.3338	-0.292	0.0868	0.069	-0.0653	-0.062	-3.8480	-4.260
ecf1r124	-0.3252	-0.293	0.1320	0.089	-0.0414	-0.050	-2.4637	-3.276
ecf1r103	0.3091	0.338	0.0530	0.051	0.1028	0.100	5.8326	6.593
ecf1r112	0.2943	0.226	0.0790	0.062	0.0633	0.055	3.7250	3.661
ecf1r128	-0.2914	-0.228	0.0483	0.039	-0.1064	-0.092	-6.0374	-5.865
yb_post_1990	-0.2876	NA	0.1659	NA	-0.0290	NA	-1.7337	NA
good	0.2625	0.211	0.0615	0.060	0.0722	0.051	4.2691	3.542
qabove_avg	0.2543	0.230	0.1215	0.129	0.0362	0.026	2.0924	1.787
ecf1r101	0.2509	0.267	0.0967	0.082	0.0437	0.047	2.5939	3.250
ecf1r120	0.2349	0.223	0.0685	0.065	0.0585	0.050	3.4292	3.461
ecf1r104	0.1890	0.199	0.0346	0.032	0.1029	0.103	5.4609	6.286
ecf1r110	0.1806	0.206	0.0524	0.050	0.0595	0.062	3.4466	4.137
ecf1r132	0.1762	0.193	0.0631	0.062	0.0479	0.045	2.7936	3.100
fair	-0.1718	-0.134	0.0242	0.021	-0.1208	-0.094	-7.0964	-6.433
ecf1r122	-0.1527	-0.117	0.0468	0.042	-0.0573	-0.042	-3.2584	-2.805
ecf1r119	-0.1272	-0.111	0.0634	0.052	-0.0341	-0.031	-2.0061	-2.154
ecf1r117	0.1262	0.155	0.0398	0.037	0.0585	0.067	3.1729	4.199
ecf1r127	-0.1178	-0.113	0.0714	0.060	-0.0284	-0.028	-1.6491	-1.873
ecf1r109	0.1086	0.140	0.0328	0.030	0.0595	0.072	3.3131	4.679
yb_1910_to_1929	-0.1059	-0.103	0.0304	0.027	-0.0699	-0.066	-3.4860	-3.798
ecf1r121	0.0905	0.115	0.0405	0.038	0.0399	0.047	2.2325	3.033
ecf1r108	-0.0861	-0.098	0.0440	0.037	-0.0342	-0.040	-1.9594	-2.661
largest	0.0825	0.121	0.0465	0.042	0.0468	0.060	1.7726	2.857
large	0.0767	0.071	0.0286	0.026	0.0675	0.057	2.6801	2.762
central_air	0.0723	0.065	0.0219	0.021	0.0569	0.046	3.3070	3.144
qbelow_avg	-0.0641	-0.055	0.0226	0.020	-0.0616	-0.051	-2.8343	-2.778
small	-0.0525	NA	0.0236	NA	-0.0424	NA	-2.2268	NA
yb_1930_to_1945	-0.0460	-0.058	0.0209	0.019	-0.0442	-0.053	-2.2042	-2.979
(intercept)	NA	9.338	NA	0.159	NA	NA	NA	58.823
ln_landratio	NA	0.083	NA	0.038	NA	0.037	NA	2.188
half_duplex2story	NA	-0.383	NA	0.196	NA	-0.028	NA	-1.950
crawl	NA	-0.155	NA	0.064	NA	-0.038	NA	-2.434
slab	NA	-0.229	NA	0.068	NA	-0.056	NA	-3.392
garage	NA	0.097	NA	0.018	NA	0.082	NA	5.512
fireplace	NA	0.060	NA	0.021	NA	0.056	NA	2.911
wall	NA	0.183	NA	0.099	NA	0.032	NA	1.854
ecf1r125	NA	0.148	NA	0.070	NA	0.030	NA	2.127
ecf1r129	NA	0.107	NA	0.051	NA	0.031	NA	2.072
ecf1r130	NA	-0.419	NA	0.203	NA	-0.030	NA	-2.065

Table 20: District 1 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf1r137	0.0000	0.001	0.9810	0.907	1.0193	1.102
ecf1r126	0.0000	0.001	0.8578	0.857	1.1657	1.167
ecf1r116	0.0000	0.001	0.7625	0.772	1.3115	1.295
ecf1r134	0.0000	0.001	0.9507	0.906	1.0518	1.104
poor	0.0000	0.001	0.9642	0.970	1.0371	1.031
ecf1r115	0.0000	0.001	0.9355	0.936	1.0689	1.069
lnsbldsfint	0.0000	0.001	0.2902	0.312	3.4462	3.205
ecf1r113	0.0001	0.001	0.9519	0.934	1.0505	1.070
ecf1r124	0.0138	0.001	0.9711	0.833	1.0298	1.200
ecf1r103	0.0000	0.001	0.8832	0.858	1.1322	1.166
ecf1r112	0.0002	0.001	0.9505	0.882	1.0521	1.134
ecf1r128	0.0000	0.001	0.8826	0.796	1.1331	1.256
yb_post_1990	0.0831	NA	0.9822	NA	1.0182	NA
good	0.0000	0.001	0.9574	0.965	1.0445	1.037
qabove_avg	0.0365	0.074	0.9175	0.920	1.0900	1.087
ecf1r101	0.0096	0.001	0.9677	0.947	1.0334	1.056
ecf1r120	0.0006	0.001	0.9421	0.926	1.0614	1.080
ecf1r104	0.0000	0.001	0.7725	0.735	1.2945	1.361
ecf1r110	0.0006	0.001	0.9187	0.862	1.0885	1.160
ecf1r132	0.0053	0.002	0.9340	0.923	1.0706	1.083
fair	0.0000	0.001	0.9471	0.928	1.0558	1.077
ecf1r122	0.0011	0.005	0.8865	0.871	1.1281	1.148
ecf1r119	0.0450	0.031	0.9499	0.925	1.0528	1.081
ecf1r117	0.0015	0.001	0.8079	0.763	1.2378	1.311
ecf1r127	0.0993	0.061	0.9255	0.910	1.0805	1.098
ecf1r109	0.0009	0.001	0.8514	0.822	1.1746	1.216
yb_1910_to_1929	0.0005	0.001	0.6823	0.659	1.4657	1.518
ecf1r121	0.0257	0.002	0.8585	0.834	1.1649	1.199
ecf1r108	0.0502	0.008	0.8995	0.861	1.1118	1.161
largest	0.0765	0.004	0.3941	0.447	2.5373	2.237
large	0.0074	0.006	0.4323	0.455	2.3131	2.199
central_air	0.0010	0.002	0.9259	0.915	1.0800	1.093
qbelow_avg	0.0046	0.006	0.5803	0.575	1.7233	1.740
small	0.0261	NA	0.7569	NA	1.3211	NA
yb_1930_to_1945	0.0276	0.003	0.6827	0.631	1.4648	1.584
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.029	NA	0.701	NA	1.426
half_duplex2story	NA	0.051	NA	0.986	NA	1.014
crawl	NA	0.015	NA	0.789	NA	1.267
slab	NA	0.001	NA	0.720	NA	1.388
garage	NA	0.001	NA	0.879	NA	1.138
fireplace	NA	0.004	NA	0.537	NA	1.861
wall	NA	0.064	NA	0.682	NA	1.467
ecf1r125	NA	0.033	NA	0.958	NA	1.044
ecf1r129	NA	0.038	NA	0.867	NA	1.154
ecf1r130	NA	0.039	NA	0.921	NA	1.086

District 1 | Model VI Beta Coef. Comparison: SPSS vs R





Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
In_base_bldgsize_ratio	4	M2, M3, M4, M5	0.698	0.073	0.340	12.747	0.000	0.225	0.390
Insblsdfint	1	M6	0.343	0.031	0.337	10.968	0.000	0.337	0.337
ecf1r126	4	M3, M4, M5, M6	0.511	0.047	0.192	10.817	0.000	0.176	0.199
ecf1r116	4	M3, M4, M5, M6	0.478	0.049	0.183	9.847	0.000	0.166	0.192
months_10to18	2	M1, M2	0.018	0.003	0.133	6.870	0.000	0.126	0.141
largest	1	M2	0.217	0.079	0.113	2.740	0.006	0.113	0.113
fireplace	1	M1	0.075	0.022	0.079	3.342	0.001	0.079	0.079
central_air	1	M1	0.069	0.025	0.058	2.702	0.007	0.058	0.058
ecf1r137	4	M3, M4, M5, M6	-0.638	0.108	-0.099	-5.909	0.000	-0.104	-0.097
ecf1r128	3	M4, M5, M6	-0.277	0.048	-0.101	-5.763	0.000	-0.106	-0.098
yb_1910_to_1929	2	M1, M2	-0.175	0.033	-0.116	-5.349	0.000	-0.122	-0.110
poor	3	M1, M2, M3	-0.499	0.077	-0.122	-6.462	0.000	-0.145	-0.097
fair	6	M1, M2, M3, M4, M5, M6	-0.183	0.026	-0.128	-7.154	0.000	-0.161	-0.108


District 1 | Average Standardized Beta across Models



```
## 72 x 1 sparse Matrix of class "dgCMatrix"
##               lambda.min
## (Intercept)    11.342176236
```

## ln_landratio	0.042639732
## ln_base_bldgsize_ratio	0.690354761
## arterial	.
## single_family2story	.
## half_duplex1story	.
## half_duplex2story	-0.262965229
## smallest	-0.049979734
## small	-0.046877335
## large	0.039122264
## largest	.
## two_baths	.
## three_plus_baths	-0.194923277
## powder_room	.
## good	0.238562826
## fair	-0.167485907
## poor	-0.447847258
## unsound	-0.369479441
## qabove_avg	0.196356347
## qbelow_avg	-0.062569820
## yb_pre_1910	0.339073722
## yb_1910_to_1929	-0.087472513
## yb_1930_to_1945	-0.037045318
## yb_1961_to_1990	.
## yb_post_1990	-0.215002932
## crawl	-0.093770135
## slab	-0.069718526
## ln_garagespaces	0.051893931
## fireplace	0.017566462
## hot_water	-0.028798744
## elec_baseboard	-0.065242049
## wall	.
## central_air	0.059106233
## months_1to9	0.001059140
## months_10to18	0.016379274
## months_19to24	.
## ecf1r101	0.157413291
## ecf1r102	.
## ecf1r103	0.246660778
## ecf1r104	0.133555887
## ecf1r105	-0.065552645
## ecf1r106	-0.076205372
## ecf1r107	-0.008829396
## ecf1r108	-0.133901458
## ecf1r109	0.053426034
## ecf1r110	0.105098848
## ecf1r111	.
## ecf1r112	0.205827410
## ecf1r113	-0.385361415
## ecf1r114	-0.081982530
## ecf1r115	0.310942732
## ecf1r116	0.409144831
## ecf1r117	0.068213812
## ecf1r118	-0.008623794
## ecf1r119	-0.140356146
## ecf1r120	0.155335823
## ecf1r121	0.031595950
## ecf1r122	-0.181233025
## ecf1r123	0.023564204
## ecf1r124	-0.268097547

```
## ecf1r125      .
## ecf1r126      0.447428422
## ecf1r127      -0.139599293
## ecf1r128      -0.311872772
## ecf1r129      .
## ecf1r130      .
## ecf1r131      .
## ecf1r132      0.117434944
## ecf1r133      -0.159959277
## ecf1r134      0.379039512
## ecf1r136      -0.028574132
## ecf1r137      -0.657519927
```



```
## 69 x 1 sparse Matrix of class "dgCMatrix"
##          lambda.min
## (Intercept) 11.502349607
## ln_landratio 0.042861275
## ln_base_bldgsize_ratio 0.690032423
## arterial .
## single_family2story .
## half_duplex1story .
## half_duplex2story -0.254101899
## smallest -0.049652350
## small -0.046898171
## large 0.038528689
## largest .
## two_baths .
## three_plus_baths -0.170217974
## powder_room .
## good 0.236665020
```

## fair	-0.167480077
## poor	-0.447513016
## unsound	-0.358009021
## qabove_avg	0.191485519
## qbelow_avg	-0.062153604
## yb_pre_1910	0.325260389
## yb_1910_to_1929	-0.086759832
## yb_1930_to_1945	-0.035927702
## yb_1961_to_1990	.
## yb_post_1990	-0.209658449
## crawl	-0.091202934
## slab	-0.068025280
## ln_garagespaces	0.051620899
## fireplace	0.017329359
## hot_water	-0.027456454
## elec_baseboard	-0.054136844
## wall	.
## central_air	0.059227817
## ecflr101	0.154396082
## ecflr102	.
## ecflr103	0.243646035
## ecflr104	0.131701877
## ecflr105	-0.066041557
## ecflr106	-0.075133493
## ecflr107	-0.007304115
## ecflr108	-0.133717597
## ecflr109	0.051529413
## ecflr110	0.102262031
## ecflr111	.
## ecflr112	0.202450617
## ecflr113	-0.383877808
## ecflr114	-0.081211242
## ecflr115	0.308234049
## ecflr116	0.407000420
## ecflr117	0.066041891
## ecflr118	-0.008196222
## ecflr119	-0.139749037
## ecflr120	0.152326677
## ecflr121	0.029261931
## ecflr122	-0.181091042
## ecflr123	0.020579693
## ecflr124	-0.267915320
## ecflr125	.
## ecflr126	0.445228400
## ecflr127	-0.137996668
## ecflr128	-0.310636775
## ecflr129	.
## ecflr130	.
## ecflr131	.
## ecflr132	0.115387247
## ecflr133	-0.158810046
## ecflr134	0.376748151
## ecflr136	-0.028190829
## ecflr137	-0.655038337