

District 2 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

20 May 2026

Contents

Model I	1
Model II	3
Model III	5
Model IV	7
Model V	9
Model VI	11
Model Comparison	13

Model I


Table 1: District 2 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	325	319	6	0.4819	0.3140	0.3010	24.3360
R	325	319	6	0.4819	0.3140	0.3011	24.3362
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.00%	0.03%	0.00%

Table 2: District 2 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.678	3.520	0.080	0.134	NA	NA	45.985	26.177	0.000	0.001
months_1to18	0.034	0.035	0.005	0.007	0.320	0.339	6.828	5.355	0.000	0.001
qabove_avg	0.543	0.456	0.093	0.124	0.285	0.239	5.869	3.673	0.000	0.001
fireplace	0.194	0.217	0.057	0.071	0.168	0.188	3.392	3.058	0.001	0.002
arterial	0.378	0.345	0.130	0.136	0.146	0.133	2.913	2.536	0.004	0.012
half_duplex1story	-0.593	-0.593	0.262	0.274	-0.113	-0.113	-2.267	-2.167	0.024	0.031
yb_pre_1929	-0.201	-0.166	0.060	0.084	-0.161	-0.133	-3.379	-1.977	0.001	0.049
central_air	NA	0.092	NA	0.072	NA	0.066	NA	1.268	NA	0.206
crawl	NA	-0.157	NA	0.301	NA	-0.026	NA	-0.519	NA	0.604
half_duplex2story	NA	-0.157	NA	0.365	NA	-0.021	NA	-0.429	NA	0.668
hot_water	NA	0.027	NA	0.096	NA	0.017	NA	0.278	NA	0.781
large	NA	0.095	NA	0.089	NA	0.078	NA	1.065	NA	0.288
largest	NA	0.178	NA	0.139	NA	0.123	NA	1.286	NA	0.199
ln_garagespaces	NA	-0.024	NA	0.105	NA	-0.012	NA	-0.229	NA	0.819
months_19to24	NA	-0.014	NA	0.019	NA	-0.047	NA	-0.735	NA	0.463
powder_room	NA	-0.042	NA	0.086	NA	-0.033	NA	-0.488	NA	0.626
qbelow_avg	NA	0.075	NA	0.096	NA	0.061	NA	0.784	NA	0.434
qpoor	NA	0.205	NA	0.504	NA	0.020	NA	0.406	NA	0.685
single_family2story	NA	0.011	NA	0.078	NA	0.009	NA	0.140	NA	0.889
slab	NA	0.055	NA	0.255	NA	0.011	NA	0.217	NA	0.828
small	NA	0.097	NA	0.102	NA	0.060	NA	0.957	NA	0.339
smallest	NA	0.118	NA	0.132	NA	0.054	NA	0.898	NA	0.370
three_plus_baths	NA	0.168	NA	0.242	NA	0.045	NA	0.693	NA	0.489
two_baths	NA	0.010	NA	0.162	NA	0.005	NA	0.062	NA	0.951
yb_1946_to_1960	NA	0.020	NA	0.074	NA	0.016	NA	0.271	NA	0.787
yb_1961_to_1990	NA	-0.216	NA	0.304	NA	-0.036	NA	-0.710	NA	0.478

District 2 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 2 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1721	18	0.4506	0.4850	0.4790	89.9480
R	1739	1721	18	0.4506	0.4847	0.4794	89.9476
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.06%	0.08%	-0.00%

Table 4: District 2 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.309	11.309	0.036	0.036	NA	NA	315.764	315.764	0.000	0.001
ln_base_bldgsize_ratio	0.665	0.665	0.082	0.082	0.323	0.323	8.065	8.065	0.000	0.001
qabove_avg	0.321	0.321	0.052	0.052	0.139	0.139	6.240	6.240	0.000	0.001
months_1to18	0.014	0.014	0.002	0.002	0.134	0.134	7.622	7.622	0.000	0.001
fireplace	0.144	0.144	0.027	0.027	0.111	0.111	5.384	5.384	0.000	0.001
ln_landratio	0.255	0.255	0.054	0.054	0.099	0.099	4.712	4.712	0.000	0.001
two_baths	0.162	0.162	0.062	0.062	0.069	0.069	2.607	2.607	0.009	0.009
powder_room	0.081	0.081	0.035	0.035	0.058	0.058	2.332	2.332	0.020	0.020
three_plus_baths	0.244	0.244	0.123	0.123	0.050	0.050	1.980	1.980	0.048	0.048
good	0.229	0.229	0.087	0.087	0.046	0.046	2.633	2.633	0.009	0.009
central_air	0.051	0.051	0.026	0.026	0.036	0.036	1.973	1.973	0.049	0.049
slab	-0.211	-0.211	0.111	0.111	-0.033	-0.033	-1.900	-1.900	0.058	0.058
half_duplex2story	-0.380	-0.380	0.162	0.162	-0.041	-0.041	-2.349	-2.349	0.019	0.019
poor	-0.245	-0.245	0.085	0.085	-0.050	-0.050	-2.876	-2.876	0.004	0.004
unsound	-0.508	-0.508	0.172	0.172	-0.051	-0.051	-2.957	-2.957	0.003	0.003
qbelow_avg	-0.093	-0.093	0.032	0.032	-0.069	-0.069	-2.866	-2.866	0.004	0.004
half_duplex1story	-0.741	-0.741	0.161	0.161	-0.080	-0.080	-4.597	-4.597	0.000	0.001
fair	-0.181	-0.181	0.028	0.028	-0.113	-0.113	-6.349	-6.349	0.000	0.001
yb_pre_1929	-0.191	-0.191	0.031	0.031	-0.124	-0.124	-6.269	-6.269	0.000	0.001

District 2 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 2 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1707	32	0.4157	0.5650	0.5570	69.2910
R	1739	1707	32	0.4157	0.5650	0.5569	69.2908
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	-0.02%	-0.00%


Table 6: District 2 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1280	0.9450	1.1940	0.3830	
R	0.9740	1.0888	0.9294	1.1715	0.3726	-0.2622
% diff (R vs SPSS)	-4.79%	-3.48%	-1.65%	-1.89%	-2.72%	

Table 7: District 2 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.280	11.280	0.029	0.029	NA	NA	392.921	392.921	0.000	0.001
ln_base_bldgsize_ratio	0.709	0.709	0.046	0.046	0.345	0.345	15.540	15.540	0.000	0.001
ecf2r214	0.313	0.313	0.031	0.031	0.210	0.210	10.166	10.166	0.000	0.001
ecf2r206_215_217	0.541	0.541	0.083	0.083	0.136	0.136	6.492	6.492	0.000	0.001
ecf2r208	0.742	0.742	0.094	0.094	0.130	0.130	7.876	7.876	0.000	0.001
months_1to18	0.014	0.014	0.002	0.002	0.129	0.129	7.897	7.897	0.000	0.001
ecf2r203	0.203	0.203	0.041	0.041	0.086	0.086	4.983	4.983	0.000	0.001
ecf2r210	0.901	0.901	0.199	0.199	0.085	0.085	4.538	4.538	0.000	0.001
ecf2r219	0.740	0.740	0.153	0.153	0.080	0.080	4.846	4.846	0.000	0.001
qabove_avg	0.159	0.159	0.051	0.051	0.069	0.069	3.136	3.136	0.002	0.002
ln_landratio	0.169	0.169	0.055	0.055	0.066	0.066	3.085	3.085	0.002	0.002
ecf2r213	0.142	0.142	0.042	0.042	0.057	0.057	3.341	3.341	0.001	0.001
ecf2r216	0.641	0.641	0.210	0.210	0.055	0.055	3.054	3.054	0.002	0.002
ecf2r204	0.442	0.442	0.136	0.136	0.053	0.053	3.245	3.245	0.001	0.001
ecf2r209	0.486	0.486	0.160	0.160	0.053	0.053	3.032	3.032	0.002	0.002
fireplace	0.054	0.054	0.025	0.025	0.042	0.042	2.152	2.152	0.031	0.031
good	0.195	0.195	0.082	0.082	0.039	0.039	2.387	2.387	0.017	0.017
ecf2r227	0.281	0.281	0.135	0.135	0.034	0.034	2.080	2.080	0.038	0.038
ecf2r220	-0.087	-0.087	0.051	0.051	-0.029	-0.029	-1.718	-1.718	0.086	0.086
half_duplex2story	-0.295	-0.295	0.150	0.150	-0.032	-0.032	-1.971	-1.971	0.049	0.049
crawl	-0.376	-0.376	0.190	0.190	-0.032	-0.032	-1.976	-1.976	0.048	0.048
unsound	-0.319	-0.319	0.159	0.159	-0.032	-0.032	-2.004	-2.004	0.045	0.045
poor	-0.175	-0.175	0.079	0.079	-0.036	-0.036	-2.215	-2.215	0.027	0.027
ecf2r226	-0.436	-0.436	0.187	0.187	-0.037	-0.037	-2.335	-2.335	0.020	0.020
slab	-0.281	-0.281	0.104	0.104	-0.044	-0.044	-2.693	-2.693	0.007	0.007
ecf2r211_230	-0.696	-0.696	0.241	0.241	-0.046	-0.046	-2.885	-2.885	0.004	0.004
ecf2r228	-0.583	-0.583	0.150	0.150	-0.063	-0.063	-3.894	-3.894	0.000	0.001
ecf2r229	-0.753	-0.753	0.171	0.171	-0.071	-0.071	-4.393	-4.393	0.000	0.001
ecf2r218	-0.564	-0.564	0.118	0.118	-0.078	-0.078	-4.775	-4.775	0.000	0.001
half_duplex1story	-0.802	-0.802	0.149	0.149	-0.087	-0.087	-5.396	-5.396	0.000	0.001
ecf2r222	-0.254	-0.254	0.048	0.048	-0.090	-0.090	-5.291	-5.291	0.000	0.001
ecf2r224	-0.346	-0.346	0.058	0.058	-0.101	-0.101	-6.008	-6.008	0.000	0.001
fair	-0.189	-0.189	0.027	0.027	-0.118	-0.118	-7.058	-7.058	0.000	0.001

District 2 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 8: District 2 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1566	27	0.3745	0.5840	0.5770	81.4850
R	1593	1566	27	0.3745	0.5842	0.5770	81.4846
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	-0.00%


Table 9: District 2 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2650
R	0.9859	1.0710	0.9408	1.1384	0.3320	-0.2300
% diff (R vs SPSS)	-3.62%	-2.63%	-1.69%	-0.92%	0.30%	13.20%

Table 10: District 2 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.278	11.278	0.030	0.030	NA	NA	374.765	374.765	0.000	0.001
ln_base_bldgsize_ratio	0.572	0.572	0.064	0.064	0.287	0.287	8.927	8.927	0.000	0.001
ecf2r214	0.293	0.293	0.029	0.029	0.217	0.217	10.196	10.196	0.000	0.001
ecf2r206_215_217	0.524	0.524	0.078	0.078	0.146	0.146	6.751	6.751	0.000	0.001
months_1to18	0.013	0.013	0.002	0.002	0.134	0.134	8.079	8.079	0.000	0.001
ecf2r208	0.768	0.768	0.103	0.103	0.124	0.124	7.456	7.456	0.000	0.001
ecf2r203	0.200	0.200	0.038	0.038	0.094	0.094	5.292	5.292	0.000	0.001
ecf2r219	0.784	0.784	0.149	0.149	0.090	0.090	5.258	5.258	0.000	0.001
ln_landratio	0.199	0.199	0.052	0.052	0.077	0.077	3.800	3.800	0.000	0.001
ecf2r213	0.159	0.159	0.039	0.039	0.073	0.073	4.049	4.049	0.000	0.001
qabove_avg	0.144	0.144	0.048	0.048	0.066	0.066	2.975	2.975	0.003	0.003
fireplace	0.078	0.078	0.024	0.024	0.065	0.065	3.249	3.249	0.001	0.001
largest	0.092	0.092	0.036	0.036	0.063	0.063	2.567	2.567	0.010	0.010
good	0.263	0.263	0.094	0.094	0.048	0.048	2.788	2.788	0.005	0.005
ecf2r216	0.635	0.635	0.240	0.240	0.048	0.048	2.647	2.647	0.008	0.008
ecf2r204	0.502	0.502	0.192	0.192	0.044	0.044	2.618	2.618	0.009	0.009
ecf2r209	0.440	0.440	0.198	0.198	0.038	0.038	2.228	2.228	0.026	0.026
ecf2r210	0.867	0.867	0.388	0.388	0.038	0.038	2.236	2.236	0.025	0.025
ecf2r205	0.091	0.091	0.049	0.049	0.034	0.034	1.870	1.870	0.062	0.062
ecf2r227	0.343	0.343	0.190	0.190	0.030	0.030	1.800	1.800	0.072	0.072
qbelow_avg	-0.057	-0.057	0.030	0.030	-0.046	-0.046	-1.879	-1.879	0.060	0.060
ecf2r228	-0.631	-0.631	0.218	0.218	-0.047	-0.047	-2.890	-2.890	0.004	0.004
slab	-0.410	-0.410	0.122	0.122	-0.059	-0.059	-3.361	-3.361	0.001	0.001
ecf2r218	-0.728	-0.728	0.189	0.189	-0.063	-0.063	-3.858	-3.858	0.000	0.001
half_duplex1story	-0.920	-0.920	0.190	0.190	-0.080	-0.080	-4.853	-4.853	0.000	0.001
ecf2r222	-0.295	-0.295	0.045	0.045	-0.113	-0.113	-6.517	-6.517	0.000	0.001
ecf2r224	-0.407	-0.407	0.057	0.057	-0.121	-0.121	-7.095	-7.095	0.000	0.001
fair	-0.192	-0.192	0.025	0.025	-0.127	-0.127	-7.522	-7.522	0.000	0.001

District 2 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 11: District 2 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1567	26	0.3744	0.5750	0.5680	81.6790
R	1593	1567	26	0.3898	0.5554	0.5481	75.3011
% diff (R vs SPSS)	0.00%	0.00%	0.00%	4.12%	-3.41%	-3.50%	-7.81%


Table 12: District 2 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2710
R	1.2085	1.3196	1.1486	1.1488	0.3434	-0.2462
% diff (R vs SPSS)	18.13%	19.96%	20.03%	-0.02%	3.75%	9.16%

Table 13: District 2 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.631	11.517	0.026	0.024	NA	NA	445.691	478.774	0.000	0.001
ln_base_bldgsize_ratio	0.515	0.572	0.070	0.064	0.257	0.290	7.378	8.930	0.000	0.001
ecf2r214	0.285	0.293	0.030	0.029	0.210	0.220	9.569	10.199	0.000	0.001
ecf2r206_215_217	0.507	0.524	0.080	0.078	0.140	0.147	6.297	6.753	0.000	0.001
ecf2r208	0.762	0.767	0.107	0.103	0.123	0.126	7.111	7.459	0.000	0.001
ecf2r219	0.804	0.783	0.155	0.149	0.092	0.091	5.179	5.261	0.000	0.001
ecf2r203	0.195	0.200	0.039	0.038	0.091	0.095	4.976	5.294	0.000	0.001
ln_landratio	0.210	0.199	0.055	0.052	0.080	0.078	3.819	3.805	0.000	0.001
single_family2story	0.088	NA	0.025	NA	0.070	NA	3.549	NA	0.000	NA
largest	0.097	0.092	0.037	0.036	0.066	0.064	2.593	2.569	0.010	0.010
ecf2r213	0.144	0.159	0.041	0.039	0.065	0.074	3.512	4.056	0.000	0.001
qabove_avg	0.130	0.144	0.050	0.048	0.059	0.066	2.573	2.980	0.010	0.003
fireplace	0.069	0.078	0.025	0.024	0.057	0.066	2.749	3.254	0.006	0.001
ecf2r216	0.655	0.634	0.250	0.240	0.049	0.048	2.625	2.647	0.009	0.008
ecf2r204	0.550	0.502	0.200	0.192	0.047	0.044	2.757	2.618	0.006	0.009
good	0.257	0.263	0.098	0.094	0.047	0.049	2.614	2.789	0.009	0.005
ecf2r205	0.121	0.091	0.051	0.049	0.044	0.034	2.381	1.871	0.017	0.062
ecf2r210	0.920	0.867	0.403	0.388	0.040	0.038	2.279	2.237	0.023	0.025
ecf2r209	0.433	0.440	0.206	0.197	0.037	0.039	2.107	2.228	0.035	0.026
ecf2r228	-0.566	-0.631	0.227	0.218	-0.042	-0.048	-2.494	-2.894	0.013	0.004
qbelow_avg	-0.063	-0.057	0.031	0.030	-0.050	-0.047	-1.989	-1.879	0.047	0.060
slab	-0.465	-0.410	0.127	0.122	-0.066	-0.060	-3.662	-3.363	0.000	0.001
ecf2r218	-0.782	-0.728	0.196	0.189	-0.068	-0.064	-3.982	-3.859	0.000	0.001
half_duplex1story	-0.838	-0.920	0.197	0.189	-0.072	-0.081	-4.250	-4.859	0.000	0.001
ecf2r222	-0.291	-0.295	0.047	0.045	-0.111	-0.114	-6.178	-6.520	0.000	0.001
ecf2r224	-0.399	-0.407	0.060	0.057	-0.118	-0.122	-6.685	-7.097	0.000	0.001
fair	-0.227	-0.191	0.026	0.025	-0.149	-0.128	-8.639	-7.574	0.000	0.001
ecf2r227	NA	0.342	NA	0.190	NA	0.030	NA	1.800	NA	0.072

District 2 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 14: District 2 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2553	2518	35	0.3725	0.5630	0.5570	92.7440
R	2855	2812	43	0.4368	0.5148	0.5074	69.3823
% diff (R vs SPSS)	11.83%	11.68%	22.86%	17.26%	-8.56%	-8.90%	-25.19%


Table 15: District 2 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0700	0.9400	1.1390	0.3250	-0.2390
R	1.2128	1.3423	1.1242	1.1940	0.3854	-0.3019
% diff (R vs SPSS)	21.64%	25.45%	19.60%	4.83%	18.58%	-26.34%

Table 16: District 2 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.122	9.075	0.191	0.169	NA	NA	52.891	53.779	0.000	0.001
lnsbldsfint	0.217	0.371	0.031	0.027	0.196	0.355	7.036	13.699	0.000	0.001
ecf2r214	0.235	0.276	0.031	0.025	0.153	0.205	7.686	11.214	0.000	0.001
largest	0.198	0.081	0.043	0.031	0.114	0.051	4.576	2.629	0.000	0.009
ecf2r206_215_217	0.508	0.512	0.083	0.072	0.102	0.118	6.123	7.085	0.000	0.001
ecf2r208	0.681	0.731	0.093	0.096	0.100	0.103	7.308	7.636	0.000	0.001
ecf2r210	1.080	0.994	0.199	0.381	0.079	0.035	5.435	2.609	0.000	0.009
single_family2story	0.101	NA	0.022	NA	0.073	NA	4.701	NA	0.000	NA
fireplace	0.078	0.061	0.021	0.019	0.063	0.054	3.658	3.252	0.000	0.001
garage	0.075	0.050	0.018	0.016	0.059	0.044	4.140	3.115	0.000	0.002
good	0.284	0.314	0.067	0.071	0.057	0.060	4.227	4.393	0.000	0.001
ln_landratio	0.154	0.197	0.048	0.043	0.057	0.076	3.188	4.544	0.001	0.001
qabove_avg	0.147	0.113	0.048	0.043	0.054	0.046	3.033	2.615	0.002	0.009
large	0.067	NA	0.028	NA	0.051	NA	2.353	NA	0.019	NA
ecf2r203	0.113	0.150	0.038	0.031	0.047	0.073	2.952	4.827	0.003	0.001
ecf2r209	0.547	0.459	0.165	0.194	0.046	0.032	3.308	2.369	0.001	0.018
ecf2r216	0.676	0.687	0.213	0.232	0.045	0.042	3.177	2.962	0.002	0.003
ecf2r219	0.392	0.706	0.135	0.145	0.039	0.066	2.898	4.856	0.004	0.001
hot_water	0.061	NA	0.030	NA	0.032	NA	2.032	NA	0.042	NA
ecf2r204	0.288	0.516	0.125	0.192	0.031	0.036	2.299	2.684	0.022	0.007
ecf2r213	0.078	0.084	0.039	0.033	0.031	0.038	2.019	2.573	0.044	0.010
yb_1946_to_1960	0.040	NA	0.022	NA	0.029	NA	1.797	NA	0.072	NA
qpoor	0.356	0.289	0.186	0.168	0.026	0.023	1.913	1.721	0.056	0.085
ecf2r227	0.262	0.404	0.136	0.173	0.026	0.032	1.929	2.334	0.054	0.020
elec_baseboard	0.857	NA	0.459	NA	0.026	NA	1.866	NA	0.062	NA
ecf2r207	0.122	NA	0.072	NA	0.023	NA	1.696	NA	0.090	NA
yb_1961_to_1990	0.095	NA	0.057	NA	0.023	NA	1.662	NA	0.097	NA
crawl	-0.249	-0.467	0.129	0.168	-0.026	-0.037	-1.937	-2.779	0.053	0.005
qbelow_avg	-0.047	NA	0.028	NA	-0.036	NA	-1.704	NA	0.088	NA
ecf2r220	-0.115	-0.061	0.043	0.037	-0.040	-0.024	-2.663	-1.660	0.008	0.097
ecf2r223	-0.120	-0.072	0.044	0.038	-0.041	-0.027	-2.750	-1.901	0.006	0.057
ecf2r229	-0.484	NA	0.135	NA	-0.048	NA	-3.582	NA	0.000	NA
ecf2r201	-0.114	-0.100	0.035	0.029	-0.051	-0.052	-3.256	-3.475	0.001	0.001
poor	-0.224	NA	0.057	NA	-0.053	NA	-3.917	NA	0.000	NA
ecf2r218	-0.371	-0.692	0.094	0.142	-0.054	-0.065	-3.970	-4.865	0.000	0.001
ecf2r225	-0.167	NA	0.045	NA	-0.057	NA	-3.739	NA	0.000	NA
yb_pre_1929	-0.086	-0.052	0.029	0.023	-0.058	-0.038	-2.944	-2.263	0.003	0.024
ecf2r226	-0.543	NA	0.119	NA	-0.061	NA	-4.553	NA	0.000	NA
ecf2r228	-0.688	-0.667	0.135	0.188	-0.068	-0.047	-5.101	-3.549	0.000	0.001
ecf2r211_230	-0.836	-0.695	0.159	0.373	-0.071	-0.025	-5.253	-1.860	0.000	0.063
unsound	-0.753	NA	0.128	NA	-0.081	NA	-5.898	NA	0.000	NA
ecf2r222	-0.216	-0.260	0.039	0.034	-0.084	-0.110	-5.487	-7.709	0.000	0.001
ecf2r224	-0.323	-0.380	0.046	0.043	-0.105	-0.127	-6.958	-8.929	0.000	0.001
fair	-0.212	-0.203	0.021	0.019	-0.138	-0.145	-10.194	-10.749	0.000	0.001
arterial	NA	-0.081	NA	0.036	NA	-0.033	NA	-2.281	NA	0.023
half_duplex1story	NA	-0.496	NA	0.123	NA	-0.055	NA	-4.030	NA	0.001
slab	NA	-0.253	NA	0.091	NA	-0.038	NA	-2.775	NA	0.006
smallest	NA	0.094	NA	0.040	NA	0.042	NA	2.339	NA	0.019
two_baths	NA	0.079	NA	0.042	NA	0.031	NA	1.861	NA	0.063

District 2 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 17: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ln_base_bldgsize_ratio	4	M2, M3, M4, M5	0.615	0.065	0.303	9.977	0.000	0.257	0.345
months_1to18	2	M1, M2	0.024	0.003	0.227	7.225	0.000	0.134	0.320
qabove_avg	2	M1, M2	0.432	0.072	0.212	6.054	0.000	0.139	0.285
ecf2r214	4	M3, M4, M5, M6	0.282	0.030	0.198	9.404	0.000	0.153	0.217
Insbldsfint	1	M6	0.217	0.031	0.196	7.036	0.000	0.196	0.196
fireplace	1	M1	0.194	0.057	0.168	3.392	0.001	0.168	0.168
arterial	1	M1	0.378	0.130	0.146	2.913	0.004	0.146	0.146
ecf2r206_215_217	3	M3, M4, M5	0.524	0.080	0.141	6.513	0.000	0.136	0.146
largest	1	M6	0.198	0.043	0.114	4.576	0.000	0.114	0.114
half_duplex1story	2	M1, M2	-0.667	0.211	-0.097	-3.432	0.012	-0.113	-0.080
ecf2r222	4	M3, M4, M5, M6	-0.264	0.045	-0.099	-5.868	0.000	-0.113	-0.084
ecf2r224	4	M3, M4, M5, M6	-0.369	0.055	-0.111	-6.687	0.000	-0.121	-0.101
fair	5	M2, M3, M4, M5, M6	-0.200	0.026	-0.129	-7.953	0.000	-0.149	-0.113
yb_pre_1929	2	M1, M2	-0.196	0.045	-0.142	-4.824	0.000	-0.161	-0.124

District 2 | Average Standardized Beta across Models

