

District 2 SPSS Comparison 2023-2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

17 April 2026

Contents

Model I	1
Model II	2
Model III	3
Model IV	4
Model V	5
Model VI	7
Plots	9

Model I

Table 1: District 2 LN_SPPSF Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
600	593	7	0.491	0.2346	0.2256	25.9643

Table 2: District 2 LN_SPPSF Model Coefficients (95% Confidence Interval)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	3.8182	65.2236	0.0585	0.0000	3.7032	3.9332
arterial	0.1990	2.1504	0.0925	0.0319	0.0172	0.3807
half_duplex1story	-0.3902	-2.1308	0.1831	0.0335	-0.7499	-0.0306
largest	0.1186	1.7703	0.0670	0.0772	-0.0130	0.2502
good	NA	NA	NA	NA	NA	NA
fair	NA	NA	NA	NA	NA	NA
poor	NA	NA	NA	NA	NA	NA
unsound	NA	NA	NA	NA	NA	NA
qabove_avg	0.4255	4.8309	0.0881	0.0000	0.2525	0.5985
yb_pre_1929	-0.2661	-6.0098	0.0443	0.0000	-0.3530	-0.1791
fireplace	0.1282	2.9040	0.0441	0.0038	0.0415	0.2149
elec_baseboard	NA	NA	NA	NA	NA	NA

term	estimate	statistic	std_error	p_value	conf_low	conf_high
wall	NA	NA	NA	NA	NA	NA
months_1to18	0.0251	6.8772	0.0036	0.0000	0.0179	0.0323

SPSS Results: Model I

Table 3: District 2 SPSS LN_SPPSF Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
325	319	6	0.482	0.314	0.301	24.336

Model II

Table 4: District 2 LN_PRICE (No ECFs) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2856	2835	21	0.4543	0.4661	0.4621	117.8458

Table 5: District 2 LN_PRICE (No ECFs) Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.1971	369.1196	0.0303	0.0000	11.1376	11.2566
ln_landratio	0.2128	4.8401	0.0440	0.0000	0.1266	0.2990
ln_base_bldgsize_ratio	0.5983	7.4770	0.0800	0.0000	0.4414	0.7552
half_duplex1story	-0.3458	-4.0296	0.0858	0.0001	-0.5141	-0.1776
half_duplex2story	-0.2942	-3.6515	0.0806	0.0003	-0.4522	-0.1362
large	0.0529	1.6724	0.0316	0.0946	-0.0091	0.1148
largest	0.1190	2.2576	0.0527	0.0240	0.0156	0.2224
two_baths	0.1330	2.2562	0.0590	0.0241	0.0174	0.2486
three_plus_baths	0.2708	2.3859	0.1135	0.0171	0.0483	0.4934
powder_room	0.0549	1.8096	0.0303	0.0705	-0.0046	0.1144
good	0.2773	4.0035	0.0693	0.0001	0.1415	0.4131
fair	-0.1765	-8.2143	0.0215	0.0000	-0.2186	-0.1344
poor	-0.2442	-4.1169	0.0593	0.0000	-0.3605	-0.1279
unsound	-0.6430	-5.0501	0.1273	0.0000	-0.8926	-0.3933
qabove_avg	0.3035	6.5837	0.0461	0.0000	0.2131	0.3939
qbelow_avg	-0.0808	-3.2167	0.0251	0.0013	-0.1301	-0.0316
yb_pre_1929	-0.2780	-10.8625	0.0256	0.0000	-0.3282	-0.2278
crawl	-0.3068	-2.3205	0.1322	0.0204	-0.5660	-0.0476
fireplace	0.1383	6.6152	0.0209	0.0000	0.0973	0.1793
hot_water	0.0847	2.7014	0.0314	0.0069	0.0232	0.1462
central_air	0.0692	3.0925	0.0224	0.0020	0.0253	0.1131
months_1to18	0.0149	9.9399	0.0015	0.0000	0.0119	0.0178

SPSS Results: Model II

Table 6: District 2 SPSS LN_PRICE (No ECFs) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1739	1721	18	0.4506	0.485	0.479	89.948

Table 7: District 2 LN_PRICE Model Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
2857	1.0231	1.1283	0.9449	1.194	0.3831	-0.3096	15.3308	30.6615	76.4788

Table 8: District 2 LN_PRICE Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2856	2818	38	0.4276	0.5299	0.5236	83.5911

Model III

Table 9: District 2 LN_PRICE Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.1086	425.3851	0.0261	0.0000	11.0574	11.1598
ln_landratio	0.1524	3.3151	0.0460	0.0009	0.0623	0.2426
ln_base_bldgsize_ratio	0.6199	9.3990	0.0659	0.0000	0.4905	0.7492
half_duplex1story	-0.3047	-3.7304	0.0817	0.0002	-0.4649	-0.1446
half_duplex2story	-0.2472	-3.2367	0.0764	0.0012	-0.3969	-0.0974
large	0.0611	2.1079	0.0290	0.0351	0.0043	0.1180
largest	0.1334	2.7636	0.0483	0.0058	0.0388	0.2281
good	0.2528	3.8358	0.0659	0.0001	0.1236	0.3821
fair	-0.1818	-8.9000	0.0204	0.0000	-0.2219	-0.1417
poor	-0.1920	-3.4238	0.0561	0.0006	-0.3019	-0.0820
unsound	-0.6273	-5.0242	0.1249	0.0000	-0.8721	-0.3825
qabove_avg	0.1265	2.6806	0.0472	0.0074	0.0340	0.2190
yb_pre_1929	-0.1117	-4.3439	0.0257	0.0000	-0.1621	-0.0613
crawl	-0.2783	-2.2132	0.1258	0.0270	-0.5249	-0.0317
fireplace	0.0841	4.0775	0.0206	0.0000	0.0436	0.1245
hot_water	0.0731	2.5074	0.0292	0.0122	0.0159	0.1302
elec_baseboard	0.7778	1.7324	0.4490	0.0833	-0.1025	1.6581
ecf2r202	0.1495	2.5797	0.0579	0.0099	0.0359	0.2631
ecf2r203	0.2032	5.9376	0.0342	0.0000	0.1361	0.2703
ecf2r204	0.3102	2.5413	0.1221	0.0111	0.0709	0.5496
ecf2r205	0.0620	1.7738	0.0350	0.0762	-0.0065	0.1306
ecf2r206_215_217	0.5716	7.0530	0.0810	0.0000	0.4127	0.7306
ecf2r207	0.1925	2.7736	0.0694	0.0056	0.0564	0.3286
ecf2r208	0.7832	8.7076	0.0899	0.0000	0.6068	0.9596
ecf2r209	0.5436	3.3561	0.1620	0.0008	0.2260	0.8613
ecf2r210	1.0006	4.9922	0.2004	0.0000	0.6076	1.3936
ecf2r211_230	-0.8294	-5.4182	0.1531	0.0000	-1.1296	-0.5293
ecf2r213	0.1412	3.9204	0.0360	0.0001	0.0706	0.2118
ecf2r214	0.3146	12.1765	0.0258	0.0000	0.2639	0.3653
ecf2r216	0.6344	3.0002	0.2114	0.0027	0.2198	1.0490
ecf2r218	-0.3032	-3.3671	0.0900	0.0008	-0.4798	-0.1266
ecf2r219	0.4878	3.7137	0.1314	0.0002	0.2303	0.7454
ecf2r222	-0.1313	-3.6905	0.0356	0.0002	-0.2011	-0.0615

term	estimate	statistic	std_error	p_value	conf_low	conf_high
ecf2r224	-0.2469	-5.7850	0.0427	0.0000	-0.3306	-0.1632
ecf2r226	-0.4041	-3.4488	0.1172	0.0006	-0.6339	-0.1744
ecf2r227	0.2785	2.1015	0.1325	0.0357	0.0186	0.5384
ecf2r228	-0.6388	-4.8770	0.1310	0.0000	-0.8956	-0.3819
ecf2r229	-0.3716	-2.8380	0.1309	0.0046	-0.6284	-0.1149
months_1to18	0.0140	9.9044	0.0014	0.0000	0.0113	0.0168

SPSS Results: Model III

Table 10: District 2 SPSS LN_PRICE Model Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1739	1707	32	0.4157	0.565	0.557	69.291

Table 11: District 2 SPSS LN_PRICE Model Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
15.2	30.6	74.9	1.194	0.383	NA	1.023	1.128	0.945

Model IV

Table 12: District 2 LN_PRICE (Inliers) Model Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
2555	1.0227	1.0998	0.957	1.1492	0.3309	-0.2654	17.7691	33.7378	81.683

Table 13: District 2 LN_PRICE (Inliers) Model Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2554	2522	32	0.3736	0.5709	0.5654	104.853

Table 14: District 2 LN_PRICE (Inliers) Model Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.2141	494.2708	0.0227	0.0000	11.1696	11.2586
ln_landratio	0.2206	5.2309	0.0422	0.0000	0.1379	0.3033
ln_base_bldgsize_ratio	0.7123	16.2516	0.0438	0.0000	0.6263	0.7982
arterial	-0.0736	-2.0480	0.0360	0.0407	-0.1441	-0.0031
half_duplex1story	-0.7629	-6.1867	0.1233	0.0000	-1.0047	-0.5211
half_duplex2story	-0.3418	-3.0728	0.1112	0.0021	-0.5599	-0.1237
largest	0.0625	2.1002	0.0298	0.0358	0.0041	0.1208
good	0.3093	4.3204	0.0716	0.0000	0.1689	0.4497
fair	-0.2084	-10.9857	0.0190	0.0000	-0.2456	-0.1712

term	estimate	statistic	std_error	p_value	conf_low	conf_high
qabove_avg	0.1187	2.7912	0.0425	0.0053	0.0353	0.2021
yb_pre_1929	-0.0543	-2.3706	0.0229	0.0178	-0.0992	-0.0094
crawl	-0.4761	-2.8288	0.1683	0.0047	-0.8062	-0.1461
slab	-0.2768	-3.1226	0.0887	0.0018	-0.4507	-0.1030
fireplace	0.0650	3.4739	0.0187	0.0005	0.0283	0.1017
elec_baseboard	NA	NA	NA	NA	NA	NA
wall	NA	NA	NA	NA	NA	NA
ecf2r201	-0.0962	-3.3865	0.0284	0.0007	-0.1520	-0.0405
ecf2r203	0.1525	5.0060	0.0305	0.0000	0.0928	0.2122
ecf2r204	0.5171	2.6891	0.1923	0.0072	0.1400	0.8942
ecf2r206_215_217	0.4810	6.6344	0.0725	0.0000	0.3388	0.6232
ecf2r208	0.7372	7.6913	0.0958	0.0000	0.5492	0.9251
ecf2r209	0.4108	2.1120	0.1945	0.0348	0.0294	0.7921
ecf2r210	0.6937	1.8105	0.3831	0.0703	-0.0576	1.4450
ecf2r211_230	-0.6951	-1.8550	0.3747	0.0637	-1.4299	0.0397
ecf2r213	0.0878	2.7083	0.0324	0.0068	0.0242	0.1514
ecf2r214	0.2835	11.9478	0.0237	0.0000	0.2370	0.3300
ecf2r216	0.5648	2.4192	0.2335	0.0156	0.1070	1.0226
ecf2r218	-0.6915	-4.8507	0.1426	0.0000	-0.9711	-0.4120
ecf2r219	0.7281	4.9998	0.1456	0.0000	0.4426	1.0137
ecf2r222	-0.2412	-7.1672	0.0336	0.0000	-0.3072	-0.1752
ecf2r223	-0.0647	-1.7379	0.0372	0.0823	-0.1377	0.0083
ecf2r224	-0.3693	-8.7550	0.0422	0.0000	-0.4520	-0.2866
ecf2r227	0.3892	2.2427	0.1735	0.0250	0.0489	0.7295
ecf2r228	-0.6532	-3.4677	0.1884	0.0005	-1.0226	-0.2838
months_1to18	0.0137	10.6112	0.0013	0.0000	0.0112	0.0163

SPSS Results: Model IV

Table 15: District 2 SPSS LN_PRICE (Inliers) Model Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1593	1566	27	0.3745	0.584	0.577	81.485

Table 16: District 2 SPSS LN_PRICE (Inliers) Model Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
17.4	33.2	80.2	1.149	0.331	-0.265	1.023	1.1	0.957

Model V

Table 17: District 2 LN_TASP Model I Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
2555	1.1072	1.1967	1.0342	1.1571	0.34	-0.2839	16.8297	33.6204	80.3523

Table 18: District 2 LN_TASP Model I Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2554	2523	31	0.3735	0.5609	0.5555	103.9577

Table 19: District 2 LN_TASP Model I Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	11.4581	669.6746	0.0171	0.0000	11.4245	11.4916
ln_landratio	0.2207	5.2339	0.0422	0.0000	0.1380	0.3034
ln_base_bldgsize_ratio	0.7125	16.2619	0.0438	0.0000	0.6266	0.7984
arterial	-0.0743	-2.0674	0.0359	0.0388	-0.1447	-0.0038
half_duplex1story	-0.7638	-6.1958	0.1233	0.0000	-1.0055	-0.5221
half_duplex2story	-0.3440	-3.0975	0.1111	0.0020	-0.5618	-0.1262
largest	0.0625	2.1009	0.0298	0.0357	0.0042	0.1208
good	0.3087	4.3141	0.0716	0.0000	0.1684	0.4491
fair	-0.2075	-11.0201	0.0188	0.0000	-0.2444	-0.1706
qabove_avg	0.1188	2.7943	0.0425	0.0052	0.0354	0.2022
yb_pre_1929	-0.0544	-2.3735	0.0229	0.0177	-0.0993	-0.0094
crawl	-0.4777	-2.8397	0.1682	0.0046	-0.8076	-0.1478
slab	-0.2756	-3.1109	0.0886	0.0019	-0.4493	-0.1019
fireplace	0.0651	3.4798	0.0187	0.0005	0.0284	0.1018
elec_baseboard	NA	NA	NA	NA	NA	NA
wall	NA	NA	NA	NA	NA	NA
ecf2r201	-0.0963	-3.3887	0.0284	0.0007	-0.1520	-0.0406
ecf2r203	0.1526	5.0123	0.0305	0.0000	0.0929	0.2124
ecf2r204	0.5160	2.6843	0.1922	0.0073	0.1391	0.8930
ecf2r206_215_217	0.4813	6.6409	0.0725	0.0000	0.3392	0.6235
ecf2r208	0.7368	7.6890	0.0958	0.0000	0.5489	0.9247
ecf2r209	0.4098	2.1078	0.1944	0.0351	0.0286	0.7911
ecf2r210	0.6918	1.8061	0.3830	0.0710	-0.0593	1.4429
ecf2r211_230	-0.7013	-1.8734	0.3743	0.0611	-1.4353	0.0328
ecf2r213	0.0881	2.7171	0.0324	0.0066	0.0245	0.1517
ecf2r214	0.2835	11.9482	0.0237	0.0000	0.2369	0.3300
ecf2r216	0.5640	2.4161	0.2334	0.0158	0.1062	1.0217
ecf2r218	-0.6918	-4.8534	0.1425	0.0000	-0.9713	-0.4123
ecf2r219	0.7267	4.9922	0.1456	0.0000	0.4412	1.0121
ecf2r222	-0.2414	-7.1745	0.0336	0.0000	-0.3073	-0.1754
ecf2r223	-0.0647	-1.7382	0.0372	0.0823	-0.1376	0.0083
ecf2r224	-0.3692	-8.7549	0.0422	0.0000	-0.4519	-0.2865
ecf2r227	0.3883	2.2382	0.1735	0.0253	0.0481	0.7285
ecf2r228	-0.6560	-3.4858	0.1882	0.0005	-1.0251	-0.2870

SPSS Results: Model V

Table 20: District 2 SPSS LN_TASP Model I Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
1593	1567	26	0.3744	0.575	0.568	81.679

Table 21: District 2 SPSS LN_TASP Model I Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
17.4	33.2	80.1	1.149	0.331	-0.271	1.023	1.1	0.957

Model VI

Table 22: District 2 LN_TASP Model II Assessing Coefficients

n	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within_10_pct	within_20_pct	within_50_pct
2554	1.0852	1.1642	1.0153	1.1466	0.3323	-0.2495	16.758	34.5341	81.5975

Table 23: District 2 LN_TASP Model II Fit Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2554	2520	34	0.3728	0.5631	0.5572	95.5329

Table 24: District 2 LN_TASP Model II Coefficients (95% CI)

term	estimate	statistic	std_error	p_value	conf_low	conf_high
(Intercept)	9.5950	56.9508	0.1685	0.0000	9.2646	9.9254
ln_landratio	0.1933	4.4944	0.0430	0.0000	0.1090	0.2776
lnsblsfint	0.2892	10.3733	0.0279	0.0000	0.2345	0.3438
arterial	-0.0884	-2.4817	0.0356	0.0131	-0.1582	-0.0185
half_duplex1story	-0.5341	-4.3235	0.1235	0.0000	-0.7764	-0.2919
large	0.0616	2.4757	0.0249	0.0134	0.0128	0.1103
largest	0.1667	4.2677	0.0391	0.0000	0.0901	0.2433
two_baths	0.0905	2.1346	0.0424	0.0329	0.0074	0.1737
good	0.3120	4.3640	0.0715	0.0000	0.1718	0.4522
fair	-0.2010	-10.6639	0.0189	0.0000	-0.2380	-0.1641
qabove_avg	0.1185	2.7506	0.0431	0.0060	0.0340	0.2030
yb_pre_1929	-0.0511	-2.2296	0.0229	0.0259	-0.0961	-0.0062
crawl	-0.4758	-2.8313	0.1681	0.0047	-0.8054	-0.1463
slab	-0.2349	-2.6524	0.0886	0.0080	-0.4086	-0.0613
garage	0.0514	3.1858	0.0161	0.0015	0.0198	0.0831
fireplace	0.0619	3.2890	0.0188	0.0010	0.0250	0.0988
elec_baseboard	NA	NA	NA	NA	NA	NA
wall	NA	NA	NA	NA	NA	NA
ecf2r201	-0.1029	-3.5939	0.0286	0.0003	-0.1590	-0.0467
ecf2r203	0.1483	4.7840	0.0310	0.0000	0.0875	0.2091
ecf2r204	0.5172	2.6911	0.1922	0.0072	0.1403	0.8940
ecf2r206_215_217	0.5326	7.3752	0.0722	0.0000	0.3910	0.6742
ecf2r208	0.7325	7.6444	0.0958	0.0000	0.5446	0.9204
ecf2r209	0.4757	2.4519	0.1940	0.0143	0.0953	0.8562
ecf2r210	1.0689	2.7959	0.3823	0.0052	0.3192	1.8186
ecf2r211_230	-0.6691	-1.7891	0.3740	0.0737	-1.4026	0.0643
ecf2r213	0.0829	2.5219	0.0329	0.0117	0.0184	0.1474
ecf2r214	0.2746	11.1243	0.0247	0.0000	0.2262	0.3230

term	estimate	statistic	std_error	p_value	conf_low	conf_high
ecf2r216	0.7101	3.0456	0.2332	0.0023	0.2529	1.1673
ecf2r218	-0.6998	-4.9133	0.1424	0.0000	-0.9791	-0.4205
ecf2r219	0.6915	4.7534	0.1455	0.0000	0.4062	0.9767
ecf2r220	-0.0605	-1.6484	0.0367	0.0994	-0.1326	0.0115
ecf2r222	-0.2599	-7.6872	0.0338	0.0000	-0.3262	-0.1936
ecf2r223	-0.0698	-1.8490	0.0378	0.0646	-0.1439	0.0042
ecf2r224	-0.3828	-8.9743	0.0427	0.0000	-0.4664	-0.2991
ecf2r227	0.4252	2.4534	0.1733	0.0142	0.0854	0.7650
ecf2r228	-0.6699	-3.5626	0.1880	0.0004	-1.0386	-0.3012

SPSS Results: Model VI



Table 25: District 2 SPSS LN_TASP Model II Statistics

df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
2553	2518	35	0.3725	0.563	0.557	92.744

Table 26: District 2 SPSS LN_TASP Model II Statistics

within_10_pct	within_20_pct	within_50_pct	PRD	COD	PRB	median_ratio	mean_ratio	wmean_ratio
17.8	35.1	81.8	1.139	0.325	-0.239	0.997	1.07	0.94

Plots



Histogram of ratio4

