

District 3 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

20 May 2026

Contents

Model I	1
Model II	3
Model III	4
Model IV	6
Model V	8
Model VI	10
Model Comparison	12

Model I


Table 1: District 3 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	949	938	11	0.4874	0.0950	0.0840	8.9520
R	949	938	11	0.4877	0.0939	0.0832	8.8333
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.06%	-1.16%	-0.95%	-1.33%

Table 2: District 3 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.947	3.951	0.056	0.056	NA	NA	70.507	70.475	0.000	0.001
hot_water	0.400	0.402	0.090	0.090	0.142	0.142	4.424	4.447	0.000	0.001
ln_garagespaces	0.180	0.179	0.051	0.051	0.111	0.111	3.536	3.523	0.000	0.001
slab	0.463	0.469	0.157	0.157	0.093	0.094	2.949	2.984	0.003	0.003
yb_pre_1910	0.736	0.741	0.286	0.285	0.081	0.082	2.579	2.595	0.010	0.010
fireplace	0.088	0.085	0.040	0.040	0.074	0.072	2.214	2.130	0.027	0.033
months_1to9	0.015	0.015	0.006	0.006	0.074	0.074	2.364	2.344	0.018	0.019
smallest	0.100	0.099	0.054	0.054	0.061	0.060	1.863	1.841	0.063	0.066
central_air	0.070	0.070	0.041	0.041	0.055	0.055	1.723	1.722	0.085	0.085
ext_brick_siding	-0.140	-0.142	0.067	0.066	-0.068	-0.069	-2.104	-2.129	0.036	0.033
ext_other	-0.112	-0.120	0.039	0.039	-0.098	-0.105	-2.845	-3.047	0.005	0.002
large	-0.268	-0.270	0.048	0.047	-0.186	-0.187	-5.652	-5.690	0.000	0.001

District 3 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 3 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1375	18	0.5138	0.1570	0.1460	14.2420
R	1393	1375	18	0.5138	0.1570	0.1460	14.2306
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.00%	0.00%	-0.08%

Table 4: District 3 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.970	10.970	0.055	0.055	NA	NA	199.228	199.242	0.000	0.001
largest	0.336	0.334	0.092	0.092	0.096	0.095	3.670	3.646	0.000	0.001
yb_pre_1910	1.070	1.072	0.318	0.318	0.089	0.089	3.367	3.373	0.001	0.001
central_air	0.112	0.112	0.036	0.036	0.078	0.079	3.070	3.090	0.002	0.002
hot_water	0.216	0.214	0.075	0.075	0.075	0.074	2.889	2.871	0.004	0.004
ln_garagespaces	0.119	0.118	0.044	0.044	0.068	0.067	2.671	2.650	0.008	0.008
months_1to9	0.013	0.013	0.007	0.007	0.060	0.059	1.933	1.902	0.053	0.057
fireplace	0.073	0.073	0.037	0.037	0.055	0.055	1.983	1.976	0.048	0.048
slab	0.268	0.270	0.127	0.127	0.053	0.053	2.109	2.121	0.035	0.034
crawl	0.202	0.205	0.098	0.099	0.053	0.053	2.057	2.077	0.040	0.038
months_10to24	0.006	0.006	0.003	0.003	0.052	0.052	1.667	1.677	0.096	0.094
ext_brick_siding	-0.126	-0.125	0.056	0.056	-0.058	-0.058	-2.244	-2.228	0.025	0.026
small	-0.077	-0.077	0.034	0.034	-0.065	-0.065	-2.297	-2.291	0.022	0.022
qpoor	-0.803	-0.800	0.320	0.320	-0.067	-0.067	-2.512	-2.503	0.012	0.012
qbelow_avg	-0.082	-0.080	0.031	0.031	-0.074	-0.072	-2.675	-2.611	0.008	0.009
smallest	-0.174	-0.177	0.050	0.050	-0.099	-0.100	-3.473	-3.541	0.001	0.001
ext_other	-0.145	-0.147	0.034	0.034	-0.122	-0.122	-4.261	-4.281	0.000	0.001
poor	-0.334	-0.332	0.069	0.069	-0.122	-0.121	-4.846	-4.828	0.000	0.001
fair	-0.172	-0.172	0.032	0.032	-0.136	-0.135	-5.389	-5.365	0.000	0.001

District 3 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 3 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1364	29	0.4650	0.3150	0.3010	21.6620
R	1393	1364	29	0.4651	0.3149	0.3003	21.6198
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.03%	-0.03%	-0.23%	-0.19%


Table 6: District 3 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9820	1.1120	0.9030	1.2310	0.4100	
R	0.9814	1.1114	0.9026	1.2314	0.4100	-0.5297
% diff (R vs SPSS)	-0.06%	-0.05%	-0.05%	0.03%	-0.00%	

Table 7: District 3 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.848	10.835	0.051	0.051	NA	NA	213.820	212.572	0.000	0.001
ecf3r310	0.918	0.942	0.072	0.071	0.307	0.315	12.743	13.190	0.000	0.001
ecf3r306	0.787	0.778	0.092	0.092	0.206	0.203	8.563	8.439	0.000	0.001
ecf3r322	0.327	0.332	0.058	0.058	0.139	0.142	5.612	5.697	0.000	0.001
ecf3r315	0.296	0.308	0.063	0.063	0.112	0.117	4.714	4.918	0.000	0.001
ecf3r323	0.165	0.173	0.046	0.046	0.092	0.096	3.583	3.766	0.000	0.001
ecf3r302	0.701	0.745	0.198	0.198	0.083	0.088	3.535	3.764	0.000	0.001
ecf3r307	0.157	0.160	0.045	0.045	0.082	0.084	3.441	3.525	0.001	0.001
ln_landratio	0.230	0.238	0.070	0.070	0.082	0.085	3.279	3.401	0.001	0.001
ecf3r314	0.241	0.251	0.071	0.071	0.079	0.082	3.404	3.552	0.001	0.001
largest	0.274	NA	0.083	NA	0.078	NA	3.293	NA	0.001	NA
ecf3r320	0.123	0.122	0.047	0.047	0.065	0.064	2.640	2.611	0.008	0.009
months_10to24	0.007	0.007	0.003	0.003	0.065	0.069	2.293	2.432	0.022	0.015
ln_garagespaces	0.112	0.113	0.041	0.041	0.064	0.065	2.744	2.789	0.006	0.005
yb_pre_1910	0.764	0.701	0.296	0.296	0.064	0.058	2.582	2.368	0.010	0.018
central_air	0.090	0.091	0.033	0.033	0.063	0.064	2.713	2.745	0.007	0.006
months_1to9	0.013	0.013	0.006	0.006	0.061	0.058	2.159	2.057	0.031	0.040
ecf3r309	-0.221	-0.261	0.131	0.132	-0.038	-0.045	-1.688	-1.984	0.092	0.047
ecf3r301	-0.205	NA	0.116	NA	-0.040	NA	-1.758	NA	0.079	NA
ecf3r324	-0.176	-0.190	0.091	0.092	-0.044	-0.048	-1.929	-2.069	0.054	0.039
ecf3r317	-0.319	-0.296	0.158	0.158	-0.046	-0.043	-2.019	-1.875	0.044	0.061
ecf3r326	-0.302	-0.291	0.134	0.133	-0.052	-0.050	-2.252	-2.185	0.024	0.029
small	-0.065	-0.056	0.031	0.031	-0.055	-0.047	-2.099	-1.810	0.036	0.070
qpoor	-0.813	-0.763	0.290	0.290	-0.068	-0.064	-2.804	-2.631	0.005	0.009
smallest	-0.129	-0.130	0.046	0.046	-0.073	-0.074	-2.814	-2.837	0.005	0.005
qbelow_avg	-0.088	-0.077	0.030	0.031	-0.079	-0.069	-2.904	-2.503	0.004	0.012
ecf3r321	-0.320	-0.303	0.089	0.089	-0.084	-0.079	-3.613	-3.415	0.000	0.001
fair	-0.135	-0.136	0.029	0.029	-0.106	-0.107	-4.630	-4.669	0.000	0.001
poor	-0.297	-0.295	0.063	0.063	-0.108	-0.108	-4.741	-4.711	0.000	0.001
ext_other	-0.140	-0.153	0.032	0.032	-0.117	-0.128	-4.426	-4.827	0.000	0.001
powder_room	NA	0.169	NA	0.061	NA	0.067	NA	2.778	NA	0.006
two_baths	NA	0.329	NA	0.150	NA	0.050	NA	2.191	NA	0.029

District 3 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 8: District 3 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1232	27	0.3896	0.4010	0.3880	30.5860
R	1254	1226	28	0.3866	0.4015	0.3879	29.3791
% diff (R vs SPSS)	-0.40%	-0.49%	3.70%	-0.77%	0.12%	-0.03%	-3.95%


Table 9: District 3 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4100
R	1.0020	1.0750	0.9352	1.1495	0.3329	-0.4046
% diff (R vs SPSS)	0.30%	-0.09%	0.13%	-0.22%	-0.94%	1.31%

Table 10: District 3 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.873	10.839	0.045	0.046	NA	NA	239.595	237.664	0.000	0.001
ecf3r310	1.072	1.124	0.067	0.067	0.395	0.410	15.923	16.889	0.000	0.001
ecf3r306	1.025	1.029	0.110	0.110	0.218	0.217	9.356	9.347	0.000	0.001
ecf3r322	0.331	0.351	0.049	0.050	0.166	0.174	6.698	6.991	0.000	0.001
ecf3r315	0.364	0.390	0.055	0.055	0.156	0.167	6.584	7.071	0.000	0.001
ecf3r314	0.320	0.347	0.065	0.065	0.114	0.122	4.946	5.318	0.000	0.001
ecf3r323	0.158	0.184	0.040	0.041	0.102	0.117	3.928	4.520	0.000	0.001
ecf3r307	0.162	0.179	0.039	0.040	0.099	0.107	4.116	4.459	0.000	0.001
ln_landratio	0.232	0.174	0.065	0.066	0.088	0.066	3.537	2.627	0.000	0.009
central_air	0.089	0.100	0.029	0.029	0.071	0.079	3.116	3.455	0.002	0.001
ecf3r320	0.114	0.129	0.040	0.041	0.070	0.079	2.874	3.183	0.004	0.001
largest	0.284	NA	0.103	NA	0.070	NA	2.758	NA	0.006	NA
ln_garagespaces	0.102	0.102	0.036	0.036	0.065	0.065	2.841	2.845	0.005	0.005
months_1to9	0.012	0.013	0.005	0.005	0.063	0.067	2.274	2.417	0.023	0.016
months_10to24	0.005	0.007	0.003	0.003	0.057	0.069	2.068	2.495	0.039	0.013
ecf3r302	0.918	1.506	0.389	0.452	0.052	0.085	2.364	3.332	0.018	0.001
powder_room	0.117	0.190	0.067	0.062	0.046	0.072	1.744	3.075	0.081	0.002
unsound	0.439	0.446	0.225	0.226	0.043	0.044	1.954	1.973	0.051	0.049
ecf3r303	0.071	0.105	0.045	0.045	0.038	0.055	1.578	2.313	0.115	0.021
ecf3r324	-0.166	NA	0.098	NA	-0.039	NA	-1.696	NA	0.090	NA
yb_1910_to_1929	-0.067	-0.070	0.041	0.041	-0.046	-0.048	-1.635	-1.709	0.102	0.088
ecf3r326	-0.360	NA	0.134	NA	-0.061	NA	-2.683	NA	0.007	NA
ecf3r321	-0.279	-0.267	0.094	0.098	-0.067	-0.062	-2.950	-2.730	0.003	0.006
qbelow_avg	-0.080	-0.070	0.027	0.027	-0.081	-0.070	-2.963	-2.551	0.003	0.011
smallest	-0.141	-0.148	0.041	0.041	-0.088	-0.093	-3.440	-3.639	0.001	0.001
small	-0.092	-0.090	0.027	0.027	-0.088	-0.085	-3.391	-3.272	0.001	0.001
poor	-0.299	-0.284	0.063	0.065	-0.106	-0.099	-4.722	-4.375	0.000	0.001
fair	-0.148	-0.170	0.026	0.026	-0.130	-0.148	-5.765	-6.461	0.000	0.001
ext_other	-0.162	-0.173	0.028	0.029	-0.149	-0.158	-5.694	-5.997	0.000	0.001
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.804	NA	0.072
yb_post_1990	NA	-0.558	NA	0.229	NA	-0.063	NA	-2.437	NA	0.015

District 3 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 11: District 3 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1234	25	0.3893	0.3920	0.3790	31.7870
R	1254	1228	26	0.3871	0.3923	0.3795	30.4959
% diff (R vs SPSS)	-0.40%	-0.49%	4.00%	-0.57%	0.08%	0.13%	-4.06%


Table 12: District 3 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4220
R	1.0249	1.1003	0.9545	1.1528	0.3349	-0.4224
% diff (R vs SPSS)	2.59%	2.26%	2.19%	0.07%	-0.33%	-0.09%

Table 13: District 3 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.040	11.057	0.029	0.030	NA	NA	379.461	369.519	0.000	0.001
ecf3r310	1.048	1.124	0.067	0.066	0.388	0.413	15.753	16.920	0.000	0.001
ecf3r306	0.996	1.029	0.109	0.110	0.213	0.218	9.101	9.359	0.000	0.001
ecf3r322	0.310	0.351	0.050	0.050	0.156	0.175	6.251	7.003	0.000	0.001
ecf3r315	0.341	0.390	0.055	0.055	0.147	0.168	6.200	7.078	0.000	0.001
ecf3r314	0.300	0.347	0.065	0.065	0.107	0.123	4.639	5.322	0.000	0.001
ecf3r323	0.142	0.184	0.040	0.041	0.091	0.118	3.570	4.528	0.000	0.001
ln_landratio	0.234	0.174	0.066	0.066	0.089	0.067	3.563	2.630	0.000	0.009
ecf3r307	0.141	0.179	0.039	0.040	0.086	0.108	3.604	4.468	0.000	0.001
central_air	0.092	0.100	0.029	0.029	0.074	0.080	3.220	3.458	0.001	0.001
largest	0.289	NA	0.103	NA	0.072	NA	2.808	NA	0.005	NA
ln_garagespaces	0.099	0.102	0.036	0.036	0.063	0.065	2.747	2.849	0.006	0.004
ecf3r320	0.097	0.129	0.040	0.040	0.060	0.079	2.436	3.191	0.015	0.001
ecf3r302	0.925	1.506	0.389	0.451	0.053	0.086	2.378	3.335	0.018	0.001
unsound	0.465	0.447	0.225	0.226	0.046	0.044	2.065	1.977	0.039	0.048
powder_room	0.117	0.190	0.067	0.062	0.046	0.072	1.731	3.078	0.084	0.002
ecf3r312	-0.087	NA	0.054	NA	-0.038	NA	-1.631	NA	0.103	NA
ecf3r324	-0.183	NA	0.098	NA	-0.043	NA	-1.872	NA	0.061	NA
yb_1910_to_1929	-0.064	-0.070	0.041	0.041	-0.044	-0.048	-1.578	-1.711	0.115	0.087
ecf3r326	-0.367	NA	0.134	NA	-0.063	NA	-2.746	NA	0.006	NA
ecf3r321	-0.292	-0.266	0.094	0.097	-0.071	-0.062	-3.107	-2.735	0.002	0.006
qbelow_avg	-0.083	-0.070	0.027	0.027	-0.084	-0.070	-3.094	-2.553	0.002	0.011
smallest	-0.144	-0.148	0.041	0.040	-0.090	-0.094	-3.503	-3.648	0.000	0.001
small	-0.098	-0.090	0.027	0.027	-0.094	-0.086	-3.567	-3.278	0.000	0.001
poor	-0.301	-0.284	0.063	0.065	-0.108	-0.099	-4.741	-4.379	0.000	0.001
fair	-0.150	-0.170	0.026	0.026	-0.132	-0.149	-5.803	-6.467	0.000	0.001
ext_other	-0.160	-0.173	0.028	0.029	-0.148	-0.159	-5.608	-6.003	0.000	0.001
ecf3r303	NA	0.105	NA	0.045	NA	0.056	NA	2.315	NA	0.021
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.809	NA	0.071
yb_post_1990	NA	-0.557	NA	0.228	NA	-0.063	NA	-2.444	NA	0.015

District 3 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 14: District 3 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1783	1752	31	0.4422	0.3910	0.3800	36.2520
R	1254	1228	26	0.3880	0.3897	0.3768	30.1592
% diff (R vs SPSS)	-29.67%	-29.91%	-16.13%	-12.26%	-0.33%	-0.84%	-16.81%


Table 15: District 3 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9930	1.1020	0.9170	1.2020	0.3870	-0.4510
R	1.0239	1.1007	0.9540	1.1537	0.3362	-0.4253
% diff (R vs SPSS)	3.11%	-0.12%	4.04%	-4.02%	-13.12%	5.69%

Table 16: District 3 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.147	10.011	0.234	0.206	NA	NA	43.343	48.707	0.000	0.001
ecf3r310	1.054	1.063	0.067	0.057	0.390	0.389	15.729	18.543	0.000	0.001
ecf3r306	1.004	0.793	0.110	0.075	0.215	0.217	9.112	10.557	0.000	0.001
ecf3r322	0.310	0.352	0.049	0.053	0.156	0.137	6.264	6.652	0.000	0.001
ecf3r315	0.333	0.315	0.055	0.055	0.143	0.115	6.015	5.759	0.000	0.001
lnsbldsfint	0.139	0.155	0.036	0.032	0.112	0.118	3.837	4.899	0.000	0.001
ecf3r314	0.303	0.381	0.065	0.066	0.108	0.112	4.672	5.766	0.000	0.001
ecf3r323	0.149	0.209	0.040	0.043	0.096	0.107	3.728	4.897	0.000	0.001
ln_landratio	0.241	0.107	0.065	0.063	0.092	0.040	3.689	1.710	0.000	0.087
ecf3r307	0.142	0.197	0.039	0.040	0.087	0.101	3.626	4.952	0.000	0.001
central_air	0.097	0.094	0.029	0.030	0.078	0.061	3.402	3.132	0.001	0.002
largest	0.282	0.244	0.097	0.086	0.070	0.057	2.918	2.834	0.004	0.005
ecf3r320	0.107	0.162	0.040	0.043	0.066	0.078	2.676	3.766	0.008	0.001
unsound	0.507	0.366	0.226	0.170	0.050	0.041	2.247	2.156	0.025	0.031
ecf3r302	0.876	0.534	0.392	0.223	0.050	0.045	2.236	2.390	0.026	0.017
ext_brick_siding	0.073	NA	0.049	NA	0.037	NA	1.505	NA	0.133	NA
ecf3r301	-0.252	NA	0.161	NA	-0.035	NA	-1.568	NA	0.117	NA
ecf3r324	-0.175	NA	0.097	NA	-0.041	NA	-1.798	NA	0.072	NA
ecf3r312	-0.103	NA	0.054	NA	-0.045	NA	-1.903	NA	0.057	NA
small	-0.047	-0.051	0.026	0.024	-0.045	-0.043	-1.816	-2.118	0.070	0.034
yb_1910_to_1929	-0.082	-0.107	0.042	0.036	-0.057	-0.077	-1.958	-2.958	0.050	0.003
ecf3r326	-0.382	-0.504	0.134	0.096	-0.066	-0.101	-2.848	-5.223	0.004	0.001
ecf3r321	-0.289	-0.145	0.094	0.077	-0.070	-0.036	-3.068	-1.871	0.002	0.062
qbelow_avg	-0.077	-0.068	0.027	0.027	-0.078	-0.060	-2.806	-2.529	0.005	0.012
poor	-0.297	-0.399	0.063	0.054	-0.106	-0.143	-4.682	-7.376	0.000	0.001
fair	-0.146	-0.193	0.026	0.024	-0.128	-0.155	-5.641	-7.953	0.000	0.001
ext_other	-0.141	-0.160	0.030	0.027	-0.131	-0.139	-4.782	-5.936	0.000	0.001
ecf3r303	NA	0.130	NA	0.040	NA	0.067	NA	3.251	NA	0.001
ecf3r304	NA	-0.192	NA	0.071	NA	-0.053	NA	-2.706	NA	0.007
ecf3r311	NA	0.179	NA	0.084	NA	0.041	NA	2.144	NA	0.032
ecf3r325	NA	0.162	NA	0.056	NA	0.059	NA	2.910	NA	0.004
garage	NA	0.077	NA	0.026	NA	0.063	NA	2.996	NA	0.003
half_duplex2story	NA	-1.053	NA	0.444	NA	-0.044	NA	-2.369	NA	0.018
hot_water	NA	0.099	NA	0.056	NA	0.036	NA	1.769	NA	0.077
qpoor	NA	0.495	NA	0.201	NA	0.047	NA	2.467	NA	0.014
wall	NA	-0.415	NA	0.162	NA	-0.049	NA	-2.566	NA	0.010

District 3 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 17: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ecf3r310	4	M3, M4, M5, M6	1.023	0.068	0.370	15.037	0.000	0.307	0.395
ecf3r306	4	M3, M4, M5, M6	0.953	0.105	0.213	9.033	0.000	0.206	0.218
ecf3r322	4	M3, M4, M5, M6	0.320	0.052	0.154	6.206	0.000	0.139	0.166
hot_water	1	M1	0.400	0.090	0.142	4.424	0.000	0.142	0.142
ln_garagespaces	1	M1	0.180	0.051	0.111	3.536	0.000	0.111	0.111
largest	1	M2	0.336	0.092	0.096	3.670	0.000	0.096	0.096
slab	1	M1	0.463	0.157	0.093	2.949	0.003	0.093	0.093
yb_pre_1910	1	M2	1.070	0.318	0.089	3.367	0.001	0.089	0.089
central_air	1	M2	0.112	0.036	0.078	3.070	0.002	0.078	0.078
ext_brick_siding	1	M1	-0.140	0.067	-0.068	-2.104	0.036	-0.068	-0.068
poor	5	M2, M3, M4, M5, M6	-0.306	0.064	-0.110	-4.747	0.000	-0.122	-0.106
fair	5	M2, M3, M4, M5, M6	-0.150	0.028	-0.126	-5.446	0.000	-0.136	-0.106
ext_other	6	M1, M2, M3, M4, M5, M6	-0.143	0.032	-0.128	-4.603	0.001	-0.149	-0.098
large	1	M1	-0.268	0.048	-0.186	-5.652	0.000	-0.186	-0.186

District 3 | Average Standardized Beta across Models

