

District 5 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

6 May 2026

Contents

Model I	1
Model II	1
Model III	2
Model IV	2
Model V	2
Model VI	3

Model I

Table 1: District 5 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	160	153	7	0.6275	0.3930	0.3650	14.1390
R	160	153	7	0.6275	0.3928	0.3650	14.1386
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.05%	0.00%	-0.00%

Model II

Table 2: District 5 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	289	18	0.6744	0.5350	0.5060	18.4470
R	307	289	18	0.6744	0.5346	0.5057	18.4465
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.07%	-0.06%	-0.00%

Table 3: District 5 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	281	26	0.5948	0.6480	0.6150	19.8960
R	307	281	26	0.5948	0.6480	0.6154	19.8957
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.07%	-0.00%

Table 4: District 5 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.2930	0.9090	1.4230	0.6450	
R	0.9803	1.1826	0.9003	1.3136	0.5156	-0.2192
% diff (R vs SPSS)	-1.97%	-8.54%	-0.96%	-7.69%	-20.07%	

Model III

Model IV

Table 5: District 5 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	238	24	0.4466	0.7790	0.7570	35.0370
R	260	237	23	0.4452	0.7767	0.7550	35.8318
% diff (R vs SPSS)	-0.76%	-0.42%	-4.17%	-0.32%	-0.30%	-0.26%	2.27%

Table 6: District 5 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1	1.1470	0.9440	1.2150	0.4370	-0.1290
R	1	1.0948	0.9384	1.1667	0.3630	-0.1106
% diff (R vs SPSS)	-0.00%	-4.55%	-0.60%	-3.98%	-16.93%	14.28%

Model V

Table 7: District 5 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	239	23	0.4458	0.7740	0.7520	35.5210
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-0.76%	0.00%	-8.70%	0.35%	-0.89%	-0.72%	5.53%

Table 8: District 5 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	1.1449	1.3180	1.0973	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	14.27%	15.01%	16.37%	-1.14%	-2.94%	-5.42%

Model VI

Table 9: District 5 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	505	477	28	0.4578	0.7440	0.7290	49.5400
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-48.51%	-49.90%	-25.00%	-2.30%	3.10%	2.41%	-24.33%

Table 10: District 5 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.1030	0.9290	1.1880	0.3790	-0.1290
R	1.1449	1.3180	1.0973	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	14.49%	19.49%	18.12%	1.10%	11.65%	-6.24%