

District 6 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

22 May 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I


Table 1: District 6 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	193	182	11	0.5004	0.2070	0.1590	4.3120
R	193	181	12	0.5010	0.2094	0.1570	3.9961
% diff (R vs SPSS)	0.00%	-0.55%	9.09%	0.11%	1.16%	-1.26%	-7.33%

Table 2: District 6 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.816	3.820	0.074	0.073	NA	NA	51.856	52.094	0.000	0.001
yb_pre_1910	0.311	0.245	0.121	0.121	0.185	0.146	2.578	2.029	0.011	0.044
yb_post_1990	0.615	0.561	0.233	0.234	0.179	0.163	2.642	2.397	0.009	0.018
arterial	0.361	0.380	0.141	0.141	0.177	0.186	2.553	2.704	0.011	0.007
qbelow_avg	0.170	0.209	0.086	0.085	0.154	0.190	1.970	2.455	0.050	0.015
row_house	1.014	1.010	0.506	0.506	0.133	0.133	2.002	1.996	0.047	0.047
largest	0.251	0.256	0.144	0.143	0.131	0.133	1.747	1.783	0.082	0.076
ln_garagespaces	0.197	0.223	0.112	0.112	0.124	0.141	1.758	1.997	0.080	0.047
central_air	0.183	0.237	0.100	0.105	0.123	0.159	1.822	2.247	0.070	0.026
wall	0.350	NA	0.236	NA	0.102	NA	1.482	NA	0.140	NA
slab	-0.288	NA	0.200	NA	-0.099	NA	-1.440	NA	0.152	NA
three_plus_baths	-0.851	-0.895	0.535	0.534	-0.112	-0.118	-1.591	-1.676	0.113	0.096
yb_1946_to_1960	-0.224	-0.263	0.104	0.107	-0.158	-0.186	-2.165	-2.461	0.032	0.015
yb_1930_to_1945	NA	-0.209	NA	0.119	NA	-0.129	NA	-1.754	NA	0.081

District 6 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 6 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	285	14	0.5507	0.4550	0.4290	17.0240
R	298	283	15	0.5483	0.4415	0.4118	14.9114
% diff (R vs SPSS)	-0.33%	-0.70%	7.14%	-0.44%	-2.97%	-4.01%	-12.41%

Table 4: District 6 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.740	10.807	0.079	0.073	NA	NA	135.500	148.225	0.000	0.001
ln_base_bldgsize_ratio	1.027	1.165	0.166	0.153	0.407	0.453	6.172	7.621	0.000	0.001
yb_pre_1910	0.407	0.368	0.096	0.095	0.204	0.181	4.227	3.878	0.000	0.001
good_very_good	1.014	0.965	0.274	0.274	0.182	0.170	3.698	3.519	0.000	0.001
yb_post_1990	0.709	0.647	0.232	0.231	0.150	0.134	3.058	2.804	0.002	0.005
months_12to24	0.019	0.019	0.007	0.008	0.117	0.114	2.577	2.546	0.010	0.011
arterial	0.282	0.280	0.115	0.116	0.115	0.112	2.447	2.425	0.015	0.016
row_house	1.213	1.428	0.563	0.557	0.098	0.113	2.154	2.565	0.032	0.011
qbelow_avg	0.132	0.134	0.079	0.079	0.092	0.092	1.664	1.684	0.097	0.093
ln_garagespaces	0.176	0.179	0.094	0.094	0.089	0.089	1.876	1.904	0.062	0.058
central_air	0.170	0.172	0.100	0.097	0.080	0.080	1.707	1.769	0.089	0.078
hot_water	0.136	NA	0.086	NA	0.080	NA	1.592	NA	0.112	NA
ext_brick	0.126	NA	0.085	NA	0.072	NA	1.494	NA	0.136	NA
three_plus_baths	-1.030	-1.033	0.419	0.418	-0.118	-0.116	-2.458	-2.470	0.015	0.014
poor	-0.465	-0.476	0.168	0.168	-0.128	-0.128	-2.773	-2.836	0.006	0.005
fair	-0.214	-0.231	0.072	0.072	-0.137	-0.145	-2.952	-3.201	0.003	0.002
unsound	NA	-1.998	NA	0.555	NA	-0.158	NA	-3.601	NA	0.001

District 6 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 6 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	276	23	0.5072	0.5530	0.5150	14.8270
R	298	273	25	0.5050	0.5430	0.5011	12.9745
% diff (R vs SPSS)	-0.33%	-1.09%	8.70%	-0.43%	-1.81%	-2.70%	-12.49%

Table 6: District 6 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0360	1.1850	0.9050	1.3090	0.4740	
R	1.0000	1.1204	0.9076	1.2345	0.4180	-0.2792
% diff (R vs SPSS)	-3.47%	-5.45%	0.28%	-5.69%	-11.82%	


Table 7: District 6 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.5941	NA	0.0737	NA	NA	NA	143.7021	NA
ecf6r609_614	1.6512	1.744	0.3174	0.314	0.2306	0.239	5.2024	5.547
ecf6r608	1.5640	1.524	0.2817	0.282	0.2517	0.240	5.5529	5.403
yb_post_1990	0.8607	0.849	0.2100	0.210	0.1823	0.176	4.0994	4.040
row_house	0.8024	NA	0.5357	NA	0.0649	NA	1.4979	NA
ecf6r613	0.7572	0.729	0.1749	0.175	0.1907	0.180	4.3290	4.172
ecf6r616_617	0.7173	0.680	0.3062	0.307	0.1002	0.093	2.3428	2.218
ecf6r607	0.6610	0.636	0.2004	0.201	0.1495	0.141	3.2985	3.173
poor	-0.4561	-0.492	0.1568	0.157	-0.1254	-0.132	-2.9085	-3.137
ecf6r611	0.4503	0.423	0.0950	0.094	0.2276	0.211	4.7381	4.481
ecf6r605	0.4453	0.435	0.1379	0.138	0.1445	0.138	3.2304	3.159
ecf6r612	0.3935	0.426	0.1622	0.161	0.1124	0.119	2.4262	2.643
ecf6r601	-0.3386	-0.376	0.1501	0.149	-0.1002	-0.109	-2.2554	-2.518
largest	0.3025	0.329	0.1422	0.141	0.1345	0.143	2.1269	2.330
ecf6r615	0.2880	0.344	0.1511	0.146	0.0881	0.103	1.9060	2.346
ecf6r604	0.2638	0.237	0.1029	0.102	0.1217	0.107	2.5651	2.329
arterial	0.2332	0.215	0.1131	0.113	0.0952	0.086	2.0621	1.903
smallest	-0.2171	-0.221	0.1153	0.116	-0.0826	-0.084	-1.8835	-1.908
powder_room	0.1957	0.174	0.1041	0.104	0.1062	0.092	1.8793	1.671
large	0.1941	0.216	0.0869	0.086	0.1189	0.130	2.2351	2.530
ext_brick	0.1939	0.230	0.0795	0.078	0.1102	0.128	2.4386	2.934
ecf6r603	-0.1880	-0.243	0.1345	0.132	-0.0627	-0.079	-1.3977	-1.837
fair	-0.1754	-0.189	0.0678	0.068	-0.1120	-0.118	-2.5870	-2.794
central_air	0.1251	NA	0.0928	NA	0.0590	NA	1.3486	NA
ln_garagespaces	0.1227	NA	0.0884	NA	0.0622	NA	1.3874	NA
months_12to24	0.0197	0.019	0.0070	0.007	0.1196	0.113	2.8176	2.702
(intercept)	NA	10.650	NA	0.068	NA	NA	NA	157.362
unsound	NA	-2.353	NA	0.523	NA	-0.186	NA	-4.503

Table 8: District 6 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8523	0.876	1.1733	1.141
ecf6r608	0.0000	0.001	0.8145	0.819	1.2278	1.221
yb_post_1990	0.0001	0.001	0.8461	0.851	1.1819	1.175
row_house	0.1353	NA	0.8916	NA	1.1216	NA
ecf6r613	0.0000	0.001	0.8623	0.871	1.1597	1.148
ecf6r616_617	0.0199	0.027	0.9160	0.921	1.0917	1.086
ecf6r607	0.0011	0.002	0.8155	0.821	1.2263	1.218
poor	0.0039	0.002	0.9002	0.909	1.1108	1.100
ecf6r611	0.0000	0.001	0.7255	0.730	1.3784	1.370
ecf6r605	0.0014	0.002	0.8368	0.844	1.1950	1.185
ecf6r612	0.0159	0.009	0.7797	0.795	1.2825	1.258
ecf6r601	0.0249	0.012	0.8478	0.864	1.1796	1.157
largest	0.0343	0.021	0.4184	0.429	2.3902	2.331
ecf6r615	0.0577	0.020	0.7841	0.842	1.2754	1.188
ecf6r604	0.0108	0.021	0.7434	0.768	1.3452	1.302
arterial	0.0401	0.058	0.7854	0.795	1.2733	1.258
smallest	0.0607	0.057	0.8695	0.840	1.1501	1.191
powder_room	0.0613	0.096	0.5241	0.531	1.9080	1.883
large	0.0262	0.012	0.5912	0.614	1.6915	1.629
ext_brick	0.0154	0.004	0.8205	0.852	1.2188	1.174
ecf6r603	0.1633	0.067	0.8329	0.871	1.2006	1.148
fair	0.0102	0.006	0.8929	0.903	1.1200	1.107
central_air	0.1786	NA	0.8733	NA	1.1450	NA
ln_garagespaces	0.1665	NA	0.8317	NA	1.2024	NA
months_12to24	0.0052	0.007	0.9293	0.932	1.0761	1.073
(intercept)	NA	0.001	NA	NA	NA	NA
unsound	NA	0.001	NA	0.945	NA	1.058

District 6 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 6 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	224	20	0.3914	0.6350	0.6020	19.4500
R	246	225	21	0.3950	0.6423	0.6090	19.2430
% diff (R vs SPSS)	0.82%	0.45%	5.00%	0.92%	1.15%	1.16%	-1.06%

Table 10: District 6 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0080	1.1140	0.9620	1.1580	0.3650	-0.1960
R	0.9825	1.0736	0.9434	1.1380	0.3270	-0.1954
% diff (R vs SPSS)	-2.53%	-3.63%	-1.93%	-1.73%	-10.40%	0.28%


Table 11: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.7061	NA	0.0675	NA	NA	NA	158.5207	NA
ecf6r608	1.5037	1.409	0.4145	0.412	0.1515	0.145	3.6282	3.423
ecf6r609_614	1.4920	1.652	0.3014	0.433	0.2121	0.170	4.9506	3.816
yb_post_1990	0.8607	0.917	0.1695	0.186	0.2266	0.229	5.0774	4.931
ecf6r613	0.8301	0.778	0.1572	0.157	0.2185	0.209	5.2793	4.964
ecf6r607	0.7616	0.538	0.2035	0.211	0.1701	0.123	3.7422	2.551
ecf6r616_617	0.7200	0.681	0.2381	0.287	0.1251	0.099	3.0234	2.371
ecf6r611	0.4907	0.438	0.0771	0.075	0.2952	0.274	6.3652	5.848
ln_base_bldgsize_ratio	0.4883	NA	0.1569	NA	0.2013	NA	3.1125	NA
poor	-0.4396	-0.454	0.2054	0.203	-0.0880	-0.093	-2.1405	-2.231
ecf6r612	0.4342	0.390	0.1602	0.161	0.1219	0.105	2.7109	2.419
ecf6r601	-0.4159	-0.513	0.1267	0.130	-0.1418	-0.172	-3.2817	-3.951
ecf6r605	0.4115	0.414	0.1150	0.112	0.1559	0.160	3.5793	3.681
ecf6r603	-0.3043	-0.397	0.1172	0.115	-0.1116	-0.149	-2.5960	-3.469
ecf6r604	0.2916	0.254	0.0829	0.082	0.1574	0.140	3.5188	3.086
arterial	0.2652	0.236	0.1009	0.099	0.1148	0.105	2.6298	2.398
powder_room	0.2539	NA	0.0938	NA	0.1437	NA	2.7066	NA
ext_brick	0.2278	0.252	0.0710	0.069	0.1383	0.158	3.2095	3.663
ln_garagespaces	0.1556	NA	0.0766	NA	0.0887	NA	2.0318	NA
fair	-0.1492	-0.165	0.0603	0.059	-0.1042	-0.119	-2.4758	-2.815
single_family2story	-0.1167	NA	0.0680	NA	-0.0784	NA	-1.7160	NA
months_12to24	0.0129	0.012	0.0062	0.006	0.0865	0.083	2.0841	1.987
(intercept)	NA	10.665	NA	0.054	NA	NA	NA	196.525
large	NA	0.277	NA	0.065	NA	0.190	NA	4.258
largest	NA	0.618	NA	0.116	NA	0.267	NA	5.313
unsound	NA	-2.598	NA	0.398	NA	-0.268	NA	-6.533

Table 12: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r608	0.0004	0.001	0.9120	0.908	1.0965	1.101
ecf6r609_614	0.0000	0.001	0.8660	0.820	1.1548	1.219
yb_post_1990	0.0000	0.001	0.7983	0.756	1.2527	1.322
ecf6r613	0.0000	0.001	0.9279	0.916	1.0778	1.092
ecf6r607	0.0002	0.011	0.7691	0.704	1.3003	1.420
ecf6r616_617	0.0028	0.019	0.9284	0.936	1.0771	1.068
ecf6r611	0.0000	0.001	0.7391	0.744	1.3529	1.345
ln_base_bldgsize_ratio	0.0021	NA	0.3801	NA	2.6306	NA
poor	0.0334	0.027	0.9398	0.941	1.0640	1.063
ecf6r612	0.0072	0.016	0.7857	0.868	1.2728	1.152
ecf6r601	0.0012	0.001	0.8510	0.864	1.1751	1.157
ecf6r605	0.0004	0.001	0.8379	0.861	1.1935	1.162
ecf6r603	0.0101	0.001	0.8600	0.884	1.1628	1.131
ecf6r604	0.0005	0.002	0.7947	0.793	1.2583	1.261
arterial	0.0091	0.017	0.8345	0.858	1.1983	1.166
powder_room	0.0073	NA	0.5638	NA	1.7738	NA
ext_brick	0.0015	0.001	0.8561	0.881	1.1680	1.135
ln_garagespaces	0.0433	NA	0.8345	NA	1.1983	NA
fair	0.0140	0.005	0.8970	0.912	1.1148	1.097
single_family2story	0.0875	NA	0.7606	NA	1.3147	NA
months_12to24	0.0383	0.048	0.9227	0.938	1.0837	1.066
(intercept)	NA	0.001	NA	NA	NA	NA
large	NA	0.001	NA	0.819	NA	1.221
largest	NA	0.001	NA	0.646	NA	1.548
unsound	NA	0.001	NA	0.973	NA	1.028

District 6 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 6 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	225	19	0.3905	0.6350	0.6040	20.5970
R	246	225	21	0.3962	0.6402	0.6066	19.0636
% diff (R vs SPSS)	0.82%	0.00%	10.53%	1.45%	0.82%	0.43%	-7.44%

Table 14: District 6 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	0.9989	1.0742	0.9454	1.1363	0.3187	-0.1996
% diff (R vs SPSS)	-0.31%	-6.26%	0.25%	-6.47%	-26.90%	-53.57%


Table 15: District 6 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.7836	NA	0.0602	NA	NA	NA	179.2456	NA
ecf6r609_614	1.5039	1.652	0.3014	0.432	0.2138	0.170	4.9895	3.825
ecf6r608	1.2884	1.409	0.4228	0.410	0.1298	0.145	3.0475	3.434
three_plus_baths	-0.9426	NA	0.4426	NA	-0.0950	NA	-2.1300	NA
yb_post_1990	0.8996	0.917	0.1718	0.186	0.2368	0.229	5.2376	4.943
ecf6r613	0.7843	0.778	0.1591	0.156	0.2065	0.209	4.9297	4.975
ecf6r616_617	0.6400	0.681	0.2414	0.286	0.1112	0.099	2.6513	2.382
ln_base_bldgsize_ratio	0.6094	NA	0.1493	NA	0.2512	NA	4.0817	NA
ecf6r607	0.5274	0.537	0.2141	0.210	0.1178	0.123	2.4634	2.562
ecf6r611	0.5047	0.438	0.0778	0.075	0.3036	0.274	6.4914	5.869
ecf6r612	0.4781	0.390	0.1662	0.160	0.1343	0.105	2.8760	2.431
ecf6r601	-0.4198	-0.513	0.1272	0.130	-0.1432	-0.172	-3.3012	-3.963
poor	-0.3966	-0.454	0.2062	0.203	-0.0794	-0.093	-1.9233	-2.237
ecf6r605	0.3736	0.414	0.1156	0.112	0.1415	0.160	3.2326	3.692
ecf6r603	-0.3268	-0.397	0.1174	0.114	-0.1199	-0.149	-2.7846	-3.478
largest	0.3137	0.618	0.1313	0.116	0.1358	0.267	2.3898	5.330
ecf6r604	0.3104	0.254	0.0828	0.082	0.1675	0.140	3.7495	3.094
ext_brick	0.2343	0.252	0.0715	0.069	0.1422	0.157	3.2774	3.677
arterial	0.2254	0.237	0.0993	0.098	0.0975	0.105	2.2702	2.424
fair	-0.1588	-0.165	0.0605	0.059	-0.1109	-0.119	-2.6269	-2.822
ln_garagespaces	0.1546	NA	0.0767	NA	0.0881	NA	2.0165	NA
single_family2story	-0.1241	NA	0.0676	NA	-0.0834	NA	-1.8362	NA
(intercept)	NA	10.822	NA	0.048	NA	NA	NA	223.551
large	NA	0.277	NA	0.065	NA	0.190	NA	4.281
unsound	NA	-2.598	NA	0.396	NA	-0.267	NA	-6.558

Table 16: District 6 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8710	0.820	1.1481	1.219
ecf6r608	0.0026	0.001	0.8818	0.910	1.1340	1.099
three_plus_baths	0.0343	NA	0.8047	NA	1.2427	NA
yb_post_1990	0.0000	0.001	0.7823	0.757	1.2783	1.322
ecf6r613	0.0000	0.001	0.9117	0.916	1.0968	1.091
ecf6r616_617	0.0086	0.018	0.9089	0.942	1.1003	1.062
ln_base_bldgsize_ratio	0.0001	NA	0.4222	NA	2.3688	NA
ecf6r607	0.0145	0.011	0.6990	0.708	1.4306	1.413
ecf6r611	0.0000	0.001	0.7311	0.745	1.3678	1.341
ecf6r612	0.0044	0.016	0.7337	0.873	1.3630	1.145
ecf6r601	0.0011	0.001	0.8503	0.865	1.1761	1.155
poor	0.0557	0.026	0.9379	0.941	1.0663	1.062
ecf6r605	0.0014	0.001	0.8343	0.862	1.1987	1.161
ecf6r603	0.0058	0.001	0.8628	0.885	1.1590	1.130
largest	0.0177	0.001	0.4955	0.647	2.0181	1.545
ecf6r604	0.0002	0.002	0.8009	0.793	1.2486	1.260
ext_brick	0.0012	0.001	0.8495	0.885	1.1772	1.131
arterial	0.0241	0.016	0.8666	0.871	1.1539	1.148
fair	0.0092	0.005	0.8966	0.912	1.1154	1.096
ln_garagespaces	0.0449	NA	0.8370	NA	1.1947	NA
single_family2story	0.0676	NA	0.7744	NA	1.2913	NA
(intercept)	NA	0.001	NA	NA	NA	NA
large	NA	0.001	NA	0.824	NA	1.213
unsound	NA	0.001	NA	0.976	NA	1.025

District 6 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 6 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	500	475	25	0.3979	0.6390	0.6200	33.5800
R	246	226	20	0.3991	0.6332	0.6007	19.5052
% diff (R vs SPSS)	-50.80%	-52.42%	-20.00%	0.31%	-0.91%	-3.11%	-41.91%

Table 18: District 6 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0010	1.0780	0.9420	1.1440	0.3340	-0.1930
R	0.9874	1.0765	0.9421	1.1426	0.3301	-0.2022
% diff (R vs SPSS)	-1.36%	-0.14%	0.02%	-0.12%	-1.16%	-4.74%


Table 19: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.3057	NA	0.7009	NA	NA	NA	13.2774	NA
ecf6r609_614	1.5471	1.768	0.3023	0.242	0.2199	0.212	5.1174	7.307
ecf6r608	1.3500	1.463	0.4233	0.202	0.1360	0.226	3.1893	7.235
yb_post_1990	0.9035	0.810	0.1728	0.163	0.2378	0.148	5.2286	4.979
ecf6r613	0.7902	0.725	0.1602	0.096	0.2080	0.235	4.9328	7.515
ecf6r616_617	0.6125	0.603	0.2438	0.163	0.1064	0.110	2.5120	3.700
ecf6r607	0.4882	0.610	0.2147	0.139	0.1091	0.139	2.2739	4.405
ecf6r611	0.4876	0.411	0.0781	0.056	0.2933	0.238	6.2460	7.403
largest	0.4872	0.270	0.1540	0.111	0.2108	0.114	3.1623	2.425
ecf6r601	-0.4479	-0.492	0.1286	0.099	-0.1527	-0.146	-3.4829	-4.982
poor	-0.4313	-0.566	0.2077	0.120	-0.0864	-0.134	-2.0765	-4.731
ecf6r612	0.4312	0.425	0.1596	0.118	0.1211	0.105	2.7017	3.593
ecf6r605	0.3963	0.435	0.1160	0.078	0.1501	0.167	3.4155	5.560
ecf6r603	-0.3669	-0.354	0.1175	0.081	-0.1346	-0.130	-3.1218	-4.391
ecf6r604	0.2929	0.159	0.0838	0.059	0.1581	0.083	3.4944	2.685
ext_brick	0.2438	0.172	0.0712	0.053	0.1480	0.095	3.4223	3.224
arterial	0.2414	0.241	0.1008	0.068	0.1045	0.101	2.3946	3.523
lnsbldsfint	0.2221	0.228	0.1129	0.074	0.1498	0.154	1.9665	3.081
large	0.1665	0.114	0.0907	0.063	0.1120	0.077	1.8362	1.810
fair	-0.1481	-0.186	0.0610	0.039	-0.1035	-0.135	-2.4301	-4.756
single_family2story	-0.1290	-0.122	0.0676	0.046	-0.0868	-0.086	-1.9075	-2.628
(intercept)	NA	9.413	NA	0.461	NA	NA	NA	20.413
powder_room	NA	0.169	NA	0.069	NA	0.092	NA	2.453
unsound	NA	-2.371	NA	0.284	NA	-0.232	NA	-8.345
yb_1961_to_1990	NA	0.314	NA	0.137	NA	0.065	NA	2.283
crawl	NA	-0.142	NA	0.064	NA	-0.067	NA	-2.218
ecf6r615	NA	0.419	NA	0.087	NA	0.149	NA	4.811

Table 20: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8787	0.906	1.1380	1.104
ecf6r608	0.0016	0.001	0.8928	0.782	1.1200	1.279
yb_post_1990	0.0000	0.001	0.7844	0.866	1.2748	1.154
ecf6r613	0.0000	0.001	0.9128	0.775	1.0956	1.290
ecf6r616_617	0.0127	0.001	0.9042	0.864	1.1059	1.158
ecf6r607	0.0239	0.001	0.7056	0.766	1.4172	1.305
ecf6r611	0.0000	0.001	0.7362	0.734	1.3584	1.363
largest	0.0018	0.016	0.3652	0.346	2.7379	2.888
ecf6r601	0.0006	0.001	0.8440	0.888	1.1849	1.126
poor	0.0390	0.001	0.9386	0.944	1.0654	1.060
ecf6r612	0.0074	0.001	0.8079	0.895	1.2378	1.118
ecf6r605	0.0008	0.001	0.8399	0.839	1.1906	1.192
ecf6r603	0.0020	0.001	0.8734	0.863	1.1450	1.158
ecf6r604	0.0006	0.008	0.7933	0.796	1.2605	1.256
ext_brick	0.0007	0.001	0.8683	0.871	1.1517	1.148
arterial	0.0175	0.001	0.8529	0.919	1.1724	1.088
lnsbldsfint	0.0505	0.002	0.2796	0.305	3.5771	3.283
large	0.0676	0.071	0.4365	0.425	2.2909	2.352
fair	0.0159	0.001	0.8953	0.940	1.1169	1.064
single_family2story	0.0577	0.009	0.7845	0.712	1.2746	1.404
(intercept)	NA	0.001	NA	NA	NA	NA
powder_room	NA	0.015	NA	0.540	NA	1.851
unsound	NA	0.001	NA	0.984	NA	1.016
yb_1961_to_1990	NA	0.023	NA	0.950	NA	1.053
crawl	NA	0.027	NA	0.834	NA	1.200
ecf6r615	NA	0.001	NA	0.791	NA	1.265

District 6 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ln_base_bldgsize_ratio	2	M2, M5	0.818	0.158	0.329	5.127	0.000	0.251	0.407
ecf6r611	4	M3, M4, M5, M6	0.483	0.082	0.280	5.960	0.000	0.228	0.304
ecf6r608	1	M3	1.564	0.282	0.252	5.553	0.000	0.252	0.252
ecf6r609_614	2	M3, M6	1.599	0.310	0.225	5.160	0.000	0.220	0.231
yb_post_1990	4	M1, M4, M5, M6	0.820	0.187	0.220	4.546	0.002	0.179	0.238
ecf6r613	1	M4	0.830	0.157	0.219	5.279	0.000	0.219	0.219
yb_pre_1910	2	M1, M2	0.359	0.108	0.194	3.403	0.005	0.185	0.204
good_very_good	1	M2	1.014	0.274	0.182	3.698	0.000	0.182	0.182
arterial	1	M1	0.361	0.141	0.177	2.553	0.011	0.177	0.177
slab	1	M1	-0.288	0.200	-0.099	-1.440	0.152	-0.099	-0.099
fair	5	M2, M3, M4, M5, M6	-0.169	0.064	-0.113	-2.614	0.011	-0.137	-0.103
three_plus_baths	2	M1, M2	-0.941	0.477	-0.115	-2.025	0.064	-0.118	-0.112
ecf6r603	3	M4, M5, M6	-0.333	0.117	-0.122	-2.834	0.006	-0.135	-0.112
poor	2	M2, M3	-0.460	0.162	-0.127	-2.841	0.005	-0.128	-0.125
ecf6r601	4	M3, M4, M5, M6	-0.406	0.133	-0.134	-3.080	0.007	-0.153	-0.100
yb_1946_to_1960	1	M1	-0.224	0.104	-0.158	-2.165	0.032	-0.158	-0.158

District 6 | Average Standardized Beta across Models

