

District 7 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

20 May 2026

Contents

Model I	1
Model II	3
Model III	4
Model IV	6
Model V	8
Model VI	10
Model Comparison	12

Model I


Table 1: District 7 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1385	1372	13	0.4507	0.1380	0.1300	16.9220
R	1385	1370	15	0.4521	0.1341	0.1247	14.1499
% diff (R vs SPSS)	0.00%	-0.15%	15.38%	0.30%	-2.83%	-4.08%	-16.38%

Table 2: District 7 | Model I Coefficient Comparison: SPSS vs R

	b		Std. Error		Beta		t		Sig		
term	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS	
(constant)	4.107	4.078	0.043	0.038	NA	NA	95.802	106.813	0.000	0.001	
months_1to16	0.014	0.014	0.002	0.002	0.149	0.159	5.746	6.307	0.000	0.001	
central_air	0.120	0.104	0.031	0.031	0.097	0.085	3.797	3.325	0.000	0.001	
ln_garagespaces	0.140	0.142	0.039	0.039	0.092	0.093	3.627	3.674	0.000	0.001	
smallest	0.135	0.167	0.045	0.044	0.088	0.108	3.039	3.762	0.002	0.001	
small	0.079	0.084	0.031	0.029	0.080	0.085	2.572	2.842	0.010	0.005	
qabove_avg	0.377	0.375	0.137	0.134	0.072	0.072	2.758	2.790	0.006	0.005	
yb_post_1961	0.223	0.200	0.099	0.099	0.058	0.052	2.254	2.024	0.024	0.043	
hot_water	0.121	NA	0.065	NA	0.055	NA	1.860	NA	0.063	NA	
large	-0.073	-0.082	0.041	0.039	-0.054	-0.060	-1.772	-2.071	0.077	0.039	
single_family2story	-0.085	NA	0.046	NA	-0.057	NA	-1.853	NA	0.064	NA	
slab	-0.315	-0.315	0.139	0.138	-0.058	-0.058	-2.273	-2.287	0.023	0.022	
wall	-0.481	-0.457	0.203	0.203	-0.060	-0.057	-2.366	-2.251	0.018	0.025	
qbelow_avg	-0.080	NA	0.030	NA	-0.081	NA	-2.697	NA	0.007	NA	
yb_1930_to_1945	-0.106	-0.104	0.028	0.028	-0.103	-0.101	-3.805	-3.777	0.000	0.001	
yb_pre_1929	-0.318	-0.261	0.048	0.043	-0.216	-0.177	-6.623	-6.047	0.000	0.001	
ext_other	NA	-0.123	NA	0.027	NA	-0.120	NA	-4.471	NA	0.001	

District 7 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 7 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1790	15	0.4652	0.2250	0.2190	34.6630
R	1805	1790	15	0.4680	0.2159	0.2094	32.8677
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.59%	-4.04%	-4.38%	-5.18%

Table 4: District 7 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.998	11.018	0.036	0.031	NA	NA	305.919	356.264	0.000	0.001
ln_base_bldgsize_ratio	0.577	0.524	0.064	0.061	0.264	0.239	9.004	8.625	0.000	0.001
months_1to16	0.017	0.017	0.002	0.002	0.170	0.167	8.083	8.017	0.000	0.001
central_air	0.145	0.135	0.029	0.029	0.106	0.099	4.967	4.648	0.000	0.001
ln_landratio	0.289	0.332	0.067	0.066	0.097	0.112	4.325	5.062	0.000	0.001
hot_water	0.162	0.151	0.060	0.060	0.068	0.064	2.711	2.538	0.007	0.011
two_baths	0.226	0.218	0.095	0.094	0.061	0.059	2.376	2.307	0.018	0.021
qabove_avg	0.282	0.273	0.138	0.137	0.047	0.045	2.049	1.992	0.041	0.047
yb_post_1961	0.178	0.158	0.089	0.089	0.042	0.038	1.990	1.779	0.047	0.075
ln_garagespaces	0.062	NA	0.036	NA	0.037	NA	1.696	NA	0.090	NA
qbelow_avg	-0.052	NA	0.027	NA	-0.049	NA	-1.937	NA	0.053	NA
slab	-0.331	-0.326	0.110	0.109	-0.064	-0.063	-3.010	-2.985	0.003	0.003
poor	-0.209	-0.184	0.067	0.066	-0.067	-0.058	-3.132	-2.772	0.002	0.006
yb_1930_to_1945	-0.081	-0.078	0.026	0.025	-0.072	-0.069	-3.164	-3.079	0.002	0.002
fair	-0.145	-0.132	0.029	0.029	-0.107	-0.097	-5.041	-4.588	0.000	0.001
yb_pre_1929	-0.294	-0.248	0.040	0.040	-0.195	-0.164	-7.335	-6.125	0.000	0.001
ext_other	NA	-0.127	NA	0.025	NA	-0.117	NA	-5.053	NA	0.001
good	NA	0.200	NA	0.099	NA	0.043	NA	2.019	NA	0.044

District 7 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 7 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1779	26	0.4302	0.3420	0.3320	35.4870
R	1805	1779	26	0.4317	0.3368	0.3272	34.7546
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.35%	-1.52%	-1.45%	-2.06%


Table 6: District 7 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9890	1.0970	0.9140	1.2000	0.3760	
R	0.9855	1.0974	0.9137	1.2011	0.3771	-0.4988
% diff (R vs SPSS)	-0.35%	0.04%	-0.03%	0.09%	0.28%	

Table 7: District 7 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.864	10.960	0.039	0.030	NA	NA	277.518	360.689	0.000	0.001
ln_base_bldgsize_ratio	0.523	0.540	0.063	0.056	0.239	0.246	8.365	9.690	0.000	0.001
ecf7r702	0.503	0.415	0.050	0.047	0.213	0.176	10.005	8.851	0.000	0.001
ecf7r701	0.599	0.440	0.060	0.056	0.210	0.155	10.051	7.793	0.000	0.001
months_1to16	0.017	0.017	0.002	0.002	0.169	0.172	8.701	8.849	0.000	0.001
ecf7r723	0.486	0.362	0.077	0.073	0.144	0.107	6.301	4.967	0.000	0.001
ecf7r719	0.175	NA	0.039	NA	0.104	NA	4.446	NA	0.000	NA
ecf7r710	0.241	0.113	0.052	0.049	0.098	0.046	4.614	2.325	0.000	0.020
ecf7r705	0.108	NA	0.030	NA	0.093	NA	3.603	NA	0.000	NA
central_air	0.103	0.092	0.027	0.027	0.076	0.067	3.807	3.411	0.000	0.001
ecf7r704	0.118	NA	0.038	NA	0.072	NA	3.136	NA	0.002	NA
fireplace	0.071	0.067	0.028	0.028	0.060	0.056	2.506	2.395	0.012	0.017
ecf7r721	0.425	0.260	0.149	0.147	0.057	0.035	2.859	1.770	0.004	0.077
hot_water	0.102	NA	0.056	NA	0.043	NA	1.832	NA	0.067	NA
ln_garagespaces	0.072	0.064	0.034	0.034	0.043	0.038	2.143	1.911	0.032	0.056
wall	-0.222	-0.245	0.146	0.145	-0.030	-0.033	-1.521	-1.691	0.128	0.091
slab	-0.155	NA	0.101	NA	-0.030	NA	-1.532	NA	0.126	NA
yb_1930_to_1945	-0.043	NA	0.025	NA	-0.038	NA	-1.745	NA	0.081	NA
ecf7r715	-0.390	-0.490	0.147	0.146	-0.052	-0.066	-2.656	-3.369	0.008	0.001
ecf7r722	-0.372	-0.485	0.144	0.140	-0.052	-0.068	-2.583	-3.459	0.010	0.001
qbelow_avg	-0.061	NA	0.026	NA	-0.057	NA	-2.362	NA	0.018	NA
poor	-0.180	-0.167	0.062	0.062	-0.057	-0.053	-2.902	-2.702	0.004	0.007
yb_pre_1929	-0.110	NA	0.040	NA	-0.073	NA	-2.760	NA	0.006	NA
ecf7r718	-0.246	-0.381	0.062	0.058	-0.083	-0.129	-3.970	-6.548	0.000	0.001
fair	-0.129	-0.133	0.027	0.027	-0.096	-0.098	-4.823	-4.992	0.000	0.001
ecf7r716	-0.408	-0.543	0.086	0.082	-0.097	-0.130	-4.751	-6.597	0.000	0.001
ecf7r717	-0.497	-0.614	0.076	0.071	-0.146	-0.180	-6.532	-8.681	0.000	0.001
ecf7r703	NA	-0.189	NA	0.071	NA	-0.052	NA	-2.652	NA	0.008
ecf7r707	NA	-0.209	NA	0.109	NA	-0.037	NA	-1.923	NA	0.055
ecf7r708	NA	-0.125	NA	0.054	NA	-0.045	NA	-2.311	NA	0.021
ecf7r711	NA	-0.175	NA	0.047	NA	-0.076	NA	-3.700	NA	0.001
ecf7r720	NA	-0.279	NA	0.165	NA	-0.033	NA	-1.690	NA	0.091
ecf7r724	NA	-0.223	NA	0.107	NA	-0.041	NA	-2.083	NA	0.037
ext_other	NA	-0.113	NA	0.024	NA	-0.105	NA	-4.743	NA	0.001
ln_landratio	NA	0.117	NA	0.064	NA	0.039	NA	1.834	NA	0.067

District 7 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 8: District 7 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1598	25	0.3668	0.4260	0.4170	47.4560
R	1647	1621	26	0.3748	0.3936	0.3839	40.4716
% diff (R vs SPSS)	1.48%	1.44%	4.00%	2.18%	-7.61%	-7.94%	-14.72%


Table 9: District 7 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9380	1.1390	0.3130	-0.3640
R	0.9961	1.0717	0.9358	1.1452	0.3230	-0.4079
% diff (R vs SPSS)	-1.08%	0.35%	-0.23%	0.55%	3.19%	-12.05%

Table 10: District 7 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.894	10.952	0.037	0.032	NA	NA	295.592	340.335	0.000	0.001
ecf7r702	0.512	0.479	0.045	0.043	0.247	0.230	11.348	11.149	0.000	0.001
ecf7r701	0.621	0.516	0.055	0.053	0.240	0.198	11.360	9.805	0.000	0.001
ln_base_bldgsize_ratio	0.489	0.500	0.076	0.067	0.225	0.236	6.458	7.430	0.000	0.001
months_1to16	0.017	0.017	0.002	0.002	0.190	0.188	9.740	9.842	0.000	0.001
ecf7r710	0.308	0.223	0.049	0.046	0.134	0.099	6.269	4.860	0.000	0.001
ecf7r719	0.186	0.087	0.037	0.034	0.124	0.059	5.003	2.526	0.000	0.012
ecf7r705	0.111	0.088	0.028	0.025	0.106	0.084	3.972	3.508	0.000	0.001
ecf7r723	0.394	0.487	0.091	0.078	0.103	0.137	4.333	6.281	0.000	0.001
fireplace	0.095	0.070	0.027	0.027	0.086	0.063	3.539	2.638	0.000	0.008
central_air	0.094	0.079	0.024	0.024	0.077	0.063	3.882	3.277	0.000	0.001
ecf7r704	0.110	NA	0.034	NA	0.076	NA	3.206	NA	0.001	NA
ln_garagespaces	0.088	0.067	0.031	0.030	0.057	0.044	2.872	2.229	0.004	0.026
two_baths	0.200	NA	0.109	NA	0.044	NA	1.836	NA	0.066	NA
ecf7r720	-0.226	NA	0.145	NA	-0.031	NA	-1.555	NA	0.120	NA
ecf7r715	-0.423	-0.481	0.268	0.263	-0.031	-0.035	-1.575	-1.829	0.116	0.068
slab	-0.211	-0.178	0.115	0.095	-0.036	-0.037	-1.837	-1.866	0.066	0.062
ecf7r711	-0.075	-0.151	0.045	0.043	-0.038	-0.075	-1.663	-3.505	0.096	0.001
smallest	-0.062	-0.079	0.037	0.035	-0.043	-0.054	-1.673	-2.244	0.094	0.025
yb_1930_to_1945	-0.044	NA	0.022	NA	-0.043	NA	-1.979	NA	0.048	NA
poor	-0.147	NA	0.064	NA	-0.045	NA	-2.306	NA	0.021	NA
yb_pre_1929	-0.098	NA	0.037	NA	-0.064	NA	-2.666	NA	0.008	NA
ecf7r716	-0.387	-0.498	0.104	0.109	-0.074	-0.089	-3.731	-4.583	0.000	0.001
fair	-0.111	-0.110	0.025	0.024	-0.090	-0.088	-4.528	-4.522	0.000	0.001
qbelow_avg	-0.094	-0.042	0.024	0.024	-0.096	-0.042	-3.909	-1.767	0.000	0.077
ecf7r718	-0.310	-0.379	0.063	0.058	-0.105	-0.131	-4.938	-6.492	0.000	0.001
ecf7r717	-0.598	-0.630	0.086	0.076	-0.150	-0.171	-6.957	-8.298	0.000	0.001
ecf7r703	NA	-0.150	NA	0.073	NA	-0.041	NA	-2.066	NA	0.039
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.706	NA	0.088
ext_other	NA	-0.147	NA	0.022	NA	-0.149	NA	-6.575	NA	0.001
ln_landratio	NA	0.204	NA	0.058	NA	0.072	NA	3.515	NA	0.001
qpoor	NA	0.305	NA	0.167	NA	0.035	NA	1.831	NA	0.067

District 7 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 11: District 7 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1599	24	0.3667	0.4020	0.3930	44.7940
R	1647	1622	25	0.3751	0.3676	0.3578	37.7124
% diff (R vs SPSS)	1.48%	1.44%	4.17%	2.30%	-8.56%	-8.96%	-15.81%


Table 12: District 7 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9370	1.1400	0.3120	-0.3900
R	1.0611	1.1501	0.9957	1.1550	0.3326	-0.4647
% diff (R vs SPSS)	5.37%	7.69%	6.27%	1.32%	6.60%	-19.16%

Table 13: District 7 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.150	11.226	0.031	0.026	NA	NA	356.299	438.363	0.000	0.001
ln_base_bldgsize_ratio	0.606	0.500	0.064	0.067	0.284	0.241	9.425	7.442	0.000	0.001
ecf7r702	0.508	0.479	0.045	0.043	0.251	0.235	11.267	11.153	0.000	0.001
ecf7r701	0.626	0.516	0.055	0.053	0.246	0.202	11.453	9.815	0.000	0.001
ecf7r710	0.302	0.223	0.049	0.046	0.134	0.101	6.152	4.862	0.000	0.001
ecf7r719	0.178	0.087	0.037	0.034	0.121	0.060	4.807	2.527	0.000	0.012
ecf7r705	0.109	0.088	0.028	0.025	0.107	0.086	3.917	3.509	0.000	0.001
ecf7r723	0.375	0.487	0.091	0.078	0.100	0.140	4.147	6.285	0.000	0.001
fireplace	0.089	0.070	0.027	0.027	0.082	0.064	3.342	2.637	0.001	0.008
central_air	0.096	0.079	0.024	0.024	0.080	0.065	3.964	3.279	0.000	0.001
ecf7r704	0.112	NA	0.034	NA	0.079	NA	3.258	NA	0.001	NA
ln_garagespaces	0.085	0.067	0.031	0.030	0.056	0.045	2.765	2.229	0.006	0.026
two_baths	0.163	NA	0.107	NA	0.036	NA	1.515	NA	0.130	NA
ecf7r715	-0.426	-0.481	0.268	0.263	-0.032	-0.036	-1.591	-1.828	0.112	0.068
ecf7r720	-0.237	NA	0.145	NA	-0.033	NA	-1.638	NA	0.102	NA
ecf7r711	-0.075	-0.151	0.045	0.043	-0.038	-0.077	-1.661	-3.505	0.097	0.001
slab	-0.222	-0.178	0.115	0.095	-0.039	-0.037	-1.926	-1.866	0.054	0.062
single_family2story	-0.064	NA	0.035	NA	-0.043	NA	-1.842	NA	0.066	NA
yb_1930_to_1945	-0.043	NA	0.022	NA	-0.043	NA	-1.937	NA	0.053	NA
poor	-0.144	NA	0.064	NA	-0.046	NA	-2.271	NA	0.023	NA
yb_pre_1929	-0.098	NA	0.037	NA	-0.065	NA	-2.653	NA	0.008	NA
ecf7r716	-0.382	-0.498	0.104	0.109	-0.075	-0.091	-3.678	-4.585	0.000	0.001
fair	-0.110	-0.110	0.025	0.024	-0.091	-0.090	-4.455	-4.523	0.000	0.001
qbelow_avg	-0.094	-0.042	0.024	0.024	-0.097	-0.043	-3.894	-1.767	0.000	0.077
ecf7r718	-0.303	-0.379	0.063	0.058	-0.104	-0.134	-4.823	-6.493	0.000	0.001
ecf7r717	-0.607	-0.630	0.086	0.076	-0.155	-0.174	-7.049	-8.301	0.000	0.001
ecf7r703	NA	-0.150	NA	0.073	NA	-0.042	NA	-2.069	NA	0.039
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.705	NA	0.088
ext_other	NA	-0.147	NA	0.022	NA	-0.152	NA	-6.583	NA	0.001
ln_landratio	NA	0.204	NA	0.058	NA	0.073	NA	3.515	NA	0.001
qpoor	NA	0.306	NA	0.167	NA	0.036	NA	1.832	NA	0.067
smallest	NA	-0.078	NA	0.035	NA	-0.056	NA	-2.243	NA	0.025

District 7 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 14: District 7 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2483	2452	31	0.4038	0.3920	0.3850	51.0820
R	2665	2634	31	0.4434	0.3346	0.3268	42.7269
% diff (R vs SPSS)	7.33%	7.42%	0.00%	9.81%	-14.64%	-15.12%	-16.36%


Table 15: District 7 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0840	0.9280	1.1680	0.3480	-0.4410
R	1.0490	1.1814	0.9708	1.2169	0.3956	-0.5375
% diff (R vs SPSS)	5.22%	8.98%	4.61%	4.19%	13.67%	-21.89%

Table 16: District 7 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.463	9.540	0.196	0.186	NA	NA	48.390	51.212	0.000	0.001
lnsbldsfint	0.254	0.259	0.030	0.029	0.200	0.209	8.359	8.969	0.000	0.001
ecf7r702	0.478	0.461	0.046	0.042	0.181	0.187	10.317	11.029	0.000	0.001
ecf7r701	0.581	0.498	0.055	0.052	0.179	0.159	10.470	9.551	0.000	0.001
ecf7r723	0.411	0.367	0.074	0.075	0.110	0.092	5.512	4.926	0.000	0.001
ecf7r719	0.171	0.095	0.032	0.030	0.099	0.059	5.284	3.157	0.000	0.002
garage	0.099	0.104	0.019	0.018	0.085	0.096	5.133	5.748	0.000	0.001
ecf7r710	0.227	0.211	0.047	0.044	0.083	0.081	4.825	4.841	0.000	0.001
ecf7r705	0.087	0.072	0.026	0.023	0.071	0.062	3.411	3.186	0.001	0.001
central_air	0.094	0.081	0.025	0.023	0.063	0.056	3.819	3.466	0.000	0.001
fireplace	0.067	0.058	0.024	0.023	0.055	0.048	2.810	2.477	0.005	0.013
ecf7r704	0.094	NA	0.033	NA	0.054	NA	2.819	NA	0.005	NA
two_baths	0.226	0.249	0.083	0.084	0.054	0.055	2.715	2.958	0.007	0.003
ln_landratio	0.145	0.219	0.055	0.051	0.049	0.075	2.664	4.267	0.008	0.001
ecf7r721	0.384	0.405	0.139	0.238	0.046	0.027	2.759	1.704	0.006	0.089
powder_room	0.086	0.084	0.041	0.040	0.040	0.039	2.100	2.088	0.036	0.037
crawl	0.135	0.140	0.071	0.067	0.034	0.035	1.916	2.070	0.055	0.039
yb_post_1961	0.114	NA	0.063	NA	0.030	NA	1.810	NA	0.070	NA
ecf7r715	-0.180	NA	0.095	NA	-0.031	NA	-1.888	NA	0.059	NA
elec_baseboard	-0.506	-0.439	0.259	0.237	-0.031	-0.030	-1.953	-1.850	0.051	0.064
slab	-0.148	-0.137	0.078	0.074	-0.032	-0.030	-1.887	-1.851	0.059	0.064
yb_1930_to_1945	-0.041	-0.047	0.021	0.020	-0.035	-0.043	-1.915	-2.386	0.056	0.017
wall	-0.230	-0.203	0.096	0.099	-0.042	-0.035	-2.395	-2.052	0.017	0.040
ecf7r720	-0.317	-0.399	0.121	0.130	-0.042	-0.049	-2.620	-3.063	0.009	0.002
ecf7r724	-0.284	-0.370	0.075	0.076	-0.065	-0.082	-3.791	-4.845	0.000	0.001
qbelow_avg	-0.083	-0.068	0.022	0.021	-0.075	-0.064	-3.762	-3.220	0.000	0.001
yb_pre_1929	-0.110	-0.077	0.031	0.030	-0.077	-0.055	-3.549	-2.605	0.000	0.009
ecf7r718	-0.212	-0.281	0.045	0.043	-0.083	-0.114	-4.702	-6.505	0.000	0.001
poor	-0.282	-0.240	0.050	0.050	-0.091	-0.077	-5.637	-4.771	0.000	0.001
fair	-0.145	-0.138	0.021	0.020	-0.112	-0.111	-6.799	-6.795	0.000	0.001
ecf7r717	-0.389	-0.461	0.060	0.061	-0.120	-0.138	-6.489	-7.557	0.000	0.001
ecf7r716	-0.463	-0.529	0.060	0.063	-0.133	-0.143	-7.704	-8.440	0.000	0.001
ecf7r703	NA	-0.138	NA	0.066	NA	-0.034	NA	-2.088	NA	0.037
ecf7r711	NA	-0.123	NA	0.039	NA	-0.057	NA	-3.189	NA	0.001
ext_other	NA	-0.131	NA	0.020	NA	-0.126	NA	-6.562	NA	0.001

District 7 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 17: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ln_base_bldgsize_ratio	4	M2, M3, M4, M5	0.549	0.067	0.253	8.313	0.000	0.225	0.284
ecf7r702	4	M3, M4, M5, M6	0.500	0.047	0.223	10.734	0.000	0.181	0.251
ecf7r701	4	M3, M4, M5, M6	0.606	0.056	0.219	10.833	0.000	0.179	0.246
Insblsfint	1	M6	0.254	0.030	0.200	8.359	0.000	0.200	0.200
months_1to16	2	M1, M2	0.015	0.002	0.159	6.914	0.000	0.149	0.170
central_air	2	M1, M2	0.132	0.030	0.102	4.382	0.000	0.097	0.106
ln_garagespaces	1	M1	0.140	0.039	0.092	3.627	0.000	0.092	0.092
yb_1930_to_1945	2	M1, M2	-0.094	0.027	-0.088	-3.485	0.001	-0.103	-0.072
qbelow_avg	3	M1, M4, M5	-0.089	0.026	-0.091	-3.500	0.002	-0.097	-0.081
ecf7r718	2	M4, M5	-0.306	0.063	-0.104	-4.881	0.000	-0.105	-0.104
fair	3	M2, M3, M6	-0.140	0.026	-0.105	-5.555	0.000	-0.112	-0.096
ecf7r716	2	M3, M6	-0.435	0.073	-0.115	-6.227	0.000	-0.133	-0.097
ecf7r717	4	M3, M4, M5, M6	-0.523	0.077	-0.143	-6.757	0.000	-0.155	-0.120
yb_pre_1929	2	M1, M2	-0.306	0.044	-0.205	-6.979	0.000	-0.216	-0.195

District 7 | Average Standardized Beta across Models

