

District 3 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

5 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 3 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	949	938	11	0.4874	0.0950	0.0840	8.9520
R	949	938	11	0.4877	0.0939	0.0832	8.8333
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.06%	-1.16%	-0.95%	-1.33%

Table 2: District 3 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.947	3.951	0.056	0.056	NA	NA	70.507	70.475	0.000	0.001
hot_water	0.400	0.402	0.090	0.090	0.142	0.142	4.424	4.447	0.000	0.001
ln_garagespaces	0.180	0.179	0.051	0.051	0.111	0.111	3.536	3.523	0.000	0.001
slab	0.463	0.469	0.157	0.157	0.093	0.094	2.949	2.984	0.003	0.003
yb_pre_1910	0.736	0.741	0.286	0.285	0.081	0.082	2.579	2.595	0.010	0.010
fireplace	0.088	0.085	0.040	0.040	0.074	0.072	2.214	2.130	0.027	0.033
months_1to9	0.015	0.015	0.006	0.006	0.074	0.074	2.364	2.344	0.018	0.019
smallest	0.100	0.099	0.054	0.054	0.061	0.060	1.863	1.841	0.063	0.066
central_air	0.070	0.070	0.041	0.041	0.055	0.055	1.723	1.722	0.085	0.085
ext_brick_siding	-0.140	-0.142	0.067	0.066	-0.068	-0.069	-2.104	-2.129	0.036	0.033
ext_other	-0.112	-0.120	0.039	0.039	-0.098	-0.105	-2.845	-3.047	0.005	0.002
large	-0.268	-0.270	0.048	0.047	-0.186	-0.187	-5.652	-5.690	0.000	0.001

District 3 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 3 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1375	18	0.5138	0.1570	0.1460	14.2420
R	1393	1375	18	0.5138	0.1570	0.1460	14.2306
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.00%	0.00%	-0.08%

Table 4: District 3 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.970	10.970	0.055	0.055	NA	NA	199.228	199.242	0.000	0.001
largest	0.336	0.334	0.092	0.092	0.096	0.095	3.670	3.646	0.000	0.001
yb_pre_1910	1.070	1.072	0.318	0.318	0.089	0.089	3.367	3.373	0.001	0.001
central_air	0.112	0.112	0.036	0.036	0.078	0.079	3.070	3.090	0.002	0.002
hot_water	0.216	0.214	0.075	0.075	0.075	0.074	2.889	2.871	0.004	0.004
ln_garagespaces	0.119	0.118	0.044	0.044	0.068	0.067	2.671	2.650	0.008	0.008
months_1to9	0.013	0.013	0.007	0.007	0.060	0.059	1.933	1.902	0.053	0.057
fireplace	0.073	0.073	0.037	0.037	0.055	0.055	1.983	1.976	0.048	0.048
slab	0.268	0.270	0.127	0.127	0.053	0.053	2.109	2.121	0.035	0.034
crawl	0.202	0.205	0.098	0.099	0.053	0.053	2.057	2.077	0.040	0.038
months_10to24	0.006	0.006	0.003	0.003	0.052	0.052	1.667	1.677	0.096	0.094
ext_brick_siding	-0.126	-0.125	0.056	0.056	-0.058	-0.058	-2.244	-2.228	0.025	0.026
small	-0.077	-0.077	0.034	0.034	-0.065	-0.065	-2.297	-2.291	0.022	0.022
qpoor	-0.803	-0.800	0.320	0.320	-0.067	-0.067	-2.512	-2.503	0.012	0.012
qbelow_avg	-0.082	-0.080	0.031	0.031	-0.074	-0.072	-2.675	-2.611	0.008	0.009
smallest	-0.174	-0.177	0.050	0.050	-0.099	-0.100	-3.473	-3.541	0.001	0.001
ext_other	-0.145	-0.147	0.034	0.034	-0.122	-0.122	-4.261	-4.281	0.000	0.001
poor	-0.334	-0.332	0.069	0.069	-0.122	-0.121	-4.846	-4.828	0.000	0.001
fair	-0.172	-0.172	0.032	0.032	-0.136	-0.135	-5.389	-5.365	0.000	0.001

District 3 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 3 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1364	29	0.4650	0.3150	0.3010	21.6620
R	1393	1364	29	0.4651	0.3149	0.3003	21.6198
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.03%	-0.03%	-0.23%	-0.19%

Table 6: District 3 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9820	1.1120	0.9030	1.2310	0.4100	
R	0.9814	1.1114	0.9026	1.2314	0.4100	-0.5297
% diff (R vs SPSS)	-0.06%	-0.05%	-0.05%	0.03%	-0.00%	


Table 7: District 3 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8480	NA	0.0507	NA	NA	NA	213.8200	NA
ecf3r310	0.9181	0.942	0.0720	0.071	0.3072	0.315	12.7432	13.190
qpoor	-0.8127	-0.763	0.2898	0.290	-0.0678	-0.064	-2.8042	-2.631
ecf3r306	0.7874	0.778	0.0919	0.092	0.2056	0.203	8.5634	8.439
yb_pre_1910	0.7643	0.701	0.2959	0.296	0.0637	0.058	2.5824	2.368
ecf3r302	0.7010	0.745	0.1983	0.198	0.0826	0.088	3.5350	3.764
ecf3r322	0.3273	0.332	0.0583	0.058	0.1394	0.142	5.6116	5.697
ecf3r321	-0.3203	-0.303	0.0887	0.089	-0.0836	-0.079	-3.6129	-3.415
ecf3r317	-0.3194	-0.296	0.1582	0.158	-0.0460	-0.043	-2.0185	-1.875
ecf3r326	-0.3019	-0.291	0.1340	0.133	-0.0522	-0.050	-2.2523	-2.185
poor	-0.2970	-0.295	0.0627	0.063	-0.1085	-0.108	-4.7406	-4.711
ecf3r315	0.2964	0.308	0.0629	0.063	0.1124	0.117	4.7138	4.918
largest	0.2738	NA	0.0832	NA	0.0781	NA	3.2926	NA
ecf3r314	0.2406	0.251	0.0707	0.071	0.0789	0.082	3.4041	3.552
ln_landratio	0.2298	0.238	0.0701	0.070	0.0823	0.085	3.2791	3.401
ecf3r309	-0.2211	-0.261	0.1310	0.132	-0.0382	-0.045	-1.6877	-1.984
ecf3r301	-0.2047	NA	0.1164	NA	-0.0404	NA	-1.7584	NA
ecf3r324	-0.1759	-0.190	0.0912	0.092	-0.0444	-0.048	-1.9286	-2.069
ecf3r323	0.1647	0.173	0.0459	0.046	0.0918	0.096	3.5834	3.766
ecf3r307	0.1565	0.160	0.0455	0.045	0.0824	0.084	3.4411	3.525
ext_other	-0.1399	-0.153	0.0316	0.032	-0.1171	-0.128	-4.4256	-4.827
fair	-0.1349	-0.136	0.0291	0.029	-0.1064	-0.107	-4.6296	-4.669
smallest	-0.1292	-0.130	0.0459	0.046	-0.0735	-0.074	-2.8138	-2.837
ecf3r320	0.1228	0.122	0.0465	0.047	0.0647	0.064	2.6401	2.611
ln_garagespaces	0.1120	0.113	0.0408	0.041	0.0641	0.065	2.7442	2.789
central_air	0.0900	0.091	0.0332	0.033	0.0632	0.064	2.7127	2.745
qbelow_avg	-0.0880	-0.077	0.0303	0.031	-0.0790	-0.069	-2.9044	-2.503
small	-0.0650	-0.056	0.0309	0.031	-0.0548	-0.047	-2.0994	-1.810
months_1to9	0.0135	0.013	0.0062	0.006	0.0609	0.058	2.1586	2.057
months_10to24	0.0070	0.007	0.0031	0.003	0.0647	0.069	2.2933	2.432
(intercept)	NA	10.835	NA	0.051	NA	NA	NA	212.572
two_baths	NA	0.329	NA	0.150	NA	0.050	NA	2.191
powder_room	NA	0.169	NA	0.061	NA	0.067	NA	2.778

Table 8: District 3 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8645	0.879	1.1567	1.138
qpoor	0.0051	0.009	0.8604	0.859	1.1623	1.164
ecf3r306	0.0000	0.001	0.8716	0.866	1.1473	1.155
yb_pre_1910	0.0099	0.018	0.8251	0.823	1.2120	1.215
ecf3r302	0.0004	0.001	0.9207	0.923	1.0862	1.083
ecf3r322	0.0000	0.001	0.8144	0.813	1.2279	1.230
ecf3r321	0.0003	0.001	0.9376	0.938	1.0666	1.066
ecf3r317	0.0437	0.061	0.9660	0.968	1.0352	1.033
ecf3r326	0.0245	0.029	0.9348	0.945	1.0697	1.058
poor	0.0000	0.001	0.9597	0.958	1.0420	1.044
ecf3r315	0.0000	0.001	0.8831	0.888	1.1323	1.126
largest	0.0010	NA	0.8921	NA	1.1209	NA
ecf3r314	0.0007	0.001	0.9342	0.935	1.0704	1.069
ln_landratio	0.0011	0.001	0.7975	0.802	1.2540	1.247
ecf3r309	0.0917	0.047	0.9784	0.970	1.0221	1.031
ecf3r301	0.0789	NA	0.9507	NA	1.0519	NA
ecf3r324	0.0540	0.039	0.9476	0.939	1.0553	1.065
ecf3r323	0.0004	0.001	0.7654	0.766	1.3065	1.306
ecf3r307	0.0006	0.001	0.8751	0.879	1.1428	1.138
ext_other	0.0000	0.001	0.7170	0.720	1.3948	1.390
fair	0.0000	0.001	0.9501	0.949	1.0525	1.053
smallest	0.0050	0.005	0.7366	0.743	1.3576	1.347
ecf3r320	0.0084	0.009	0.8363	0.835	1.1958	1.198
ln_garagespaces	0.0061	0.005	0.9218	0.926	1.0848	1.080
central_air	0.0068	0.006	0.9257	0.927	1.0803	1.079
qbelow_avg	0.0037	0.012	0.6793	0.665	1.4721	1.504
small	0.0360	0.070	0.7363	0.730	1.3581	1.369
months_1to9	0.0311	0.040	0.6304	0.632	1.5864	1.582
months_10to24	0.0220	0.015	0.6311	0.632	1.5845	1.583
(intercept)	NA	0.001	NA	NA	NA	NA
two_baths	NA	0.029	NA	0.969	NA	1.033
powder_room	NA	0.006	NA	0.870	NA	1.150

District 3 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 3 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1232	27	0.3896	0.4010	0.3880	30.5860
R	1254	1226	28	0.3866	0.4015	0.3879	29.3791
% diff (R vs SPSS)	-0.40%	-0.49%	3.70%	-0.77%	0.12%	-0.03%	-3.95%

Table 10: District 3 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4100
R	1.0020	1.0750	0.9352	1.1495	0.3329	-0.4046
% diff (R vs SPSS)	0.30%	-0.09%	0.13%	-0.22%	-0.94%	1.31%


Table 11: District 3 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8730	NA	0.0454	NA	NA	NA	239.5954	NA
ecf3r310	1.0721	1.124	0.0673	0.067	0.3948	0.410	15.9227	16.889
ecf3r306	1.0249	1.029	0.1095	0.110	0.2179	0.217	9.3559	9.347
ecf3r302	0.9185	1.506	0.3886	0.452	0.0525	0.085	2.3636	3.332
unsound	0.4387	0.446	0.2245	0.226	0.0434	0.044	1.9537	1.973
ecf3r315	0.3644	0.390	0.0553	0.055	0.1561	0.167	6.5844	7.071
ecf3r326	-0.3598	NA	0.1341	NA	-0.0615	NA	-2.6834	NA
ecf3r322	0.3310	0.351	0.0494	0.050	0.1656	0.174	6.6981	6.991
ecf3r314	0.3198	0.347	0.0647	0.065	0.1137	0.122	4.9461	5.318
poor	-0.2993	-0.284	0.0634	0.065	-0.1064	-0.099	-4.7225	-4.375
largest	0.2836	NA	0.1028	NA	0.0701	NA	2.7578	NA
ecf3r321	-0.2785	-0.267	0.0944	0.098	-0.0670	-0.062	-2.9504	-2.730
ln_landratio	0.2316	0.174	0.0655	0.066	0.0879	0.066	3.5366	2.627
ecf3r324	-0.1663	NA	0.0980	NA	-0.0389	NA	-1.6964	NA
ext_other	-0.1618	-0.173	0.0284	0.029	-0.1494	-0.158	-5.6938	-5.997
ecf3r307	0.1616	0.179	0.0393	0.040	0.0987	0.107	4.1157	4.459
ecf3r323	0.1583	0.184	0.0403	0.041	0.1015	0.117	3.9278	4.520
fair	-0.1484	-0.170	0.0257	0.026	-0.1300	-0.148	-5.7647	-6.461
smallest	-0.1413	-0.148	0.0411	0.041	-0.0877	-0.093	-3.4401	-3.639
powder_room	0.1173	0.190	0.0673	0.062	0.0455	0.072	1.7441	3.075
ecf3r320	0.1142	0.129	0.0397	0.041	0.0702	0.079	2.8741	3.183
ln_garagespaces	0.1017	0.102	0.0358	0.036	0.0646	0.065	2.8406	2.845
small	-0.0924	-0.090	0.0272	0.027	-0.0884	-0.085	-3.3907	-3.272
central_air	0.0890	0.100	0.0286	0.029	0.0714	0.079	3.1165	3.455
qbelow_avg	-0.0800	-0.070	0.0270	0.027	-0.0807	-0.070	-2.9634	-2.551
ecf3r303	0.0706	0.105	0.0448	0.045	0.0376	0.055	1.5779	2.313
yb_1910_to_1929	-0.0668	-0.070	0.0409	0.041	-0.0458	-0.048	-1.6349	-1.709
months_1to9	0.0123	0.013	0.0054	0.005	0.0632	0.067	2.2737	2.417
months_10to24	0.0055	0.007	0.0027	0.003	0.0574	0.069	2.0681	2.495
(intercept)	NA	10.839	NA	0.046	NA	NA	NA	237.664
yb_post_1990	NA	-0.558	NA	0.229	NA	-0.063	NA	-2.437
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.804

Table 12: District 3 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.7941	0.826	1.2593	1.211
ecf3r306	0.0000	0.001	0.8998	0.905	1.1113	1.104
ecf3r302	0.0183	0.001	0.9909	0.744	1.0092	1.344
unsound	0.0510	0.049	0.9908	0.991	1.0093	1.009
ecf3r315	0.0000	0.001	0.8680	0.872	1.1521	1.146
ecf3r326	0.0074	NA	0.9307	NA	1.0744	NA
ecf3r322	0.0000	0.001	0.7986	0.786	1.2522	1.272
ecf3r314	0.0000	0.001	0.9235	0.919	1.0828	1.088
poor	0.0000	0.001	0.9610	0.956	1.0406	1.046
largest	0.0059	NA	0.7554	NA	1.3238	NA
ecf3r321	0.0032	0.006	0.9455	0.949	1.0577	1.054
ln_landratio	0.0004	0.009	0.7900	0.763	1.2658	1.311
ecf3r324	0.0901	NA	0.9280	NA	1.0775	NA
ext_other	0.0000	0.001	0.7092	0.698	1.4101	1.432
ecf3r307	0.0000	0.001	0.8493	0.838	1.1774	1.193
ecf3r323	0.0001	0.001	0.7304	0.720	1.3691	1.389
fair	0.0000	0.001	0.9597	0.924	1.0420	1.083
smallest	0.0006	0.001	0.7502	0.746	1.3329	1.341
powder_room	0.0814	0.002	0.7158	0.895	1.3971	1.118
ecf3r320	0.0041	0.001	0.8176	0.796	1.2230	1.256
ln_garagespaces	0.0046	0.005	0.9444	0.944	1.0589	1.059
small	0.0007	0.001	0.7188	0.717	1.3911	1.394
central_air	0.0019	0.001	0.9297	0.929	1.0756	1.076
qbelow_avg	0.0031	0.011	0.6582	0.649	1.5193	1.541
ecf3r303	0.1148	0.021	0.8584	0.857	1.1650	1.166
yb_1910_to_1929	0.1023	0.088	0.6213	0.626	1.6096	1.596
months_1to9	0.0232	0.016	0.6326	0.635	1.5808	1.576
months_10to24	0.0388	0.013	0.6335	0.631	1.5785	1.584
(intercept)	NA	0.001	NA	NA	NA	NA
yb_post_1990	NA	0.015	NA	0.727	NA	1.376
ecf3r325	NA	0.072	NA	0.825	NA	1.213

District 3 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 3 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1234	25	0.3893	0.3920	0.3790	31.7870
R	1254	1228	26	0.3871	0.3923	0.3795	30.4959
% diff (R vs SPSS)	-0.40%	-0.49%	4.00%	-0.57%	0.08%	0.13%	-4.06%

Table 14: District 3 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4220
R	1.0249	1.1003	0.9545	1.1528	0.3349	-0.4224
% diff (R vs SPSS)	2.59%	2.26%	2.19%	0.07%	-0.33%	-0.09%


Table 15: District 3 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0399	NA	0.0291	NA	NA	NA	379.4615	NA
ecf3r310	1.0478	1.124	0.0665	0.066	0.3880	0.413	15.7530	16.920
ecf3r306	0.9963	1.029	0.1095	0.110	0.2130	0.218	9.1008	9.359
ecf3r302	0.9246	1.506	0.3888	0.451	0.0531	0.086	2.3781	3.335
unsound	0.4651	0.447	0.2252	0.226	0.0462	0.044	2.0653	1.977
ecf3r326	-0.3674	NA	0.1338	NA	-0.0631	NA	-2.7458	NA
ecf3r315	0.3408	0.390	0.0550	0.055	0.1468	0.168	6.2001	7.078
ecf3r322	0.3101	0.351	0.0496	0.050	0.1560	0.175	6.2512	7.003
poor	-0.3008	-0.284	0.0634	0.065	-0.1075	-0.099	-4.7410	-4.379
ecf3r314	0.2996	0.347	0.0646	0.065	0.1071	0.123	4.6395	5.322
ecf3r321	-0.2921	-0.266	0.0940	0.097	-0.0707	-0.062	-3.1067	-2.735
largest	0.2889	NA	0.1029	NA	0.0718	NA	2.8079	NA
ln_landratio	0.2336	0.174	0.0655	0.066	0.0892	0.067	3.5635	2.630
ecf3r324	-0.1831	NA	0.0978	NA	-0.0431	NA	-1.8723	NA
ext_other	-0.1596	-0.173	0.0285	0.029	-0.1481	-0.159	-5.6081	-6.003
fair	-0.1495	-0.170	0.0258	0.026	-0.1317	-0.149	-5.8027	-6.467
smallest	-0.1439	-0.148	0.0411	0.040	-0.0899	-0.094	-3.5034	-3.648
ecf3r323	0.1415	0.184	0.0396	0.041	0.0913	0.118	3.5699	4.528
ecf3r307	0.1409	0.179	0.0391	0.040	0.0865	0.108	3.6040	4.468
powder_room	0.1166	0.190	0.0673	0.062	0.0455	0.072	1.7313	3.078
ln_garagespaces	0.0985	0.102	0.0359	0.036	0.0629	0.065	2.7466	2.849
small	-0.0977	-0.090	0.0274	0.027	-0.0939	-0.086	-3.5670	-3.278
ecf3r320	0.0971	0.129	0.0399	0.040	0.0600	0.079	2.4357	3.191
central_air	0.0919	0.100	0.0285	0.029	0.0741	0.080	3.2197	3.458
ecf3r312	-0.0874	NA	0.0536	NA	-0.0380	NA	-1.6309	NA
qbelow_avg	-0.0830	-0.070	0.0268	0.027	-0.0842	-0.070	-3.0937	-2.553
yb_1910_to_1929	-0.0642	-0.070	0.0407	0.041	-0.0443	-0.048	-1.5780	-1.711
(intercept)	NA	11.057	NA	0.030	NA	NA	NA	369.519
yb_post_1990	NA	-0.557	NA	0.228	NA	-0.063	NA	-2.444
ecf3r303	NA	0.105	NA	0.045	NA	0.056	NA	2.315
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.809

Table 16: District 3 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8157	0.827	1.2259	1.208
ecf3r306	0.0000	0.001	0.9032	0.906	1.1072	1.104
ecf3r302	0.0176	0.001	0.9921	0.744	1.0079	1.344
unsound	0.0391	0.048	0.9877	0.992	1.0125	1.008
ecf3r326	0.0061	NA	0.9368	NA	1.0675	NA
ecf3r315	0.0000	0.001	0.8821	0.873	1.1336	1.146
ecf3r322	0.0000	0.001	0.7944	0.787	1.2587	1.270
poor	0.0000	0.001	0.9617	0.956	1.0399	1.046
ecf3r314	0.0000	0.001	0.9278	0.920	1.0778	1.088
ecf3r321	0.0019	0.006	0.9557	0.952	1.0463	1.050
largest	0.0051	NA	0.7567	NA	1.3215	NA
ln_landratio	0.0004	0.009	0.7905	0.763	1.2651	1.310
ecf3r324	0.0614	NA	0.9344	NA	1.0703	NA
ext_other	0.0000	0.001	0.7095	0.698	1.4095	1.432
fair	0.0000	0.001	0.9606	0.924	1.0411	1.083
smallest	0.0005	0.001	0.7517	0.748	1.3304	1.337
ecf3r323	0.0004	0.001	0.7570	0.721	1.3210	1.387
ecf3r307	0.0003	0.001	0.8594	0.840	1.1636	1.191
powder_room	0.0837	0.002	0.7160	0.895	1.3967	1.117
ln_garagespaces	0.0061	0.004	0.9438	0.945	1.0596	1.059
small	0.0004	0.001	0.7135	0.719	1.4015	1.392
ecf3r320	0.0150	0.001	0.8151	0.798	1.2268	1.253
central_air	0.0013	0.001	0.9335	0.930	1.0713	1.076
ecf3r312	0.1032	NA	0.9137	NA	1.0944	NA
qbelow_avg	0.0020	0.011	0.6676	0.649	1.4978	1.541
yb_1910_to_1929	0.1148	0.087	0.6286	0.627	1.5909	1.595
(intercept)	NA	0.001	NA	NA	NA	NA
yb_post_1990	NA	0.015	NA	0.731	NA	1.368
ecf3r303	NA	0.021	NA	0.858	NA	1.166
ecf3r325	NA	0.071	NA	0.830	NA	1.205

District 3 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 3 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1783	1752	31	0.4422	0.3910	0.3800	36.2520
R	1254	1228	26	0.3880	0.3897	0.3768	30.1592
% diff (R vs SPSS)	-29.67%	-29.91%	-16.13%	-12.26%	-0.33%	-0.84%	-16.81%

Table 18: District 3 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9930	1.1020	0.9170	1.2020	0.3870	-0.4510
R	0.9497	1.0209	0.8849	1.1537	0.3362	-0.4253
% diff (R vs SPSS)	-4.36%	-7.36%	-3.50%	-4.02%	-13.12%	5.69%

Table 19: District 3 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.1474	NA	0.2341	NA	NA	NA	43.3429	NA
ecf3r310	1.0539	1.063	0.0670	0.057	0.3903	0.389	15.7292	18.543
ecf3r306	1.0036	0.793	0.1101	0.075	0.2146	0.217	9.1124	10.557
ecf3r302	0.8758	0.534	0.3916	0.223	0.0503	0.045	2.2362	2.390
unsound	0.5075	0.366	0.2259	0.170	0.0504	0.041	2.2468	2.156
ecf3r326	-0.3819	-0.504	0.1341	0.096	-0.0656	-0.101	-2.8481	-5.223
ecf3r315	0.3326	0.315	0.0553	0.055	0.1433	0.115	6.0146	5.759
ecf3r322	0.3099	0.352	0.0495	0.053	0.1559	0.137	6.2635	6.652
ecf3r314	0.3031	0.381	0.0649	0.066	0.1084	0.112	4.6725	5.766
poor	-0.2972	-0.399	0.0635	0.054	-0.1063	-0.143	-4.6821	-7.376
ecf3r321	-0.2889	-0.145	0.0942	0.077	-0.0699	-0.036	-3.0680	-1.871
largest	0.2822	0.244	0.0967	0.086	0.0701	0.057	2.9180	2.834
ecf3r301	-0.2522	NA	0.1608	NA	-0.0354	NA	-1.5677	NA
ln_landratio	0.2412	0.107	0.0654	0.063	0.0921	0.040	3.6887	1.710
ecf3r324	-0.1752	NA	0.0974	NA	-0.0412	NA	-1.7980	NA
ecf3r323	0.1491	0.209	0.0400	0.043	0.0962	0.107	3.7280	4.897
fair	-0.1456	-0.193	0.0258	0.024	-0.1283	-0.155	-5.6412	-7.953
ecf3r307	0.1424	0.197	0.0393	0.040	0.0874	0.101	3.6259	4.952
ext_other	-0.1414	-0.160	0.0296	0.027	-0.1313	-0.139	-4.7823	-5.936
lnsbldsfint	0.1387	0.155	0.0361	0.032	0.1118	0.118	3.8372	4.899
ecf3r320	0.1071	0.162	0.0400	0.043	0.0662	0.078	2.6763	3.766
ecf3r312	-0.1028	NA	0.0540	NA	-0.0446	NA	-1.9030	NA
central_air	0.0971	0.094	0.0285	0.030	0.0783	0.061	3.4024	3.132
yb_1910_to_1929	-0.0825	-0.107	0.0421	0.036	-0.0569	-0.077	-1.9584	-2.958
qbelow_avg	-0.0769	-0.068	0.0274	0.027	-0.0780	-0.060	-2.8061	-2.529
ext_brick_siding	0.0731	NA	0.0486	NA	0.0372	NA	1.5053	NA
small	-0.0466	-0.051	0.0257	0.024	-0.0448	-0.043	-1.8161	-2.118
(intercept)	NA	10.011	NA	0.206	NA	NA	NA	48.707
half_duplex2story	NA	-1.053	NA	0.444	NA	-0.044	NA	-2.369
qpoor	NA	0.495	NA	0.201	NA	0.047	NA	2.467
garage	NA	0.077	NA	0.026	NA	0.063	NA	2.996
hot_water	NA	0.099	NA	0.056	NA	0.036	NA	1.769
wall	NA	-0.415	NA	0.162	NA	-0.049	NA	-2.566
ecf3r303	NA	0.130	NA	0.040	NA	0.067	NA	3.251
ecf3r304	NA	-0.192	NA	0.071	NA	-0.053	NA	-2.706
ecf3r311	NA	0.179	NA	0.084	NA	0.041	NA	2.144
ecf3r325	NA	0.162	NA	0.056	NA	0.059	NA	2.910

Table 20: District 3 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8073	0.788	1.2386	1.268
ecf3r306	0.0000	0.001	0.8964	0.826	1.1156	1.211
ecf3r302	0.0255	0.017	0.9821	0.982	1.0182	1.018
unsound	0.0248	0.031	0.9858	0.973	1.0144	1.028
ecf3r326	0.0045	0.001	0.9371	0.925	1.0671	1.081
ecf3r315	0.0000	0.001	0.8756	0.868	1.1421	1.152
ecf3r322	0.0000	0.001	0.8022	0.825	1.2466	1.212
ecf3r314	0.0000	0.001	0.9236	0.922	1.0827	1.085
poor	0.0000	0.001	0.9648	0.932	1.0365	1.073
ecf3r321	0.0022	0.062	0.9567	0.925	1.0453	1.081
largest	0.0036	0.005	0.8603	0.869	1.1624	1.151
ecf3r301	0.1172	NA	0.9744	NA	1.0263	NA
ln_landratio	0.0002	0.087	0.7975	0.647	1.2540	1.545
ecf3r324	0.0724	NA	0.9458	NA	1.0574	NA
ecf3r323	0.0002	0.001	0.7471	0.734	1.3385	1.362
fair	0.0000	0.001	0.9613	0.918	1.0402	1.090
ecf3r307	0.0003	0.001	0.8552	0.836	1.1693	1.196
ext_other	0.0000	0.001	0.6597	0.638	1.5158	1.568
lnsbldsfint	0.0001	0.001	0.5854	0.599	1.7084	1.671
ecf3r320	0.0075	0.001	0.8114	0.808	1.2325	1.238
ecf3r312	0.0573	NA	0.9031	NA	1.1073	NA
central_air	0.0007	0.002	0.9376	0.918	1.0666	1.089
yb_1910_to_1929	0.0504	0.003	0.5889	0.519	1.6979	1.926
qbelow_avg	0.0051	0.012	0.6429	0.614	1.5554	1.629
ext_brick_siding	0.1325	NA	0.8143	NA	1.2281	NA
small	0.0696	0.034	0.8154	0.847	1.2264	1.181
(intercept)	NA	0.001	NA	NA	NA	NA
half_duplex2story	NA	0.018	NA	0.991	NA	1.010
qpoor	NA	0.014	NA	0.974	NA	1.027
garage	NA	0.003	NA	0.799	NA	1.252
hot_water	NA	0.077	NA	0.851	NA	1.176
wall	NA	0.010	NA	0.937	NA	1.067
ecf3r303	NA	0.001	NA	0.812	NA	1.232
ecf3r304	NA	0.007	NA	0.902	NA	1.109
ecf3r311	NA	0.032	NA	0.949	NA	1.054
ecf3r325	NA	0.004	NA	0.838	NA	1.193

District 3 | Model VI Beta Coef. Comparison: SPSS vs R

