

District 1 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

5 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 1 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2041	14	0.4487	0.1150	0.1090	18.9110
R	2055	2041	14	0.4487	0.1148	0.1088	18.9112
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	-0.17%	-0.18%	0.00%

Table 2: District 1 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.316	4.316	0.022	0.022	NA	NA	194.435	194.435	0.000	0.001
months_10to18	0.017	0.017	0.003	0.003	0.141	0.141	6.739	6.739	0.000	0.001
fireplace	0.075	0.075	0.022	0.022	0.079	0.079	3.342	3.342	0.001	0.001
central_air	0.069	0.069	0.025	0.025	0.058	0.058	2.702	2.702	0.007	0.007
good	0.184	0.184	0.067	0.067	0.057	0.057	2.743	2.743	0.006	0.006
qabove_avg	0.369	0.369	0.143	0.143	0.054	0.054	2.583	2.583	0.010	0.010
ln_garagespaces	0.060	0.060	0.031	0.031	0.041	0.041	1.913	1.913	0.056	0.056
smallest	0.065	0.065	0.039	0.039	0.038	0.038	1.675	1.675	0.094	0.094
slab	-0.184	-0.184	0.081	0.081	-0.048	-0.048	-2.263	-2.263	0.024	0.024
unsound	-0.586	-0.586	0.201	0.201	-0.061	-0.061	-2.909	-2.909	0.004	0.004
crawl	-0.326	-0.326	0.082	0.082	-0.085	-0.085	-3.999	-3.999	0.000	0.001
yb_1930_to_1945	-0.085	-0.085	0.024	0.024	-0.088	-0.088	-3.606	-3.606	0.000	0.001
yb_1910_to_1929	-0.171	-0.171	0.032	0.032	-0.122	-0.122	-5.334	-5.334	0.000	0.001
poor	-0.541	-0.541	0.079	0.079	-0.145	-0.145	-6.847	-6.847	0.000	0.001
fair	-0.211	-0.211	0.028	0.028	-0.161	-0.161	-7.640	-7.640	0.000	0.001

District 1 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 1 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2035	20	0.4459	0.3500	0.3440	54.8720
R	2055	2035	20	0.4459	0.3503	0.3440	54.8718
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.09%	0.00%	-0.00%

Table 4: District 1 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.354	11.354	0.028	0.028	NA	NA	398.798	398.798	0.000	0.001
ln_base_bldgsize_ratio	0.480	0.480	0.145	0.145	0.225	0.225	3.315	3.315	0.001	0.001
months_10to18	0.018	0.018	0.003	0.003	0.126	0.126	7.001	7.001	0.000	0.001
largest	0.217	0.217	0.079	0.079	0.113	0.113	2.740	2.740	0.006	0.006
ln_landratio	0.222	0.222	0.044	0.044	0.097	0.097	5.056	5.056	0.000	0.001
fireplace	0.085	0.085	0.026	0.026	0.078	0.078	3.257	3.257	0.001	0.001
large	0.094	0.094	0.043	0.043	0.077	0.077	2.215	2.215	0.027	0.027
central_air	0.072	0.072	0.025	0.025	0.052	0.052	2.819	2.819	0.005	0.005
good	0.190	0.190	0.067	0.067	0.051	0.051	2.819	2.819	0.005	0.005
two_baths	0.146	0.146	0.076	0.076	0.045	0.045	1.928	1.928	0.054	0.054
qabove_avg	0.317	0.317	0.148	0.148	0.040	0.040	2.146	2.146	0.032	0.032
unsound	-0.541	-0.541	0.201	0.201	-0.048	-0.048	-2.694	-2.694	0.007	0.007
qbelow_avg	-0.056	-0.056	0.025	0.025	-0.049	-0.049	-2.217	-2.217	0.027	0.027
slab	-0.220	-0.220	0.081	0.081	-0.050	-0.050	-2.716	-2.716	0.007	0.007
smallest	-0.116	-0.116	0.069	0.069	-0.058	-0.058	-1.676	-1.676	0.094	0.094
small	-0.085	-0.085	0.038	0.038	-0.064	-0.064	-2.266	-2.266	0.024	0.024
crawl	-0.329	-0.329	0.081	0.081	-0.074	-0.074	-4.039	-4.039	0.000	0.001
yb_1930_to_1945	-0.091	-0.091	0.024	0.024	-0.080	-0.080	-3.848	-3.848	0.000	0.001
yb_1910_to_1929	-0.179	-0.179	0.033	0.033	-0.110	-0.110	-5.363	-5.363	0.000	0.001
poor	-0.538	-0.538	0.079	0.079	-0.125	-0.125	-6.832	-6.832	0.000	0.001
fair	-0.205	-0.205	0.028	0.028	-0.136	-0.136	-7.463	-7.463	0.000	0.001

District 1 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 1 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2055	2017	38	0.4107	0.4540	0.4440	44.1250
R	2055	2017	38	0.4107	0.4539	0.4437	44.1245
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.02%	-0.07%	-0.00%

Table 6: District 1 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9690	1.0860	0.9270	1.1720	0.3710	
R	0.9692	1.0861	0.9267	1.1719	0.3708	-0.3610
% diff (R vs SPSS)	0.02%	0.01%	-0.03%	-0.01%	-0.04%	


Table 7: District 1 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2847	NA	0.0271	NA	NA	NA	416.9801	NA
ln_base_bldgsize_ratio	0.7614	0.761	0.0520	0.052	0.3572	0.357	14.6338	14.634
ecf1r137	-0.5963	-0.596	0.0963	0.096	-0.1037	-0.104	-6.1919	-6.192
ecf1r130	-0.5583	-0.558	0.2972	0.297	-0.0316	-0.032	-1.8783	-1.878
ecf1r126	0.5030	0.503	0.0506	0.051	0.1756	0.176	9.9310	9.931
ecf1r116	0.4717	0.472	0.0520	0.052	0.1657	0.166	9.0674	9.067
half_duplex2story	-0.4544	-0.454	0.2411	0.241	-0.0315	-0.032	-1.8843	-1.884
ecf1r134	0.4302	0.430	0.0791	0.079	0.0922	0.092	5.4396	5.440
poor	-0.4183	-0.418	0.0733	0.073	-0.0969	-0.097	-5.7061	-5.706
half_duplex1story	-0.4081	-0.408	0.1713	0.171	-0.0400	-0.040	-2.3817	-2.382
unsound	-0.4038	-0.404	0.1856	0.186	-0.0361	-0.036	-2.1760	-2.176
ecf1r124	-0.3387	-0.339	0.1141	0.114	-0.0557	-0.056	-2.9674	-2.967
ecf1r113	-0.3285	-0.328	0.0758	0.076	-0.0739	-0.074	-4.3330	-4.333
ecf1r115	0.2990	0.299	0.0725	0.072	0.0703	0.070	4.1264	4.126
ecf1r103	0.2872	0.287	0.0579	0.058	0.0871	0.087	4.9589	4.959
ecf1r128	-0.2825	-0.283	0.0513	0.051	-0.0968	-0.097	-5.5116	-5.512
ecf1r132	0.2436	0.244	0.0680	0.068	0.0611	0.061	3.5837	3.584
ecf1r112	0.2168	0.217	0.0770	0.077	0.0487	0.049	2.8147	2.815
ecf1r101	0.2158	0.216	0.0920	0.092	0.0394	0.039	2.3448	2.345
ecf1r120	0.2082	0.208	0.0710	0.071	0.0496	0.050	2.9331	2.933
ecf1r104	0.1886	0.189	0.0384	0.038	0.0918	0.092	4.9100	4.910
good	0.1799	0.180	0.0627	0.063	0.0484	0.048	2.8714	2.871
crawl	-0.1736	-0.174	0.0831	0.083	-0.0390	-0.039	-2.0882	-2.088
fair	-0.1630	-0.163	0.0257	0.026	-0.1077	-0.108	-6.3335	-6.333
slab	-0.1598	-0.160	0.0766	0.077	-0.0359	-0.036	-2.0867	-2.087
ecf1r110	0.1545	0.155	0.0574	0.057	0.0461	0.046	2.6926	2.693
ecf1r117	0.1395	0.139	0.0434	0.043	0.0582	0.058	3.2117	3.212
ecf1r122	-0.1372	-0.137	0.0500	0.050	-0.0479	-0.048	-2.7471	-2.747
ecf1r119	-0.1175	-0.117	0.0614	0.061	-0.0325	-0.033	-1.9138	-1.914
ecf1r109	0.1084	0.108	0.0360	0.036	0.0536	0.054	3.0133	3.013
yb_1910_to_1929	-0.1072	-0.107	0.0321	0.032	-0.0661	-0.066	-3.3441	-3.344
ecf1r108	-0.1034	-0.103	0.0459	0.046	-0.0394	-0.039	-2.2557	-2.256
ecf1r121	0.0949	0.095	0.0446	0.045	0.0379	0.038	2.1270	2.127
qbelow_avg	-0.0646	-0.065	0.0243	0.024	-0.0575	-0.058	-2.6607	-2.661
yb_1930_to_1945	-0.0550	-0.055	0.0227	0.023	-0.0488	-0.049	-2.4199	-2.420
ln_garagespaces	0.0495	0.050	0.0297	0.030	0.0288	0.029	1.6698	1.670
central_air	0.0493	0.049	0.0237	0.024	0.0357	0.036	2.0843	2.084
fireplace	0.0423	0.042	0.0250	0.025	0.0384	0.038	1.6942	1.694
months_10to18	0.0182	0.018	0.0024	0.002	0.1268	0.127	7.6198	7.620
(intercept)	NA	11.285	NA	0.027	NA	NA	NA	416.980

Table 8: District 1 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4543	0.454	2.2011	2.201
ecf1r137	0.0000	0.001	0.9658	0.966	1.0354	1.035
ecf1r130	0.0605	0.060	0.9553	0.955	1.0468	1.047
ecf1r126	0.0000	0.001	0.8655	0.865	1.1554	1.155
ecf1r116	0.0000	0.001	0.8104	0.810	1.2339	1.234
half_duplex2story	0.0597	0.060	0.9682	0.968	1.0329	1.033
ecf1r134	0.0000	0.001	0.9429	0.943	1.0606	1.061
poor	0.0000	0.001	0.9385	0.938	1.0656	1.066
half_duplex1story	0.0173	0.017	0.9601	0.960	1.0415	1.042
unsound	0.0297	0.030	0.9817	0.982	1.0187	1.019
ecf1r124	0.0030	0.003	0.7679	0.768	1.3022	1.302
ecf1r113	0.0000	0.001	0.9314	0.931	1.0736	1.074
ecf1r115	0.0000	0.001	0.9336	0.934	1.0711	1.071
ecf1r103	0.0000	0.001	0.8771	0.877	1.1401	1.140
ecf1r128	0.0000	0.001	0.8769	0.877	1.1404	1.140
ecf1r132	0.0003	0.001	0.9306	0.931	1.0745	1.075
ecf1r112	0.0049	0.005	0.9026	0.903	1.1080	1.108
ecf1r101	0.0191	0.019	0.9583	0.958	1.0435	1.044
ecf1r120	0.0034	0.003	0.9459	0.946	1.0572	1.057
ecf1r104	0.0000	0.001	0.7743	0.774	1.2915	1.292
good	0.0041	0.004	0.9548	0.955	1.0473	1.047
crawl	0.0369	0.037	0.7744	0.774	1.2913	1.291
fair	0.0000	0.001	0.9370	0.937	1.0672	1.067
slab	0.0370	0.037	0.9133	0.913	1.0950	1.095
ecf1r110	0.0071	0.007	0.9242	0.924	1.0820	1.082
ecf1r117	0.0013	0.001	0.8234	0.823	1.2145	1.215
ecf1r122	0.0061	0.006	0.8896	0.890	1.1240	1.124
ecf1r119	0.0558	0.056	0.9359	0.936	1.0685	1.069
ecf1r109	0.0026	0.003	0.8543	0.854	1.1705	1.170
yb_1910_to_1929	0.0008	0.001	0.6930	0.693	1.4430	1.443
ecf1r108	0.0242	0.024	0.8852	0.885	1.1297	1.130
ecf1r121	0.0335	0.034	0.8509	0.851	1.1752	1.175
qbelow_avg	0.0079	0.008	0.5792	0.579	1.7265	1.727
yb_1930_to_1945	0.0156	0.016	0.6648	0.665	1.5042	1.504
ln_garagespaces	0.0951	0.095	0.9079	0.908	1.1014	1.101
central_air	0.0373	0.037	0.9254	0.925	1.0806	1.081
fireplace	0.0904	0.090	0.5273	0.527	1.8966	1.897
months_10to18	0.0000	0.001	0.9779	0.978	1.0226	1.023
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 1 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1866	32	0.3676	0.4950	0.4870	57.2650
R	1898	1866	32	0.3676	0.4955	0.4868	57.2647
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.10%	-0.04%	-0.00%

Table 10: District 1 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3040
R	0.9776	1.0688	0.9403	1.1367	0.3292	-0.3040
% diff (R vs SPSS)	-0.04%	-0.02%	0.03%	-0.03%	0.06%	0.00%


Table 11: District 1 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2877	NA	0.0242	NA	NA	NA	467.0176	NA
ln_base_bldgsize_ratio	0.7746	0.775	0.0469	0.047	0.3868	0.387	16.5083	16.508
ecf1r137	-0.6534	-0.653	0.1121	0.112	-0.0967	-0.097	-5.8283	-5.828
ecf1r126	0.5155	0.515	0.0461	0.046	0.1970	0.197	11.1852	11.185
ecf1r116	0.4778	0.478	0.0473	0.047	0.1871	0.187	10.1007	10.101
poor	-0.4769	-0.477	0.0884	0.088	-0.0901	-0.090	-5.3936	-5.394
ecf1r134	0.4658	0.466	0.0729	0.073	0.1075	0.107	6.3873	6.387
ecf1r115	0.3862	0.386	0.0709	0.071	0.0923	0.092	5.4438	5.444
ecf1r113	-0.3484	-0.348	0.0870	0.087	-0.0676	-0.068	-4.0065	-4.007
ecf1r124	-0.3462	-0.346	0.1319	0.132	-0.0437	-0.044	-2.6248	-2.625
ecf1r103	0.3090	0.309	0.0530	0.053	0.1019	0.102	5.8359	5.836
ecf1r112	0.2779	0.278	0.0794	0.079	0.0593	0.059	3.4991	3.499
ecf1r128	-0.2704	-0.270	0.0481	0.048	-0.0979	-0.098	-5.6214	-5.621
good	0.2604	0.260	0.0615	0.062	0.0711	0.071	4.2325	4.233
ecf1r120	0.2556	0.256	0.0681	0.068	0.0631	0.063	3.7555	3.755
ecf1r101	0.2417	0.242	0.0968	0.097	0.0417	0.042	2.4960	2.496
ecf1r132	0.1935	0.194	0.0630	0.063	0.0521	0.052	3.0705	3.071
ecf1r104	0.1870	0.187	0.0346	0.035	0.1010	0.101	5.4069	5.407
ecf1r110	0.1831	0.183	0.0524	0.052	0.0598	0.060	3.4943	3.494
fair	-0.1741	-0.174	0.0242	0.024	-0.1214	-0.121	-7.1908	-7.191
ecf1r117	0.1442	0.144	0.0392	0.039	0.0662	0.066	3.6784	3.678
ecf1r122	-0.1441	-0.144	0.0467	0.047	-0.0537	-0.054	-3.0890	-3.089
ecf1r119	-0.1154	-0.115	0.0634	0.063	-0.0307	-0.031	-1.8213	-1.821
ecf1r109	0.1138	0.114	0.0327	0.033	0.0618	0.062	3.4808	3.481
yb_1910_to_1929	-0.1132	-0.113	0.0300	0.030	-0.0741	-0.074	-3.7681	-3.768
ecf1r121	0.0979	0.098	0.0404	0.040	0.0428	0.043	2.4271	2.427
ecf1r108	-0.0862	-0.086	0.0441	0.044	-0.0340	-0.034	-1.9561	-1.956
central_air	0.0710	0.071	0.0219	0.022	0.0554	0.055	3.2426	3.243
qbelow_avg	-0.0708	-0.071	0.0225	0.022	-0.0676	-0.068	-3.1511	-3.151
ln_garagespaces	0.0570	0.057	0.0277	0.028	0.0353	0.035	2.0607	2.061
large	0.0475	0.048	0.0225	0.022	0.0414	0.041	2.1156	2.116
yb_1930_to_1945	-0.0455	-0.045	0.0206	0.021	-0.0433	-0.043	-2.2072	-2.207
months_10to18	0.0173	0.017	0.0022	0.002	0.1298	0.130	7.8270	7.827
(intercept)	NA	11.288	NA	0.024	NA	NA	NA	467.018

Table 12: District 1 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4925	0.493	2.0303	2.030
ecf1r137	0.0000	0.001	0.9831	0.983	1.0172	1.017
ecf1r126	0.0000	0.001	0.8720	0.872	1.1468	1.147
ecf1r116	0.0000	0.001	0.7881	0.788	1.2688	1.269
poor	0.0000	0.001	0.9695	0.970	1.0315	1.031
ecf1r134	0.0000	0.001	0.9546	0.955	1.0476	1.048
ecf1r115	0.0000	0.001	0.9403	0.940	1.0635	1.063
ecf1r113	0.0001	0.001	0.9501	0.950	1.0525	1.053
ecf1r124	0.0087	0.009	0.9750	0.975	1.0256	1.026
ecf1r103	0.0000	0.001	0.8866	0.887	1.1279	1.128
ecf1r112	0.0005	0.001	0.9425	0.943	1.0610	1.061
ecf1r128	0.0000	0.001	0.8910	0.891	1.1223	1.122
good	0.0000	0.001	0.9585	0.959	1.0433	1.043
ecf1r120	0.0002	0.001	0.9564	0.956	1.0456	1.046
ecf1r101	0.0126	0.013	0.9687	0.969	1.0323	1.032
ecf1r132	0.0022	0.002	0.9375	0.937	1.0667	1.067
ecf1r104	0.0000	0.001	0.7753	0.775	1.2898	1.290
ecf1r110	0.0005	0.001	0.9219	0.922	1.0848	1.085
fair	0.0000	0.001	0.9492	0.949	1.0535	1.054
ecf1r117	0.0002	0.001	0.8341	0.834	1.1989	1.199
ecf1r122	0.0020	0.002	0.8961	0.896	1.1160	1.116
ecf1r119	0.0687	0.069	0.9526	0.953	1.0498	1.050
ecf1r109	0.0005	0.001	0.8577	0.858	1.1659	1.166
yb_1910_to_1929	0.0002	0.001	0.6990	0.699	1.4306	1.431
ecf1r121	0.0153	0.015	0.8677	0.868	1.1524	1.152
ecf1r108	0.0506	0.051	0.8973	0.897	1.1144	1.114
central_air	0.0012	0.001	0.9251	0.925	1.0810	1.081
qbelow_avg	0.0017	0.002	0.5882	0.588	1.7001	1.700
ln_garagespaces	0.0395	0.039	0.9190	0.919	1.0881	1.088
large	0.0345	0.035	0.7048	0.705	1.4189	1.419
yb_1930_to_1945	0.0274	0.027	0.7011	0.701	1.4264	1.426
months_10to18	0.0000	0.001	0.9835	0.983	1.0168	1.017
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 1 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1898	1867	31	0.3675	0.4870	0.4780	57.1660
R	1898	1867	31	0.3675	0.4870	0.4785	57.1664
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.10%	0.00%

Table 14: District 1 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9780	1.0690	0.9400	1.1370	0.3290	-0.3120
R	0.9927	1.0852	0.9506	1.1416	0.3331	-0.3205
% diff (R vs SPSS)	1.50%	1.51%	1.13%	0.40%	1.24%	-2.72%


Table 15: District 1 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.4436	NA	0.0223	NA	NA	NA	513.9754	NA
ln_base_bldgsize_ratio	0.7747	0.775	0.0469	0.047	0.3901	0.390	16.5321	16.534
ecf1r137	-0.6533	-0.653	0.1120	0.112	-0.0975	-0.097	-5.8308	-5.830
ecf1r126	0.5155	0.515	0.0461	0.046	0.1986	0.199	11.1882	11.188
ecf1r116	0.4778	0.478	0.0473	0.047	0.1886	0.189	10.1037	10.103
poor	-0.4768	-0.477	0.0883	0.088	-0.0908	-0.091	-5.4006	-5.398
ecf1r134	0.4658	0.466	0.0729	0.073	0.1084	0.108	6.3913	6.390
ecf1r115	0.3862	0.386	0.0709	0.071	0.0931	0.093	5.4466	5.447
ecf1r113	-0.3484	-0.348	0.0869	0.087	-0.0682	-0.068	-4.0082	-4.009
ecf1r124	-0.3462	-0.346	0.1319	0.132	-0.0441	-0.044	-2.6254	-2.625
ecf1r103	0.3091	0.309	0.0529	0.053	0.1028	0.103	5.8384	5.839
ecf1r112	0.2779	0.278	0.0794	0.079	0.0598	0.060	3.5001	3.499
ecf1r128	-0.2704	-0.271	0.0480	0.048	-0.0988	-0.099	-5.6301	-5.632
good	0.2604	0.260	0.0615	0.062	0.0717	0.072	4.2348	4.236
ecf1r120	0.2557	0.256	0.0680	0.068	0.0637	0.064	3.7579	3.759
ecf1r101	0.2416	0.241	0.0967	0.097	0.0420	0.042	2.4971	2.496
ecf1r132	0.1935	0.194	0.0630	0.063	0.0526	0.053	3.0714	3.071
ecf1r104	0.1870	0.187	0.0346	0.035	0.1018	0.102	5.4084	5.408
ecf1r110	0.1831	0.183	0.0524	0.052	0.0603	0.060	3.4955	3.496
fair	-0.1740	-0.174	0.0242	0.024	-0.1224	-0.122	-7.1981	-7.196
ecf1r117	0.1442	0.144	0.0392	0.039	0.0668	0.067	3.6794	3.679
ecf1r122	-0.1441	-0.144	0.0466	0.047	-0.0541	-0.054	-3.0898	-3.090
ecf1r119	-0.1154	-0.115	0.0634	0.063	-0.0309	-0.031	-1.8217	-1.822
ecf1r109	0.1138	0.114	0.0327	0.033	0.0623	0.062	3.4821	3.483
yb_1910_to_1929	-0.1132	-0.113	0.0300	0.030	-0.0747	-0.075	-3.7693	-3.769
ecf1r121	0.0980	0.098	0.0403	0.040	0.0432	0.043	2.4300	2.431
ecf1r108	-0.0862	-0.086	0.0441	0.044	-0.0342	-0.034	-1.9567	-1.957
central_air	0.0710	0.071	0.0219	0.022	0.0559	0.056	3.2435	3.243
qbelow_avg	-0.0708	-0.071	0.0225	0.022	-0.0681	-0.068	-3.1526	-3.151
ln_garagespaces	0.0570	0.057	0.0277	0.028	0.0356	0.036	2.0613	2.060
large	0.0475	0.047	0.0224	0.022	0.0418	0.042	2.1170	2.115
yb_1930_to_1945	-0.0455	-0.045	0.0206	0.021	-0.0437	-0.044	-2.2077	-2.207
(intercept)	NA	11.443	NA	0.022	NA	NA	NA	513.953

Table 16: District 1 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ln_base_bldgsize_ratio	0.0000	0.001	0.4936	0.494	2.0258	2.026
ecf1r137	0.0000	0.001	0.9836	0.984	1.0167	1.017
ecf1r126	0.0000	0.001	0.8720	0.872	1.1468	1.147
ecf1r116	0.0000	0.001	0.7882	0.788	1.2687	1.269
poor	0.0000	0.001	0.9719	0.972	1.0289	1.029
ecf1r134	0.0000	0.001	0.9555	0.955	1.0466	1.047
ecf1r115	0.0000	0.001	0.9406	0.941	1.0631	1.063
ecf1r113	0.0001	0.001	0.9502	0.950	1.0524	1.052
ecf1r124	0.0087	0.009	0.9750	0.975	1.0256	1.026
ecf1r103	0.0000	0.001	0.8868	0.887	1.1276	1.128
ecf1r112	0.0005	0.001	0.9427	0.943	1.0608	1.061
ecf1r128	0.0000	0.001	0.8930	0.893	1.1198	1.120
good	0.0000	0.001	0.9588	0.959	1.0429	1.043
ecf1r120	0.0002	0.001	0.9569	0.957	1.0451	1.045
ecf1r101	0.0126	0.013	0.9696	0.970	1.0314	1.031
ecf1r132	0.0022	0.002	0.9375	0.937	1.0667	1.067
ecf1r104	0.0000	0.001	0.7754	0.775	1.2897	1.290
ecf1r110	0.0005	0.001	0.9219	0.922	1.0847	1.085
fair	0.0000	0.001	0.9508	0.951	1.0517	1.052
ecf1r117	0.0002	0.001	0.8342	0.834	1.1987	1.199
ecf1r122	0.0020	0.002	0.8961	0.896	1.1160	1.116
ecf1r119	0.0687	0.069	0.9526	0.953	1.0498	1.050
ecf1r109	0.0005	0.001	0.8578	0.858	1.1658	1.166
yb_1910_to_1929	0.0002	0.001	0.6992	0.699	1.4302	1.430
ecf1r121	0.0152	0.015	0.8688	0.869	1.1511	1.151
ecf1r108	0.0505	0.051	0.8973	0.897	1.1144	1.114
central_air	0.0012	0.001	0.9253	0.925	1.0807	1.081
qbelow_avg	0.0016	0.002	0.5887	0.589	1.6987	1.699
ln_garagespaces	0.0394	0.040	0.9195	0.920	1.0875	1.088
large	0.0344	0.035	0.7059	0.706	1.4166	1.417
yb_1930_to_1945	0.0274	0.027	0.7011	0.701	1.4264	1.426
(intercept)	NA	0.001	NA	NA	NA	NA

District 1 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 1 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2696	2653	43	0.3896	0.4780	0.4690	56.4750
R	1898	1863	35	0.3671	0.4891	0.4795	50.9596
% diff (R vs SPSS)	-29.60%	-29.78%	-18.60%	-5.78%	2.32%	2.24%	-9.77%

Table 18: District 1 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9860	1.0780	0.9330	1.1550	0.3430	-0.3360
R	0.9879	1.0851	0.9505	1.1417	0.3342	-0.3206
% diff (R vs SPSS)	0.19%	0.66%	1.87%	-1.15%	-2.56%	4.59%


Table 19: District 1 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.3019	NA	0.1979	NA	NA	NA	47.0147	NA
ecf1r137	-0.6484	-0.520	0.1121	0.071	-0.0967	-0.108	-5.7854	-7.365
ecf1r126	0.5087	0.519	0.0464	0.047	0.1960	0.166	10.9630	10.927
ecf1r116	0.4858	0.466	0.0480	0.049	0.1918	0.151	10.1150	9.488
ecf1r134	0.4742	0.459	0.0730	0.072	0.1104	0.094	6.4981	6.407
poor	-0.4669	-0.246	0.0885	0.063	-0.0889	-0.056	-5.2734	-3.907
ecf1r115	0.3650	0.374	0.0710	0.072	0.0880	0.076	5.1384	5.228
lnsbldsfint	0.3430	0.312	0.0313	0.026	0.3372	0.305	10.9681	12.140
ecf1r113	-0.3338	-0.292	0.0868	0.069	-0.0653	-0.062	-3.8480	-4.260
ecf1r124	-0.3252	-0.293	0.1320	0.089	-0.0414	-0.050	-2.4637	-3.276
ecf1r103	0.3091	0.338	0.0530	0.051	0.1028	0.100	5.8326	6.593
ecf1r112	0.2943	0.226	0.0790	0.062	0.0633	0.055	3.7250	3.661
ecf1r128	-0.2914	-0.228	0.0483	0.039	-0.1064	-0.092	-6.0374	-5.865
yb_post_1990	-0.2876	NA	0.1659	NA	-0.0290	NA	-1.7337	NA
good	0.2625	0.211	0.0615	0.060	0.0722	0.051	4.2691	3.542
qabove_avg	0.2543	0.230	0.1215	0.129	0.0362	0.026	2.0924	1.787
ecf1r101	0.2509	0.267	0.0967	0.082	0.0437	0.047	2.5939	3.250
ecf1r120	0.2349	0.223	0.0685	0.065	0.0585	0.050	3.4292	3.461
ecf1r104	0.1890	0.199	0.0346	0.032	0.1029	0.103	5.4609	6.286
ecf1r110	0.1806	0.206	0.0524	0.050	0.0595	0.062	3.4466	4.137
ecf1r132	0.1762	0.193	0.0631	0.062	0.0479	0.045	2.7936	3.100
fair	-0.1718	-0.134	0.0242	0.021	-0.1208	-0.094	-7.0964	-6.433
ecf1r122	-0.1527	-0.117	0.0468	0.042	-0.0573	-0.042	-3.2584	-2.805
ecf1r119	-0.1272	-0.111	0.0634	0.052	-0.0341	-0.031	-2.0061	-2.154
ecf1r117	0.1262	0.155	0.0398	0.037	0.0585	0.067	3.1729	4.199
ecf1r127	-0.1178	-0.113	0.0714	0.060	-0.0284	-0.028	-1.6491	-1.873
ecf1r109	0.1086	0.140	0.0328	0.030	0.0595	0.072	3.3131	4.679
yb_1910_to_1929	-0.1059	-0.103	0.0304	0.027	-0.0699	-0.066	-3.4860	-3.798
ecf1r121	0.0905	0.115	0.0405	0.038	0.0399	0.047	2.2325	3.033
ecf1r108	-0.0861	-0.098	0.0440	0.037	-0.0342	-0.040	-1.9594	-2.661
largest	0.0825	0.121	0.0465	0.042	0.0468	0.060	1.7726	2.857
large	0.0767	0.071	0.0286	0.026	0.0675	0.057	2.6801	2.762
central_air	0.0723	0.065	0.0219	0.021	0.0569	0.046	3.3070	3.144
qbelow_avg	-0.0641	-0.055	0.0226	0.020	-0.0616	-0.051	-2.8343	-2.778
small	-0.0525	NA	0.0236	NA	-0.0424	NA	-2.2268	NA
yb_1930_to_1945	-0.0460	-0.058	0.0209	0.019	-0.0442	-0.053	-2.2042	-2.979
(intercept)	NA	9.338	NA	0.159	NA	NA	NA	58.823
ln_landratio	NA	0.083	NA	0.038	NA	0.037	NA	2.188
half_duplex2story	NA	-0.383	NA	0.196	NA	-0.028	NA	-1.950
crawl	NA	-0.155	NA	0.064	NA	-0.038	NA	-2.434
slab	NA	-0.229	NA	0.068	NA	-0.056	NA	-3.392
garage	NA	0.097	NA	0.018	NA	0.082	NA	5.512
fireplace	NA	0.060	NA	0.021	NA	0.056	NA	2.911
wall	NA	0.183	NA	0.099	NA	0.032	NA	1.854
ecf1r125	NA	0.148	NA	0.070	NA	0.030	NA	2.127
ecf1r129	NA	0.107	NA	0.051	NA	0.031	NA	2.072
ecf1r130	NA	-0.419	NA	0.203	NA	-0.030	NA	-2.065

Table 20: District 1 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf1r137	0.0000	0.001	0.9810	0.907	1.0193	1.102
ecf1r126	0.0000	0.001	0.8578	0.857	1.1657	1.167
ecf1r116	0.0000	0.001	0.7625	0.772	1.3115	1.295
ecf1r134	0.0000	0.001	0.9507	0.906	1.0518	1.104
poor	0.0000	0.001	0.9642	0.970	1.0371	1.031
ecf1r115	0.0000	0.001	0.9355	0.936	1.0689	1.069
lnsbldsfint	0.0000	0.001	0.2902	0.312	3.4462	3.205
ecf1r113	0.0001	0.001	0.9519	0.934	1.0505	1.070
ecf1r124	0.0138	0.001	0.9711	0.833	1.0298	1.200
ecf1r103	0.0000	0.001	0.8832	0.858	1.1322	1.166
ecf1r112	0.0002	0.001	0.9505	0.882	1.0521	1.134
ecf1r128	0.0000	0.001	0.8826	0.796	1.1331	1.256
yb_post_1990	0.0831	NA	0.9822	NA	1.0182	NA
good	0.0000	0.001	0.9574	0.965	1.0445	1.037
qabove_avg	0.0365	0.074	0.9175	0.920	1.0900	1.087
ecf1r101	0.0096	0.001	0.9677	0.947	1.0334	1.056
ecf1r120	0.0006	0.001	0.9421	0.926	1.0614	1.080
ecf1r104	0.0000	0.001	0.7725	0.735	1.2945	1.361
ecf1r110	0.0006	0.001	0.9187	0.862	1.0885	1.160
ecf1r132	0.0053	0.002	0.9340	0.923	1.0706	1.083
fair	0.0000	0.001	0.9471	0.928	1.0558	1.077
ecf1r122	0.0011	0.005	0.8865	0.871	1.1281	1.148
ecf1r119	0.0450	0.031	0.9499	0.925	1.0528	1.081
ecf1r117	0.0015	0.001	0.8079	0.763	1.2378	1.311
ecf1r127	0.0993	0.061	0.9255	0.910	1.0805	1.098
ecf1r109	0.0009	0.001	0.8514	0.822	1.1746	1.216
yb_1910_to_1929	0.0005	0.001	0.6823	0.659	1.4657	1.518
ecf1r121	0.0257	0.002	0.8585	0.834	1.1649	1.199
ecf1r108	0.0502	0.008	0.8995	0.861	1.1118	1.161
largest	0.0765	0.004	0.3941	0.447	2.5373	2.237
large	0.0074	0.006	0.4323	0.455	2.3131	2.199
central_air	0.0010	0.002	0.9259	0.915	1.0800	1.093
qbelow_avg	0.0046	0.006	0.5803	0.575	1.7233	1.740
small	0.0261	NA	0.7569	NA	1.3211	NA
yb_1930_to_1945	0.0276	0.003	0.6827	0.631	1.4648	1.584
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.029	NA	0.701	NA	1.426
half_duplex2story	NA	0.051	NA	0.986	NA	1.014
crawl	NA	0.015	NA	0.789	NA	1.267
slab	NA	0.001	NA	0.720	NA	1.388
garage	NA	0.001	NA	0.879	NA	1.138
fireplace	NA	0.004	NA	0.537	NA	1.861
wall	NA	0.064	NA	0.682	NA	1.467
ecf1r125	NA	0.033	NA	0.958	NA	1.044
ecf1r129	NA	0.038	NA	0.867	NA	1.154
ecf1r130	NA	0.039	NA	0.921	NA	1.086

District 1 | Model VI Beta Coef. Comparison: SPSS vs R



District 2 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

5 June 2026

Contents

Model I	1
Model II	3
Model III	5
Model IV	8
Model V	11
Model VI	14
Model Comparison	17

Model I


Table 1: District 2 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	325	319	6	0.4819	0.3140	0.3010	24.3360
R	325	319	6	0.4819	0.3140	0.3011	24.3362
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.00%	0.03%	0.00%

Table 2: District 2 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.678	3.520	0.080	0.134	NA	NA	45.985	26.177	0.000	0.001
months_1to18	0.034	0.035	0.005	0.007	0.320	0.339	6.828	5.355	0.000	0.001
qabove_avg	0.543	0.456	0.093	0.124	0.285	0.239	5.869	3.673	0.000	0.001
fireplace	0.194	0.217	0.057	0.071	0.168	0.188	3.392	3.058	0.001	0.002
arterial	0.378	0.345	0.130	0.136	0.146	0.133	2.913	2.536	0.004	0.012
half_duplex1story	-0.593	-0.593	0.262	0.274	-0.113	-0.113	-2.267	-2.167	0.024	0.031
yb_pre_1929	-0.201	-0.166	0.060	0.084	-0.161	-0.133	-3.379	-1.977	0.001	0.049
central_air	NA	0.092	NA	0.072	NA	0.066	NA	1.268	NA	0.206
crawl	NA	-0.157	NA	0.301	NA	-0.026	NA	-0.519	NA	0.604
half_duplex2story	NA	-0.157	NA	0.365	NA	-0.021	NA	-0.429	NA	0.668
hot_water	NA	0.027	NA	0.096	NA	0.017	NA	0.278	NA	0.781
large	NA	0.095	NA	0.089	NA	0.078	NA	1.065	NA	0.288
largest	NA	0.178	NA	0.139	NA	0.123	NA	1.286	NA	0.199
In_garagespaces	NA	-0.024	NA	0.105	NA	-0.012	NA	-0.229	NA	0.819
months_19to24	NA	-0.014	NA	0.019	NA	-0.047	NA	-0.735	NA	0.463
powder_room	NA	-0.042	NA	0.086	NA	-0.033	NA	-0.488	NA	0.626
qbelow_avg	NA	0.075	NA	0.096	NA	0.061	NA	0.784	NA	0.434
qpoor	NA	0.205	NA	0.504	NA	0.020	NA	0.406	NA	0.685
single_family2story	NA	0.011	NA	0.078	NA	0.009	NA	0.140	NA	0.889
slab	NA	0.055	NA	0.255	NA	0.011	NA	0.217	NA	0.828
small	NA	0.097	NA	0.102	NA	0.060	NA	0.957	NA	0.339
smallest	NA	0.118	NA	0.132	NA	0.054	NA	0.898	NA	0.370
three_plus_baths	NA	0.168	NA	0.242	NA	0.045	NA	0.693	NA	0.489
two_baths	NA	0.010	NA	0.162	NA	0.005	NA	0.062	NA	0.951
yb_1946_to_1960	NA	0.020	NA	0.074	NA	0.016	NA	0.271	NA	0.787
yb_1961_to_1990	NA	-0.216	NA	0.304	NA	-0.036	NA	-0.710	NA	0.478

District 2 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 2 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1721	18	0.4506	0.4850	0.4790	89.9480
R	1739	1721	18	0.4506	0.4847	0.4794	89.9476
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.06%	0.08%	-0.00%

Table 4: District 2 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.309	11.309	0.036	0.036	NA	NA	315.764	315.764	0.000	0.001
ln_base_bldgsize_ratio	0.665	0.665	0.082	0.082	0.323	0.323	8.065	8.065	0.000	0.001
qabove_avg	0.321	0.321	0.052	0.052	0.139	0.139	6.240	6.240	0.000	0.001
months_1to18	0.014	0.014	0.002	0.002	0.134	0.134	7.622	7.622	0.000	0.001
fireplace	0.144	0.144	0.027	0.027	0.111	0.111	5.384	5.384	0.000	0.001
ln_landratio	0.255	0.255	0.054	0.054	0.099	0.099	4.712	4.712	0.000	0.001
two_baths	0.162	0.162	0.062	0.062	0.069	0.069	2.607	2.607	0.009	0.009
powder_room	0.081	0.081	0.035	0.035	0.058	0.058	2.332	2.332	0.020	0.020
three_plus_baths	0.244	0.244	0.123	0.123	0.050	0.050	1.980	1.980	0.048	0.048
good	0.229	0.229	0.087	0.087	0.046	0.046	2.633	2.633	0.009	0.009
central_air	0.051	0.051	0.026	0.026	0.036	0.036	1.973	1.973	0.049	0.049
slab	-0.211	-0.211	0.111	0.111	-0.033	-0.033	-1.900	-1.900	0.058	0.058
half_duplex2story	-0.380	-0.380	0.162	0.162	-0.041	-0.041	-2.349	-2.349	0.019	0.019
poor	-0.245	-0.245	0.085	0.085	-0.050	-0.050	-2.876	-2.876	0.004	0.004
unsound	-0.508	-0.508	0.172	0.172	-0.051	-0.051	-2.957	-2.957	0.003	0.003
qbelow_avg	-0.093	-0.093	0.032	0.032	-0.069	-0.069	-2.866	-2.866	0.004	0.004
half_duplex1story	-0.741	-0.741	0.161	0.161	-0.080	-0.080	-4.597	-4.597	0.000	0.001
fair	-0.181	-0.181	0.028	0.028	-0.113	-0.113	-6.349	-6.349	0.000	0.001
yb_pre_1929	-0.191	-0.191	0.031	0.031	-0.124	-0.124	-6.269	-6.269	0.000	0.001

District 2 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 2 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1707	32	0.4157	0.5650	0.5570	69.2910
R	1739	1707	32	0.4157	0.5650	0.5569	69.2908
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	-0.02%	-0.00%

Table 6: District 2 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1280	0.9450	1.1940	0.3830	
R	0.9740	1.0888	0.9294	1.1715	0.3726	-0.2622
% diff (R vs SPSS)	-4.79%	-3.48%	-1.65%	-1.89%	-2.72%	


Table 7: District 2 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2803	NA	0.0287	NA	NA	NA	392.9213	NA
ecf2r210	0.9012	0.901	0.1986	0.199	0.0846	0.085	4.5384	4.538
half_duplex1story	-0.8021	-0.802	0.1486	0.149	-0.0869	-0.087	-5.3961	-5.396
ecf2r229	-0.7531	-0.753	0.1714	0.171	-0.0707	-0.071	-4.3930	-4.393
ecf2r208	0.7425	0.742	0.0943	0.094	0.1299	0.130	7.8756	7.876
ecf2r219	0.7398	0.740	0.1526	0.153	0.0802	0.080	4.8463	4.846
ln_base_bldgsize_ratio	0.7087	0.709	0.0456	0.046	0.3447	0.345	15.5398	15.540
ecf2r211_230	-0.6956	-0.696	0.2411	0.241	-0.0462	-0.046	-2.8845	-2.885
ecf2r216	0.6412	0.641	0.2100	0.210	0.0550	0.055	3.0541	3.054
ecf2r228	-0.5829	-0.583	0.1497	0.150	-0.0632	-0.063	-3.8939	-3.894
ecf2r218	-0.5644	-0.564	0.1182	0.118	-0.0779	-0.078	-4.7754	-4.775
ecf2r206_215_217	0.5408	0.541	0.0833	0.083	0.1360	0.136	6.4919	6.492
ecf2r209	0.4855	0.486	0.1601	0.160	0.0526	0.053	3.0317	3.032
ecf2r204	0.4418	0.442	0.1361	0.136	0.0535	0.053	3.2453	3.245
ecf2r226	-0.4360	-0.436	0.1868	0.187	-0.0374	-0.037	-2.3346	-2.335
crawl	-0.3764	-0.376	0.1905	0.190	-0.0323	-0.032	-1.9761	-1.976
ecf2r224	-0.3458	-0.346	0.0576	0.058	-0.1011	-0.101	-6.0077	-6.008
unsound	-0.3192	-0.319	0.1593	0.159	-0.0324	-0.032	-2.0036	-2.004
ecf2r214	0.3134	0.313	0.0308	0.031	0.2103	0.210	10.1665	10.166
half_duplex2story	-0.2953	-0.295	0.1498	0.150	-0.0320	-0.032	-1.9711	-1.971
slab	-0.2813	-0.281	0.1045	0.104	-0.0443	-0.044	-2.6930	-2.693
ecf2r227	0.2812	0.281	0.1352	0.135	0.0341	0.034	2.0804	2.080
ecf2r222	-0.2540	-0.254	0.0480	0.048	-0.0896	-0.090	-5.2915	-5.291
ecf2r203	0.2032	0.203	0.0408	0.041	0.0859	0.086	4.9828	4.983
good	0.1948	0.195	0.0816	0.082	0.0393	0.039	2.3868	2.387
fair	-0.1889	-0.189	0.0268	0.027	-0.1181	-0.118	-7.0577	-7.058
poor	-0.1753	-0.175	0.0792	0.079	-0.0360	-0.036	-2.2149	-2.215
ln_landratio	0.1686	0.169	0.0547	0.055	0.0657	0.066	3.0849	3.085
qabove_avg	0.1589	0.159	0.0507	0.051	0.0688	0.069	3.1362	3.136
ecf2r213	0.1415	0.142	0.0424	0.042	0.0575	0.057	3.3408	3.341
ecf2r220	-0.0869	-0.087	0.0506	0.051	-0.0288	-0.029	-1.7180	-1.718
fireplace	0.0545	0.054	0.0253	0.025	0.0422	0.042	2.1525	2.152
months_1to18	0.0139	0.014	0.0018	0.002	0.1291	0.129	7.8967	7.897
(intercept)	NA	11.280	NA	0.029	NA	NA	NA	392.921

Table 8: District 2 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0000	0.001	0.7328	0.733	1.3646	1.365
half_duplex1story	0.0000	0.001	0.9821	0.982	1.0182	1.018
ecf2r229	0.0000	0.001	0.9832	0.983	1.0171	1.017
ecf2r208	0.0000	0.001	0.9371	0.937	1.0671	1.067
ecf2r219	0.0000	0.001	0.9312	0.931	1.0739	1.074
ln_base_bldgsize_ratio	0.0000	0.001	0.5180	0.518	1.9305	1.931
ecf2r211_230	0.0040	0.004	0.9922	0.992	1.0078	1.008
ecf2r216	0.0023	0.002	0.7862	0.786	1.2719	1.272
ecf2r228	0.0001	0.001	0.9683	0.968	1.0327	1.033
ecf2r218	0.0000	0.001	0.9587	0.959	1.0431	1.043
ecf2r206_215_217	0.0000	0.001	0.5805	0.581	1.7226	1.723
ecf2r209	0.0025	0.002	0.8461	0.846	1.1819	1.182
ecf2r204	0.0012	0.001	0.9377	0.938	1.0664	1.066
ecf2r226	0.0197	0.020	0.9937	0.994	1.0064	1.006
crawl	0.0483	0.048	0.9550	0.955	1.0471	1.047
ecf2r224	0.0000	0.001	0.9003	0.900	1.1107	1.111
unsound	0.0453	0.045	0.9765	0.977	1.0240	1.024
ecf2r214	0.0000	0.001	0.5956	0.596	1.6789	1.679
half_duplex2story	0.0489	0.049	0.9664	0.966	1.0347	1.035
slab	0.0072	0.007	0.9405	0.941	1.0633	1.063
ecf2r227	0.0376	0.038	0.9509	0.951	1.0516	1.052
ecf2r222	0.0000	0.001	0.8883	0.888	1.1257	1.126
ecf2r203	0.0000	0.001	0.8580	0.858	1.1656	1.166
good	0.0171	0.017	0.9413	0.941	1.0623	1.062
fair	0.0000	0.001	0.9103	0.910	1.0985	1.099
poor	0.0269	0.027	0.9670	0.967	1.0341	1.034
ln_landratio	0.0021	0.002	0.5623	0.562	1.7784	1.778
qabove_avg	0.0017	0.002	0.5300	0.530	1.8867	1.887
ecf2r213	0.0009	0.001	0.8616	0.862	1.1606	1.161
ecf2r220	0.0860	0.086	0.9055	0.905	1.1044	1.104
fireplace	0.0315	0.031	0.6645	0.665	1.5049	1.505
months_1to18	0.0000	0.001	0.9535	0.953	1.0488	1.049
(intercept)	NA	0.001	NA	NA	NA	NA

District 2 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 2 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1566	27	0.3745	0.5840	0.5770	81.4850
R	1593	1566	27	0.3745	0.5842	0.5770	81.4846
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	-0.00%

Table 10: District 2 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2650
R	0.9859	1.0710	0.9408	1.1384	0.3320	-0.2300
% diff (R vs SPSS)	-3.62%	-2.63%	-1.69%	-0.92%	0.30%	13.20%


Table 11: District 2 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2781	NA	0.0301	NA	NA	NA	374.7650	NA
half_duplex1story	-0.9201	-0.920	0.1896	0.190	-0.0800	-0.080	-4.8531	-4.853
ecf2r210	0.8673	0.867	0.3878	0.388	0.0377	0.038	2.2364	2.236
ecf2r219	0.7837	0.784	0.1490	0.149	0.0900	0.090	5.2585	5.258
ecf2r208	0.7676	0.768	0.1029	0.103	0.1244	0.124	7.4564	7.456
ecf2r218	-0.7277	-0.728	0.1886	0.189	-0.0632	-0.063	-3.8577	-3.858
ecf2r216	0.6349	0.635	0.2399	0.240	0.0478	0.048	2.6467	2.647
ecf2r228	-0.6305	-0.631	0.2182	0.218	-0.0475	-0.047	-2.8901	-2.890
ln_base_bldgsize_ratio	0.5719	0.572	0.0641	0.064	0.2874	0.287	8.9271	8.927
ecf2r206_215_217	0.5241	0.524	0.0776	0.078	0.1458	0.146	6.7513	6.751
ecf2r204	0.5020	0.502	0.1918	0.192	0.0436	0.044	2.6177	2.618
ecf2r209	0.4402	0.440	0.1975	0.198	0.0383	0.038	2.2284	2.228
slab	-0.4100	-0.410	0.1220	0.122	-0.0590	-0.059	-3.3608	-3.361
ecf2r224	-0.4067	-0.407	0.0573	0.057	-0.1208	-0.121	-7.0947	-7.095
ecf2r227	0.3425	0.343	0.1903	0.190	0.0298	0.030	1.7996	1.800
ecf2r222	-0.2948	-0.295	0.0452	0.045	-0.1131	-0.113	-6.5168	-6.517
ecf2r214	0.2926	0.293	0.0287	0.029	0.2174	0.217	10.1956	10.196
good	0.2629	0.263	0.0943	0.094	0.0483	0.048	2.7881	2.788
ecf2r203	0.1997	0.200	0.0377	0.038	0.0943	0.094	5.2919	5.292
ln_landratio	0.1991	0.199	0.0524	0.052	0.0768	0.077	3.7998	3.800
fair	-0.1916	-0.192	0.0255	0.025	-0.1268	-0.127	-7.5224	-7.522
ecf2r213	0.1592	0.159	0.0393	0.039	0.0730	0.073	4.0492	4.049
qabove_avg	0.1441	0.144	0.0484	0.048	0.0655	0.066	2.9753	2.975
largest	0.0918	0.092	0.0358	0.036	0.0631	0.063	2.5672	2.567
ecf2r205	0.0912	0.091	0.0488	0.049	0.0336	0.034	1.8701	1.870
fireplace	0.0779	0.078	0.0240	0.024	0.0652	0.065	3.2485	3.249
qbelow_avg	-0.0568	-0.057	0.0302	0.030	-0.0461	-0.046	-1.8792	-1.879
months_1to18	0.0133	0.013	0.0016	0.002	0.1338	0.134	8.0793	8.079
(intercept)	NA	11.278	NA	0.030	NA	NA	NA	374.765

Table 12: District 2 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
half_duplex1story	0.0000	0.001	0.9779	0.978	1.0226	1.023
ecf2r210	0.0255	0.025	0.9331	0.933	1.0717	1.072
ecf2r219	0.0000	0.001	0.9060	0.906	1.1037	1.104
ecf2r208	0.0000	0.001	0.9538	0.954	1.0485	1.048
ecf2r218	0.0001	0.001	0.9877	0.988	1.0124	1.012
ecf2r216	0.0082	0.008	0.8140	0.814	1.2285	1.228
ecf2r228	0.0039	0.004	0.9840	0.984	1.0163	1.016
ln_base_bldgsize_ratio	0.0000	0.001	0.2563	0.256	3.9024	3.902
ecf2r206_215_217	0.0000	0.001	0.5690	0.569	1.7575	1.757
ecf2r204	0.0089	0.009	0.9557	0.956	1.0463	1.046
ecf2r209	0.0260	0.026	0.9010	0.901	1.1099	1.110
slab	0.0008	0.001	0.8625	0.863	1.1594	1.159
ecf2r224	0.0000	0.001	0.9166	0.917	1.0910	1.091
ecf2r227	0.0721	0.072	0.9703	0.970	1.0307	1.031
ecf2r222	0.0000	0.001	0.8814	0.881	1.1345	1.135
ecf2r214	0.0000	0.001	0.5842	0.584	1.7118	1.712
good	0.0054	0.005	0.8865	0.887	1.1280	1.128
ecf2r203	0.0000	0.001	0.8370	0.837	1.1948	1.195
ln_landratio	0.0002	0.001	0.6493	0.649	1.5400	1.540
fair	0.0000	0.001	0.9341	0.934	1.0706	1.071
ecf2r213	0.0001	0.001	0.8178	0.818	1.2228	1.223
qabove_avg	0.0030	0.003	0.5474	0.547	1.8267	1.827
largest	0.0103	0.010	0.4392	0.439	2.2769	2.277
ecf2r205	0.0617	0.062	0.8247	0.825	1.2125	1.212
fireplace	0.0012	0.001	0.6600	0.660	1.5151	1.515
qbelow_avg	0.0604	0.060	0.4404	0.440	2.2704	2.270
months_1to18	0.0000	0.001	0.9687	0.969	1.0323	1.032
(intercept)	NA	0.001	NA	NA	NA	NA

District 2 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 2 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1567	26	0.3744	0.5750	0.5680	81.6790
R	1593	1567	26	0.3898	0.5554	0.5481	75.3011
% diff (R vs SPSS)	0.00%	0.00%	0.00%	4.12%	-3.41%	-3.50%	-7.81%

Table 14: District 2 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2710
R	1.1201	1.2230	1.0646	1.1488	0.3434	-0.2462
% diff (R vs SPSS)	9.49%	11.18%	11.24%	-0.02%	3.75%	9.16%


Table 15: District 2 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.6314	NA	0.0261	NA	NA	NA	445.6908	NA
ecf2r210	0.9195	0.867	0.4034	0.388	0.0397	0.038	2.2793	2.237
half_duplex1story	-0.8384	-0.920	0.1973	0.189	-0.0724	-0.081	-4.2496	-4.859
ecf2r219	0.8040	0.783	0.1553	0.149	0.0917	0.091	5.1788	5.261
ecf2r218	-0.7825	-0.728	0.1965	0.189	-0.0675	-0.064	-3.9822	-3.859
ecf2r208	0.7619	0.767	0.1071	0.103	0.1226	0.126	7.1109	7.459
ecf2r216	0.6554	0.634	0.2497	0.240	0.0490	0.048	2.6250	2.647
ecf2r228	-0.5661	-0.631	0.2270	0.218	-0.0423	-0.048	-2.4937	-2.894
ecf2r204	0.5501	0.502	0.1995	0.192	0.0475	0.044	2.7570	2.618
ln_base_bldgsize_ratio	0.5152	0.572	0.0698	0.064	0.2571	0.290	7.3779	8.930
ecf2r206_215_217	0.5067	0.524	0.0805	0.078	0.1400	0.147	6.2966	6.753
slab	-0.4647	-0.410	0.1269	0.122	-0.0664	-0.060	-3.6623	-3.363
ecf2r209	0.4334	0.440	0.2057	0.197	0.0374	0.039	2.1066	2.228
ecf2r224	-0.3991	-0.407	0.0597	0.057	-0.1177	-0.122	-6.6853	-7.097
ecf2r222	-0.2908	-0.295	0.0471	0.045	-0.1108	-0.114	-6.1779	-6.520
ecf2r214	0.2846	0.293	0.0297	0.029	0.2100	0.220	9.5686	10.199
good	0.2567	0.263	0.0982	0.094	0.0468	0.049	2.6140	2.789
fair	-0.2274	-0.191	0.0263	0.025	-0.1495	-0.128	-8.6395	-7.574
ln_landratio	0.2099	0.199	0.0550	0.052	0.0805	0.078	3.8192	3.805
ecf2r203	0.1951	0.200	0.0392	0.038	0.0915	0.095	4.9758	5.294
ecf2r213	0.1436	0.159	0.0409	0.039	0.0654	0.074	3.5124	4.056
qabove_avg	0.1296	0.144	0.0504	0.048	0.0585	0.066	2.5731	2.980
ecf2r205	0.1207	0.091	0.0507	0.049	0.0441	0.034	2.3810	1.871
largest	0.0965	0.092	0.0372	0.036	0.0659	0.064	2.5934	2.569
single_family2story	0.0879	NA	0.0248	NA	0.0695	NA	3.5492	NA
fireplace	0.0686	0.078	0.0249	0.024	0.0569	0.066	2.7493	3.254
qbelow_avg	-0.0626	-0.057	0.0315	0.030	-0.0505	-0.047	-1.9890	-1.879
(intercept)	NA	11.517	NA	0.024	NA	NA	NA	478.774
ecf2r227	NA	0.342	NA	0.190	NA	0.030	NA	1.800

Table 16: District 2 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0228	0.025	0.9343	0.933	1.0703	1.071
half_duplex1story	0.0000	0.001	0.9785	0.979	1.0220	1.022
ecf2r219	0.0000	0.001	0.9046	0.907	1.1054	1.102
ecf2r218	0.0001	0.001	0.9864	0.988	1.0137	1.012
ecf2r208	0.0000	0.001	0.9539	0.954	1.0483	1.048
ecf2r216	0.0088	0.008	0.8140	0.815	1.2285	1.227
ecf2r228	0.0127	0.004	0.9847	0.985	1.0155	1.015
ecf2r204	0.0059	0.009	0.9567	0.957	1.0453	1.045
ln_base_bldgsize_ratio	0.0000	0.001	0.2337	0.256	4.2786	3.902
ecf2r206_215_217	0.0000	0.001	0.5738	0.569	1.7429	1.757
slab	0.0003	0.001	0.8639	0.864	1.1575	1.157
ecf2r209	0.0353	0.026	0.8997	0.901	1.1114	1.109
ecf2r224	0.0000	0.001	0.9159	0.917	1.0918	1.091
ecf2r222	0.0000	0.001	0.8819	0.882	1.1339	1.134
ecf2r214	0.0000	0.001	0.5893	0.584	1.6970	1.712
good	0.0090	0.005	0.8853	0.887	1.1296	1.128
fair	0.0000	0.001	0.9481	0.948	1.0548	1.055
ln_landratio	0.0001	0.001	0.6393	0.650	1.5641	1.538
ecf2r203	0.0000	0.001	0.8394	0.837	1.1913	1.195
ecf2r213	0.0005	0.001	0.8193	0.819	1.2206	1.221
qabove_avg	0.0102	0.003	0.5481	0.548	1.8245	1.824
ecf2r205	0.0174	0.062	0.8271	0.827	1.2090	1.209
largest	0.0096	0.010	0.4394	0.439	2.2756	2.277
single_family2story	0.0004	NA	0.7392	NA	1.3529	NA
fireplace	0.0060	0.001	0.6613	0.661	1.5122	1.513
qbelow_avg	0.0469	0.060	0.4405	0.441	2.2701	2.270
(intercept)	NA	0.001	NA	NA	NA	NA
ecf2r227	NA	0.072	NA	0.970	NA	1.031

District 2 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 2 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2553	2518	35	0.3725	0.5630	0.5570	92.7440
R	2855	2812	43	0.4368	0.5148	0.5074	69.3823
% diff (R vs SPSS)	11.83%	11.68%	22.86%	17.26%	-8.56%	-8.90%	-25.19%

Table 18: District 2 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0700	0.9400	1.1390	0.3250	-0.2390
R	1.1024	1.2201	1.0219	1.1940	0.3854	-0.3019
% diff (R vs SPSS)	10.57%	14.03%	8.71%	4.83%	18.58%	-26.34%


Table 19: District 2 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.1217	NA	0.1914	NA	NA	NA	52.8912	NA
ecf2r210	1.0801	0.994	0.1987	0.381	0.0795	0.035	5.4346	2.609
elec_baseboard	0.8568	NA	0.4592	NA	0.0258	NA	1.8658	NA
ecf2r211_230	-0.8363	-0.695	0.1592	0.373	-0.0710	-0.025	-5.2534	-1.860
unsound	-0.7529	NA	0.1277	NA	-0.0814	NA	-5.8977	NA
ecf2r228	-0.6881	-0.667	0.1349	0.188	-0.0685	-0.047	-5.1007	-3.549
ecf2r208	0.6807	0.731	0.0931	0.096	0.0999	0.103	7.3078	7.636
ecf2r216	0.6765	0.687	0.2129	0.232	0.0454	0.042	3.1773	2.962
ecf2r209	0.5468	0.459	0.1653	0.194	0.0464	0.032	3.3076	2.369
ecf2r226	-0.5428	NA	0.1192	NA	-0.0609	NA	-4.5528	NA
ecf2r206_215_217	0.5076	0.512	0.0829	0.072	0.1016	0.118	6.1229	7.085
ecf2r229	-0.4845	NA	0.1352	NA	-0.0482	NA	-3.5822	NA
ecf2r219	0.3920	0.706	0.1353	0.145	0.0390	0.066	2.8976	4.856
ecf2r218	-0.3712	-0.692	0.0935	0.142	-0.0545	-0.065	-3.9701	-4.865
qpoor	0.3556	0.289	0.1859	0.168	0.0262	0.023	1.9126	1.721
ecf2r224	-0.3230	-0.380	0.0464	0.043	-0.1045	-0.127	-6.9583	-8.929
ecf2r204	0.2883	0.516	0.1254	0.192	0.0312	0.036	2.2988	2.684
good	0.2844	0.314	0.0673	0.071	0.0569	0.060	4.2267	4.393
ecf2r227	0.2621	0.404	0.1358	0.173	0.0261	0.032	1.9294	2.334
crawl	-0.2492	-0.467	0.1287	0.168	-0.0259	-0.037	-1.9365	-2.779
ecf2r214	0.2355	0.276	0.0306	0.025	0.1533	0.205	7.6858	11.214
poor	-0.2244	NA	0.0573	NA	-0.0525	NA	-3.9168	NA
lnsblsftint	0.2173	0.371	0.0309	0.027	0.1958	0.355	7.0355	13.699
ecf2r222	-0.2163	-0.260	0.0394	0.034	-0.0843	-0.110	-5.4869	-7.709
fair	-0.2116	-0.203	0.0208	0.019	-0.1385	-0.145	-10.1945	-10.749
largest	0.1978	0.081	0.0432	0.031	0.1144	0.051	4.5759	2.629
ecf2r225	-0.1667	NA	0.0446	NA	-0.0575	NA	-3.7385	NA
ln_landratio	0.1543	0.197	0.0484	0.043	0.0569	0.076	3.1885	4.544
qabove_avg	0.1470	0.113	0.0485	0.043	0.0542	0.046	3.0334	2.615
ecf2r207	0.1218	NA	0.0718	NA	0.0233	NA	1.6964	NA
ecf2r223	-0.1203	-0.072	0.0438	0.038	-0.0409	-0.027	-2.7498	-1.901
ecf2r220	-0.1148	-0.061	0.0431	0.037	-0.0396	-0.024	-2.6631	-1.660
ecf2r201	-0.1137	-0.100	0.0349	0.029	-0.0512	-0.052	-3.2565	-3.475
ecf2r203	0.1126	0.150	0.0381	0.031	0.0474	0.073	2.9523	4.827
single_family2story	0.1015	NA	0.0216	NA	0.0730	NA	4.7013	NA
yb_1961_to_1990	0.0948	NA	0.0570	NA	0.0232	NA	1.6617	NA
yb_pre_1929	-0.0859	-0.052	0.0292	0.023	-0.0582	-0.038	-2.9442	-2.263
fireplace	0.0783	0.061	0.0214	0.019	0.0628	0.054	3.6581	3.252
ecf2r213	0.0777	0.084	0.0385	0.033	0.0305	0.038	2.0188	2.573
garage	0.0749	0.050	0.0181	0.016	0.0587	0.044	4.1396	3.115
large	0.0665	NA	0.0283	NA	0.0507	NA	2.3533	NA
hot_water	0.0614	NA	0.0302	NA	0.0320	NA	2.0322	NA
qbelow_avg	-0.0472	NA	0.0277	NA	-0.0358	NA	-1.7041	NA
yb_1946_to_1960	0.0395	NA	0.0220	NA	0.0290	NA	1.7971	NA
(intercept)	NA	9.075	NA	0.169	NA	NA	NA	53.779
arterial	NA	-0.081	NA	0.036	NA	-0.033	NA	-2.281
half_duplex1story	NA	-0.496	NA	0.123	NA	-0.055	NA	-4.030
smallest	NA	0.094	NA	0.040	NA	0.042	NA	2.339
two_baths	NA	0.079	NA	0.042	NA	0.031	NA	1.861
slab	NA	-0.253	NA	0.091	NA	-0.038	NA	-2.775

Table 20: District 2 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0000	0.009	0.8070	0.955	1.2392	1.047
elec_baseboard	0.0622	NA	0.9053	NA	1.1046	NA
ecf2r211_230	0.0000	0.063	0.9440	0.995	1.0593	1.005
unsound	0.0000	NA	0.9050	NA	1.1050	NA
ecf2r228	0.0000	0.001	0.9570	0.984	1.0449	1.016
ecf2r208	0.0000	0.001	0.9242	0.952	1.0820	1.051
ecf2r216	0.0015	0.003	0.8434	0.861	1.1857	1.161
ecf2r209	0.0010	0.018	0.8753	0.926	1.1424	1.080
ecf2r226	0.0000	NA	0.9638	NA	1.0376	NA
ecf2r206_215_217	0.0000	0.001	0.6270	0.630	1.5948	1.588
ecf2r229	0.0003	NA	0.9521	NA	1.0503	NA
ecf2r219	0.0038	0.001	0.9515	0.940	1.0509	1.063
ecf2r218	0.0001	0.001	0.9171	0.982	1.0904	1.018
qpoor	0.0559	0.085	0.9219	0.984	1.0848	1.016
ecf2r224	0.0000	0.001	0.7645	0.855	1.3080	1.170
ecf2r204	0.0216	0.007	0.9375	0.942	1.0667	1.062
good	0.0000	0.001	0.9515	0.917	1.0510	1.091
ecf2r227	0.0538	0.020	0.9438	0.926	1.0596	1.080
crawl	0.0529	0.005	0.9644	0.985	1.0369	1.015
ecf2r214	0.0000	0.001	0.4338	0.517	2.3052	1.934
poor	0.0001	NA	0.9588	NA	1.0430	NA
lnsbldsfint	0.0000	0.001	0.2228	0.258	4.4890	3.882
ecf2r222	0.0000	0.001	0.7319	0.845	1.3664	1.184
fair	0.0000	0.001	0.9349	0.953	1.0696	1.050
largest	0.0000	0.009	0.2759	0.455	3.6248	2.198
ecf2r225	0.0002	NA	0.7305	NA	1.3689	NA
ln_landratio	0.0014	0.001	0.5415	0.622	1.8468	1.607
qabove_avg	0.0024	0.009	0.5413	0.572	1.8475	1.748
ecf2r207	0.0899	NA	0.9156	NA	1.0922	NA
ecf2r223	0.0060	0.057	0.7805	0.874	1.2813	1.145
ecf2r220	0.0078	0.097	0.7815	0.851	1.2796	1.175
ecf2r201	0.0011	0.001	0.6984	0.785	1.4318	1.274
ecf2r203	0.0032	0.001	0.6683	0.764	1.4964	1.309
single_family2story	0.0000	NA	0.7155	NA	1.3977	NA
yb_1961_to_1990	0.0967	NA	0.8837	NA	1.1316	NA
yb_pre_1929	0.0033	0.024	0.4422	0.631	2.2617	1.585
fireplace	0.0003	0.001	0.5860	0.620	1.7066	1.612
ecf2r213	0.0436	0.010	0.7552	0.802	1.3242	1.247
garage	0.0000	0.002	0.8574	0.887	1.1663	1.127
large	0.0187	NA	0.3713	NA	2.6931	NA
hot_water	0.0422	NA	0.6969	NA	1.4348	NA
qbelow_avg	0.0885	NA	0.3916	NA	2.5535	NA
yb_1946_to_1960	0.0724	NA	0.6618	NA	1.5110	NA
(intercept)	NA	0.001	NA	NA	NA	NA
arterial	NA	0.023	NA	0.844	NA	1.185
half_duplex1story	NA	0.001	NA	0.918	NA	1.089
smallest	NA	0.019	NA	0.546	NA	1.833
two_baths	NA	0.063	NA	0.645	NA	1.551
slab	NA	0.006	NA	0.938	NA	1.067

District 2 | Model VI Beta Coef. Comparison: SPSS vs R



District 3 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

5 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 3 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	949	938	11	0.4874	0.0950	0.0840	8.9520
R	949	938	11	0.4877	0.0939	0.0832	8.8333
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.06%	-1.16%	-0.95%	-1.33%

Table 2: District 3 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.947	3.951	0.056	0.056	NA	NA	70.507	70.475	0.000	0.001
hot_water	0.400	0.402	0.090	0.090	0.142	0.142	4.424	4.447	0.000	0.001
ln_garagespaces	0.180	0.179	0.051	0.051	0.111	0.111	3.536	3.523	0.000	0.001
slab	0.463	0.469	0.157	0.157	0.093	0.094	2.949	2.984	0.003	0.003
yb_pre_1910	0.736	0.741	0.286	0.285	0.081	0.082	2.579	2.595	0.010	0.010
fireplace	0.088	0.085	0.040	0.040	0.074	0.072	2.214	2.130	0.027	0.033
months_1to9	0.015	0.015	0.006	0.006	0.074	0.074	2.364	2.344	0.018	0.019
smallest	0.100	0.099	0.054	0.054	0.061	0.060	1.863	1.841	0.063	0.066
central_air	0.070	0.070	0.041	0.041	0.055	0.055	1.723	1.722	0.085	0.085
ext_brick_siding	-0.140	-0.142	0.067	0.066	-0.068	-0.069	-2.104	-2.129	0.036	0.033
ext_other	-0.112	-0.120	0.039	0.039	-0.098	-0.105	-2.845	-3.047	0.005	0.002
large	-0.268	-0.270	0.048	0.047	-0.186	-0.187	-5.652	-5.690	0.000	0.001

District 3 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 3 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1375	18	0.5138	0.1570	0.1460	14.2420
R	1393	1375	18	0.5138	0.1570	0.1460	14.2306
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.00%	0.00%	-0.08%

Table 4: District 3 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.970	10.970	0.055	0.055	NA	NA	199.228	199.242	0.000	0.001
largest	0.336	0.334	0.092	0.092	0.096	0.095	3.670	3.646	0.000	0.001
yb_pre_1910	1.070	1.072	0.318	0.318	0.089	0.089	3.367	3.373	0.001	0.001
central_air	0.112	0.112	0.036	0.036	0.078	0.079	3.070	3.090	0.002	0.002
hot_water	0.216	0.214	0.075	0.075	0.075	0.074	2.889	2.871	0.004	0.004
ln_garagespaces	0.119	0.118	0.044	0.044	0.068	0.067	2.671	2.650	0.008	0.008
months_1to9	0.013	0.013	0.007	0.007	0.060	0.059	1.933	1.902	0.053	0.057
fireplace	0.073	0.073	0.037	0.037	0.055	0.055	1.983	1.976	0.048	0.048
slab	0.268	0.270	0.127	0.127	0.053	0.053	2.109	2.121	0.035	0.034
crawl	0.202	0.205	0.098	0.099	0.053	0.053	2.057	2.077	0.040	0.038
months_10to24	0.006	0.006	0.003	0.003	0.052	0.052	1.667	1.677	0.096	0.094
ext_brick_siding	-0.126	-0.125	0.056	0.056	-0.058	-0.058	-2.244	-2.228	0.025	0.026
small	-0.077	-0.077	0.034	0.034	-0.065	-0.065	-2.297	-2.291	0.022	0.022
qpoor	-0.803	-0.800	0.320	0.320	-0.067	-0.067	-2.512	-2.503	0.012	0.012
qbelow_avg	-0.082	-0.080	0.031	0.031	-0.074	-0.072	-2.675	-2.611	0.008	0.009
smallest	-0.174	-0.177	0.050	0.050	-0.099	-0.100	-3.473	-3.541	0.001	0.001
ext_other	-0.145	-0.147	0.034	0.034	-0.122	-0.122	-4.261	-4.281	0.000	0.001
poor	-0.334	-0.332	0.069	0.069	-0.122	-0.121	-4.846	-4.828	0.000	0.001
fair	-0.172	-0.172	0.032	0.032	-0.136	-0.135	-5.389	-5.365	0.000	0.001

District 3 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 3 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1393	1364	29	0.4650	0.3150	0.3010	21.6620
R	1393	1364	29	0.4651	0.3149	0.3003	21.6198
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.03%	-0.03%	-0.23%	-0.19%

Table 6: District 3 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9820	1.1120	0.9030	1.2310	0.4100	
R	0.9814	1.1114	0.9026	1.2314	0.4100	-0.5297
% diff (R vs SPSS)	-0.06%	-0.05%	-0.05%	0.03%	-0.00%	


Table 7: District 3 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8480	NA	0.0507	NA	NA	NA	213.8200	NA
ecf3r310	0.9181	0.942	0.0720	0.071	0.3072	0.315	12.7432	13.190
qpoor	-0.8127	-0.763	0.2898	0.290	-0.0678	-0.064	-2.8042	-2.631
ecf3r306	0.7874	0.778	0.0919	0.092	0.2056	0.203	8.5634	8.439
yb_pre_1910	0.7643	0.701	0.2959	0.296	0.0637	0.058	2.5824	2.368
ecf3r302	0.7010	0.745	0.1983	0.198	0.0826	0.088	3.5350	3.764
ecf3r322	0.3273	0.332	0.0583	0.058	0.1394	0.142	5.6116	5.697
ecf3r321	-0.3203	-0.303	0.0887	0.089	-0.0836	-0.079	-3.6129	-3.415
ecf3r317	-0.3194	-0.296	0.1582	0.158	-0.0460	-0.043	-2.0185	-1.875
ecf3r326	-0.3019	-0.291	0.1340	0.133	-0.0522	-0.050	-2.2523	-2.185
poor	-0.2970	-0.295	0.0627	0.063	-0.1085	-0.108	-4.7406	-4.711
ecf3r315	0.2964	0.308	0.0629	0.063	0.1124	0.117	4.7138	4.918
largest	0.2738	NA	0.0832	NA	0.0781	NA	3.2926	NA
ecf3r314	0.2406	0.251	0.0707	0.071	0.0789	0.082	3.4041	3.552
ln_landratio	0.2298	0.238	0.0701	0.070	0.0823	0.085	3.2791	3.401
ecf3r309	-0.2211	-0.261	0.1310	0.132	-0.0382	-0.045	-1.6877	-1.984
ecf3r301	-0.2047	NA	0.1164	NA	-0.0404	NA	-1.7584	NA
ecf3r324	-0.1759	-0.190	0.0912	0.092	-0.0444	-0.048	-1.9286	-2.069
ecf3r323	0.1647	0.173	0.0459	0.046	0.0918	0.096	3.5834	3.766
ecf3r307	0.1565	0.160	0.0455	0.045	0.0824	0.084	3.4411	3.525
ext_other	-0.1399	-0.153	0.0316	0.032	-0.1171	-0.128	-4.4256	-4.827
fair	-0.1349	-0.136	0.0291	0.029	-0.1064	-0.107	-4.6296	-4.669
smallest	-0.1292	-0.130	0.0459	0.046	-0.0735	-0.074	-2.8138	-2.837
ecf3r320	0.1228	0.122	0.0465	0.047	0.0647	0.064	2.6401	2.611
ln_garagespaces	0.1120	0.113	0.0408	0.041	0.0641	0.065	2.7442	2.789
central_air	0.0900	0.091	0.0332	0.033	0.0632	0.064	2.7127	2.745
qbelow_avg	-0.0880	-0.077	0.0303	0.031	-0.0790	-0.069	-2.9044	-2.503
small	-0.0650	-0.056	0.0309	0.031	-0.0548	-0.047	-2.0994	-1.810
months_1to9	0.0135	0.013	0.0062	0.006	0.0609	0.058	2.1586	2.057
months_10to24	0.0070	0.007	0.0031	0.003	0.0647	0.069	2.2933	2.432
(intercept)	NA	10.835	NA	0.051	NA	NA	NA	212.572
two_baths	NA	0.329	NA	0.150	NA	0.050	NA	2.191
powder_room	NA	0.169	NA	0.061	NA	0.067	NA	2.778

Table 8: District 3 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8645	0.879	1.1567	1.138
qpoor	0.0051	0.009	0.8604	0.859	1.1623	1.164
ecf3r306	0.0000	0.001	0.8716	0.866	1.1473	1.155
yb_pre_1910	0.0099	0.018	0.8251	0.823	1.2120	1.215
ecf3r302	0.0004	0.001	0.9207	0.923	1.0862	1.083
ecf3r322	0.0000	0.001	0.8144	0.813	1.2279	1.230
ecf3r321	0.0003	0.001	0.9376	0.938	1.0666	1.066
ecf3r317	0.0437	0.061	0.9660	0.968	1.0352	1.033
ecf3r326	0.0245	0.029	0.9348	0.945	1.0697	1.058
poor	0.0000	0.001	0.9597	0.958	1.0420	1.044
ecf3r315	0.0000	0.001	0.8831	0.888	1.1323	1.126
largest	0.0010	NA	0.8921	NA	1.1209	NA
ecf3r314	0.0007	0.001	0.9342	0.935	1.0704	1.069
ln_landratio	0.0011	0.001	0.7975	0.802	1.2540	1.247
ecf3r309	0.0917	0.047	0.9784	0.970	1.0221	1.031
ecf3r301	0.0789	NA	0.9507	NA	1.0519	NA
ecf3r324	0.0540	0.039	0.9476	0.939	1.0553	1.065
ecf3r323	0.0004	0.001	0.7654	0.766	1.3065	1.306
ecf3r307	0.0006	0.001	0.8751	0.879	1.1428	1.138
ext_other	0.0000	0.001	0.7170	0.720	1.3948	1.390
fair	0.0000	0.001	0.9501	0.949	1.0525	1.053
smallest	0.0050	0.005	0.7366	0.743	1.3576	1.347
ecf3r320	0.0084	0.009	0.8363	0.835	1.1958	1.198
ln_garagespaces	0.0061	0.005	0.9218	0.926	1.0848	1.080
central_air	0.0068	0.006	0.9257	0.927	1.0803	1.079
qbelow_avg	0.0037	0.012	0.6793	0.665	1.4721	1.504
small	0.0360	0.070	0.7363	0.730	1.3581	1.369
months_1to9	0.0311	0.040	0.6304	0.632	1.5864	1.582
months_10to24	0.0220	0.015	0.6311	0.632	1.5845	1.583
(intercept)	NA	0.001	NA	NA	NA	NA
two_baths	NA	0.029	NA	0.969	NA	1.033
powder_room	NA	0.006	NA	0.870	NA	1.150

District 3 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 3 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1232	27	0.3896	0.4010	0.3880	30.5860
R	1254	1226	28	0.3866	0.4015	0.3879	29.3791
% diff (R vs SPSS)	-0.40%	-0.49%	3.70%	-0.77%	0.12%	-0.03%	-3.95%

Table 10: District 3 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4100
R	1.0020	1.0750	0.9352	1.1495	0.3329	-0.4046
% diff (R vs SPSS)	0.30%	-0.09%	0.13%	-0.22%	-0.94%	1.31%


Table 11: District 3 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8730	NA	0.0454	NA	NA	NA	239.5954	NA
ecf3r310	1.0721	1.124	0.0673	0.067	0.3948	0.410	15.9227	16.889
ecf3r306	1.0249	1.029	0.1095	0.110	0.2179	0.217	9.3559	9.347
ecf3r302	0.9185	1.506	0.3886	0.452	0.0525	0.085	2.3636	3.332
unsound	0.4387	0.446	0.2245	0.226	0.0434	0.044	1.9537	1.973
ecf3r315	0.3644	0.390	0.0553	0.055	0.1561	0.167	6.5844	7.071
ecf3r326	-0.3598	NA	0.1341	NA	-0.0615	NA	-2.6834	NA
ecf3r322	0.3310	0.351	0.0494	0.050	0.1656	0.174	6.6981	6.991
ecf3r314	0.3198	0.347	0.0647	0.065	0.1137	0.122	4.9461	5.318
poor	-0.2993	-0.284	0.0634	0.065	-0.1064	-0.099	-4.7225	-4.375
largest	0.2836	NA	0.1028	NA	0.0701	NA	2.7578	NA
ecf3r321	-0.2785	-0.267	0.0944	0.098	-0.0670	-0.062	-2.9504	-2.730
ln_landratio	0.2316	0.174	0.0655	0.066	0.0879	0.066	3.5366	2.627
ecf3r324	-0.1663	NA	0.0980	NA	-0.0389	NA	-1.6964	NA
ext_other	-0.1618	-0.173	0.0284	0.029	-0.1494	-0.158	-5.6938	-5.997
ecf3r307	0.1616	0.179	0.0393	0.040	0.0987	0.107	4.1157	4.459
ecf3r323	0.1583	0.184	0.0403	0.041	0.1015	0.117	3.9278	4.520
fair	-0.1484	-0.170	0.0257	0.026	-0.1300	-0.148	-5.7647	-6.461
smallest	-0.1413	-0.148	0.0411	0.041	-0.0877	-0.093	-3.4401	-3.639
powder_room	0.1173	0.190	0.0673	0.062	0.0455	0.072	1.7441	3.075
ecf3r320	0.1142	0.129	0.0397	0.041	0.0702	0.079	2.8741	3.183
ln_garagespaces	0.1017	0.102	0.0358	0.036	0.0646	0.065	2.8406	2.845
small	-0.0924	-0.090	0.0272	0.027	-0.0884	-0.085	-3.3907	-3.272
central_air	0.0890	0.100	0.0286	0.029	0.0714	0.079	3.1165	3.455
qbelow_avg	-0.0800	-0.070	0.0270	0.027	-0.0807	-0.070	-2.9634	-2.551
ecf3r303	0.0706	0.105	0.0448	0.045	0.0376	0.055	1.5779	2.313
yb_1910_to_1929	-0.0668	-0.070	0.0409	0.041	-0.0458	-0.048	-1.6349	-1.709
months_1to9	0.0123	0.013	0.0054	0.005	0.0632	0.067	2.2737	2.417
months_10to24	0.0055	0.007	0.0027	0.003	0.0574	0.069	2.0681	2.495
(intercept)	NA	10.839	NA	0.046	NA	NA	NA	237.664
yb_post_1990	NA	-0.558	NA	0.229	NA	-0.063	NA	-2.437
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.804

Table 12: District 3 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.7941	0.826	1.2593	1.211
ecf3r306	0.0000	0.001	0.8998	0.905	1.1113	1.104
ecf3r302	0.0183	0.001	0.9909	0.744	1.0092	1.344
unsound	0.0510	0.049	0.9908	0.991	1.0093	1.009
ecf3r315	0.0000	0.001	0.8680	0.872	1.1521	1.146
ecf3r326	0.0074	NA	0.9307	NA	1.0744	NA
ecf3r322	0.0000	0.001	0.7986	0.786	1.2522	1.272
ecf3r314	0.0000	0.001	0.9235	0.919	1.0828	1.088
poor	0.0000	0.001	0.9610	0.956	1.0406	1.046
largest	0.0059	NA	0.7554	NA	1.3238	NA
ecf3r321	0.0032	0.006	0.9455	0.949	1.0577	1.054
ln_landratio	0.0004	0.009	0.7900	0.763	1.2658	1.311
ecf3r324	0.0901	NA	0.9280	NA	1.0775	NA
ext_other	0.0000	0.001	0.7092	0.698	1.4101	1.432
ecf3r307	0.0000	0.001	0.8493	0.838	1.1774	1.193
ecf3r323	0.0001	0.001	0.7304	0.720	1.3691	1.389
fair	0.0000	0.001	0.9597	0.924	1.0420	1.083
smallest	0.0006	0.001	0.7502	0.746	1.3329	1.341
powder_room	0.0814	0.002	0.7158	0.895	1.3971	1.118
ecf3r320	0.0041	0.001	0.8176	0.796	1.2230	1.256
ln_garagespaces	0.0046	0.005	0.9444	0.944	1.0589	1.059
small	0.0007	0.001	0.7188	0.717	1.3911	1.394
central_air	0.0019	0.001	0.9297	0.929	1.0756	1.076
qbelow_avg	0.0031	0.011	0.6582	0.649	1.5193	1.541
ecf3r303	0.1148	0.021	0.8584	0.857	1.1650	1.166
yb_1910_to_1929	0.1023	0.088	0.6213	0.626	1.6096	1.596
months_1to9	0.0232	0.016	0.6326	0.635	1.5808	1.576
months_10to24	0.0388	0.013	0.6335	0.631	1.5785	1.584
(intercept)	NA	0.001	NA	NA	NA	NA
yb_post_1990	NA	0.015	NA	0.727	NA	1.376
ecf3r325	NA	0.072	NA	0.825	NA	1.213

District 3 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 3 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1259	1234	25	0.3893	0.3920	0.3790	31.7870
R	1254	1228	26	0.3871	0.3923	0.3795	30.4959
% diff (R vs SPSS)	-0.40%	-0.49%	4.00%	-0.57%	0.08%	0.13%	-4.06%

Table 14: District 3 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0760	0.9340	1.1520	0.3360	-0.4220
R	1.0249	1.1003	0.9545	1.1528	0.3349	-0.4224
% diff (R vs SPSS)	2.59%	2.26%	2.19%	0.07%	-0.33%	-0.09%


Table 15: District 3 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0399	NA	0.0291	NA	NA	NA	379.4615	NA
ecf3r310	1.0478	1.124	0.0665	0.066	0.3880	0.413	15.7530	16.920
ecf3r306	0.9963	1.029	0.1095	0.110	0.2130	0.218	9.1008	9.359
ecf3r302	0.9246	1.506	0.3888	0.451	0.0531	0.086	2.3781	3.335
unsound	0.4651	0.447	0.2252	0.226	0.0462	0.044	2.0653	1.977
ecf3r326	-0.3674	NA	0.1338	NA	-0.0631	NA	-2.7458	NA
ecf3r315	0.3408	0.390	0.0550	0.055	0.1468	0.168	6.2001	7.078
ecf3r322	0.3101	0.351	0.0496	0.050	0.1560	0.175	6.2512	7.003
poor	-0.3008	-0.284	0.0634	0.065	-0.1075	-0.099	-4.7410	-4.379
ecf3r314	0.2996	0.347	0.0646	0.065	0.1071	0.123	4.6395	5.322
ecf3r321	-0.2921	-0.266	0.0940	0.097	-0.0707	-0.062	-3.1067	-2.735
largest	0.2889	NA	0.1029	NA	0.0718	NA	2.8079	NA
ln_landratio	0.2336	0.174	0.0655	0.066	0.0892	0.067	3.5635	2.630
ecf3r324	-0.1831	NA	0.0978	NA	-0.0431	NA	-1.8723	NA
ext_other	-0.1596	-0.173	0.0285	0.029	-0.1481	-0.159	-5.6081	-6.003
fair	-0.1495	-0.170	0.0258	0.026	-0.1317	-0.149	-5.8027	-6.467
smallest	-0.1439	-0.148	0.0411	0.040	-0.0899	-0.094	-3.5034	-3.648
ecf3r323	0.1415	0.184	0.0396	0.041	0.0913	0.118	3.5699	4.528
ecf3r307	0.1409	0.179	0.0391	0.040	0.0865	0.108	3.6040	4.468
powder_room	0.1166	0.190	0.0673	0.062	0.0455	0.072	1.7313	3.078
ln_garagespaces	0.0985	0.102	0.0359	0.036	0.0629	0.065	2.7466	2.849
small	-0.0977	-0.090	0.0274	0.027	-0.0939	-0.086	-3.5670	-3.278
ecf3r320	0.0971	0.129	0.0399	0.040	0.0600	0.079	2.4357	3.191
central_air	0.0919	0.100	0.0285	0.029	0.0741	0.080	3.2197	3.458
ecf3r312	-0.0874	NA	0.0536	NA	-0.0380	NA	-1.6309	NA
qbelow_avg	-0.0830	-0.070	0.0268	0.027	-0.0842	-0.070	-3.0937	-2.553
yb_1910_to_1929	-0.0642	-0.070	0.0407	0.041	-0.0443	-0.048	-1.5780	-1.711
(intercept)	NA	11.057	NA	0.030	NA	NA	NA	369.519
yb_post_1990	NA	-0.557	NA	0.228	NA	-0.063	NA	-2.444
ecf3r303	NA	0.105	NA	0.045	NA	0.056	NA	2.315
ecf3r325	NA	0.100	NA	0.055	NA	0.044	NA	1.809

Table 16: District 3 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8157	0.827	1.2259	1.208
ecf3r306	0.0000	0.001	0.9032	0.906	1.1072	1.104
ecf3r302	0.0176	0.001	0.9921	0.744	1.0079	1.344
unsound	0.0391	0.048	0.9877	0.992	1.0125	1.008
ecf3r326	0.0061	NA	0.9368	NA	1.0675	NA
ecf3r315	0.0000	0.001	0.8821	0.873	1.1336	1.146
ecf3r322	0.0000	0.001	0.7944	0.787	1.2587	1.270
poor	0.0000	0.001	0.9617	0.956	1.0399	1.046
ecf3r314	0.0000	0.001	0.9278	0.920	1.0778	1.088
ecf3r321	0.0019	0.006	0.9557	0.952	1.0463	1.050
largest	0.0051	NA	0.7567	NA	1.3215	NA
ln_landratio	0.0004	0.009	0.7905	0.763	1.2651	1.310
ecf3r324	0.0614	NA	0.9344	NA	1.0703	NA
ext_other	0.0000	0.001	0.7095	0.698	1.4095	1.432
fair	0.0000	0.001	0.9606	0.924	1.0411	1.083
smallest	0.0005	0.001	0.7517	0.748	1.3304	1.337
ecf3r323	0.0004	0.001	0.7570	0.721	1.3210	1.387
ecf3r307	0.0003	0.001	0.8594	0.840	1.1636	1.191
powder_room	0.0837	0.002	0.7160	0.895	1.3967	1.117
ln_garagespaces	0.0061	0.004	0.9438	0.945	1.0596	1.059
small	0.0004	0.001	0.7135	0.719	1.4015	1.392
ecf3r320	0.0150	0.001	0.8151	0.798	1.2268	1.253
central_air	0.0013	0.001	0.9335	0.930	1.0713	1.076
ecf3r312	0.1032	NA	0.9137	NA	1.0944	NA
qbelow_avg	0.0020	0.011	0.6676	0.649	1.4978	1.541
yb_1910_to_1929	0.1148	0.087	0.6286	0.627	1.5909	1.595
(intercept)	NA	0.001	NA	NA	NA	NA
yb_post_1990	NA	0.015	NA	0.731	NA	1.368
ecf3r303	NA	0.021	NA	0.858	NA	1.166
ecf3r325	NA	0.071	NA	0.830	NA	1.205

District 3 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 3 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1783	1752	31	0.4422	0.3910	0.3800	36.2520
R	1254	1228	26	0.3880	0.3897	0.3768	30.1592
% diff (R vs SPSS)	-29.67%	-29.91%	-16.13%	-12.26%	-0.33%	-0.84%	-16.81%

Table 18: District 3 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9930	1.1020	0.9170	1.2020	0.3870	-0.4510
R	0.9497	1.0209	0.8849	1.1537	0.3362	-0.4253
% diff (R vs SPSS)	-4.36%	-7.36%	-3.50%	-4.02%	-13.12%	5.69%


Table 19: District 3 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.1474	NA	0.2341	NA	NA	NA	43.3429	NA
ecf3r310	1.0539	1.063	0.0670	0.057	0.3903	0.389	15.7292	18.543
ecf3r306	1.0036	0.793	0.1101	0.075	0.2146	0.217	9.1124	10.557
ecf3r302	0.8758	0.534	0.3916	0.223	0.0503	0.045	2.2362	2.390
unsound	0.5075	0.366	0.2259	0.170	0.0504	0.041	2.2468	2.156
ecf3r326	-0.3819	-0.504	0.1341	0.096	-0.0656	-0.101	-2.8481	-5.223
ecf3r315	0.3326	0.315	0.0553	0.055	0.1433	0.115	6.0146	5.759
ecf3r322	0.3099	0.352	0.0495	0.053	0.1559	0.137	6.2635	6.652
ecf3r314	0.3031	0.381	0.0649	0.066	0.1084	0.112	4.6725	5.766
poor	-0.2972	-0.399	0.0635	0.054	-0.1063	-0.143	-4.6821	-7.376
ecf3r321	-0.2889	-0.145	0.0942	0.077	-0.0699	-0.036	-3.0680	-1.871
largest	0.2822	0.244	0.0967	0.086	0.0701	0.057	2.9180	2.834
ecf3r301	-0.2522	NA	0.1608	NA	-0.0354	NA	-1.5677	NA
ln_landratio	0.2412	0.107	0.0654	0.063	0.0921	0.040	3.6887	1.710
ecf3r324	-0.1752	NA	0.0974	NA	-0.0412	NA	-1.7980	NA
ecf3r323	0.1491	0.209	0.0400	0.043	0.0962	0.107	3.7280	4.897
fair	-0.1456	-0.193	0.0258	0.024	-0.1283	-0.155	-5.6412	-7.953
ecf3r307	0.1424	0.197	0.0393	0.040	0.0874	0.101	3.6259	4.952
ext_other	-0.1414	-0.160	0.0296	0.027	-0.1313	-0.139	-4.7823	-5.936
lnsbldsfint	0.1387	0.155	0.0361	0.032	0.1118	0.118	3.8372	4.899
ecf3r320	0.1071	0.162	0.0400	0.043	0.0662	0.078	2.6763	3.766
ecf3r312	-0.1028	NA	0.0540	NA	-0.0446	NA	-1.9030	NA
central_air	0.0971	0.094	0.0285	0.030	0.0783	0.061	3.4024	3.132
yb_1910_to_1929	-0.0825	-0.107	0.0421	0.036	-0.0569	-0.077	-1.9584	-2.958
qbelow_avg	-0.0769	-0.068	0.0274	0.027	-0.0780	-0.060	-2.8061	-2.529
ext_brick_siding	0.0731	NA	0.0486	NA	0.0372	NA	1.5053	NA
small	-0.0466	-0.051	0.0257	0.024	-0.0448	-0.043	-1.8161	-2.118
(intercept)	NA	10.011	NA	0.206	NA	NA	NA	48.707
half_duplex2story	NA	-1.053	NA	0.444	NA	-0.044	NA	-2.369
qpoor	NA	0.495	NA	0.201	NA	0.047	NA	2.467
garage	NA	0.077	NA	0.026	NA	0.063	NA	2.996
hot_water	NA	0.099	NA	0.056	NA	0.036	NA	1.769
wall	NA	-0.415	NA	0.162	NA	-0.049	NA	-2.566
ecf3r303	NA	0.130	NA	0.040	NA	0.067	NA	3.251
ecf3r304	NA	-0.192	NA	0.071	NA	-0.053	NA	-2.706
ecf3r311	NA	0.179	NA	0.084	NA	0.041	NA	2.144
ecf3r325	NA	0.162	NA	0.056	NA	0.059	NA	2.910

Table 20: District 3 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf3r310	0.0000	0.001	0.8073	0.788	1.2386	1.268
ecf3r306	0.0000	0.001	0.8964	0.826	1.1156	1.211
ecf3r302	0.0255	0.017	0.9821	0.982	1.0182	1.018
unsound	0.0248	0.031	0.9858	0.973	1.0144	1.028
ecf3r326	0.0045	0.001	0.9371	0.925	1.0671	1.081
ecf3r315	0.0000	0.001	0.8756	0.868	1.1421	1.152
ecf3r322	0.0000	0.001	0.8022	0.825	1.2466	1.212
ecf3r314	0.0000	0.001	0.9236	0.922	1.0827	1.085
poor	0.0000	0.001	0.9648	0.932	1.0365	1.073
ecf3r321	0.0022	0.062	0.9567	0.925	1.0453	1.081
largest	0.0036	0.005	0.8603	0.869	1.1624	1.151
ecf3r301	0.1172	NA	0.9744	NA	1.0263	NA
ln_landratio	0.0002	0.087	0.7975	0.647	1.2540	1.545
ecf3r324	0.0724	NA	0.9458	NA	1.0574	NA
ecf3r323	0.0002	0.001	0.7471	0.734	1.3385	1.362
fair	0.0000	0.001	0.9613	0.918	1.0402	1.090
ecf3r307	0.0003	0.001	0.8552	0.836	1.1693	1.196
ext_other	0.0000	0.001	0.6597	0.638	1.5158	1.568
lnbldsfint	0.0001	0.001	0.5854	0.599	1.7084	1.671
ecf3r320	0.0075	0.001	0.8114	0.808	1.2325	1.238
ecf3r312	0.0573	NA	0.9031	NA	1.1073	NA
central_air	0.0007	0.002	0.9376	0.918	1.0666	1.089
yb_1910_to_1929	0.0504	0.003	0.5889	0.519	1.6979	1.926
qbelow_avg	0.0051	0.012	0.6429	0.614	1.5554	1.629
ext_brick_siding	0.1325	NA	0.8143	NA	1.2281	NA
small	0.0696	0.034	0.8154	0.847	1.2264	1.181
(intercept)	NA	0.001	NA	NA	NA	NA
half_duplex2story	NA	0.018	NA	0.991	NA	1.010
qpoor	NA	0.014	NA	0.974	NA	1.027
garage	NA	0.003	NA	0.799	NA	1.252
hot_water	NA	0.077	NA	0.851	NA	1.176
wall	NA	0.010	NA	0.937	NA	1.067
ecf3r303	NA	0.001	NA	0.812	NA	1.232
ecf3r304	NA	0.007	NA	0.902	NA	1.109
ecf3r311	NA	0.032	NA	0.949	NA	1.054
ecf3r325	NA	0.004	NA	0.838	NA	1.193

District 3 | Model VI Beta Coef. Comparison: SPSS vs R



District 4 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

2 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 4 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1297	1286	11	0.4876	0.0990	0.0910	12.8330
R	1297	1286	11	0.4876	0.0989	0.0912	12.8330
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	-0.10%	0.22%	0.00%

Table 2: District 4 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.004	4.004	0.034	0.034	NA	NA	119.189	119.189	0.000	0.001
smallest	0.249	0.249	0.062	0.062	0.126	0.126	4.005	4.005	0.000	0.001
fireplace	0.124	0.124	0.032	0.032	0.121	0.121	3.893	3.893	0.000	0.001
yb_1946_to_1960	0.135	0.135	0.032	0.032	0.119	0.119	4.274	4.274	0.000	0.001
central_air	0.128	0.128	0.034	0.034	0.103	0.103	3.793	3.793	0.000	0.001
small	0.124	0.124	0.044	0.044	0.094	0.094	2.800	2.800	0.005	0.005
hot_water	0.138	0.138	0.048	0.048	0.081	0.081	2.880	2.880	0.004	0.004
months_15to24	0.011	0.011	0.004	0.004	0.068	0.068	2.529	2.529	0.012	0.012
qabove_avg	0.292	0.292	0.132	0.132	0.059	0.059	2.216	2.216	0.027	0.027
half_duplex1story	0.163	0.163	0.095	0.095	0.046	0.046	1.706	1.706	0.088	0.088
qbelow_avg	-0.072	-0.072	0.038	0.038	-0.065	-0.065	-1.871	-1.871	0.062	0.062
yb_post_1990	-0.388	-0.388	0.071	0.071	-0.159	-0.159	-5.489	-5.489	0.000	0.001

District 4 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 4 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1707	1688	19	0.5020	0.2710	0.2620	32.9650
R	1707	1688	19	0.5020	0.2706	0.2624	32.9646
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.15%	0.15%	-0.00%

Table 4: District 4 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.009	11.009	0.045	0.045	NA	NA	242.488	242.488	0.000	0.001
ln_base_bldgsize_ratio	0.778	0.778	0.094	0.094	0.327	0.327	8.246	8.246	0.000	0.001
ln_landratio	0.443	0.443	0.075	0.075	0.133	0.133	5.921	5.921	0.000	0.001
fireplace	0.134	0.134	0.029	0.029	0.115	0.115	4.660	4.660	0.000	0.001
central_air	0.136	0.136	0.032	0.032	0.092	0.092	4.284	4.284	0.000	0.001
good	0.384	0.384	0.108	0.108	0.076	0.076	3.539	3.539	0.000	0.001
smallest	0.171	0.171	0.068	0.068	0.075	0.075	2.525	2.525	0.012	0.012
yb_1946_to_1960	0.098	0.098	0.030	0.030	0.074	0.074	3.251	3.251	0.001	0.001
months_1to14	0.009	0.009	0.003	0.003	0.066	0.066	2.997	2.997	0.003	0.003
hot_water	0.116	0.116	0.045	0.045	0.061	0.061	2.560	2.560	0.011	0.011
single_family2story	0.073	0.073	0.035	0.035	0.054	0.054	2.065	2.065	0.039	0.039
small	0.079	0.079	0.043	0.043	0.052	0.052	1.821	1.821	0.069	0.069
qabove_avg	0.299	0.299	0.133	0.133	0.048	0.048	2.239	2.239	0.025	0.025
ln_garagespaces	-0.077	-0.077	0.046	0.046	-0.036	-0.036	-1.661	-1.661	0.097	0.097
half_duplex1story	-0.187	-0.187	0.093	0.093	-0.045	-0.045	-2.018	-2.018	0.044	0.044
qbelow_avg	-0.066	-0.066	0.035	0.035	-0.052	-0.052	-1.868	-1.868	0.062	0.062
unsound	-0.373	-0.373	0.132	0.132	-0.060	-0.060	-2.832	-2.832	0.005	0.005
poor	-0.232	-0.232	0.079	0.079	-0.062	-0.062	-2.920	-2.920	0.004	0.004
fair	-0.180	-0.180	0.031	0.031	-0.121	-0.121	-5.727	-5.727	0.000	0.001
yb_post_1990	-0.372	-0.372	0.071	0.071	-0.123	-0.123	-5.249	-5.249	0.000	0.001

District 4 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 4 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1707	1676	31	0.4533	0.4090	0.3980	37.4710
R	1707	1676	31	0.4533	0.4094	0.3985	37.4794
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.10%	0.13%	0.02%

Table 6: District 4 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0090	1.1310	0.9170	1.2330	0.4120	
R	0.9842	1.1048	0.9079	1.2168	0.3981	-0.4030
% diff (R vs SPSS)	-2.46%	-2.32%	-0.99%	-1.31%	-3.38%	


Table 7: District 4 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0311	NA	0.0450	NA	NA	NA	245.3887	NA
ecf4r402	-0.6783	-0.681	0.0884	0.088	-0.1500	-0.151	-7.6696	-7.704
ecf4r415	0.5866	0.587	0.0702	0.070	0.1676	0.168	8.3522	8.358
ecf4r422	0.5347	0.535	0.0734	0.073	0.1481	0.148	7.2858	7.285
ecf4r414	0.4967	0.497	0.0626	0.063	0.1614	0.162	7.9374	7.941
ln_base_bldgsize_ratio	0.4748	0.475	0.0746	0.075	0.1997	0.200	6.3612	6.360
ecf4r419	-0.3193	-0.320	0.0863	0.086	-0.0785	-0.079	-3.6991	-3.705
ecf4r410	0.3074	0.307	0.0385	0.038	0.1769	0.177	7.9922	7.988
ecf4r417	0.3069	0.306	0.0459	0.046	0.1455	0.145	6.6811	6.673
ecf4r416	-0.3004	-0.301	0.1354	0.135	-0.0429	-0.043	-2.2191	-2.221
two_baths	0.2523	0.253	0.0864	0.086	0.0620	0.062	2.9191	2.933
unsound	-0.2275	-0.227	0.1197	0.120	-0.0363	-0.036	-1.9008	-1.897
good	0.2157	0.208	0.0984	0.098	0.0426	0.041	2.1914	2.119
ecf4r412	-0.2002	-0.201	0.0854	0.085	-0.0457	-0.046	-2.3445	-2.348
poor	-0.1922	-0.192	0.0723	0.072	-0.0510	-0.051	-2.6585	-2.657
half_duplex1story	-0.1861	-0.186	0.0820	0.082	-0.0451	-0.045	-2.2698	-2.264
fair	-0.1817	-0.182	0.0285	0.029	-0.1228	-0.123	-6.3762	-6.374
ecf4r421	-0.1814	-0.182	0.1045	0.105	-0.0408	-0.041	-1.7361	-1.742
ecf4r411	-0.1733	-0.173	0.0468	0.047	-0.0752	-0.075	-3.6993	-3.702
ecf4r401	-0.1677	-0.168	0.0534	0.053	-0.0635	-0.063	-3.1402	-3.140
crawl	-0.1550	-0.155	0.0844	0.084	-0.0406	-0.041	-1.8373	-1.840
ln_landratio	0.1449	0.143	0.0691	0.069	0.0434	0.043	2.0982	2.069
ecf4r408	-0.1331	-0.133	0.0459	0.046	-0.0596	-0.060	-2.9011	-2.903
ecf4r413	0.1151	0.115	0.0474	0.047	0.0524	0.052	2.4266	2.424
central_air	0.1023	0.102	0.0285	0.028	0.0691	0.069	3.5918	3.596
ext_other	-0.0871	-0.086	0.0373	0.037	-0.0536	-0.053	-2.3336	-2.300
single_family2story	0.0764	0.077	0.0323	0.032	0.0568	0.057	2.3626	2.367
fireplace	0.0758	0.076	0.0264	0.026	0.0647	0.065	2.8717	2.892
qbelow_avg	-0.0590	-0.059	0.0325	0.033	-0.0463	-0.046	-1.8145	-1.819
yb_1946_to_1960	0.0487	0.049	0.0277	0.028	0.0367	0.037	1.7562	1.767
months_1to14	0.0073	0.007	0.0032	0.003	0.0562	0.056	2.2682	2.262
months_15to24	0.0073	0.007	0.0043	0.004	0.0403	0.040	1.7117	1.715
(intercept)	NA	11.031	NA	0.045	NA	NA	NA	245.381

Table 8: District 4 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9215	0.922	1.0852	1.085
ecf4r415	0.0000	0.001	0.8751	0.875	1.1427	1.143
ecf4r422	0.0000	0.001	0.8523	0.852	1.1734	1.174
ecf4r414	0.0000	0.001	0.8518	0.852	1.1740	1.174
ln_base_bldgsize_ratio	0.0000	0.001	0.3574	0.357	2.7982	2.799
ecf4r419	0.0002	0.001	0.7826	0.782	1.2778	1.279
ecf4r410	0.0000	0.001	0.7189	0.719	1.3909	1.391
ecf4r417	0.0000	0.001	0.7434	0.744	1.3452	1.345
ecf4r416	0.0266	0.026	0.9408	0.941	1.0630	1.063
two_baths	0.0036	0.003	0.7807	0.781	1.2809	1.281
unsound	0.0575	0.058	0.9648	0.965	1.0364	1.036
good	0.0286	0.034	0.9345	0.940	1.0701	1.064
ecf4r412	0.0192	0.019	0.9256	0.926	1.0804	1.080
poor	0.0079	0.008	0.9593	0.959	1.0425	1.042
half_duplex1story	0.0233	0.024	0.8921	0.892	1.1210	1.121
fair	0.0000	0.001	0.9501	0.950	1.0526	1.053
ecf4r421	0.0827	0.082	0.6384	0.638	1.5664	1.567
ecf4r411	0.0002	0.001	0.8524	0.852	1.1732	1.173
ecf4r401	0.0017	0.002	0.8631	0.863	1.1586	1.159
crawl	0.0663	0.066	0.7211	0.721	1.3867	1.387
ln_landratio	0.0360	0.039	0.8240	0.824	1.2136	1.214
ecf4r408	0.0038	0.004	0.8359	0.836	1.1963	1.196
ecf4r413	0.0153	0.015	0.7555	0.756	1.3236	1.324
central_air	0.0003	0.001	0.9513	0.951	1.0512	1.051
ext_other	0.0197	0.022	0.6688	0.672	1.4952	1.489
single_family2story	0.0183	0.018	0.6087	0.609	1.6427	1.643
fireplace	0.0041	0.004	0.6932	0.695	1.4425	1.440
qbelow_avg	0.0698	0.069	0.5420	0.542	1.8449	1.845
yb_1946_to_1960	0.0792	0.077	0.8076	0.808	1.2382	1.237
months_1to14	0.0234	0.024	0.5733	0.573	1.7442	1.744
months_15to24	0.0871	0.087	0.6367	0.637	1.5705	1.570
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 4 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1576	1547	29	0.3945	0.4810	0.4720	49.5060
R	1576	1547	29	0.3945	0.4814	0.4717	49.5152
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.08%	-0.06%	0.02%

Table 10: District 4 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0920	0.9370	1.1660	0.3490	-0.3160
R	0.9824	1.0787	0.9300	1.1600	0.3465	-0.3122
% diff (R vs SPSS)	-1.66%	-1.21%	-0.75%	-0.52%	-0.71%	1.21%


Table 11: District 4 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.1354	NA	0.0298	NA	NA	NA	373.7450	NA
ecf4r402	-0.7935	-0.800	0.0897	0.090	-0.1676	-0.169	-8.8468	-8.922
ecf4r422	0.5760	0.576	0.0695	0.069	0.1628	0.163	8.2915	8.292
ecf4r415	0.5617	0.562	0.0632	0.063	0.1742	0.174	8.8922	8.898
ecf4r414	0.5433	0.544	0.0566	0.057	0.1900	0.190	9.6014	9.612
ln_base_bldgsize_ratio	0.4856	0.485	0.0684	0.068	0.2132	0.213	7.0954	7.089
unsound	-0.3781	-0.377	0.1419	0.142	-0.0495	-0.049	-2.6650	-2.659
ecf4r419	-0.3617	-0.362	0.0831	0.083	-0.0911	-0.091	-4.3550	-4.363
ecf4r417	0.3089	0.308	0.0415	0.041	0.1593	0.159	7.4510	7.443
ecf4r410	0.3028	0.303	0.0342	0.034	0.1904	0.190	8.8546	8.853
two_baths	0.2961	0.300	0.0977	0.098	0.0611	0.062	3.0324	3.071
ecf4r421	-0.2726	-0.273	0.0845	0.085	-0.0675	-0.068	-3.2262	-3.227
poor	-0.2652	-0.265	0.0809	0.081	-0.0611	-0.061	-3.2805	-3.275
half_duplex1story	-0.2623	-0.262	0.0834	0.083	-0.0616	-0.061	-3.1434	-3.138
good	0.2388	0.222	0.1012	0.101	0.0454	0.042	2.3584	2.203
half_duplex2story	-0.2346	-0.234	0.1014	0.101	-0.0447	-0.045	-2.3141	-2.310
ecf4r401	-0.2296	-0.230	0.0486	0.049	-0.0929	-0.093	-4.7284	-4.731
ecf4r412	-0.2011	-0.202	0.0881	0.088	-0.0435	-0.044	-2.2827	-2.289
ecf4r411	-0.1789	-0.179	0.0449	0.045	-0.0785	-0.079	-3.9823	-3.987
fair	-0.1654	-0.165	0.0262	0.026	-0.1186	-0.119	-6.3093	-6.308
ext_other	-0.1409	-0.140	0.0367	0.037	-0.0918	-0.091	-3.8411	-3.822
ln_landratio	0.1292	0.126	0.0631	0.063	0.0404	0.039	2.0468	1.998
ecf4r408	-0.1219	-0.122	0.0405	0.041	-0.0603	-0.060	-3.0101	-3.017
central_air	0.1218	0.122	0.0256	0.026	0.0894	0.090	4.7527	4.764
ecf4r404	0.1133	0.113	0.0596	0.060	0.0415	0.041	1.9004	1.893
ecf4r413	0.0905	0.090	0.0430	0.043	0.0439	0.044	2.1077	2.104
qbelow_avg	-0.0800	-0.080	0.0298	0.030	-0.0675	-0.068	-2.6880	-2.691
single_family2story	0.0710	0.071	0.0283	0.028	0.0563	0.057	2.5066	2.518
fireplace	0.0608	0.061	0.0240	0.024	0.0560	0.056	2.5309	2.550
months_15to24	0.0115	0.011	0.0031	0.003	0.0679	0.068	3.6559	3.657
(intercept)	NA	11.135	NA	0.030	NA	NA	NA	373.777

Table 12: District 4 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9335	0.935	1.0712	1.070
ecf4r422	0.0000	0.001	0.8695	0.869	1.1501	1.150
ecf4r415	0.0000	0.001	0.8734	0.873	1.1450	1.145
ecf4r414	0.0000	0.001	0.8559	0.856	1.1683	1.168
ln_base_bldgsize_ratio	0.0000	0.001	0.3713	0.371	2.6935	2.694
unsound	0.0078	0.008	0.9712	0.971	1.0296	1.030
ecf4r419	0.0000	0.001	0.7665	0.767	1.3046	1.304
ecf4r417	0.0000	0.001	0.7337	0.734	1.3630	1.362
ecf4r410	0.0000	0.001	0.7250	0.725	1.3793	1.380
two_baths	0.0025	0.002	0.8263	0.827	1.2102	1.210
ecf4r421	0.0013	0.001	0.7656	0.765	1.3061	1.307
poor	0.0011	0.001	0.9676	0.968	1.0335	1.034
half_duplex1story	0.0017	0.002	0.8740	0.874	1.1441	1.144
good	0.0185	0.028	0.9028	0.911	1.1076	1.098
half_duplex2story	0.0208	0.021	0.9004	0.901	1.1106	1.110
ecf4r401	0.0000	0.001	0.8692	0.869	1.1505	1.151
ecf4r412	0.0226	0.022	0.9245	0.925	1.0817	1.082
ecf4r411	0.0001	0.001	0.8635	0.864	1.1581	1.158
fair	0.0000	0.001	0.9494	0.949	1.0533	1.053
ext_other	0.0001	0.001	0.5865	0.590	1.7051	1.695
ln_landratio	0.0409	0.046	0.8589	0.859	1.1643	1.164
ecf4r408	0.0027	0.003	0.8366	0.837	1.1954	1.195
central_air	0.0000	0.001	0.9467	0.947	1.0563	1.056
ecf4r404	0.0576	0.059	0.7023	0.702	1.4238	1.424
ecf4r413	0.0352	0.036	0.7725	0.773	1.2944	1.294
qbelow_avg	0.0073	0.007	0.5310	0.531	1.8833	1.883
single_family2story	0.0123	0.012	0.6651	0.665	1.5035	1.504
fireplace	0.0115	0.011	0.6854	0.686	1.4590	1.457
months_15to24	0.0003	0.001	0.9716	0.972	1.0293	1.029
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 4 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1576	1548	28	0.3944	0.4810	0.4720	51.2550
R	1576	1548	28	0.3944	0.4810	0.4717	51.2463
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	0.00%	-0.06%	-0.02%

Table 14: District 4 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9980	1.0920	0.9380	1.1650	0.3490	-0.3160
R	0.9895	1.0860	0.9355	1.1609	0.3468	-0.3118
% diff (R vs SPSS)	-0.85%	-0.55%	-0.27%	-0.35%	-0.63%	1.33%


Table 15: District 4 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2461	NA	0.0286	NA	NA	NA	392.9350	NA
ecf4r402	-0.7933	-0.800	0.0897	0.090	-0.1676	-0.169	-8.8480	-8.926
ecf4r422	0.5758	0.576	0.0694	0.069	0.1628	0.163	8.2924	8.296
ecf4r415	0.5615	0.562	0.0631	0.063	0.1742	0.174	8.8934	8.902
ecf4r414	0.5433	0.544	0.0566	0.057	0.1901	0.190	9.6066	9.616
ln_base_bldgsize_ratio	0.4857	0.485	0.0684	0.068	0.2133	0.213	7.0994	7.092
unsound	-0.3763	-0.377	0.1414	0.141	-0.0493	-0.049	-2.6609	-2.666
ecf4r419	-0.3622	-0.362	0.0830	0.083	-0.0912	-0.091	-4.3642	-4.367
ecf4r417	0.3091	0.309	0.0414	0.041	0.1594	0.159	7.4609	7.449
ecf4r410	0.3027	0.303	0.0342	0.034	0.1904	0.190	8.8558	8.857
two_baths	0.2959	0.300	0.0976	0.098	0.0610	0.062	3.0309	3.072
ecf4r421	-0.2736	-0.273	0.0843	0.084	-0.0678	-0.068	-3.2457	-3.237
poor	-0.2652	-0.265	0.0808	0.081	-0.0611	-0.061	-3.2816	-3.276
half_duplex1story	-0.2619	-0.262	0.0834	0.083	-0.0615	-0.061	-3.1407	-3.140
good	0.2386	0.222	0.1012	0.101	0.0454	0.042	2.3572	2.203
half_duplex2story	-0.2349	-0.234	0.1013	0.101	-0.0447	-0.045	-2.3183	-2.311
ecf4r401	-0.2296	-0.230	0.0485	0.049	-0.0929	-0.093	-4.7292	-4.732
ecf4r412	-0.2013	-0.202	0.0881	0.088	-0.0435	-0.044	-2.2858	-2.291
ecf4r411	-0.1786	-0.179	0.0449	0.045	-0.0783	-0.079	-3.9801	-3.992
fair	-0.1652	-0.165	0.0262	0.026	-0.1184	-0.119	-6.3104	-6.317
ext_other	-0.1409	-0.140	0.0367	0.037	-0.0919	-0.091	-3.8419	-3.824
ln_landratio	0.1292	0.126	0.0631	0.063	0.0405	0.039	2.0483	1.999
ecf4r408	-0.1219	-0.122	0.0405	0.040	-0.0603	-0.060	-3.0109	-3.018
central_air	0.1217	0.122	0.0256	0.026	0.0894	0.090	4.7513	4.767
ecf4r404	0.1133	0.113	0.0596	0.060	0.0415	0.041	1.9004	1.894
ecf4r413	0.0906	0.090	0.0429	0.043	0.0440	0.044	2.1102	2.105
qbelow_avg	-0.0801	-0.080	0.0297	0.030	-0.0677	-0.068	-2.6941	-2.693
single_family2story	0.0709	0.071	0.0283	0.028	0.0562	0.057	2.5046	2.519
fireplace	0.0606	0.061	0.0240	0.024	0.0558	0.056	2.5263	2.553
(intercept)	NA	11.249	NA	0.029	NA	NA	NA	393.090

Table 16: District 4 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9338	0.935	1.0709	1.069
ecf4r422	0.0000	0.001	0.8699	0.870	1.1495	1.150
ecf4r415	0.0000	0.001	0.8737	0.874	1.1445	1.145
ecf4r414	0.0000	0.001	0.8560	0.856	1.1682	1.168
ln_base_bldgsize_ratio	0.0000	0.001	0.3713	0.371	2.6933	2.694
unsound	0.0079	0.008	0.9770	0.977	1.0236	1.024
ecf4r419	0.0000	0.001	0.7673	0.767	1.3032	1.303
ecf4r417	0.0000	0.001	0.7342	0.735	1.3620	1.361
ecf4r410	0.0000	0.001	0.7253	0.725	1.3788	1.380
two_baths	0.0025	0.002	0.8266	0.827	1.2098	1.209
ecf4r421	0.0012	0.001	0.7691	0.769	1.3003	1.301
poor	0.0011	0.001	0.9676	0.968	1.0335	1.034
half_duplex1story	0.0017	0.002	0.8749	0.875	1.1430	1.143
good	0.0185	0.028	0.9030	0.911	1.1074	1.098
half_duplex2story	0.0206	0.021	0.9007	0.901	1.1102	1.110
ecf4r401	0.0000	0.001	0.8692	0.869	1.1505	1.151
ecf4r412	0.0224	0.022	0.9246	0.925	1.0815	1.081
ecf4r411	0.0001	0.001	0.8656	0.866	1.1553	1.155
fair	0.0000	0.001	0.9515	0.952	1.0509	1.051
ext_other	0.0001	0.001	0.5865	0.590	1.7051	1.695
ln_landratio	0.0407	0.046	0.8589	0.859	1.1643	1.164
ecf4r408	0.0026	0.003	0.8366	0.837	1.1954	1.195
central_air	0.0000	0.001	0.9476	0.948	1.0553	1.055
ecf4r404	0.0576	0.058	0.7023	0.702	1.4238	1.424
ecf4r413	0.0350	0.035	0.7726	0.773	1.2943	1.294
qbelow_avg	0.0071	0.007	0.5314	0.531	1.8820	1.882
single_family2story	0.0124	0.012	0.6653	0.665	1.5030	1.504
fireplace	0.0116	0.011	0.6874	0.688	1.4547	1.453
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 4 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2042	2012	30	0.3953	0.4820	0.4750	62.5080
R	1576	1549	27	0.3942	0.4812	0.4721	53.2048
% diff (R vs SPSS)	-22.82%	-23.01%	-10.00%	-0.28%	-0.17%	-0.61%	-14.88%

Table 18: District 4 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9930	1.0790	0.9290	1.1620	0.3450	-0.3050
R	0.9931	1.0861	0.9354	1.1611	0.3450	-0.3111
% diff (R vs SPSS)	0.01%	0.66%	0.69%	-0.08%	-0.01%	-2.01%


Table 19: District 4 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.5704	NA	0.2489	NA	NA	NA	38.4509	NA
ecf4r402	-0.7856	-0.782	0.0896	0.080	-0.1660	-0.161	-8.7701	-9.748
ecf4r422	0.5756	0.556	0.0693	0.057	0.1627	0.168	8.3091	9.693
ecf4r415	0.5661	0.561	0.0631	0.060	0.1757	0.160	8.9669	9.383
ecf4r414	0.5478	0.546	0.0566	0.053	0.1917	0.178	9.6869	10.277
unsound	-0.3841	-0.319	0.1411	0.116	-0.0503	-0.045	-2.7211	-2.755
ecf4r419	-0.3730	-0.409	0.0829	0.067	-0.0940	-0.110	-4.4999	-6.116
two_baths	0.3355	0.431	0.0966	0.090	0.0692	0.082	3.4731	4.780
ecf4r417	0.3132	0.297	0.0413	0.037	0.1615	0.151	7.5842	8.019
ecf4r410	0.3035	0.258	0.0340	0.030	0.1909	0.159	8.9188	8.511
ecf4r421	-0.2847	-0.297	0.0842	0.075	-0.0705	-0.070	-3.3810	-3.940
poor	-0.2714	-0.237	0.0806	0.068	-0.0625	-0.056	-3.3657	-3.477
lnsbldsfint	0.2608	0.192	0.0391	0.026	0.2492	0.195	6.6787	7.379
good	0.2477	0.210	0.1010	0.086	0.0472	0.041	2.4516	2.444
ecf4r401	-0.2245	-0.271	0.0485	0.043	-0.0908	-0.109	-4.6291	-6.336
ecf4r412	-0.2005	-0.202	0.0874	0.070	-0.0434	-0.048	-2.2937	-2.877
ecf4r411	-0.1722	-0.199	0.0448	0.037	-0.0756	-0.095	-3.8484	-5.404
fair	-0.1652	-0.174	0.0261	0.022	-0.1185	-0.128	-6.3230	-7.807
ln_landratio	0.1338	0.132	0.0631	0.054	0.0419	0.042	2.1218	2.421
ext_other	-0.1269	-0.095	0.0359	0.028	-0.0827	-0.064	-3.5375	-3.385
central_air	0.1220	0.109	0.0256	0.024	0.0896	0.075	4.7715	4.548
ecf4r408	-0.1192	-0.104	0.0404	0.036	-0.0590	-0.051	-2.9481	-2.875
ecf4r404	0.1115	NA	0.0585	NA	0.0409	NA	1.9057	NA
ecf4r413	0.0947	0.106	0.0429	0.037	0.0459	0.052	2.2068	2.837
smallest	0.0932	NA	0.0547	NA	0.0442	NA	1.7052	NA
single_family2story	0.0743	0.077	0.0284	0.025	0.0589	0.060	2.6112	3.109
qbelow_avg	-0.0720	-0.080	0.0300	0.026	-0.0608	-0.068	-2.3977	-3.062
fireplace	0.0624	0.053	0.0238	0.021	0.0574	0.048	2.6181	2.518
(intercept)	NA	9.970	NA	0.164	NA	NA	NA	60.864
powder_room	NA	0.084	NA	0.030	NA	0.057	NA	2.794
yb_1946_to_1960	NA	0.052	NA	0.022	NA	0.041	NA	2.347
garage	NA	0.044	NA	0.022	NA	0.034	NA	2.013
ecf4r403	NA	-0.083	NA	0.047	NA	-0.030	NA	-1.752
ecf4r416	NA	-0.285	NA	0.142	NA	-0.033	NA	-2.008

Table 20: District 4 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9346	0.946	1.0700	1.057
ecf4r422	0.0000	0.001	0.8731	0.857	1.1453	1.167
ecf4r415	0.0000	0.001	0.8729	0.880	1.1456	1.136
ecf4r414	0.0000	0.001	0.8554	0.854	1.1690	1.171
unsound	0.0066	0.006	0.9799	0.979	1.0205	1.021
ecf4r419	0.0000	0.001	0.7683	0.795	1.3016	1.257
two_baths	0.0005	0.001	0.8434	0.884	1.1857	1.131
ecf4r417	0.0000	0.001	0.7383	0.727	1.3545	1.376
ecf4r410	0.0000	0.001	0.7314	0.735	1.3673	1.361
ecf4r421	0.0007	0.001	0.7698	0.824	1.2990	1.214
poor	0.0008	0.001	0.9711	0.976	1.0297	1.025
lnbldsfint	0.0000	0.001	0.2406	0.367	4.1562	2.725
good	0.0143	0.015	0.9049	0.929	1.1051	1.077
ecf4r401	0.0000	0.001	0.8697	0.864	1.1498	1.158
ecf4r412	0.0219	0.004	0.9372	0.922	1.0670	1.084
ecf4r411	0.0001	0.001	0.8690	0.831	1.1507	1.203
fair	0.0000	0.001	0.9543	0.956	1.0479	1.046
ln_landratio	0.0340	0.016	0.8586	0.843	1.1646	1.186
ext_other	0.0004	0.001	0.6124	0.719	1.6328	1.391
central_air	0.0000	0.001	0.9494	0.941	1.0533	1.062
ecf4r408	0.0032	0.004	0.8374	0.819	1.1941	1.220
ecf4r404	0.0569	NA	0.7283	NA	1.3730	NA
ecf4r413	0.0275	0.005	0.7729	0.753	1.2938	1.328
smallest	0.0884	NA	0.4995	NA	2.0019	NA
single_family2story	0.0091	0.002	0.6590	0.689	1.5174	1.452
qbelow_avg	0.0166	0.002	0.5213	0.522	1.9181	1.915
fireplace	0.0089	0.012	0.6969	0.700	1.4349	1.428
(intercept)	NA	0.001	NA	NA	NA	NA
powder_room	NA	0.005	NA	0.618	NA	1.619
yb_1946_to_1960	NA	0.019	NA	0.837	NA	1.195
garage	NA	0.044	NA	0.924	NA	1.082
ecf4r403	NA	0.080	NA	0.895	NA	1.117
ecf4r416	NA	0.045	NA	0.975	NA	1.025

District 4 | Model VI Beta Coef. Comparison: SPSS vs R



District 5 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

2 June 2026

Contents

Model I	1
Model II	2
Model III	3
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I

Table 1: District 5 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	160	153	7	0.6275	0.3930	0.3650	14.1390
R	160	153	7	0.6275	0.3928	0.3650	14.1386
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.05%	0.00%	-0.00%

Table 2: District 5 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.825	NA	0.104	NA	NA	NA	36.634	NA	0.000	NA
largest	0.492	NA	0.132	NA	0.313	NA	3.726	NA	0.000	NA
qabove_avg	0.447	NA	0.140	NA	0.248	NA	3.197	NA	0.002	NA
months_10to16	0.055	NA	0.016	NA	0.221	NA	3.479	NA	0.001	NA
yb_pre_1910	0.410	NA	0.186	NA	0.142	NA	2.207	NA	0.029	NA
qbest	0.897	NA	0.456	NA	0.127	NA	1.968	NA	0.051	NA
powder_room	-0.282	NA	0.109	NA	-0.179	NA	-2.585	NA	0.011	NA
yb_post_1990	-0.896	NA	0.270	NA	-0.216	NA	-3.320	NA	0.001	NA

Model II


Table 3: District 5 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	289	18	0.6744	0.5350	0.5060	18.4470
R	307	289	18	0.6744	0.5346	0.5057	18.4465
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.07%	-0.06%	-0.00%

Table 4: District 5 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.822	10.822	0.139	0.139	NA	NA	77.753	77.753	0.000	0.001
ln_landratio	0.677	0.677	0.144	0.144	0.280	0.280	4.693	4.693	0.000	0.001
largest	0.523	0.523	0.170	0.170	0.271	0.271	3.077	3.077	0.002	0.002
large	0.493	0.493	0.147	0.147	0.245	0.245	3.350	3.350	0.001	0.001
months_10to16	0.067	0.067	0.013	0.013	0.217	0.217	5.144	5.144	0.000	0.001
three_plus_baths	0.661	0.661	0.197	0.197	0.202	0.202	3.356	3.356	0.001	0.001
two_baths	0.364	0.364	0.130	0.130	0.175	0.175	2.804	2.804	0.005	0.005
good	0.583	0.583	0.145	0.145	0.169	0.169	4.014	4.014	0.000	0.001
excellent	1.358	1.358	0.432	0.432	0.139	0.139	3.144	3.144	0.002	0.002
qabove_avg	0.275	0.275	0.127	0.127	0.123	0.123	2.169	2.169	0.031	0.031
hot_water	0.199	0.199	0.097	0.097	0.104	0.104	2.053	2.053	0.041	0.041
arterial	-0.273	-0.273	0.125	0.125	-0.092	-0.092	-2.187	-2.187	0.030	0.030
qpoor	-1.617	-1.617	0.724	0.724	-0.096	-0.096	-2.234	-2.234	0.026	0.026
fireplace	-0.197	-0.197	0.097	0.097	-0.099	-0.099	-2.033	-2.033	0.043	0.043
row_house2story	-1.710	-1.710	0.712	0.712	-0.102	-0.102	-2.403	-2.403	0.017	0.017
yb_post_1990	-0.590	-0.590	0.252	0.252	-0.104	-0.104	-2.346	-2.346	0.020	0.020
ext_brick_siding	-0.337	-0.337	0.111	0.111	-0.138	-0.138	-3.046	-3.046	0.003	0.003
unsound	-1.922	-1.922	0.491	0.491	-0.161	-0.161	-3.915	-3.915	0.000	0.001
fair	-0.374	-0.374	0.090	0.090	-0.175	-0.175	-4.144	-4.144	0.000	0.001

District 5 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 5 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	281	26	0.5948	0.6480	0.6150	19.8960
R	307	281	26	0.5948	0.6480	0.6154	19.8957
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.07%	-0.00%

Table 6: District 5 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.2930	0.9090	1.4230	0.6450	
R	0.9803	1.1826	0.9003	1.3136	0.5156	-0.2192
% diff (R vs SPSS)	-1.97%	-8.54%	-0.96%	-7.69%	-20.07%	


Table 7: District 5 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.4278	NA	0.1140	NA	NA	NA	100.2068	NA
unsound	-1.9561	-1.956	0.4364	0.436	-0.1641	-0.164	-4.4828	-4.483
excellent	1.5457	1.546	0.3933	0.393	0.1585	0.159	3.9301	3.930
row_house2story	-1.1088	-1.109	0.6264	0.626	-0.0659	-0.066	-1.7702	-1.770
ecf5r538	-1.0474	-1.047	0.6119	0.612	-0.0622	-0.062	-1.7116	-1.712
ecf5r533	-0.9127	-0.913	0.2308	0.231	-0.1605	-0.161	-3.9550	-3.955
ln_base_bldgsize_ratio	0.7469	0.747	0.1548	0.155	0.2631	0.263	4.8262	4.826
ecf5r523	-0.7265	-0.727	0.2417	0.242	-0.1131	-0.113	-3.0061	-3.006
ecf5r501	-0.6309	-0.631	0.1068	0.107	-0.2576	-0.258	-5.9094	-5.909
ecf5r534	-0.6206	-0.621	0.1707	0.171	-0.1520	-0.152	-3.6349	-3.635
ecf5r528	-0.5763	-0.576	0.3074	0.307	-0.0681	-0.068	-1.8749	-1.875
good	0.5586	0.559	0.1299	0.130	0.1622	0.162	4.2986	4.299
ecf5r502	-0.5359	-0.536	0.1088	0.109	-0.2159	-0.216	-4.9242	-4.924
ecf5r517_521	0.5041	0.504	0.2427	0.243	0.0784	0.078	2.0765	2.077
ln_landratio	0.4998	0.500	0.1262	0.126	0.2065	0.206	3.9590	3.959
ecf5r503	0.4721	0.472	0.2136	0.214	0.0874	0.087	2.2104	2.210
fair	-0.4572	-0.457	0.0817	0.082	-0.2142	-0.214	-5.5975	-5.598
poor	-0.4212	-0.421	0.1278	0.128	-0.1304	-0.130	-3.2966	-3.297
ecf5r530_532_535	0.3683	0.368	0.2039	0.204	0.0714	0.071	1.8063	1.806
ecf5r514	0.3456	0.346	0.1668	0.167	0.0801	0.080	2.0720	2.072
ecf5r529	0.3288	0.329	0.1626	0.163	0.0784	0.078	2.0219	2.022
ext_brick_siding	-0.2534	-0.253	0.1000	0.100	-0.1042	-0.104	-2.5341	-2.534
large	0.2295	0.230	0.0992	0.099	0.1144	0.114	2.3137	2.314
arterial	-0.2246	-0.225	0.1164	0.116	-0.0754	-0.075	-1.9297	-1.930
hot_water	0.2084	0.208	0.0845	0.085	0.1085	0.108	2.4658	2.466
two_baths	0.2025	0.203	0.0901	0.090	0.0974	0.097	2.2479	2.248
months_10to16	0.0675	0.067	0.0117	0.012	0.2182	0.218	5.7608	5.761
(intercept)	NA	11.428	NA	0.114	NA	NA	NA	100.207

Table 8: District 5 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
unsound	0.0000	0.001	0.9351	0.935	1.0694	1.069
excellent	0.0001	0.001	0.7699	0.770	1.2989	1.299
row_house2story	0.0778	0.078	0.9047	0.905	1.1053	1.105
ecf5r538	0.0881	0.088	0.9479	0.948	1.0550	1.055
ecf5r533	0.0001	0.001	0.7603	0.760	1.3152	1.315
ln_base_bldgsize_ratio	0.0000	0.001	0.4216	0.422	2.3722	2.372
ecf5r523	0.0029	0.003	0.8854	0.885	1.1295	1.129
ecf5r501	0.0000	0.001	0.6594	0.659	1.5165	1.517
ecf5r534	0.0003	0.001	0.7162	0.716	1.3962	1.396
ecf5r528	0.0618	0.062	0.9485	0.948	1.0543	1.054
good	0.0000	0.001	0.8801	0.880	1.1362	1.136
ecf5r502	0.0000	0.001	0.6519	0.652	1.5340	1.534
ecf5r517_521	0.0388	0.039	0.8777	0.878	1.1394	1.139
ln_landratio	0.0001	0.001	0.4606	0.461	2.1710	2.171
ecf5r503	0.0279	0.028	0.8016	0.802	1.2475	1.248
fair	0.0000	0.001	0.8555	0.855	1.1689	1.169
poor	0.0011	0.001	0.8002	0.800	1.2496	1.250
ecf5r530_532_535	0.0719	0.072	0.8023	0.802	1.2464	1.246
ecf5r514	0.0392	0.039	0.8384	0.838	1.1927	1.193
ecf5r529	0.0441	0.044	0.8331	0.833	1.2003	1.200
ext_brick_siding	0.0118	0.012	0.7416	0.742	1.3484	1.348
large	0.0214	0.021	0.5127	0.513	1.9505	1.950
arterial	0.0546	0.055	0.8214	0.821	1.2174	1.217
hot_water	0.0143	0.014	0.6474	0.647	1.5446	1.545
two_baths	0.0254	0.025	0.6673	0.667	1.4985	1.499
months_10to16	0.0000	0.001	0.8734	0.873	1.1450	1.145
(intercept)	NA	0.001	NA	NA	NA	NA

District 5 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 5 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	238	24	0.4466	0.7790	0.7570	35.0370
R	260	237	23	0.4452	0.7767	0.7550	35.8318
% diff (R vs SPSS)	-0.76%	-0.42%	-4.17%	-0.32%	-0.30%	-0.26%	2.27%

Table 10: District 5 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1	1.1470	0.9440	1.2150	0.4370	-0.1290
R	1	1.0948	0.9384	1.1667	0.3630	-0.1106
% diff (R vs SPSS)	-0.00%	-4.55%	-0.60%	-3.98%	-16.93%	14.28%


Table 11: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.3368	NA	0.1119	NA	NA	NA	101.3081	NA
excellent	1.8692	1.720	0.4877	0.480	0.1286	0.117	3.8324	3.583
ecf5r523	-1.1864	-1.163	0.3305	0.331	-0.1409	-0.137	-3.5901	-3.512
ecf5r534	-0.9777	-0.934	0.1621	0.160	-0.2090	-0.197	-6.0304	-5.827
ecf5r539	-0.8330	-0.797	0.2837	0.284	-0.0989	-0.094	-2.9360	-2.809
ecf5r501	-0.7821	-0.754	0.0815	0.080	-0.3576	-0.341	-9.5977	-9.450
crawl	0.7461	0.742	0.2968	0.298	0.1021	0.100	2.5140	2.493
ecf5r528	-0.7384	-0.692	0.3221	0.322	-0.0717	-0.066	-2.2922	-2.151
ecf5r533	-0.7140	-0.699	0.3426	0.344	-0.0694	-0.067	-2.0843	-2.035
ecf5r502	-0.6569	-0.628	0.0840	0.082	-0.2880	-0.272	-7.8186	-7.632
largest	0.5883	0.580	0.1207	0.121	0.3228	0.316	4.8741	4.791
good	0.5857	0.586	0.1104	0.111	0.1736	0.175	5.3053	5.287
three_plus_baths	0.5615	0.513	0.1407	0.138	0.1905	0.172	3.9912	3.723
fair	-0.5339	-0.519	0.0655	0.065	-0.2691	-0.260	-8.1462	-7.974
ln_landratio	0.4971	0.478	0.1048	0.104	0.2196	0.210	4.7445	4.575
ecf5r503	0.4056	0.354	0.1798	0.177	0.0779	0.067	2.2560	1.994
poor	-0.4011	-0.387	0.1061	0.106	-0.1267	-0.121	-3.7808	-3.652
ecf5r517_521	0.3801	0.401	0.2378	0.238	0.0520	0.054	1.5985	1.683
two_baths	0.3585	0.315	0.0923	0.088	0.1860	0.163	3.8850	3.564
large	0.3136	0.306	0.1115	0.112	0.1642	0.159	2.8132	2.737
arterial	-0.2044	-0.205	0.0978	0.098	-0.0726	-0.072	-2.0913	-2.088
ext_brick_siding	-0.1804	-0.163	0.0781	0.078	-0.0791	-0.071	-2.3102	-2.103
qabove_avg	-0.1411	NA	0.0888	NA	-0.0683	NA	-1.5891	NA
months_10to16	0.0677	0.066	0.0095	0.009	0.2341	0.225	7.1035	6.924
(intercept)	NA	11.319	NA	0.112	NA	NA	NA	101.349
row_house2story	NA	-1.756	NA	0.466	NA	-0.119	NA	-3.772
ecf5r538	NA	-1.121	NA	0.464	NA	-0.076	NA	-2.417

Table 12: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0002	0.001	0.8365	0.869	1.1954	1.151
ecf5r523	0.0004	0.001	0.6121	0.613	1.6337	1.631
ecf5r534	0.0000	0.001	0.7842	0.807	1.2752	1.239
ecf5r539	0.0037	0.005	0.8304	0.836	1.2042	1.197
ecf5r501	0.0000	0.001	0.6787	0.712	1.4735	1.405
crawl	0.0126	0.013	0.5714	0.571	1.7502	1.750
ecf5r528	0.0228	0.032	0.9624	0.970	1.0391	1.031
ecf5r533	0.0382	0.043	0.8512	0.852	1.1749	1.174
ecf5r502	0.0000	0.001	0.6948	0.727	1.4393	1.375
largest	0.0000	0.001	0.2149	0.214	4.6532	4.681
good	0.0000	0.001	0.8805	0.842	1.1357	1.188
three_plus_baths	0.0001	0.001	0.4137	0.434	2.4173	2.305
fair	0.0000	0.001	0.8634	0.873	1.1582	1.146
ln_landratio	0.0000	0.001	0.4398	0.439	2.2737	2.279
ecf5r503	0.0250	0.047	0.7909	0.818	1.2644	1.223
poor	0.0002	0.001	0.8398	0.845	1.1908	1.184
ecf5r517_521	0.1113	0.094	0.8902	0.893	1.1234	1.120
two_baths	0.0001	0.001	0.4112	0.446	2.4317	2.243
large	0.0053	0.007	0.2766	0.276	3.6150	3.622
arterial	0.0376	0.038	0.7813	0.781	1.2799	1.281
ext_brick_siding	0.0217	0.037	0.8038	0.818	1.2441	1.222
qabove_avg	0.1134	NA	0.5098	NA	1.9616	NA
months_10to16	0.0000	0.001	0.8677	0.878	1.1525	1.139
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.924	NA	1.083
ecf5r538	NA	0.016	NA	0.931	NA	1.074

District 5 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 5 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	239	23	0.4458	0.7740	0.7520	35.5210
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-0.76%	0.00%	-8.70%	0.35%	-0.89%	-0.72%	5.53%

Table 14: District 5 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	1.0359	1.1925	0.9929	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	3.39%	4.06%	5.29%	-1.14%	-2.94%	-5.42%


Table 15: District 5 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.7355	NA	0.1065	NA	NA	NA	110.1754	NA
excellent	1.7331	1.722	0.4808	0.479	0.1207	0.119	3.6047	3.595
ecf5r523	-1.1552	-1.162	0.3316	0.330	-0.1388	-0.138	-3.4834	-3.515
ecf5r534	-0.9129	-0.930	0.1597	0.159	-0.1976	-0.199	-5.7162	-5.847
ecf5r539	-0.7689	-0.792	0.2833	0.282	-0.0924	-0.094	-2.7140	-2.806
ecf5r501	-0.7594	-0.755	0.0797	0.079	-0.3515	-0.346	-9.5232	-9.496
ecf5r533	-0.7513	-0.708	0.3417	0.340	-0.0739	-0.069	-2.1988	-2.078
crawl	0.6981	0.735	0.2962	0.295	0.0967	0.101	2.3567	2.489
ecf5r528	-0.6968	-0.693	0.3223	0.321	-0.0685	-0.067	-2.1618	-2.158
ecf5r502	-0.6302	-0.629	0.0824	0.082	-0.2796	-0.276	-7.6466	-7.652
largest	0.5847	0.580	0.1211	0.121	0.3247	0.320	4.8289	4.810
good	0.5671	0.582	0.1100	0.110	0.1701	0.177	5.1547	5.313
three_plus_baths	0.5230	0.515	0.1378	0.137	0.1796	0.175	3.7967	3.749
fair	-0.5162	-0.518	0.0651	0.065	-0.2634	-0.263	-7.9293	-7.987
ln_landratio	0.4681	0.476	0.1043	0.104	0.2093	0.212	4.4883	4.580
ecf5r517_521	0.4135	0.403	0.2383	0.238	0.0573	0.055	1.7350	1.696
poor	-0.3787	-0.386	0.1060	0.106	-0.1210	-0.122	-3.5720	-3.652
ecf5r503	0.3443	0.352	0.1775	0.177	0.0669	0.068	1.9400	1.991
two_baths	0.3121	0.315	0.0886	0.088	0.1639	0.164	3.5240	3.567
large	0.3060	0.306	0.1119	0.112	0.1622	0.161	2.7353	2.743
arterial	-0.1973	-0.204	0.0980	0.098	-0.0710	-0.072	-2.0129	-2.083
ext_brick_siding	-0.1467	-0.160	0.0767	0.076	-0.0651	-0.070	-1.9133	-2.099
(intercept)	NA	11.771	NA	0.106	NA	NA	NA	110.887
row_house2story	NA	-1.745	NA	0.462	NA	-0.120	NA	-3.778
ecf5r538	NA	-1.129	NA	0.461	NA	-0.078	NA	-2.448

Table 16: District 5 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0004	0.001	0.8689	0.869	1.1509	1.151
ecf5r523	0.0006	0.001	0.6135	0.613	1.6300	1.630
ecf5r534	0.0000	0.001	0.8158	0.816	1.2258	1.226
ecf5r539	0.0071	0.005	0.8406	0.841	1.1896	1.190
ecf5r501	0.0000	0.001	0.7153	0.714	1.3980	1.401
ecf5r533	0.0288	0.039	0.8636	0.864	1.1580	1.158
crawl	0.0192	0.013	0.5789	0.579	1.7274	1.728
ecf5r528	0.0316	0.032	0.9704	0.970	1.0306	1.031
ecf5r502	0.0000	0.001	0.7287	0.727	1.3723	1.375
largest	0.0000	0.001	0.2156	0.214	4.6387	4.676
good	0.0000	0.001	0.8953	0.856	1.1170	1.169
three_plus_baths	0.0002	0.001	0.4355	0.435	2.2960	2.298
fair	0.0000	0.001	0.8832	0.874	1.1323	1.145
ln_landratio	0.0000	0.001	0.4481	0.441	2.2314	2.268
ecf5r517_521	0.0840	0.091	0.8944	0.894	1.1181	1.118
poor	0.0004	0.001	0.8487	0.848	1.1782	1.179
ecf5r503	0.0536	0.048	0.8193	0.819	1.2206	1.221
two_baths	0.0005	0.001	0.4506	0.446	2.2191	2.241
large	0.0067	0.007	0.2772	0.276	3.6080	3.621
arterial	0.0452	0.038	0.7840	0.783	1.2756	1.277
ext_brick_siding	0.0569	0.037	0.8420	0.840	1.1877	1.190
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.935	NA	1.069
ecf5r538	NA	0.015	NA	0.938	NA	1.066

District 5 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 5 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	505	477	28	0.4578	0.7440	0.7290	49.5400
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-48.51%	-49.90%	-25.00%	-2.30%	3.10%	2.41%	-24.33%

Table 18: District 5 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.1030	0.9290	1.1880	0.3790	-0.1290
R	1.0359	1.1925	0.9929	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	3.59%	8.12%	6.87%	1.10%	11.65%	-6.24%


Table 19: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.7355	NA	0.1065	NA	NA	NA	110.1754	NA
excellent	1.7331	1.604	0.4808	0.481	0.1207	0.081	3.6047	3.335
ecf5r523	-1.1552	-0.549	0.3316	0.172	-0.1388	-0.078	-3.4834	-3.196
ecf5r534	-0.9129	-0.501	0.1597	0.123	-0.1976	-0.106	-5.7162	-4.082
ecf5r539	-0.7689	NA	0.2833	NA	-0.0924	NA	-2.7140	NA
ecf5r501	-0.7594	-0.604	0.0797	0.072	-0.3515	-0.263	-9.5232	-8.413
ecf5r533	-0.7513	-0.739	0.3417	0.132	-0.0739	-0.143	-2.1988	-5.585
crawl	0.6981	NA	0.2962	NA	0.0967	NA	2.3567	NA
ecf5r528	-0.6968	-0.475	0.3223	0.127	-0.0685	-0.097	-2.1618	-3.729
ecf5r502	-0.6302	-0.449	0.0824	0.072	-0.2796	-0.185	-7.6466	-6.262
largest	0.5847	NA	0.1211	NA	0.3247	NA	4.8289	NA
good	0.5671	0.689	0.1100	0.080	0.1701	0.214	5.1547	8.632
three_plus_baths	0.5230	0.261	0.1378	0.131	0.1796	0.073	3.7967	1.991
fair	-0.5162	-0.487	0.0651	0.047	-0.2634	-0.257	-7.9293	-10.304
ln_landratio	0.4681	0.445	0.1043	0.081	0.2093	0.186	4.4883	5.521
ecf5r517_521	0.4135	0.593	0.2383	0.142	0.0573	0.103	1.7350	4.183
poor	-0.3787	-0.436	0.1060	0.076	-0.1210	-0.141	-3.5720	-5.760
ecf5r503	0.3443	0.574	0.1775	0.175	0.0669	0.086	1.9400	3.285
two_baths	0.3121	0.170	0.0886	0.067	0.1639	0.083	3.5240	2.537
large	0.3060	NA	0.1119	NA	0.1622	NA	2.7353	NA
arterial	-0.1973	-0.173	0.0980	0.066	-0.0710	-0.065	-2.0129	-2.602
ext_brick_siding	-0.1467	-0.174	0.0767	0.060	-0.0651	-0.073	-1.9133	-2.887
(intercept)	NA	9.796	NA	0.552	NA	NA	NA	17.732
lnsbldsfint	NA	0.287	NA	0.081	NA	0.149	NA	3.532
row_house2story	NA	-1.163	NA	0.472	NA	-0.059	NA	-2.465
unsound	NA	-1.437	NA	0.474	NA	-0.073	NA	-3.032
fireplace	NA	0.113	NA	0.057	NA	0.064	NA	1.982
hot_water	NA	0.226	NA	0.048	NA	0.128	NA	4.683
ecf5r504	NA	0.229	NA	0.097	NA	0.065	NA	2.355
ecf5r508_509	NA	0.265	NA	0.143	NA	0.046	NA	1.851
ecf5r514	NA	0.449	NA	0.089	NA	0.133	NA	5.019
ecf5r529	NA	0.534	NA	0.084	NA	0.181	NA	6.371
ecf5r530_532_535	NA	0.481	NA	0.147	NA	0.083	NA	3.284
ecf5r538	NA	-0.876	NA	0.197	NA	-0.108	NA	-4.436

Table 20: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0004	0.001	0.8689	0.908	1.1509	1.102
ecf5r523	0.0006	0.001	0.6135	0.902	1.6300	1.109
ecf5r534	0.0000	0.001	0.8158	0.802	1.2258	1.246
ecf5r539	0.0071	NA	0.8406	NA	1.1896	NA
ecf5r501	0.0000	0.001	0.7153	0.550	1.3980	1.817
ecf5r533	0.0288	0.001	0.8636	0.823	1.1580	1.215
crawl	0.0192	NA	0.5789	NA	1.7274	NA
ecf5r528	0.0316	0.001	0.9704	0.787	1.0306	1.271
ecf5r502	0.0000	0.001	0.7287	0.612	1.3723	1.635
largest	0.0000	NA	0.2156	NA	4.6387	NA
good	0.0000	0.001	0.8953	0.873	1.1170	1.145
three_plus_baths	0.0002	0.047	0.4355	0.396	2.2960	2.523
fair	0.0000	0.001	0.8832	0.862	1.1323	1.160
ln_landratio	0.0000	0.001	0.4481	0.472	2.2314	2.118
ecf5r517_521	0.0840	0.001	0.8944	0.889	1.1181	1.125
poor	0.0004	0.001	0.8487	0.893	1.1782	1.120
ecf5r503	0.0536	0.001	0.8193	0.776	1.2206	1.288
two_baths	0.0005	0.012	0.4506	0.496	2.2191	2.016
large	0.0067	NA	0.2772	NA	3.6080	NA
arterial	0.0452	0.010	0.7840	0.865	1.2756	1.157
ext_brick_siding	0.0569	0.004	0.8420	0.830	1.1877	1.205
(intercept)	NA	0.001	NA	NA	NA	NA
lnsbldsfint	NA	0.001	NA	0.303	NA	3.303
row_house2story	NA	0.014	NA	0.944	NA	1.059
unsound	NA	0.003	NA	0.936	NA	1.069
fireplace	NA	0.048	NA	0.510	NA	1.960
hot_water	NA	0.001	NA	0.715	NA	1.399
ecf5r504	NA	0.019	NA	0.701	NA	1.426
ecf5r508_509	NA	0.065	NA	0.872	NA	1.147
ecf5r514	NA	0.001	NA	0.763	NA	1.310
ecf5r529	NA	0.001	NA	0.663	NA	1.509
ecf5r530_532_535	NA	0.001	NA	0.833	NA	1.200
ecf5r538	NA	0.001	NA	0.907	NA	1.103

District 5 | Model VI Beta Coef. Comparison: SPSS vs R



District 6 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

8 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I


Table 1: District 6 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	193	182	11	0.5004	0.2070	0.1590	4.3120
R	193	181	12	0.5010	0.2094	0.1570	3.9961
% diff (R vs SPSS)	0.00%	-0.55%	9.09%	0.11%	1.16%	-1.26%	-7.33%

Table 2: District 6 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.816	3.820	0.074	0.073	NA	NA	51.856	52.094	0.000	0.001
yb_pre_1910	0.311	0.245	0.121	0.121	0.185	0.146	2.578	2.029	0.011	0.044
yb_post_1990	0.615	0.561	0.233	0.234	0.179	0.163	2.642	2.397	0.009	0.018
arterial	0.361	0.380	0.141	0.141	0.177	0.186	2.553	2.704	0.011	0.007
qbelow_avg	0.170	0.209	0.086	0.085	0.154	0.190	1.970	2.455	0.050	0.015
row_house	1.014	1.010	0.506	0.506	0.133	0.133	2.002	1.996	0.047	0.047
largest	0.251	0.256	0.144	0.143	0.131	0.133	1.747	1.783	0.082	0.076
ln_garagespaces	0.197	0.223	0.112	0.112	0.124	0.141	1.758	1.997	0.080	0.047
central_air	0.183	0.237	0.100	0.105	0.123	0.159	1.822	2.247	0.070	0.026
wall	0.350	NA	0.236	NA	0.102	NA	1.482	NA	0.140	NA
slab	-0.288	NA	0.200	NA	-0.099	NA	-1.440	NA	0.152	NA
three_plus_baths	-0.851	-0.895	0.535	0.534	-0.112	-0.118	-1.591	-1.676	0.113	0.096
yb_1946_to_1960	-0.224	-0.263	0.104	0.107	-0.158	-0.186	-2.165	-2.461	0.032	0.015
yb_1930_to_1945	NA	-0.209	NA	0.119	NA	-0.129	NA	-1.754	NA	0.081

District 6 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 6 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	285	14	0.5507	0.4550	0.4290	17.0240
R	298	283	15	0.5483	0.4415	0.4118	14.9114
% diff (R vs SPSS)	-0.33%	-0.70%	7.14%	-0.44%	-2.97%	-4.01%	-12.41%

Table 4: District 6 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.740	10.807	0.079	0.073	NA	NA	135.500	148.225	0.000	0.001
ln_base_bldgsize_ratio	1.027	1.165	0.166	0.153	0.407	0.453	6.172	7.621	0.000	0.001
yb_pre_1910	0.407	0.368	0.096	0.095	0.204	0.181	4.227	3.878	0.000	0.001
good_very_good	1.014	0.965	0.274	0.274	0.182	0.170	3.698	3.519	0.000	0.001
yb_post_1990	0.709	0.647	0.232	0.231	0.150	0.134	3.058	2.804	0.002	0.005
months_12to24	0.019	0.019	0.007	0.008	0.117	0.114	2.577	2.546	0.010	0.011
arterial	0.282	0.280	0.115	0.116	0.115	0.112	2.447	2.425	0.015	0.016
row_house	1.213	1.428	0.563	0.557	0.098	0.113	2.154	2.565	0.032	0.011
qbelow_avg	0.132	0.134	0.079	0.079	0.092	0.092	1.664	1.684	0.097	0.093
ln_garagespaces	0.176	0.179	0.094	0.094	0.089	0.089	1.876	1.904	0.062	0.058
central_air	0.170	0.172	0.100	0.097	0.080	0.080	1.707	1.769	0.089	0.078
hot_water	0.136	NA	0.086	NA	0.080	NA	1.592	NA	0.112	NA
ext_brick	0.126	NA	0.085	NA	0.072	NA	1.494	NA	0.136	NA
three_plus_baths	-1.030	-1.033	0.419	0.418	-0.118	-0.116	-2.458	-2.470	0.015	0.014
poor	-0.465	-0.476	0.168	0.168	-0.128	-0.128	-2.773	-2.836	0.006	0.005
fair	-0.214	-0.231	0.072	0.072	-0.137	-0.145	-2.952	-3.201	0.003	0.002
unsound	NA	-1.998	NA	0.555	NA	-0.158	NA	-3.601	NA	0.001

District 6 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 6 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	299	276	23	0.5072	0.5530	0.5150	14.8270
R	298	273	25	0.5050	0.5430	0.5011	12.9745
% diff (R vs SPSS)	-0.33%	-1.09%	8.70%	-0.43%	-1.81%	-2.70%	-12.49%

Table 6: District 6 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0360	1.1850	0.9050	1.3090	0.4740	
R	1.0000	1.1204	0.9076	1.2345	0.4180	-0.2792
% diff (R vs SPSS)	-3.47%	-5.45%	0.28%	-5.69%	-11.82%	


Table 7: District 6 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.5941	NA	0.0737	NA	NA	NA	143.7021	NA
ecf6r609_614	1.6512	1.744	0.3174	0.314	0.2306	0.239	5.2024	5.547
ecf6r608	1.5640	1.524	0.2817	0.282	0.2517	0.240	5.5529	5.403
yb_post_1990	0.8607	0.849	0.2100	0.210	0.1823	0.176	4.0994	4.040
row_house	0.8024	NA	0.5357	NA	0.0649	NA	1.4979	NA
ecf6r613	0.7572	0.729	0.1749	0.175	0.1907	0.180	4.3290	4.172
ecf6r616_617	0.7173	0.680	0.3062	0.307	0.1002	0.093	2.3428	2.218
ecf6r607	0.6610	0.636	0.2004	0.201	0.1495	0.141	3.2985	3.173
poor	-0.4561	-0.492	0.1568	0.157	-0.1254	-0.132	-2.9085	-3.137
ecf6r611	0.4503	0.423	0.0950	0.094	0.2276	0.211	4.7381	4.481
ecf6r605	0.4453	0.435	0.1379	0.138	0.1445	0.138	3.2304	3.159
ecf6r612	0.3935	0.426	0.1622	0.161	0.1124	0.119	2.4262	2.643
ecf6r601	-0.3386	-0.376	0.1501	0.149	-0.1002	-0.109	-2.2554	-2.518
largest	0.3025	0.329	0.1422	0.141	0.1345	0.143	2.1269	2.330
ecf6r615	0.2880	0.344	0.1511	0.146	0.0881	0.103	1.9060	2.346
ecf6r604	0.2638	0.237	0.1029	0.102	0.1217	0.107	2.5651	2.329
arterial	0.2332	0.215	0.1131	0.113	0.0952	0.086	2.0621	1.903
smallest	-0.2171	-0.221	0.1153	0.116	-0.0826	-0.084	-1.8835	-1.908
powder_room	0.1957	0.174	0.1041	0.104	0.1062	0.092	1.8793	1.671
large	0.1941	0.216	0.0869	0.086	0.1189	0.130	2.2351	2.530
ext_brick	0.1939	0.230	0.0795	0.078	0.1102	0.128	2.4386	2.934
ecf6r603	-0.1880	-0.243	0.1345	0.132	-0.0627	-0.079	-1.3977	-1.837
fair	-0.1754	-0.189	0.0678	0.068	-0.1120	-0.118	-2.5870	-2.794
central_air	0.1251	NA	0.0928	NA	0.0590	NA	1.3486	NA
ln_garagespaces	0.1227	NA	0.0884	NA	0.0622	NA	1.3874	NA
months_12to24	0.0197	0.019	0.0070	0.007	0.1196	0.113	2.8176	2.702
(intercept)	NA	10.650	NA	0.068	NA	NA	NA	157.362
unsound	NA	-2.353	NA	0.523	NA	-0.186	NA	-4.503

Table 8: District 6 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8523	0.876	1.1733	1.141
ecf6r608	0.0000	0.001	0.8145	0.819	1.2278	1.221
yb_post_1990	0.0001	0.001	0.8461	0.851	1.1819	1.175
row_house	0.1353	NA	0.8916	NA	1.1216	NA
ecf6r613	0.0000	0.001	0.8623	0.871	1.1597	1.148
ecf6r616_617	0.0199	0.027	0.9160	0.921	1.0917	1.086
ecf6r607	0.0011	0.002	0.8155	0.821	1.2263	1.218
poor	0.0039	0.002	0.9002	0.909	1.1108	1.100
ecf6r611	0.0000	0.001	0.7255	0.730	1.3784	1.370
ecf6r605	0.0014	0.002	0.8368	0.844	1.1950	1.185
ecf6r612	0.0159	0.009	0.7797	0.795	1.2825	1.258
ecf6r601	0.0249	0.012	0.8478	0.864	1.1796	1.157
largest	0.0343	0.021	0.4184	0.429	2.3902	2.331
ecf6r615	0.0577	0.020	0.7841	0.842	1.2754	1.188
ecf6r604	0.0108	0.021	0.7434	0.768	1.3452	1.302
arterial	0.0401	0.058	0.7854	0.795	1.2733	1.258
smallest	0.0607	0.057	0.8695	0.840	1.1501	1.191
powder_room	0.0613	0.096	0.5241	0.531	1.9080	1.883
large	0.0262	0.012	0.5912	0.614	1.6915	1.629
ext_brick	0.0154	0.004	0.8205	0.852	1.2188	1.174
ecf6r603	0.1633	0.067	0.8329	0.871	1.2006	1.148
fair	0.0102	0.006	0.8929	0.903	1.1200	1.107
central_air	0.1786	NA	0.8733	NA	1.1450	NA
ln_garagespaces	0.1665	NA	0.8317	NA	1.2024	NA
months_12to24	0.0052	0.007	0.9293	0.932	1.0761	1.073
(intercept)	NA	0.001	NA	NA	NA	NA
unsound	NA	0.001	NA	0.945	NA	1.058

District 6 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 6 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	224	20	0.3914	0.6350	0.6020	19.4500
R	246	225	21	0.3950	0.6423	0.6090	19.2430
% diff (R vs SPSS)	0.82%	0.45%	5.00%	0.92%	1.15%	1.16%	-1.06%

Table 10: District 6 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0080	1.1140	0.9620	1.1580	0.3650	-0.1960
R	0.9825	1.0736	0.9434	1.1380	0.3270	-0.1954
% diff (R vs SPSS)	-2.53%	-3.63%	-1.93%	-1.73%	-10.40%	0.28%


Table 11: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.7061	NA	0.0675	NA	NA	NA	158.5207	NA
ecf6r608	1.5037	1.409	0.4145	0.412	0.1515	0.145	3.6282	3.423
ecf6r609_614	1.4920	1.652	0.3014	0.433	0.2121	0.170	4.9506	3.816
yb_post_1990	0.8607	0.917	0.1695	0.186	0.2266	0.229	5.0774	4.931
ecf6r613	0.8301	0.778	0.1572	0.157	0.2185	0.209	5.2793	4.964
ecf6r607	0.7616	0.538	0.2035	0.211	0.1701	0.123	3.7422	2.551
ecf6r616_617	0.7200	0.681	0.2381	0.287	0.1251	0.099	3.0234	2.371
ecf6r611	0.4907	0.438	0.0771	0.075	0.2952	0.274	6.3652	5.848
ln_base_bldgsize_ratio	0.4883	NA	0.1569	NA	0.2013	NA	3.1125	NA
poor	-0.4396	-0.454	0.2054	0.203	-0.0880	-0.093	-2.1405	-2.231
ecf6r612	0.4342	0.390	0.1602	0.161	0.1219	0.105	2.7109	2.419
ecf6r601	-0.4159	-0.513	0.1267	0.130	-0.1418	-0.172	-3.2817	-3.951
ecf6r605	0.4115	0.414	0.1150	0.112	0.1559	0.160	3.5793	3.681
ecf6r603	-0.3043	-0.397	0.1172	0.115	-0.1116	-0.149	-2.5960	-3.469
ecf6r604	0.2916	0.254	0.0829	0.082	0.1574	0.140	3.5188	3.086
arterial	0.2652	0.236	0.1009	0.099	0.1148	0.105	2.6298	2.398
powder_room	0.2539	NA	0.0938	NA	0.1437	NA	2.7066	NA
ext_brick	0.2278	0.252	0.0710	0.069	0.1383	0.158	3.2095	3.663
ln_garagespaces	0.1556	NA	0.0766	NA	0.0887	NA	2.0318	NA
fair	-0.1492	-0.165	0.0603	0.059	-0.1042	-0.119	-2.4758	-2.815
single_family2story	-0.1167	NA	0.0680	NA	-0.0784	NA	-1.7160	NA
months_12to24	0.0129	0.012	0.0062	0.006	0.0865	0.083	2.0841	1.987
(intercept)	NA	10.665	NA	0.054	NA	NA	NA	196.525
large	NA	0.277	NA	0.065	NA	0.190	NA	4.258
largest	NA	0.618	NA	0.116	NA	0.267	NA	5.313
unsound	NA	-2.598	NA	0.398	NA	-0.268	NA	-6.533

Table 12: District 6 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r608	0.0004	0.001	0.9120	0.908	1.0965	1.101
ecf6r609_614	0.0000	0.001	0.8660	0.820	1.1548	1.219
yb_post_1990	0.0000	0.001	0.7983	0.756	1.2527	1.322
ecf6r613	0.0000	0.001	0.9279	0.916	1.0778	1.092
ecf6r607	0.0002	0.011	0.7691	0.704	1.3003	1.420
ecf6r616_617	0.0028	0.019	0.9284	0.936	1.0771	1.068
ecf6r611	0.0000	0.001	0.7391	0.744	1.3529	1.345
ln_base_bldgsize_ratio	0.0021	NA	0.3801	NA	2.6306	NA
poor	0.0334	0.027	0.9398	0.941	1.0640	1.063
ecf6r612	0.0072	0.016	0.7857	0.868	1.2728	1.152
ecf6r601	0.0012	0.001	0.8510	0.864	1.1751	1.157
ecf6r605	0.0004	0.001	0.8379	0.861	1.1935	1.162
ecf6r603	0.0101	0.001	0.8600	0.884	1.1628	1.131
ecf6r604	0.0005	0.002	0.7947	0.793	1.2583	1.261
arterial	0.0091	0.017	0.8345	0.858	1.1983	1.166
powder_room	0.0073	NA	0.5638	NA	1.7738	NA
ext_brick	0.0015	0.001	0.8561	0.881	1.1680	1.135
ln_garagespaces	0.0433	NA	0.8345	NA	1.1983	NA
fair	0.0140	0.005	0.8970	0.912	1.1148	1.097
single_family2story	0.0875	NA	0.7606	NA	1.3147	NA
months_12to24	0.0383	0.048	0.9227	0.938	1.0837	1.066
(intercept)	NA	0.001	NA	NA	NA	NA
large	NA	0.001	NA	0.819	NA	1.221
largest	NA	0.001	NA	0.646	NA	1.548
unsound	NA	0.001	NA	0.973	NA	1.028

District 6 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 6 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	244	225	19	0.3905	0.6350	0.6040	20.5970
R	246	225	21	0.3962	0.6402	0.6066	19.0636
% diff (R vs SPSS)	0.82%	0.00%	10.53%	1.45%	0.82%	0.43%	-7.44%

Table 14: District 6 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	0.9989	1.0742	0.9454	1.1363	0.3187	-0.1996
% diff (R vs SPSS)	-0.31%	-6.26%	0.25%	-6.47%	-26.90%	-53.57%


Table 15: District 6 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.7836	NA	0.0602	NA	NA	NA	179.2456	NA
ecf6r609_614	1.5039	1.652	0.3014	0.432	0.2138	0.170	4.9895	3.825
ecf6r608	1.2884	1.409	0.4228	0.410	0.1298	0.145	3.0475	3.434
three_plus_baths	-0.9426	NA	0.4426	NA	-0.0950	NA	-2.1300	NA
yb_post_1990	0.8996	0.917	0.1718	0.186	0.2368	0.229	5.2376	4.943
ecf6r613	0.7843	0.778	0.1591	0.156	0.2065	0.209	4.9297	4.975
ecf6r616_617	0.6400	0.681	0.2414	0.286	0.1112	0.099	2.6513	2.382
ln_base_bldgsize_ratio	0.6094	NA	0.1493	NA	0.2512	NA	4.0817	NA
ecf6r607	0.5274	0.537	0.2141	0.210	0.1178	0.123	2.4634	2.562
ecf6r611	0.5047	0.438	0.0778	0.075	0.3036	0.274	6.4914	5.869
ecf6r612	0.4781	0.390	0.1662	0.160	0.1343	0.105	2.8760	2.431
ecf6r601	-0.4198	-0.513	0.1272	0.130	-0.1432	-0.172	-3.3012	-3.963
poor	-0.3966	-0.454	0.2062	0.203	-0.0794	-0.093	-1.9233	-2.237
ecf6r605	0.3736	0.414	0.1156	0.112	0.1415	0.160	3.2326	3.692
ecf6r603	-0.3268	-0.397	0.1174	0.114	-0.1199	-0.149	-2.7846	-3.478
largest	0.3137	0.618	0.1313	0.116	0.1358	0.267	2.3898	5.330
ecf6r604	0.3104	0.254	0.0828	0.082	0.1675	0.140	3.7495	3.094
ext_brick	0.2343	0.252	0.0715	0.069	0.1422	0.157	3.2774	3.677
arterial	0.2254	0.237	0.0993	0.098	0.0975	0.105	2.2702	2.424
fair	-0.1588	-0.165	0.0605	0.059	-0.1109	-0.119	-2.6269	-2.822
ln_garagespaces	0.1546	NA	0.0767	NA	0.0881	NA	2.0165	NA
single_family2story	-0.1241	NA	0.0676	NA	-0.0834	NA	-1.8362	NA
(intercept)	NA	10.822	NA	0.048	NA	NA	NA	223.551
large	NA	0.277	NA	0.065	NA	0.190	NA	4.281
unsound	NA	-2.598	NA	0.396	NA	-0.267	NA	-6.558

Table 16: District 6 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8710	0.820	1.1481	1.219
ecf6r608	0.0026	0.001	0.8818	0.910	1.1340	1.099
three_plus_baths	0.0343	NA	0.8047	NA	1.2427	NA
yb_post_1990	0.0000	0.001	0.7823	0.757	1.2783	1.322
ecf6r613	0.0000	0.001	0.9117	0.916	1.0968	1.091
ecf6r616_617	0.0086	0.018	0.9089	0.942	1.1003	1.062
ln_base_bldgsize_ratio	0.0001	NA	0.4222	NA	2.3688	NA
ecf6r607	0.0145	0.011	0.6990	0.708	1.4306	1.413
ecf6r611	0.0000	0.001	0.7311	0.745	1.3678	1.341
ecf6r612	0.0044	0.016	0.7337	0.873	1.3630	1.145
ecf6r601	0.0011	0.001	0.8503	0.865	1.1761	1.155
poor	0.0557	0.026	0.9379	0.941	1.0663	1.062
ecf6r605	0.0014	0.001	0.8343	0.862	1.1987	1.161
ecf6r603	0.0058	0.001	0.8628	0.885	1.1590	1.130
largest	0.0177	0.001	0.4955	0.647	2.0181	1.545
ecf6r604	0.0002	0.002	0.8009	0.793	1.2486	1.260
ext_brick	0.0012	0.001	0.8495	0.885	1.1772	1.131
arterial	0.0241	0.016	0.8666	0.871	1.1539	1.148
fair	0.0092	0.005	0.8966	0.912	1.1154	1.096
ln_garagespaces	0.0449	NA	0.8370	NA	1.1947	NA
single_family2story	0.0676	NA	0.7744	NA	1.2913	NA
(intercept)	NA	0.001	NA	NA	NA	NA
large	NA	0.001	NA	0.824	NA	1.213
unsound	NA	0.001	NA	0.976	NA	1.025

District 6 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 6 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	500	475	25	0.3979	0.6390	0.6200	33.5800
R	246	226	20	0.3991	0.6332	0.6007	19.5052
% diff (R vs SPSS)	-50.80%	-52.42%	-20.00%	0.31%	-0.91%	-3.11%	-41.91%

Table 18: District 6 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0010	1.0780	0.9420	1.1440	0.3340	-0.1930
R	0.9118	0.9941	0.8700	1.1426	0.3301	-0.2022
% diff (R vs SPSS)	-8.91%	-7.78%	-7.64%	-0.12%	-1.16%	-4.74%


Table 19: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.3057	NA	0.7009	NA	NA	NA	13.2774	NA
ecf6r609_614	1.5471	1.768	0.3023	0.242	0.2199	0.212	5.1174	7.307
ecf6r608	1.3500	1.463	0.4233	0.202	0.1360	0.226	3.1893	7.235
yb_post_1990	0.9035	0.810	0.1728	0.163	0.2378	0.148	5.2286	4.979
ecf6r613	0.7902	0.725	0.1602	0.096	0.2080	0.235	4.9328	7.515
ecf6r616_617	0.6125	0.603	0.2438	0.163	0.1064	0.110	2.5120	3.700
ecf6r607	0.4882	0.610	0.2147	0.139	0.1091	0.139	2.2739	4.405
ecf6r611	0.4876	0.411	0.0781	0.056	0.2933	0.238	6.2460	7.403
largest	0.4872	0.270	0.1540	0.111	0.2108	0.114	3.1623	2.425
ecf6r601	-0.4479	-0.492	0.1286	0.099	-0.1527	-0.146	-3.4829	-4.982
poor	-0.4313	-0.566	0.2077	0.120	-0.0864	-0.134	-2.0765	-4.731
ecf6r612	0.4312	0.425	0.1596	0.118	0.1211	0.105	2.7017	3.593
ecf6r605	0.3963	0.435	0.1160	0.078	0.1501	0.167	3.4155	5.560
ecf6r603	-0.3669	-0.354	0.1175	0.081	-0.1346	-0.130	-3.1218	-4.391
ecf6r604	0.2929	0.159	0.0838	0.059	0.1581	0.083	3.4944	2.685
ext_brick	0.2438	0.172	0.0712	0.053	0.1480	0.095	3.4223	3.224
arterial	0.2414	0.241	0.1008	0.068	0.1045	0.101	2.3946	3.523
lnsbldsfint	0.2221	0.228	0.1129	0.074	0.1498	0.154	1.9665	3.081
large	0.1665	0.114	0.0907	0.063	0.1120	0.077	1.8362	1.810
fair	-0.1481	-0.186	0.0610	0.039	-0.1035	-0.135	-2.4301	-4.756
single_family2story	-0.1290	-0.122	0.0676	0.046	-0.0868	-0.086	-1.9075	-2.628
(intercept)	NA	9.413	NA	0.461	NA	NA	NA	20.413
powder_room	NA	0.169	NA	0.069	NA	0.092	NA	2.453
unsound	NA	-2.371	NA	0.284	NA	-0.232	NA	-8.345
yb_1961_to_1990	NA	0.314	NA	0.137	NA	0.065	NA	2.283
crawl	NA	-0.142	NA	0.064	NA	-0.067	NA	-2.218
ecf6r615	NA	0.419	NA	0.087	NA	0.149	NA	4.811

Table 20: District 6 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf6r609_614	0.0000	0.001	0.8787	0.906	1.1380	1.104
ecf6r608	0.0016	0.001	0.8928	0.782	1.1200	1.279
yb_post_1990	0.0000	0.001	0.7844	0.866	1.2748	1.154
ecf6r613	0.0000	0.001	0.9128	0.775	1.0956	1.290
ecf6r616_617	0.0127	0.001	0.9042	0.864	1.1059	1.158
ecf6r607	0.0239	0.001	0.7056	0.766	1.4172	1.305
ecf6r611	0.0000	0.001	0.7362	0.734	1.3584	1.363
largest	0.0018	0.016	0.3652	0.346	2.7379	2.888
ecf6r601	0.0006	0.001	0.8440	0.888	1.1849	1.126
poor	0.0390	0.001	0.9386	0.944	1.0654	1.060
ecf6r612	0.0074	0.001	0.8079	0.895	1.2378	1.118
ecf6r605	0.0008	0.001	0.8399	0.839	1.1906	1.192
ecf6r603	0.0020	0.001	0.8734	0.863	1.1450	1.158
ecf6r604	0.0006	0.008	0.7933	0.796	1.2605	1.256
ext_brick	0.0007	0.001	0.8683	0.871	1.1517	1.148
arterial	0.0175	0.001	0.8529	0.919	1.1724	1.088
lnsbldsfint	0.0505	0.002	0.2796	0.305	3.5771	3.283
large	0.0676	0.071	0.4365	0.425	2.2909	2.352
fair	0.0159	0.001	0.8953	0.940	1.1169	1.064
single_family2story	0.0577	0.009	0.7845	0.712	1.2746	1.404
(intercept)	NA	0.001	NA	NA	NA	NA
powder_room	NA	0.015	NA	0.540	NA	1.851
unsound	NA	0.001	NA	0.984	NA	1.016
yb_1961_to_1990	NA	0.023	NA	0.950	NA	1.053
crawl	NA	0.027	NA	0.834	NA	1.200
ecf6r615	NA	0.001	NA	0.791	NA	1.265

District 6 | Model VI Beta Coef. Comparison: SPSS vs R



District 7 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

8 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 7 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1385	1372	13	0.4507	0.1380	0.1300	16.9220
R	1385	1370	15	0.4521	0.1341	0.1247	14.1499
% diff (R vs SPSS)	0.00%	-0.15%	15.38%	0.30%	-2.83%	-4.08%	-16.38%

Table 2: District 7 | Model I Coefficient Comparison: SPSS vs R

	b		Std. Error		Beta		t		Sig	
term	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.107	4.078	0.043	0.038	NA	NA	95.802	106.813	0.000	0.001
months_1to16	0.014	0.014	0.002	0.002	0.149	0.159	5.746	6.307	0.000	0.001
central_air	0.120	0.104	0.031	0.031	0.097	0.085	3.797	3.325	0.000	0.001
ln_garagespaces	0.140	0.142	0.039	0.039	0.092	0.093	3.627	3.674	0.000	0.001
smallest	0.135	0.167	0.045	0.044	0.088	0.108	3.039	3.762	0.002	0.001
small	0.079	0.084	0.031	0.029	0.080	0.085	2.572	2.842	0.010	0.005
qabove_avg	0.377	0.375	0.137	0.134	0.072	0.072	2.758	2.790	0.006	0.005
yb_post_1961	0.223	0.200	0.099	0.099	0.058	0.052	2.254	2.024	0.024	0.043
hot_water	0.121	NA	0.065	NA	0.055	NA	1.860	NA	0.063	NA
large	-0.073	-0.082	0.041	0.039	-0.054	-0.060	-1.772	-2.071	0.077	0.039
single_family2story	-0.085	NA	0.046	NA	-0.057	NA	-1.853	NA	0.064	NA
slab	-0.315	-0.315	0.139	0.138	-0.058	-0.058	-2.273	-2.287	0.023	0.022
wall	-0.481	-0.457	0.203	0.203	-0.060	-0.057	-2.366	-2.251	0.018	0.025
qbelow_avg	-0.080	NA	0.030	NA	-0.081	NA	-2.697	NA	0.007	NA
yb_1930_to_1945	-0.106	-0.104	0.028	0.028	-0.103	-0.101	-3.805	-3.777	0.000	0.001
yb_pre_1929	-0.318	-0.261	0.048	0.043	-0.216	-0.177	-6.623	-6.047	0.000	0.001
ext_other	NA	-0.123	NA	0.027	NA	-0.120	NA	-4.471	NA	0.001

District 7 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 7 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1790	15	0.4652	0.2250	0.2190	34.6630
R	1805	1790	15	0.4680	0.2159	0.2094	32.8677
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.59%	-4.04%	-4.38%	-5.18%

Table 4: District 7 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.998	11.018	0.036	0.031	NA	NA	305.919	356.264	0.000	0.001
ln_base_bldgsize_ratio	0.577	0.524	0.064	0.061	0.264	0.239	9.004	8.625	0.000	0.001
months_1to16	0.017	0.017	0.002	0.002	0.170	0.167	8.083	8.017	0.000	0.001
central_air	0.145	0.135	0.029	0.029	0.106	0.099	4.967	4.648	0.000	0.001
ln_landratio	0.289	0.332	0.067	0.066	0.097	0.112	4.325	5.062	0.000	0.001
hot_water	0.162	0.151	0.060	0.060	0.068	0.064	2.711	2.538	0.007	0.011
two_baths	0.226	0.218	0.095	0.094	0.061	0.059	2.376	2.307	0.018	0.021
qabove_avg	0.282	0.273	0.138	0.137	0.047	0.045	2.049	1.992	0.041	0.047
yb_post_1961	0.178	0.158	0.089	0.089	0.042	0.038	1.990	1.779	0.047	0.075
ln_garagespaces	0.062	NA	0.036	NA	0.037	NA	1.696	NA	0.090	NA
qbelow_avg	-0.052	NA	0.027	NA	-0.049	NA	-1.937	NA	0.053	NA
slab	-0.331	-0.326	0.110	0.109	-0.064	-0.063	-3.010	-2.985	0.003	0.003
poor	-0.209	-0.184	0.067	0.066	-0.067	-0.058	-3.132	-2.772	0.002	0.006
yb_1930_to_1945	-0.081	-0.078	0.026	0.025	-0.072	-0.069	-3.164	-3.079	0.002	0.002
fair	-0.145	-0.132	0.029	0.029	-0.107	-0.097	-5.041	-4.588	0.000	0.001
yb_pre_1929	-0.294	-0.248	0.040	0.040	-0.195	-0.164	-7.335	-6.125	0.000	0.001
ext_other	NA	-0.127	NA	0.025	NA	-0.117	NA	-5.053	NA	0.001
good	NA	0.200	NA	0.099	NA	0.043	NA	2.019	NA	0.044

District 7 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 7 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1779	26	0.4302	0.3420	0.3320	35.4870
R	1805	1779	26	0.4317	0.3368	0.3272	34.7546
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.35%	-1.52%	-1.45%	-2.06%

Table 6: District 7 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9890	1.0970	0.9140	1.2000	0.3760	
R	0.9855	1.0974	0.9137	1.2011	0.3771	-0.4988
% diff (R vs SPSS)	-0.35%	0.04%	-0.03%	0.09%	0.28%	


Table 7: District 7 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8640	NA	0.0391	NA	NA	NA	277.5178	NA
ecf7r701	0.5986	0.440	0.0596	0.056	0.2103	0.155	10.0508	7.793
ln_base_bldgsize_ratio	0.5234	0.540	0.0626	0.056	0.2390	0.246	8.3645	9.690
ecf7r702	0.5030	0.415	0.0503	0.047	0.2134	0.176	10.0047	8.851
ecf7r717	-0.4969	-0.614	0.0761	0.071	-0.1456	-0.180	-6.5319	-8.681
ecf7r723	0.4862	0.362	0.0772	0.073	0.1440	0.107	6.3009	4.967
ecf7r721	0.4247	0.260	0.1485	0.147	0.0568	0.035	2.8590	1.770
ecf7r716	-0.4075	-0.543	0.0858	0.082	-0.0974	-0.130	-4.7506	-6.597
ecf7r715	-0.3898	-0.490	0.1468	0.146	-0.0522	-0.066	-2.6562	-3.369
ecf7r722	-0.3716	-0.485	0.1439	0.140	-0.0524	-0.068	-2.5829	-3.459
ecf7r718	-0.2461	-0.381	0.0620	0.058	-0.0831	-0.129	-3.9697	-6.548
ecf7r710	0.2412	0.113	0.0523	0.049	0.0976	0.046	4.6142	2.325
wall	-0.2219	-0.245	0.1458	0.145	-0.0297	-0.033	-1.5215	-1.691
poor	-0.1800	-0.167	0.0620	0.062	-0.0572	-0.053	-2.9025	-2.702
ecf7r719	0.1748	NA	0.0393	NA	0.1045	NA	4.4458	NA
slab	-0.1553	NA	0.1014	NA	-0.0301	NA	-1.5315	NA
fair	-0.1292	-0.133	0.0268	0.027	-0.0957	-0.098	-4.8234	-4.992
ecf7r704	0.1179	NA	0.0376	NA	0.0715	NA	3.1355	NA
yb_pre_1929	-0.1104	NA	0.0400	NA	-0.0732	NA	-2.7602	NA
ecf7r705	0.1084	NA	0.0301	NA	0.0926	NA	3.6025	NA
central_air	0.1034	0.092	0.0272	0.027	0.0757	0.067	3.8066	3.411
hot_water	0.1025	NA	0.0559	NA	0.0433	NA	1.8321	NA
ln_garagespaces	0.0720	0.064	0.0336	0.034	0.0426	0.038	2.1431	1.911
fireplace	0.0714	0.067	0.0285	0.028	0.0601	0.056	2.5061	2.395
qbelow_avg	-0.0614	NA	0.0260	NA	-0.0571	NA	-2.3616	NA
yb_1930_to_1945	-0.0428	NA	0.0246	NA	-0.0380	NA	-1.7446	NA
months_1to16	0.0169	0.017	0.0019	0.002	0.1690	0.172	8.7009	8.849
(intercept)	NA	10.960	NA	0.030	NA	NA	NA	360.689
ln_landratio	NA	0.117	NA	0.064	NA	0.039	NA	1.834
ext_other	NA	-0.113	NA	0.024	NA	-0.105	NA	-4.743
ecf7r703	NA	-0.189	NA	0.071	NA	-0.052	NA	-2.652
ecf7r707	NA	-0.209	NA	0.109	NA	-0.037	NA	-1.923
ecf7r708	NA	-0.125	NA	0.054	NA	-0.045	NA	-2.311
ecf7r711	NA	-0.175	NA	0.047	NA	-0.076	NA	-3.700
ecf7r720	NA	-0.279	NA	0.165	NA	-0.033	NA	-1.690
ecf7r724	NA	-0.223	NA	0.107	NA	-0.041	NA	-2.083

Table 8: District 7 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r701	0.0000	0.001	0.8513	0.941	1.1747	1.063
ln_base_bldgsize_ratio	0.0000	0.001	0.4567	0.572	2.1898	1.747
ecf7r702	0.0000	0.001	0.8194	0.934	1.2204	1.071
ecf7r717	0.0000	0.001	0.7502	0.861	1.3330	1.162
ecf7r723	0.0000	0.001	0.7132	0.795	1.4021	1.257
ecf7r721	0.0043	0.077	0.9432	0.958	1.0603	1.044
ecf7r716	0.0000	0.001	0.8876	0.957	1.1266	1.045
ecf7r715	0.0080	0.001	0.9663	0.976	1.0348	1.024
ecf7r722	0.0099	0.001	0.9057	0.948	1.1041	1.055
ecf7r718	0.0001	0.001	0.8499	0.958	1.1765	1.044
ecf7r710	0.0000	0.020	0.8330	0.960	1.2004	1.041
wall	0.1283	0.091	0.9789	0.986	1.0216	1.014
poor	0.0037	0.007	0.9597	0.961	1.0420	1.040
ecf7r719	0.0000	NA	0.6748	NA	1.4819	NA
slab	0.1258	NA	0.9636	NA	1.0378	NA
fair	0.0000	0.001	0.9472	0.953	1.0557	1.050
ecf7r704	0.0017	NA	0.7159	NA	1.3968	NA
yb_pre_1929	0.0058	NA	0.5299	NA	1.8871	NA
ecf7r705	0.0003	NA	0.5636	NA	1.7742	NA
central_air	0.0001	0.001	0.9428	0.950	1.0606	1.052
hot_water	0.0671	NA	0.6685	NA	1.4959	NA
ln_garagespaces	0.0322	0.056	0.9418	0.928	1.0618	1.077
fireplace	0.0123	0.017	0.6473	0.665	1.5449	1.503
qbelow_avg	0.0183	NA	0.6373	NA	1.5691	NA
yb_1930_to_1945	0.0812	NA	0.7867	NA	1.2711	NA
months_1to16	0.0000	0.001	0.9877	0.981	1.0124	1.019
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.067	NA	0.811	NA	1.233
ext_other	NA	0.001	NA	0.762	NA	1.312
ecf7r703	NA	0.008	NA	0.976	NA	1.025
ecf7r707	NA	0.055	NA	0.985	NA	1.015
ecf7r708	NA	0.021	NA	0.965	NA	1.036
ecf7r711	NA	0.001	NA	0.878	NA	1.139
ecf7r720	NA	0.091	NA	0.977	NA	1.023
ecf7r724	NA	0.037	NA	0.962	NA	1.040

District 7 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 7 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1598	25	0.3668	0.4260	0.4170	47.4560
R	1647	1621	26	0.3748	0.3936	0.3839	40.4716
% diff (R vs SPSS)	1.48%	1.44%	4.00%	2.18%	-7.61%	-7.94%	-14.72%

Table 10: District 7 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9380	1.1390	0.3130	-0.3640
R	0.9961	1.0717	0.9358	1.1452	0.3230	-0.4079
% diff (R vs SPSS)	-1.08%	0.35%	-0.23%	0.55%	3.19%	-12.05%


Table 11: District 7 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.8941	NA	0.0369	NA	NA	NA	295.5923	NA
ecf7r701	0.6206	0.516	0.0546	0.053	0.2396	0.198	11.3598	9.805
ecf7r717	-0.5983	-0.630	0.0860	0.076	-0.1502	-0.171	-6.9573	-8.298
ecf7r702	0.5116	0.479	0.0451	0.043	0.2473	0.230	11.3475	11.149
ln_base_bldgsize_ratio	0.4888	0.500	0.0757	0.067	0.2247	0.236	6.4585	7.430
ecf7r715	-0.4226	-0.481	0.2684	0.263	-0.0308	-0.035	-1.5746	-1.829
ecf7r723	0.3937	0.487	0.0908	0.078	0.1028	0.137	4.3333	6.281
ecf7r716	-0.3865	-0.498	0.1036	0.109	-0.0743	-0.089	-3.7313	-4.583
ecf7r718	-0.3096	-0.379	0.0627	0.058	-0.1046	-0.131	-4.9383	-6.492
ecf7r710	0.3079	0.223	0.0491	0.046	0.1336	0.099	6.2693	4.860
ecf7r720	-0.2257	NA	0.1451	NA	-0.0308	NA	-1.5550	NA
slab	-0.2114	-0.178	0.1150	0.095	-0.0361	-0.037	-1.8374	-1.866
two_baths	0.2004	NA	0.1091	NA	0.0436	NA	1.8365	NA
ecf7r719	0.1858	0.087	0.0371	0.034	0.1243	0.059	5.0029	2.526
poor	-0.1466	NA	0.0636	NA	-0.0455	NA	-2.3059	NA
fair	-0.1114	-0.110	0.0246	0.024	-0.0902	-0.088	-4.5284	-4.522
ecf7r705	0.1108	0.088	0.0279	0.025	0.1062	0.084	3.9723	3.508
ecf7r704	0.1102	NA	0.0344	NA	0.0762	NA	3.2057	NA
yb_pre_1929	-0.0979	NA	0.0367	NA	-0.0638	NA	-2.6656	NA
fireplace	0.0947	0.070	0.0268	0.027	0.0856	0.063	3.5390	2.638
qbelow_avg	-0.0943	-0.042	0.0241	0.024	-0.0959	-0.042	-3.9089	-1.767
central_air	0.0942	0.079	0.0243	0.024	0.0765	0.063	3.8817	3.277
ln_garagespaces	0.0877	0.067	0.0306	0.030	0.0573	0.044	2.8718	2.229
ecf7r711	-0.0753	-0.151	0.0453	0.043	-0.0377	-0.075	-1.6631	-3.505
smallest	-0.0619	-0.079	0.0370	0.035	-0.0429	-0.054	-1.6731	-2.244
yb_1930_to_1945	-0.0440	NA	0.0222	NA	-0.0433	NA	-1.9790	NA
months_1to16	0.0171	0.017	0.0018	0.002	0.1896	0.188	9.7401	9.842
(intercept)	NA	10.952	NA	0.032	NA	NA	NA	340.335
ln_landratio	NA	0.204	NA	0.058	NA	0.072	NA	3.515
qpoor	NA	0.305	NA	0.167	NA	0.035	NA	1.831
ext_other	NA	-0.147	NA	0.022	NA	-0.149	NA	-6.575
ecf7r703	NA	-0.150	NA	0.073	NA	-0.041	NA	-2.066
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.706

Table 12: District 7 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r701	0.0000	0.001	0.8410	0.884	1.1891	1.131
ecf7r717	0.0000	0.001	0.8030	0.848	1.2454	1.179
ecf7r702	0.0000	0.001	0.7874	0.840	1.2701	1.190
ln_base_bldgsize_ratio	0.0000	0.001	0.3089	0.356	3.2372	2.812
ecf7r715	0.1156	0.068	0.9759	0.973	1.0247	1.028
ecf7r723	0.0000	0.001	0.6650	0.759	1.5038	1.318
ecf7r716	0.0002	0.001	0.9428	0.958	1.0606	1.043
ecf7r718	0.0000	0.001	0.8344	0.885	1.1984	1.130
ecf7r710	0.0000	0.001	0.8238	0.861	1.2139	1.161
ecf7r720	0.1201	NA	0.9565	NA	1.0455	NA
slab	0.0663	0.062	0.9713	0.935	1.0295	1.069
two_baths	0.0665	NA	0.6623	NA	1.5099	NA
ecf7r719	0.0000	0.012	0.6059	0.664	1.6504	1.507
poor	0.0212	NA	0.9610	NA	1.0406	NA
fair	0.0000	0.001	0.9428	0.950	1.0607	1.052
ecf7r705	0.0001	0.001	0.5238	0.623	1.9093	1.604
ecf7r704	0.0014	NA	0.6623	NA	1.5099	NA
yb_pre_1929	0.0078	NA	0.6532	NA	1.5310	NA
fireplace	0.0004	0.008	0.6393	0.626	1.5642	1.596
qbelow_avg	0.0001	0.077	0.6214	0.632	1.6093	1.583
central_air	0.0001	0.001	0.9620	0.958	1.0395	1.044
ln_garagespaces	0.0041	0.026	0.9401	0.929	1.0638	1.077
ecf7r711	0.0965	0.001	0.7287	0.776	1.3723	1.288
smallest	0.0945	0.025	0.5688	0.610	1.7580	1.639
yb_1930_to_1945	0.0480	NA	0.7807	NA	1.2809	NA
months_1to16	0.0000	0.001	0.9874	0.987	1.0128	1.013
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.001	NA	0.864	NA	1.157
qpoor	NA	0.067	NA	0.970	NA	1.031
ext_other	NA	0.001	NA	0.703	NA	1.422
ecf7r703	NA	0.039	NA	0.896	NA	1.115
ecf7r722	NA	0.088	NA	0.983	NA	1.017

District 7 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 7 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1599	24	0.3667	0.4020	0.3930	44.7940
R	1647	1622	25	0.3751	0.3676	0.3578	37.7124
% diff (R vs SPSS)	1.48%	1.44%	4.17%	2.30%	-8.56%	-8.96%	-15.81%

Table 14: District 7 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9370	1.1400	0.3120	-0.3900
R	0.9890	1.0720	0.9281	1.1550	0.3326	-0.4647
% diff (R vs SPSS)	-1.79%	0.37%	-0.95%	1.32%	6.60%	-19.16%


Table 15: District 7 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.1499	NA	0.0313	NA	NA	NA	356.2988	NA
ecf7r701	0.6256	0.516	0.0546	0.053	0.2464	0.202	11.4527	9.815
ecf7r717	-0.6069	-0.630	0.0861	0.076	-0.1554	-0.174	-7.0487	-8.301
ln_base_bldgsize_ratio	0.6064	0.500	0.0643	0.067	0.2845	0.241	9.4249	7.442
ecf7r702	0.5079	0.479	0.0451	0.043	0.2505	0.235	11.2673	11.153
ecf7r715	-0.4261	-0.481	0.2679	0.263	-0.0317	-0.036	-1.5907	-1.828
ecf7r716	-0.3815	-0.498	0.1037	0.109	-0.0748	-0.091	-3.6781	-4.585
ecf7r723	0.3754	0.487	0.0905	0.078	0.1000	0.140	4.1467	6.285
ecf7r718	-0.3030	-0.379	0.0628	0.058	-0.1044	-0.134	-4.8228	-6.493
ecf7r710	0.3017	0.223	0.0490	0.046	0.1336	0.101	6.1521	4.862
ecf7r720	-0.2375	NA	0.1450	NA	-0.0330	NA	-1.6376	NA
slab	-0.2217	-0.178	0.1151	0.095	-0.0386	-0.037	-1.9262	-1.866
ecf7r719	0.1776	0.087	0.0370	0.034	0.1213	0.060	4.8072	2.527
two_baths	0.1626	NA	0.1074	NA	0.0361	NA	1.5150	NA
poor	-0.1445	NA	0.0636	NA	-0.0457	NA	-2.2714	NA
ecf7r704	0.1120	NA	0.0344	NA	0.0790	NA	3.2577	NA
fair	-0.1098	-0.110	0.0246	0.024	-0.0906	-0.090	-4.4551	-4.523
ecf7r705	0.1090	0.088	0.0278	0.025	0.1066	0.086	3.9171	3.509
yb_pre_1929	-0.0977	NA	0.0368	NA	-0.0650	NA	-2.6532	NA
central_air	0.0962	0.079	0.0243	0.024	0.0797	0.065	3.9637	3.279
qbelow_avg	-0.0937	-0.042	0.0241	0.024	-0.0972	-0.043	-3.8945	-1.767
fireplace	0.0890	0.070	0.0266	0.027	0.0821	0.064	3.3418	2.637
ln_garagespaces	0.0845	0.067	0.0306	0.030	0.0563	0.045	2.7646	2.229
ecf7r711	-0.0754	-0.151	0.0454	0.043	-0.0384	-0.077	-1.6607	-3.505
single_family2story	-0.0645	NA	0.0350	NA	-0.0432	NA	-1.8423	NA
yb_1930_to_1945	-0.0432	NA	0.0223	NA	-0.0434	NA	-1.9370	NA
(intercept)	NA	11.226	NA	0.026	NA	NA	NA	438.363
ln_landratio	NA	0.204	NA	0.058	NA	0.073	NA	3.515
smallest	NA	-0.078	NA	0.035	NA	-0.056	NA	-2.243
qpoor	NA	0.306	NA	0.167	NA	0.036	NA	1.832
ext_other	NA	-0.147	NA	0.022	NA	-0.152	NA	-6.583
ecf7r703	NA	-0.150	NA	0.073	NA	-0.042	NA	-2.069
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.705

Table 16: District 7 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r701	0.0000	0.001	0.8424	0.885	1.1871	1.130
ecf7r717	0.0000	0.001	0.8022	0.849	1.2466	1.178
ln_base_bldgsize_ratio	0.0000	0.001	0.4280	0.356	2.3364	2.807
ecf7r702	0.0000	0.001	0.7887	0.840	1.2679	1.190
ecf7r715	0.1119	0.068	0.9813	0.974	1.0191	1.027
ecf7r716	0.0002	0.001	0.9417	0.958	1.0619	1.043
ecf7r723	0.0000	0.001	0.6709	0.759	1.4906	1.317
ecf7r718	0.0000	0.001	0.8321	0.885	1.2018	1.130
ecf7r710	0.0000	0.001	0.8274	0.863	1.2087	1.159
ecf7r720	0.1017	NA	0.9595	NA	1.0422	NA
slab	0.0543	0.062	0.9715	0.935	1.0293	1.069
ecf7r719	0.0000	0.012	0.6128	0.664	1.6319	1.506
two_baths	0.1300	NA	0.6856	NA	1.4587	NA
poor	0.0233	NA	0.9613	NA	1.0403	NA
ecf7r704	0.0011	NA	0.6628	NA	1.5088	NA
fair	0.0000	0.001	0.9420	0.950	1.0616	1.052
ecf7r705	0.0001	0.001	0.5269	0.623	1.8979	1.604
yb_pre_1929	0.0081	NA	0.6502	NA	1.5379	NA
central_air	0.0001	0.001	0.9635	0.958	1.0379	1.044
qbelow_avg	0.0001	0.077	0.6254	0.632	1.5990	1.583
fireplace	0.0009	0.008	0.6459	0.627	1.5483	1.594
ln_garagespaces	0.0058	0.026	0.9399	0.929	1.0640	1.076
ecf7r711	0.0970	0.001	0.7273	0.777	1.3750	1.288
single_family2story	0.0656	NA	0.7090	NA	1.4104	NA
yb_1930_to_1945	0.0529	NA	0.7769	NA	1.2872	NA
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.001	NA	0.865	NA	1.157
smallest	NA	0.025	NA	0.611	NA	1.638
qpoor	NA	0.067	NA	0.970	NA	1.031
ext_other	NA	0.001	NA	0.704	NA	1.421
ecf7r703	NA	0.039	NA	0.897	NA	1.115
ecf7r722	NA	0.088	NA	0.984	NA	1.016

District 7 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 7 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2483	2452	31	0.4038	0.3920	0.3850	51.0820
R	2665	2634	31	0.4434	0.3346	0.3268	42.7269
% diff (R vs SPSS)	7.33%	7.42%	0.00%	9.81%	-14.64%	-15.12%	-16.36%

Table 18: District 7 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0840	0.9280	1.1680	0.3480	-0.4410
R	0.9508	1.0708	0.8799	1.2169	0.3956	-0.5375
% diff (R vs SPSS)	-4.63%	-1.22%	-5.18%	4.19%	13.67%	-21.89%

Table 19: District 7 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.4631	NA	0.1956	NA	NA	NA	48.3904	NA
ecf7r701	0.5807	0.498	0.0555	0.052	0.1789	0.159	10.4701	9.551
elec_baseboard	-0.5062	-0.439	0.2592	0.237	-0.0314	-0.030	-1.9533	-1.850
ecf7r702	0.4782	0.461	0.0463	0.042	0.1813	0.187	10.3174	11.029
ecf7r716	-0.4626	-0.529	0.0600	0.063	-0.1330	-0.143	-7.7039	-8.440
ecf7r723	0.4106	0.367	0.0745	0.075	0.1099	0.092	5.5117	4.926
ecf7r717	-0.3894	-0.461	0.0600	0.061	-0.1199	-0.138	-6.4892	-7.557
ecf7r721	0.3839	0.405	0.1391	0.238	0.0456	0.027	2.7594	1.704
ecf7r720	-0.3172	-0.399	0.1211	0.130	-0.0424	-0.049	-2.6198	-3.063
ecf7r724	-0.2838	-0.370	0.0749	0.076	-0.0646	-0.082	-3.7913	-4.845
poor	-0.2821	-0.240	0.0501	0.050	-0.0912	-0.077	-5.6368	-4.771
lnsbldsfint	0.2536	0.259	0.0303	0.029	0.2000	0.209	8.3585	8.969
wall	-0.2297	-0.203	0.0959	0.099	-0.0418	-0.035	-2.3952	-2.052
ecf7r710	0.2266	0.211	0.0470	0.044	0.0831	0.081	4.8250	4.841
two_baths	0.2259	0.249	0.0832	0.084	0.0539	0.055	2.7150	2.958
ecf7r718	-0.2116	-0.281	0.0450	0.043	-0.0831	-0.114	-4.7020	-6.505
ecf7r715	-0.1801	NA	0.0954	NA	-0.0308	NA	-1.8879	NA
ecf7r719	0.1707	0.095	0.0323	0.030	0.0993	0.059	5.2842	3.157
slab	-0.1478	-0.137	0.0783	0.074	-0.0316	-0.030	-1.8866	-1.851
fair	-0.1455	-0.138	0.0214	0.020	-0.1117	-0.111	-6.7992	-6.795
ln_landratio	0.1453	0.219	0.0546	0.051	0.0489	0.075	2.6637	4.267
crawl	0.1353	0.140	0.0706	0.067	0.0336	0.035	1.9161	2.070
yb_post_1961	0.1139	NA	0.0629	NA	0.0302	NA	1.8100	NA
yb_pre_1929	-0.1096	-0.077	0.0309	0.030	-0.0769	-0.055	-3.5486	-2.605
garage	0.0986	0.104	0.0192	0.018	0.0853	0.096	5.1328	5.748
central_air	0.0943	0.081	0.0247	0.023	0.0625	0.056	3.8193	3.466
ecf7r704	0.0940	NA	0.0333	NA	0.0540	NA	2.8192	NA
ecf7r705	0.0874	0.072	0.0256	0.023	0.0709	0.062	3.4110	3.186
powder_room	0.0861	0.084	0.0410	0.040	0.0403	0.039	2.1003	2.088
qbelow_avg	-0.0826	-0.068	0.0219	0.021	-0.0748	-0.064	-3.7617	-3.220
fireplace	0.0672	0.058	0.0239	0.023	0.0549	0.048	2.8100	2.477
yb_1930_to_1945	-0.0406	-0.047	0.0212	0.020	-0.0352	-0.043	-1.9153	-2.386
(intercept)	NA	9.540	NA	0.186	NA	NA	NA	51.212
ext_other	NA	-0.131	NA	0.020	NA	-0.126	NA	-6.562
ecf7r703	NA	-0.138	NA	0.066	NA	-0.034	NA	-2.088
ecf7r711	NA	-0.123	NA	0.039	NA	-0.057	NA	-3.189

Table 20: District 7 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r701	0.0000	0.001	0.8655	0.892	1.1554	1.121
elec_baseboard	0.0509	0.064	0.9766	0.965	1.0239	1.036
ecf7r702	0.0000	0.001	0.8181	0.860	1.2223	1.163
ecf7r716	0.0000	0.001	0.8471	0.862	1.1805	1.159
ecf7r723	0.0000	0.001	0.6351	0.711	1.5747	1.406
ecf7r717	0.0000	0.001	0.7395	0.748	1.3522	1.336
ecf7r721	0.0058	0.089	0.9271	0.962	1.0786	1.040
ecf7r720	0.0088	0.002	0.9627	0.966	1.0388	1.035
ecf7r724	0.0002	0.001	0.8688	0.861	1.1510	1.162
poor	0.0000	0.001	0.9646	0.951	1.0367	1.051
lnsbldsfint	0.0000	0.001	0.4413	0.458	2.2661	2.184
wall	0.0167	0.040	0.8305	0.837	1.2041	1.195
ecf7r710	0.0000	0.001	0.8525	0.885	1.1731	1.130
two_baths	0.0067	0.003	0.6420	0.709	1.5576	1.410
ecf7r718	0.0000	0.001	0.8086	0.809	1.2367	1.236
ecf7r715	0.0591	NA	0.9470	NA	1.0560	NA
ecf7r719	0.0000	0.002	0.7159	0.702	1.3969	1.425
slab	0.0593	0.064	0.9023	0.913	1.1083	1.095
fair	0.0000	0.001	0.9359	0.925	1.0685	1.081
ln_landratio	0.0078	0.001	0.7498	0.792	1.3337	1.262
crawl	0.0555	0.039	0.8196	0.847	1.2202	1.180
yb_post_1961	0.0704	NA	0.9059	NA	1.1039	NA
yb_pre_1929	0.0004	0.009	0.5385	0.558	1.8570	1.792
garage	0.0000	0.001	0.9148	0.887	1.0932	1.128
central_air	0.0001	0.001	0.9428	0.942	1.0606	1.062
ecf7r704	0.0048	NA	0.6889	NA	1.4516	NA
ecf7r705	0.0007	0.001	0.5844	0.645	1.7111	1.549
powder_room	0.0358	0.037	0.6860	0.716	1.4578	1.397
qbelow_avg	0.0002	0.001	0.6396	0.628	1.5636	1.592
fireplace	0.0050	0.013	0.6610	0.649	1.5129	1.542
yb_1930_to_1945	0.0556	0.017	0.7493	0.766	1.3347	1.305
(intercept)	NA	0.001	NA	NA	NA	NA
ext_other	NA	0.001	NA	0.676	NA	1.479
ecf7r703	NA	0.037	NA	0.927	NA	1.079
ecf7r711	NA	0.001	NA	0.779	NA	1.283

District 7 | Model VI Beta Coef. Comparison: SPSS vs R

