

District 2 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

5 June 2026

Contents

Model I	1
Model II	3
Model III	5
Model IV	8
Model V	11
Model VI	14
Model Comparison	17

Model I


Table 1: District 2 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	325	319	6	0.4819	0.3140	0.3010	24.3360
R	325	319	6	0.4819	0.3140	0.3011	24.3362
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	0.00%	0.03%	0.00%

Table 2: District 2 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.678	3.520	0.080	0.134	NA	NA	45.985	26.177	0.000	0.001
months_1to18	0.034	0.035	0.005	0.007	0.320	0.339	6.828	5.355	0.000	0.001
qabove_avg	0.543	0.456	0.093	0.124	0.285	0.239	5.869	3.673	0.000	0.001
fireplace	0.194	0.217	0.057	0.071	0.168	0.188	3.392	3.058	0.001	0.002
arterial	0.378	0.345	0.130	0.136	0.146	0.133	2.913	2.536	0.004	0.012
half_duplex1story	-0.593	-0.593	0.262	0.274	-0.113	-0.113	-2.267	-2.167	0.024	0.031
yb_pre_1929	-0.201	-0.166	0.060	0.084	-0.161	-0.133	-3.379	-1.977	0.001	0.049
central_air	NA	0.092	NA	0.072	NA	0.066	NA	1.268	NA	0.206
crawl	NA	-0.157	NA	0.301	NA	-0.026	NA	-0.519	NA	0.604
half_duplex2story	NA	-0.157	NA	0.365	NA	-0.021	NA	-0.429	NA	0.668
hot_water	NA	0.027	NA	0.096	NA	0.017	NA	0.278	NA	0.781
large	NA	0.095	NA	0.089	NA	0.078	NA	1.065	NA	0.288
largest	NA	0.178	NA	0.139	NA	0.123	NA	1.286	NA	0.199
ln_garagespaces	NA	-0.024	NA	0.105	NA	-0.012	NA	-0.229	NA	0.819
months_19to24	NA	-0.014	NA	0.019	NA	-0.047	NA	-0.735	NA	0.463
powder_room	NA	-0.042	NA	0.086	NA	-0.033	NA	-0.488	NA	0.626
qbelow_avg	NA	0.075	NA	0.096	NA	0.061	NA	0.784	NA	0.434
qpoor	NA	0.205	NA	0.504	NA	0.020	NA	0.406	NA	0.685
single_family2story	NA	0.011	NA	0.078	NA	0.009	NA	0.140	NA	0.889
slab	NA	0.055	NA	0.255	NA	0.011	NA	0.217	NA	0.828
small	NA	0.097	NA	0.102	NA	0.060	NA	0.957	NA	0.339
smallest	NA	0.118	NA	0.132	NA	0.054	NA	0.898	NA	0.370
three_plus_baths	NA	0.168	NA	0.242	NA	0.045	NA	0.693	NA	0.489
two_baths	NA	0.010	NA	0.162	NA	0.005	NA	0.062	NA	0.951
yb_1946_to_1960	NA	0.020	NA	0.074	NA	0.016	NA	0.271	NA	0.787
yb_1961_to_1990	NA	-0.216	NA	0.304	NA	-0.036	NA	-0.710	NA	0.478

District 2 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 2 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1721	18	0.4506	0.4850	0.4790	89.9480
R	1739	1721	18	0.4506	0.4847	0.4794	89.9476
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.06%	0.08%	-0.00%

Table 4: District 2 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.309	11.309	0.036	0.036	NA	NA	315.764	315.764	0.000	0.001
ln_base_bldgsize_ratio	0.665	0.665	0.082	0.082	0.323	0.323	8.065	8.065	0.000	0.001
qabove_avg	0.321	0.321	0.052	0.052	0.139	0.139	6.240	6.240	0.000	0.001
months_1to18	0.014	0.014	0.002	0.002	0.134	0.134	7.622	7.622	0.000	0.001
fireplace	0.144	0.144	0.027	0.027	0.111	0.111	5.384	5.384	0.000	0.001
ln_landratio	0.255	0.255	0.054	0.054	0.099	0.099	4.712	4.712	0.000	0.001
two_baths	0.162	0.162	0.062	0.062	0.069	0.069	2.607	2.607	0.009	0.009
powder_room	0.081	0.081	0.035	0.035	0.058	0.058	2.332	2.332	0.020	0.020
three_plus_baths	0.244	0.244	0.123	0.123	0.050	0.050	1.980	1.980	0.048	0.048
good	0.229	0.229	0.087	0.087	0.046	0.046	2.633	2.633	0.009	0.009
central_air	0.051	0.051	0.026	0.026	0.036	0.036	1.973	1.973	0.049	0.049
slab	-0.211	-0.211	0.111	0.111	-0.033	-0.033	-1.900	-1.900	0.058	0.058
half_duplex2story	-0.380	-0.380	0.162	0.162	-0.041	-0.041	-2.349	-2.349	0.019	0.019
poor	-0.245	-0.245	0.085	0.085	-0.050	-0.050	-2.876	-2.876	0.004	0.004
unsound	-0.508	-0.508	0.172	0.172	-0.051	-0.051	-2.957	-2.957	0.003	0.003
qbelow_avg	-0.093	-0.093	0.032	0.032	-0.069	-0.069	-2.866	-2.866	0.004	0.004
half_duplex1story	-0.741	-0.741	0.161	0.161	-0.080	-0.080	-4.597	-4.597	0.000	0.001
fair	-0.181	-0.181	0.028	0.028	-0.113	-0.113	-6.349	-6.349	0.000	0.001
yb_pre_1929	-0.191	-0.191	0.031	0.031	-0.124	-0.124	-6.269	-6.269	0.000	0.001

District 2 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 2 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1739	1707	32	0.4157	0.5650	0.5570	69.2910
R	1739	1707	32	0.4157	0.5650	0.5569	69.2908
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	-0.02%	-0.00%

Table 6: District 2 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1280	0.9450	1.1940	0.3830	
R	0.9740	1.0888	0.9294	1.1715	0.3726	-0.2622
% diff (R vs SPSS)	-4.79%	-3.48%	-1.65%	-1.89%	-2.72%	


Table 7: District 2 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2803	NA	0.0287	NA	NA	NA	392.9213	NA
ecf2r210	0.9012	0.901	0.1986	0.199	0.0846	0.085	4.5384	4.538
half_duplex1story	-0.8021	-0.802	0.1486	0.149	-0.0869	-0.087	-5.3961	-5.396
ecf2r229	-0.7531	-0.753	0.1714	0.171	-0.0707	-0.071	-4.3930	-4.393
ecf2r208	0.7425	0.742	0.0943	0.094	0.1299	0.130	7.8756	7.876
ecf2r219	0.7398	0.740	0.1526	0.153	0.0802	0.080	4.8463	4.846
ln_base_bldgsize_ratio	0.7087	0.709	0.0456	0.046	0.3447	0.345	15.5398	15.540
ecf2r211_230	-0.6956	-0.696	0.2411	0.241	-0.0462	-0.046	-2.8845	-2.885
ecf2r216	0.6412	0.641	0.2100	0.210	0.0550	0.055	3.0541	3.054
ecf2r228	-0.5829	-0.583	0.1497	0.150	-0.0632	-0.063	-3.8939	-3.894
ecf2r218	-0.5644	-0.564	0.1182	0.118	-0.0779	-0.078	-4.7754	-4.775
ecf2r206_215_217	0.5408	0.541	0.0833	0.083	0.1360	0.136	6.4919	6.492
ecf2r209	0.4855	0.486	0.1601	0.160	0.0526	0.053	3.0317	3.032
ecf2r204	0.4418	0.442	0.1361	0.136	0.0535	0.053	3.2453	3.245
ecf2r226	-0.4360	-0.436	0.1868	0.187	-0.0374	-0.037	-2.3346	-2.335
crawl	-0.3764	-0.376	0.1905	0.190	-0.0323	-0.032	-1.9761	-1.976
ecf2r224	-0.3458	-0.346	0.0576	0.058	-0.1011	-0.101	-6.0077	-6.008
unsound	-0.3192	-0.319	0.1593	0.159	-0.0324	-0.032	-2.0036	-2.004
ecf2r214	0.3134	0.313	0.0308	0.031	0.2103	0.210	10.1665	10.166
half_duplex2story	-0.2953	-0.295	0.1498	0.150	-0.0320	-0.032	-1.9711	-1.971
slab	-0.2813	-0.281	0.1045	0.104	-0.0443	-0.044	-2.6930	-2.693
ecf2r227	0.2812	0.281	0.1352	0.135	0.0341	0.034	2.0804	2.080
ecf2r222	-0.2540	-0.254	0.0480	0.048	-0.0896	-0.090	-5.2915	-5.291
ecf2r203	0.2032	0.203	0.0408	0.041	0.0859	0.086	4.9828	4.983
good	0.1948	0.195	0.0816	0.082	0.0393	0.039	2.3868	2.387
fair	-0.1889	-0.189	0.0268	0.027	-0.1181	-0.118	-7.0577	-7.058
poor	-0.1753	-0.175	0.0792	0.079	-0.0360	-0.036	-2.2149	-2.215
ln_landratio	0.1686	0.169	0.0547	0.055	0.0657	0.066	3.0849	3.085
qabove_avg	0.1589	0.159	0.0507	0.051	0.0688	0.069	3.1362	3.136
ecf2r213	0.1415	0.142	0.0424	0.042	0.0575	0.057	3.3408	3.341
ecf2r220	-0.0869	-0.087	0.0506	0.051	-0.0288	-0.029	-1.7180	-1.718
fireplace	0.0545	0.054	0.0253	0.025	0.0422	0.042	2.1525	2.152
months_1to18	0.0139	0.014	0.0018	0.002	0.1291	0.129	7.8967	7.897
(intercept)	NA	11.280	NA	0.029	NA	NA	NA	392.921

Table 8: District 2 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0000	0.001	0.7328	0.733	1.3646	1.365
half_duplex1story	0.0000	0.001	0.9821	0.982	1.0182	1.018
ecf2r229	0.0000	0.001	0.9832	0.983	1.0171	1.017
ecf2r208	0.0000	0.001	0.9371	0.937	1.0671	1.067
ecf2r219	0.0000	0.001	0.9312	0.931	1.0739	1.074
ln_base_bldgsize_ratio	0.0000	0.001	0.5180	0.518	1.9305	1.931
ecf2r211_230	0.0040	0.004	0.9922	0.992	1.0078	1.008
ecf2r216	0.0023	0.002	0.7862	0.786	1.2719	1.272
ecf2r228	0.0001	0.001	0.9683	0.968	1.0327	1.033
ecf2r218	0.0000	0.001	0.9587	0.959	1.0431	1.043
ecf2r206_215_217	0.0000	0.001	0.5805	0.581	1.7226	1.723
ecf2r209	0.0025	0.002	0.8461	0.846	1.1819	1.182
ecf2r204	0.0012	0.001	0.9377	0.938	1.0664	1.066
ecf2r226	0.0197	0.020	0.9937	0.994	1.0064	1.006
crawl	0.0483	0.048	0.9550	0.955	1.0471	1.047
ecf2r224	0.0000	0.001	0.9003	0.900	1.1107	1.111
unsound	0.0453	0.045	0.9765	0.977	1.0240	1.024
ecf2r214	0.0000	0.001	0.5956	0.596	1.6789	1.679
half_duplex2story	0.0489	0.049	0.9664	0.966	1.0347	1.035
slab	0.0072	0.007	0.9405	0.941	1.0633	1.063
ecf2r227	0.0376	0.038	0.9509	0.951	1.0516	1.052
ecf2r222	0.0000	0.001	0.8883	0.888	1.1257	1.126
ecf2r203	0.0000	0.001	0.8580	0.858	1.1656	1.166
good	0.0171	0.017	0.9413	0.941	1.0623	1.062
fair	0.0000	0.001	0.9103	0.910	1.0985	1.099
poor	0.0269	0.027	0.9670	0.967	1.0341	1.034
ln_landratio	0.0021	0.002	0.5623	0.562	1.7784	1.778
qabove_avg	0.0017	0.002	0.5300	0.530	1.8867	1.887
ecf2r213	0.0009	0.001	0.8616	0.862	1.1606	1.161
ecf2r220	0.0860	0.086	0.9055	0.905	1.1044	1.104
fireplace	0.0315	0.031	0.6645	0.665	1.5049	1.505
months_1to18	0.0000	0.001	0.9535	0.953	1.0488	1.049
(intercept)	NA	0.001	NA	NA	NA	NA

District 2 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 2 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1566	27	0.3745	0.5840	0.5770	81.4850
R	1593	1566	27	0.3745	0.5842	0.5770	81.4846
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.03%	0.00%	-0.00%

Table 10: District 2 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2650
R	0.9859	1.0710	0.9408	1.1384	0.3320	-0.2300
% diff (R vs SPSS)	-3.62%	-2.63%	-1.69%	-0.92%	0.30%	13.20%


Table 11: District 2 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2781	NA	0.0301	NA	NA	NA	374.7650	NA
half_duplex1story	-0.9201	-0.920	0.1896	0.190	-0.0800	-0.080	-4.8531	-4.853
ecf2r210	0.8673	0.867	0.3878	0.388	0.0377	0.038	2.2364	2.236
ecf2r219	0.7837	0.784	0.1490	0.149	0.0900	0.090	5.2585	5.258
ecf2r208	0.7676	0.768	0.1029	0.103	0.1244	0.124	7.4564	7.456
ecf2r218	-0.7277	-0.728	0.1886	0.189	-0.0632	-0.063	-3.8577	-3.858
ecf2r216	0.6349	0.635	0.2399	0.240	0.0478	0.048	2.6467	2.647
ecf2r228	-0.6305	-0.631	0.2182	0.218	-0.0475	-0.047	-2.8901	-2.890
ln_base_bldgsize_ratio	0.5719	0.572	0.0641	0.064	0.2874	0.287	8.9271	8.927
ecf2r206_215_217	0.5241	0.524	0.0776	0.078	0.1458	0.146	6.7513	6.751
ecf2r204	0.5020	0.502	0.1918	0.192	0.0436	0.044	2.6177	2.618
ecf2r209	0.4402	0.440	0.1975	0.198	0.0383	0.038	2.2284	2.228
slab	-0.4100	-0.410	0.1220	0.122	-0.0590	-0.059	-3.3608	-3.361
ecf2r224	-0.4067	-0.407	0.0573	0.057	-0.1208	-0.121	-7.0947	-7.095
ecf2r227	0.3425	0.343	0.1903	0.190	0.0298	0.030	1.7996	1.800
ecf2r222	-0.2948	-0.295	0.0452	0.045	-0.1131	-0.113	-6.5168	-6.517
ecf2r214	0.2926	0.293	0.0287	0.029	0.2174	0.217	10.1956	10.196
good	0.2629	0.263	0.0943	0.094	0.0483	0.048	2.7881	2.788
ecf2r203	0.1997	0.200	0.0377	0.038	0.0943	0.094	5.2919	5.292
ln_landratio	0.1991	0.199	0.0524	0.052	0.0768	0.077	3.7998	3.800
fair	-0.1916	-0.192	0.0255	0.025	-0.1268	-0.127	-7.5224	-7.522
ecf2r213	0.1592	0.159	0.0393	0.039	0.0730	0.073	4.0492	4.049
qabove_avg	0.1441	0.144	0.0484	0.048	0.0655	0.066	2.9753	2.975
largest	0.0918	0.092	0.0358	0.036	0.0631	0.063	2.5672	2.567
ecf2r205	0.0912	0.091	0.0488	0.049	0.0336	0.034	1.8701	1.870
fireplace	0.0779	0.078	0.0240	0.024	0.0652	0.065	3.2485	3.249
qbelow_avg	-0.0568	-0.057	0.0302	0.030	-0.0461	-0.046	-1.8792	-1.879
months_1to18	0.0133	0.013	0.0016	0.002	0.1338	0.134	8.0793	8.079
(intercept)	NA	11.278	NA	0.030	NA	NA	NA	374.765

Table 12: District 2 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
half_duplex1story	0.0000	0.001	0.9779	0.978	1.0226	1.023
ecf2r210	0.0255	0.025	0.9331	0.933	1.0717	1.072
ecf2r219	0.0000	0.001	0.9060	0.906	1.1037	1.104
ecf2r208	0.0000	0.001	0.9538	0.954	1.0485	1.048
ecf2r218	0.0001	0.001	0.9877	0.988	1.0124	1.012
ecf2r216	0.0082	0.008	0.8140	0.814	1.2285	1.228
ecf2r228	0.0039	0.004	0.9840	0.984	1.0163	1.016
ln_base_bldgsize_ratio	0.0000	0.001	0.2563	0.256	3.9024	3.902
ecf2r206_215_217	0.0000	0.001	0.5690	0.569	1.7575	1.757
ecf2r204	0.0089	0.009	0.9557	0.956	1.0463	1.046
ecf2r209	0.0260	0.026	0.9010	0.901	1.1099	1.110
slab	0.0008	0.001	0.8625	0.863	1.1594	1.159
ecf2r224	0.0000	0.001	0.9166	0.917	1.0910	1.091
ecf2r227	0.0721	0.072	0.9703	0.970	1.0307	1.031
ecf2r222	0.0000	0.001	0.8814	0.881	1.1345	1.135
ecf2r214	0.0000	0.001	0.5842	0.584	1.7118	1.712
good	0.0054	0.005	0.8865	0.887	1.1280	1.128
ecf2r203	0.0000	0.001	0.8370	0.837	1.1948	1.195
ln_landratio	0.0002	0.001	0.6493	0.649	1.5400	1.540
fair	0.0000	0.001	0.9341	0.934	1.0706	1.071
ecf2r213	0.0001	0.001	0.8178	0.818	1.2228	1.223
qabove_avg	0.0030	0.003	0.5474	0.547	1.8267	1.827
largest	0.0103	0.010	0.4392	0.439	2.2769	2.277
ecf2r205	0.0617	0.062	0.8247	0.825	1.2125	1.212
fireplace	0.0012	0.001	0.6600	0.660	1.5151	1.515
qbelow_avg	0.0604	0.060	0.4404	0.440	2.2704	2.270
months_1to18	0.0000	0.001	0.9687	0.969	1.0323	1.032
(intercept)	NA	0.001	NA	NA	NA	NA

District 2 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 2 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1593	1567	26	0.3744	0.5750	0.5680	81.6790
R	1593	1567	26	0.3898	0.5554	0.5481	75.3011
% diff (R vs SPSS)	0.00%	0.00%	0.00%	4.12%	-3.41%	-3.50%	-7.81%

Table 14: District 2 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0230	1.1000	0.9570	1.1490	0.3310	-0.2710
R	1.1201	1.2230	1.0646	1.1488	0.3434	-0.2462
% diff (R vs SPSS)	9.49%	11.18%	11.24%	-0.02%	3.75%	9.16%


Table 15: District 2 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.6314	NA	0.0261	NA	NA	NA	445.6908	NA
ecf2r210	0.9195	0.867	0.4034	0.388	0.0397	0.038	2.2793	2.237
half_duplex1story	-0.8384	-0.920	0.1973	0.189	-0.0724	-0.081	-4.2496	-4.859
ecf2r219	0.8040	0.783	0.1553	0.149	0.0917	0.091	5.1788	5.261
ecf2r218	-0.7825	-0.728	0.1965	0.189	-0.0675	-0.064	-3.9822	-3.859
ecf2r208	0.7619	0.767	0.1071	0.103	0.1226	0.126	7.1109	7.459
ecf2r216	0.6554	0.634	0.2497	0.240	0.0490	0.048	2.6250	2.647
ecf2r228	-0.5661	-0.631	0.2270	0.218	-0.0423	-0.048	-2.4937	-2.894
ecf2r204	0.5501	0.502	0.1995	0.192	0.0475	0.044	2.7570	2.618
ln_base_bldgsize_ratio	0.5152	0.572	0.0698	0.064	0.2571	0.290	7.3779	8.930
ecf2r206_215_217	0.5067	0.524	0.0805	0.078	0.1400	0.147	6.2966	6.753
slab	-0.4647	-0.410	0.1269	0.122	-0.0664	-0.060	-3.6623	-3.363
ecf2r209	0.4334	0.440	0.2057	0.197	0.0374	0.039	2.1066	2.228
ecf2r224	-0.3991	-0.407	0.0597	0.057	-0.1177	-0.122	-6.6853	-7.097
ecf2r222	-0.2908	-0.295	0.0471	0.045	-0.1108	-0.114	-6.1779	-6.520
ecf2r214	0.2846	0.293	0.0297	0.029	0.2100	0.220	9.5686	10.199
good	0.2567	0.263	0.0982	0.094	0.0468	0.049	2.6140	2.789
fair	-0.2274	-0.191	0.0263	0.025	-0.1495	-0.128	-8.6395	-7.574
ln_landratio	0.2099	0.199	0.0550	0.052	0.0805	0.078	3.8192	3.805
ecf2r203	0.1951	0.200	0.0392	0.038	0.0915	0.095	4.9758	5.294
ecf2r213	0.1436	0.159	0.0409	0.039	0.0654	0.074	3.5124	4.056
qabove_avg	0.1296	0.144	0.0504	0.048	0.0585	0.066	2.5731	2.980
ecf2r205	0.1207	0.091	0.0507	0.049	0.0441	0.034	2.3810	1.871
largest	0.0965	0.092	0.0372	0.036	0.0659	0.064	2.5934	2.569
single_family2story	0.0879	NA	0.0248	NA	0.0695	NA	3.5492	NA
fireplace	0.0686	0.078	0.0249	0.024	0.0569	0.066	2.7493	3.254
qbelow_avg	-0.0626	-0.057	0.0315	0.030	-0.0505	-0.047	-1.9890	-1.879
(intercept)	NA	11.517	NA	0.024	NA	NA	NA	478.774
ecf2r227	NA	0.342	NA	0.190	NA	0.030	NA	1.800

Table 16: District 2 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0228	0.025	0.9343	0.933	1.0703	1.071
half_duplex1story	0.0000	0.001	0.9785	0.979	1.0220	1.022
ecf2r219	0.0000	0.001	0.9046	0.907	1.1054	1.102
ecf2r218	0.0001	0.001	0.9864	0.988	1.0137	1.012
ecf2r208	0.0000	0.001	0.9539	0.954	1.0483	1.048
ecf2r216	0.0088	0.008	0.8140	0.815	1.2285	1.227
ecf2r228	0.0127	0.004	0.9847	0.985	1.0155	1.015
ecf2r204	0.0059	0.009	0.9567	0.957	1.0453	1.045
ln_base_bldgsize_ratio	0.0000	0.001	0.2337	0.256	4.2786	3.902
ecf2r206_215_217	0.0000	0.001	0.5738	0.569	1.7429	1.757
slab	0.0003	0.001	0.8639	0.864	1.1575	1.157
ecf2r209	0.0353	0.026	0.8997	0.901	1.1114	1.109
ecf2r224	0.0000	0.001	0.9159	0.917	1.0918	1.091
ecf2r222	0.0000	0.001	0.8819	0.882	1.1339	1.134
ecf2r214	0.0000	0.001	0.5893	0.584	1.6970	1.712
good	0.0090	0.005	0.8853	0.887	1.1296	1.128
fair	0.0000	0.001	0.9481	0.948	1.0548	1.055
ln_landratio	0.0001	0.001	0.6393	0.650	1.5641	1.538
ecf2r203	0.0000	0.001	0.8394	0.837	1.1913	1.195
ecf2r213	0.0005	0.001	0.8193	0.819	1.2206	1.221
qabove_avg	0.0102	0.003	0.5481	0.548	1.8245	1.824
ecf2r205	0.0174	0.062	0.8271	0.827	1.2090	1.209
largest	0.0096	0.010	0.4394	0.439	2.2756	2.277
single_family2story	0.0004	NA	0.7392	NA	1.3529	NA
fireplace	0.0060	0.001	0.6613	0.661	1.5122	1.513
qbelow_avg	0.0469	0.060	0.4405	0.441	2.2701	2.270
(intercept)	NA	0.001	NA	NA	NA	NA
ecf2r227	NA	0.072	NA	0.970	NA	1.031

District 2 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 2 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2553	2518	35	0.3725	0.5630	0.5570	92.7440
R	2855	2812	43	0.4368	0.5148	0.5074	69.3823
% diff (R vs SPSS)	11.83%	11.68%	22.86%	17.26%	-8.56%	-8.90%	-25.19%

Table 18: District 2 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0700	0.9400	1.1390	0.3250	-0.2390
R	1.1024	1.2201	1.0219	1.1940	0.3854	-0.3019
% diff (R vs SPSS)	10.57%	14.03%	8.71%	4.83%	18.58%	-26.34%


Table 19: District 2 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.1217	NA	0.1914	NA	NA	NA	52.8912	NA
ecf2r210	1.0801	0.994	0.1987	0.381	0.0795	0.035	5.4346	2.609
elec_baseboard	0.8568	NA	0.4592	NA	0.0258	NA	1.8658	NA
ecf2r211_230	-0.8363	-0.695	0.1592	0.373	-0.0710	-0.025	-5.2534	-1.860
unsound	-0.7529	NA	0.1277	NA	-0.0814	NA	-5.8977	NA
ecf2r228	-0.6881	-0.667	0.1349	0.188	-0.0685	-0.047	-5.1007	-3.549
ecf2r208	0.6807	0.731	0.0931	0.096	0.0999	0.103	7.3078	7.636
ecf2r216	0.6765	0.687	0.2129	0.232	0.0454	0.042	3.1773	2.962
ecf2r209	0.5468	0.459	0.1653	0.194	0.0464	0.032	3.3076	2.369
ecf2r226	-0.5428	NA	0.1192	NA	-0.0609	NA	-4.5528	NA
ecf2r206_215_217	0.5076	0.512	0.0829	0.072	0.1016	0.118	6.1229	7.085
ecf2r229	-0.4845	NA	0.1352	NA	-0.0482	NA	-3.5822	NA
ecf2r219	0.3920	0.706	0.1353	0.145	0.0390	0.066	2.8976	4.856
ecf2r218	-0.3712	-0.692	0.0935	0.142	-0.0545	-0.065	-3.9701	-4.865
qpoor	0.3556	0.289	0.1859	0.168	0.0262	0.023	1.9126	1.721
ecf2r224	-0.3230	-0.380	0.0464	0.043	-0.1045	-0.127	-6.9583	-8.929
ecf2r204	0.2883	0.516	0.1254	0.192	0.0312	0.036	2.2988	2.684
good	0.2844	0.314	0.0673	0.071	0.0569	0.060	4.2267	4.393
ecf2r227	0.2621	0.404	0.1358	0.173	0.0261	0.032	1.9294	2.334
crawl	-0.2492	-0.467	0.1287	0.168	-0.0259	-0.037	-1.9365	-2.779
ecf2r214	0.2355	0.276	0.0306	0.025	0.1533	0.205	7.6858	11.214
poor	-0.2244	NA	0.0573	NA	-0.0525	NA	-3.9168	NA
lnsblsint	0.2173	0.371	0.0309	0.027	0.1958	0.355	7.0355	13.699
ecf2r222	-0.2163	-0.260	0.0394	0.034	-0.0843	-0.110	-5.4869	-7.709
fair	-0.2116	-0.203	0.0208	0.019	-0.1385	-0.145	-10.1945	-10.749
largest	0.1978	0.081	0.0432	0.031	0.1144	0.051	4.5759	2.629
ecf2r225	-0.1667	NA	0.0446	NA	-0.0575	NA	-3.7385	NA
ln_landratio	0.1543	0.197	0.0484	0.043	0.0569	0.076	3.1885	4.544
qabove_avg	0.1470	0.113	0.0485	0.043	0.0542	0.046	3.0334	2.615
ecf2r207	0.1218	NA	0.0718	NA	0.0233	NA	1.6964	NA
ecf2r223	-0.1203	-0.072	0.0438	0.038	-0.0409	-0.027	-2.7498	-1.901
ecf2r220	-0.1148	-0.061	0.0431	0.037	-0.0396	-0.024	-2.6631	-1.660
ecf2r201	-0.1137	-0.100	0.0349	0.029	-0.0512	-0.052	-3.2565	-3.475
ecf2r203	0.1126	0.150	0.0381	0.031	0.0474	0.073	2.9523	4.827
single_family2story	0.1015	NA	0.0216	NA	0.0730	NA	4.7013	NA
yb_1961_to_1990	0.0948	NA	0.0570	NA	0.0232	NA	1.6617	NA
yb_pre_1929	-0.0859	-0.052	0.0292	0.023	-0.0582	-0.038	-2.9442	-2.263
fireplace	0.0783	0.061	0.0214	0.019	0.0628	0.054	3.6581	3.252
ecf2r213	0.0777	0.084	0.0385	0.033	0.0305	0.038	2.0188	2.573
garage	0.0749	0.050	0.0181	0.016	0.0587	0.044	4.1396	3.115
large	0.0665	NA	0.0283	NA	0.0507	NA	2.3533	NA
hot_water	0.0614	NA	0.0302	NA	0.0320	NA	2.0322	NA
qbelow_avg	-0.0472	NA	0.0277	NA	-0.0358	NA	-1.7041	NA
yb_1946_to_1960	0.0395	NA	0.0220	NA	0.0290	NA	1.7971	NA
(intercept)	NA	9.075	NA	0.169	NA	NA	NA	53.779
arterial	NA	-0.081	NA	0.036	NA	-0.033	NA	-2.281
half_duplex1story	NA	-0.496	NA	0.123	NA	-0.055	NA	-4.030
smallest	NA	0.094	NA	0.040	NA	0.042	NA	2.339
two_baths	NA	0.079	NA	0.042	NA	0.031	NA	1.861
slab	NA	-0.253	NA	0.091	NA	-0.038	NA	-2.775

Table 20: District 2 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf2r210	0.0000	0.009	0.8070	0.955	1.2392	1.047
elec_baseboard	0.0622	NA	0.9053	NA	1.1046	NA
ecf2r211_230	0.0000	0.063	0.9440	0.995	1.0593	1.005
unsound	0.0000	NA	0.9050	NA	1.1050	NA
ecf2r228	0.0000	0.001	0.9570	0.984	1.0449	1.016
ecf2r208	0.0000	0.001	0.9242	0.952	1.0820	1.051
ecf2r216	0.0015	0.003	0.8434	0.861	1.1857	1.161
ecf2r209	0.0010	0.018	0.8753	0.926	1.1424	1.080
ecf2r226	0.0000	NA	0.9638	NA	1.0376	NA
ecf2r206_215_217	0.0000	0.001	0.6270	0.630	1.5948	1.588
ecf2r229	0.0003	NA	0.9521	NA	1.0503	NA
ecf2r219	0.0038	0.001	0.9515	0.940	1.0509	1.063
ecf2r218	0.0001	0.001	0.9171	0.982	1.0904	1.018
qpoor	0.0559	0.085	0.9219	0.984	1.0848	1.016
ecf2r224	0.0000	0.001	0.7645	0.855	1.3080	1.170
ecf2r204	0.0216	0.007	0.9375	0.942	1.0667	1.062
good	0.0000	0.001	0.9515	0.917	1.0510	1.091
ecf2r227	0.0538	0.020	0.9438	0.926	1.0596	1.080
crawl	0.0529	0.005	0.9644	0.985	1.0369	1.015
ecf2r214	0.0000	0.001	0.4338	0.517	2.3052	1.934
poor	0.0001	NA	0.9588	NA	1.0430	NA
lnsbldsfint	0.0000	0.001	0.2228	0.258	4.4890	3.882
ecf2r222	0.0000	0.001	0.7319	0.845	1.3664	1.184
fair	0.0000	0.001	0.9349	0.953	1.0696	1.050
largest	0.0000	0.009	0.2759	0.455	3.6248	2.198
ecf2r225	0.0002	NA	0.7305	NA	1.3689	NA
ln_landratio	0.0014	0.001	0.5415	0.622	1.8468	1.607
qabove_avg	0.0024	0.009	0.5413	0.572	1.8475	1.748
ecf2r207	0.0899	NA	0.9156	NA	1.0922	NA
ecf2r223	0.0060	0.057	0.7805	0.874	1.2813	1.145
ecf2r220	0.0078	0.097	0.7815	0.851	1.2796	1.175
ecf2r201	0.0011	0.001	0.6984	0.785	1.4318	1.274
ecf2r203	0.0032	0.001	0.6683	0.764	1.4964	1.309
single_family2story	0.0000	NA	0.7155	NA	1.3977	NA
yb_1961_to_1990	0.0967	NA	0.8837	NA	1.1316	NA
yb_pre_1929	0.0033	0.024	0.4422	0.631	2.2617	1.585
fireplace	0.0003	0.001	0.5860	0.620	1.7066	1.612
ecf2r213	0.0436	0.010	0.7552	0.802	1.3242	1.247
garage	0.0000	0.002	0.8574	0.887	1.1663	1.127
large	0.0187	NA	0.3713	NA	2.6931	NA
hot_water	0.0422	NA	0.6969	NA	1.4348	NA
qbelow_avg	0.0885	NA	0.3916	NA	2.5535	NA
yb_1946_to_1960	0.0724	NA	0.6618	NA	1.5110	NA
(intercept)	NA	0.001	NA	NA	NA	NA
arterial	NA	0.023	NA	0.844	NA	1.185
half_duplex1story	NA	0.001	NA	0.918	NA	1.089
smallest	NA	0.019	NA	0.546	NA	1.833
two_baths	NA	0.063	NA	0.645	NA	1.551
slab	NA	0.006	NA	0.938	NA	1.067

District 2 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
ln_base_bldgsize_ratio	4	M2, M3, M4, M5	0.615	0.065	0.303	9.977	0.000	0.257	0.345
months_1to18	2	M1, M2	0.024	0.003	0.227	7.225	0.000	0.134	0.320
qabove_avg	2	M1, M2	0.432	0.072	0.212	6.054	0.000	0.139	0.285
ecf2r214	4	M3, M4, M5, M6	0.282	0.030	0.198	9.404	0.000	0.153	0.217
Insbldsfint	1	M6	0.217	0.031	0.196	7.036	0.000	0.196	0.196
fireplace	1	M1	0.194	0.057	0.168	3.392	0.001	0.168	0.168
arterial	1	M1	0.378	0.130	0.146	2.913	0.004	0.146	0.146
ecf2r206_215_217	3	M3, M4, M5	0.524	0.080	0.141	6.513	0.000	0.136	0.146
largest	1	M6	0.198	0.043	0.114	4.576	0.000	0.114	0.114
half_duplex1story	2	M1, M2	-0.667	0.211	-0.097	-3.432	0.012	-0.113	-0.080
ecf2r222	4	M3, M4, M5, M6	-0.264	0.045	-0.099	-5.868	0.000	-0.113	-0.084
ecf2r224	4	M3, M4, M5, M6	-0.369	0.055	-0.111	-6.687	0.000	-0.121	-0.101
fair	5	M2, M3, M4, M5, M6	-0.200	0.026	-0.129	-7.953	0.000	-0.149	-0.113
yb_pre_1929	2	M1, M2	-0.196	0.045	-0.142	-4.824	0.000	-0.161	-0.124

District 2 | Average Standardized Beta across Models

