

District 4 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

2 June 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16

Model I


Table 1: District 4 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1297	1286	11	0.4876	0.0990	0.0910	12.8330
R	1297	1286	11	0.4876	0.0989	0.0912	12.8330
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.01%	-0.10%	0.22%	0.00%

Table 2: District 4 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	4.004	4.004	0.034	0.034	NA	NA	119.189	119.189	0.000	0.001
smallest	0.249	0.249	0.062	0.062	0.126	0.126	4.005	4.005	0.000	0.001
fireplace	0.124	0.124	0.032	0.032	0.121	0.121	3.893	3.893	0.000	0.001
yb_1946_to_1960	0.135	0.135	0.032	0.032	0.119	0.119	4.274	4.274	0.000	0.001
central_air	0.128	0.128	0.034	0.034	0.103	0.103	3.793	3.793	0.000	0.001
small	0.124	0.124	0.044	0.044	0.094	0.094	2.800	2.800	0.005	0.005
hot_water	0.138	0.138	0.048	0.048	0.081	0.081	2.880	2.880	0.004	0.004
months_15to24	0.011	0.011	0.004	0.004	0.068	0.068	2.529	2.529	0.012	0.012
qabove_avg	0.292	0.292	0.132	0.132	0.059	0.059	2.216	2.216	0.027	0.027
half_duplex1story	0.163	0.163	0.095	0.095	0.046	0.046	1.706	1.706	0.088	0.088
qbelow_avg	-0.072	-0.072	0.038	0.038	-0.065	-0.065	-1.871	-1.871	0.062	0.062
yb_post_1990	-0.388	-0.388	0.071	0.071	-0.159	-0.159	-5.489	-5.489	0.000	0.001

District 4 | Model I Beta Coefficient Comparison: SPSS vs R



Model II


Table 3: District 4 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1707	1688	19	0.5020	0.2710	0.2620	32.9650
R	1707	1688	19	0.5020	0.2706	0.2624	32.9646
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.15%	0.15%	-0.00%

Table 4: District 4 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.009	11.009	0.045	0.045	NA	NA	242.488	242.488	0.000	0.001
ln_base_bldgsize_ratio	0.778	0.778	0.094	0.094	0.327	0.327	8.246	8.246	0.000	0.001
ln_landratio	0.443	0.443	0.075	0.075	0.133	0.133	5.921	5.921	0.000	0.001
fireplace	0.134	0.134	0.029	0.029	0.115	0.115	4.660	4.660	0.000	0.001
central_air	0.136	0.136	0.032	0.032	0.092	0.092	4.284	4.284	0.000	0.001
good	0.384	0.384	0.108	0.108	0.076	0.076	3.539	3.539	0.000	0.001
smallest	0.171	0.171	0.068	0.068	0.075	0.075	2.525	2.525	0.012	0.012
yb_1946_to_1960	0.098	0.098	0.030	0.030	0.074	0.074	3.251	3.251	0.001	0.001
months_1to14	0.009	0.009	0.003	0.003	0.066	0.066	2.997	2.997	0.003	0.003
hot_water	0.116	0.116	0.045	0.045	0.061	0.061	2.560	2.560	0.011	0.011
single_family2story	0.073	0.073	0.035	0.035	0.054	0.054	2.065	2.065	0.039	0.039
small	0.079	0.079	0.043	0.043	0.052	0.052	1.821	1.821	0.069	0.069
qabove_avg	0.299	0.299	0.133	0.133	0.048	0.048	2.239	2.239	0.025	0.025
ln_garagespaces	-0.077	-0.077	0.046	0.046	-0.036	-0.036	-1.661	-1.661	0.097	0.097
half_duplex1story	-0.187	-0.187	0.093	0.093	-0.045	-0.045	-2.018	-2.018	0.044	0.044
qbelow_avg	-0.066	-0.066	0.035	0.035	-0.052	-0.052	-1.868	-1.868	0.062	0.062
unsound	-0.373	-0.373	0.132	0.132	-0.060	-0.060	-2.832	-2.832	0.005	0.005
poor	-0.232	-0.232	0.079	0.079	-0.062	-0.062	-2.920	-2.920	0.004	0.004
fair	-0.180	-0.180	0.031	0.031	-0.121	-0.121	-5.727	-5.727	0.000	0.001
yb_post_1990	-0.372	-0.372	0.071	0.071	-0.123	-0.123	-5.249	-5.249	0.000	0.001

District 4 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 4 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1707	1676	31	0.4533	0.4090	0.3980	37.4710
R	1707	1676	31	0.4533	0.4094	0.3985	37.4794
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.10%	0.13%	0.02%

Table 6: District 4 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0090	1.1310	0.9170	1.2330	0.4120	
R	0.9842	1.1048	0.9079	1.2168	0.3981	-0.4030
% diff (R vs SPSS)	-2.46%	-2.32%	-0.99%	-1.31%	-3.38%	


Table 7: District 4 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0311	NA	0.0450	NA	NA	NA	245.3887	NA
ecf4r402	-0.6783	-0.681	0.0884	0.088	-0.1500	-0.151	-7.6696	-7.704
ecf4r415	0.5866	0.587	0.0702	0.070	0.1676	0.168	8.3522	8.358
ecf4r422	0.5347	0.535	0.0734	0.073	0.1481	0.148	7.2858	7.285
ecf4r414	0.4967	0.497	0.0626	0.063	0.1614	0.162	7.9374	7.941
ln_base_bldgsize_ratio	0.4748	0.475	0.0746	0.075	0.1997	0.200	6.3612	6.360
ecf4r419	-0.3193	-0.320	0.0863	0.086	-0.0785	-0.079	-3.6991	-3.705
ecf4r410	0.3074	0.307	0.0385	0.038	0.1769	0.177	7.9922	7.988
ecf4r417	0.3069	0.306	0.0459	0.046	0.1455	0.145	6.6811	6.673
ecf4r416	-0.3004	-0.301	0.1354	0.135	-0.0429	-0.043	-2.2191	-2.221
two_baths	0.2523	0.253	0.0864	0.086	0.0620	0.062	2.9191	2.933
unsound	-0.2275	-0.227	0.1197	0.120	-0.0363	-0.036	-1.9008	-1.897
good	0.2157	0.208	0.0984	0.098	0.0426	0.041	2.1914	2.119
ecf4r412	-0.2002	-0.201	0.0854	0.085	-0.0457	-0.046	-2.3445	-2.348
poor	-0.1922	-0.192	0.0723	0.072	-0.0510	-0.051	-2.6585	-2.657
half_duplex1story	-0.1861	-0.186	0.0820	0.082	-0.0451	-0.045	-2.2698	-2.264
fair	-0.1817	-0.182	0.0285	0.029	-0.1228	-0.123	-6.3762	-6.374
ecf4r421	-0.1814	-0.182	0.1045	0.105	-0.0408	-0.041	-1.7361	-1.742
ecf4r411	-0.1733	-0.173	0.0468	0.047	-0.0752	-0.075	-3.6993	-3.702
ecf4r401	-0.1677	-0.168	0.0534	0.053	-0.0635	-0.063	-3.1402	-3.140
crawl	-0.1550	-0.155	0.0844	0.084	-0.0406	-0.041	-1.8373	-1.840
ln_landratio	0.1449	0.143	0.0691	0.069	0.0434	0.043	2.0982	2.069
ecf4r408	-0.1331	-0.133	0.0459	0.046	-0.0596	-0.060	-2.9011	-2.903
ecf4r413	0.1151	0.115	0.0474	0.047	0.0524	0.052	2.4266	2.424
central_air	0.1023	0.102	0.0285	0.028	0.0691	0.069	3.5918	3.596
ext_other	-0.0871	-0.086	0.0373	0.037	-0.0536	-0.053	-2.3336	-2.300
single_family2story	0.0764	0.077	0.0323	0.032	0.0568	0.057	2.3626	2.367
fireplace	0.0758	0.076	0.0264	0.026	0.0647	0.065	2.8717	2.892
qbelow_avg	-0.0590	-0.059	0.0325	0.033	-0.0463	-0.046	-1.8145	-1.819
yb_1946_to_1960	0.0487	0.049	0.0277	0.028	0.0367	0.037	1.7562	1.767
months_1to14	0.0073	0.007	0.0032	0.003	0.0562	0.056	2.2682	2.262
months_15to24	0.0073	0.007	0.0043	0.004	0.0403	0.040	1.7117	1.715
(intercept)	NA	11.031	NA	0.045	NA	NA	NA	245.381

Table 8: District 4 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9215	0.922	1.0852	1.085
ecf4r415	0.0000	0.001	0.8751	0.875	1.1427	1.143
ecf4r422	0.0000	0.001	0.8523	0.852	1.1734	1.174
ecf4r414	0.0000	0.001	0.8518	0.852	1.1740	1.174
ln_base_bldgsize_ratio	0.0000	0.001	0.3574	0.357	2.7982	2.799
ecf4r419	0.0002	0.001	0.7826	0.782	1.2778	1.279
ecf4r410	0.0000	0.001	0.7189	0.719	1.3909	1.391
ecf4r417	0.0000	0.001	0.7434	0.744	1.3452	1.345
ecf4r416	0.0266	0.026	0.9408	0.941	1.0630	1.063
two_baths	0.0036	0.003	0.7807	0.781	1.2809	1.281
unsound	0.0575	0.058	0.9648	0.965	1.0364	1.036
good	0.0286	0.034	0.9345	0.940	1.0701	1.064
ecf4r412	0.0192	0.019	0.9256	0.926	1.0804	1.080
poor	0.0079	0.008	0.9593	0.959	1.0425	1.042
half_duplex1story	0.0233	0.024	0.8921	0.892	1.1210	1.121
fair	0.0000	0.001	0.9501	0.950	1.0526	1.053
ecf4r421	0.0827	0.082	0.6384	0.638	1.5664	1.567
ecf4r411	0.0002	0.001	0.8524	0.852	1.1732	1.173
ecf4r401	0.0017	0.002	0.8631	0.863	1.1586	1.159
crawl	0.0663	0.066	0.7211	0.721	1.3867	1.387
ln_landratio	0.0360	0.039	0.8240	0.824	1.2136	1.214
ecf4r408	0.0038	0.004	0.8359	0.836	1.1963	1.196
ecf4r413	0.0153	0.015	0.7555	0.756	1.3236	1.324
central_air	0.0003	0.001	0.9513	0.951	1.0512	1.051
ext_other	0.0197	0.022	0.6688	0.672	1.4952	1.489
single_family2story	0.0183	0.018	0.6087	0.609	1.6427	1.643
fireplace	0.0041	0.004	0.6932	0.695	1.4425	1.440
qbelow_avg	0.0698	0.069	0.5420	0.542	1.8449	1.845
yb_1946_to_1960	0.0792	0.077	0.8076	0.808	1.2382	1.237
months_1to14	0.0234	0.024	0.5733	0.573	1.7442	1.744
months_15to24	0.0871	0.087	0.6367	0.637	1.5705	1.570
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 4 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1576	1547	29	0.3945	0.4810	0.4720	49.5060
R	1576	1547	29	0.3945	0.4814	0.4717	49.5152
% diff (R vs SPSS)	0.00%	0.00%	0.00%	-0.00%	0.08%	-0.06%	0.02%

Table 10: District 4 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9990	1.0920	0.9370	1.1660	0.3490	-0.3160
R	0.9824	1.0787	0.9300	1.1600	0.3465	-0.3122
% diff (R vs SPSS)	-1.66%	-1.21%	-0.75%	-0.52%	-0.71%	1.21%


Table 11: District 4 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.1354	NA	0.0298	NA	NA	NA	373.7450	NA
ecf4r402	-0.7935	-0.800	0.0897	0.090	-0.1676	-0.169	-8.8468	-8.922
ecf4r422	0.5760	0.576	0.0695	0.069	0.1628	0.163	8.2915	8.292
ecf4r415	0.5617	0.562	0.0632	0.063	0.1742	0.174	8.8922	8.898
ecf4r414	0.5433	0.544	0.0566	0.057	0.1900	0.190	9.6014	9.612
ln_base_bldgsize_ratio	0.4856	0.485	0.0684	0.068	0.2132	0.213	7.0954	7.089
unsound	-0.3781	-0.377	0.1419	0.142	-0.0495	-0.049	-2.6650	-2.659
ecf4r419	-0.3617	-0.362	0.0831	0.083	-0.0911	-0.091	-4.3550	-4.363
ecf4r417	0.3089	0.308	0.0415	0.041	0.1593	0.159	7.4510	7.443
ecf4r410	0.3028	0.303	0.0342	0.034	0.1904	0.190	8.8546	8.853
two_baths	0.2961	0.300	0.0977	0.098	0.0611	0.062	3.0324	3.071
ecf4r421	-0.2726	-0.273	0.0845	0.085	-0.0675	-0.068	-3.2262	-3.227
poor	-0.2652	-0.265	0.0809	0.081	-0.0611	-0.061	-3.2805	-3.275
half_duplex1story	-0.2623	-0.262	0.0834	0.083	-0.0616	-0.061	-3.1434	-3.138
good	0.2388	0.222	0.1012	0.101	0.0454	0.042	2.3584	2.203
half_duplex2story	-0.2346	-0.234	0.1014	0.101	-0.0447	-0.045	-2.3141	-2.310
ecf4r401	-0.2296	-0.230	0.0486	0.049	-0.0929	-0.093	-4.7284	-4.731
ecf4r412	-0.2011	-0.202	0.0881	0.088	-0.0435	-0.044	-2.2827	-2.289
ecf4r411	-0.1789	-0.179	0.0449	0.045	-0.0785	-0.079	-3.9823	-3.987
fair	-0.1654	-0.165	0.0262	0.026	-0.1186	-0.119	-6.3093	-6.308
ext_other	-0.1409	-0.140	0.0367	0.037	-0.0918	-0.091	-3.8411	-3.822
ln_landratio	0.1292	0.126	0.0631	0.063	0.0404	0.039	2.0468	1.998
ecf4r408	-0.1219	-0.122	0.0405	0.041	-0.0603	-0.060	-3.0101	-3.017
central_air	0.1218	0.122	0.0256	0.026	0.0894	0.090	4.7527	4.764
ecf4r404	0.1133	0.113	0.0596	0.060	0.0415	0.041	1.9004	1.893
ecf4r413	0.0905	0.090	0.0430	0.043	0.0439	0.044	2.1077	2.104
qbelow_avg	-0.0800	-0.080	0.0298	0.030	-0.0675	-0.068	-2.6880	-2.691
single_family2story	0.0710	0.071	0.0283	0.028	0.0563	0.057	2.5066	2.518
fireplace	0.0608	0.061	0.0240	0.024	0.0560	0.056	2.5309	2.550
months_15to24	0.0115	0.011	0.0031	0.003	0.0679	0.068	3.6559	3.657
(intercept)	NA	11.135	NA	0.030	NA	NA	NA	373.777

Table 12: District 4 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9335	0.935	1.0712	1.070
ecf4r422	0.0000	0.001	0.8695	0.869	1.1501	1.150
ecf4r415	0.0000	0.001	0.8734	0.873	1.1450	1.145
ecf4r414	0.0000	0.001	0.8559	0.856	1.1683	1.168
ln_base_bldgsize_ratio	0.0000	0.001	0.3713	0.371	2.6935	2.694
unsound	0.0078	0.008	0.9712	0.971	1.0296	1.030
ecf4r419	0.0000	0.001	0.7665	0.767	1.3046	1.304
ecf4r417	0.0000	0.001	0.7337	0.734	1.3630	1.362
ecf4r410	0.0000	0.001	0.7250	0.725	1.3793	1.380
two_baths	0.0025	0.002	0.8263	0.827	1.2102	1.210
ecf4r421	0.0013	0.001	0.7656	0.765	1.3061	1.307
poor	0.0011	0.001	0.9676	0.968	1.0335	1.034
half_duplex1story	0.0017	0.002	0.8740	0.874	1.1441	1.144
good	0.0185	0.028	0.9028	0.911	1.1076	1.098
half_duplex2story	0.0208	0.021	0.9004	0.901	1.1106	1.110
ecf4r401	0.0000	0.001	0.8692	0.869	1.1505	1.151
ecf4r412	0.0226	0.022	0.9245	0.925	1.0817	1.082
ecf4r411	0.0001	0.001	0.8635	0.864	1.1581	1.158
fair	0.0000	0.001	0.9494	0.949	1.0533	1.053
ext_other	0.0001	0.001	0.5865	0.590	1.7051	1.695
ln_landratio	0.0409	0.046	0.8589	0.859	1.1643	1.164
ecf4r408	0.0027	0.003	0.8366	0.837	1.1954	1.195
central_air	0.0000	0.001	0.9467	0.947	1.0563	1.056
ecf4r404	0.0576	0.059	0.7023	0.702	1.4238	1.424
ecf4r413	0.0352	0.036	0.7725	0.773	1.2944	1.294
qbelow_avg	0.0073	0.007	0.5310	0.531	1.8833	1.883
single_family2story	0.0123	0.012	0.6651	0.665	1.5035	1.504
fireplace	0.0115	0.011	0.6854	0.686	1.4590	1.457
months_15to24	0.0003	0.001	0.9716	0.972	1.0293	1.029
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 4 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1576	1548	28	0.3944	0.4810	0.4720	51.2550
R	1576	1548	28	0.3944	0.4810	0.4717	51.2463
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	0.00%	-0.06%	-0.02%

Table 14: District 4 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9980	1.0920	0.9380	1.1650	0.3490	-0.3160
R	0.9895	1.0860	0.9355	1.1609	0.3468	-0.3118
% diff (R vs SPSS)	-0.85%	-0.55%	-0.27%	-0.35%	-0.63%	1.33%


Table 15: District 4 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.2461	NA	0.0286	NA	NA	NA	392.9350	NA
ecf4r402	-0.7933	-0.800	0.0897	0.090	-0.1676	-0.169	-8.8480	-8.926
ecf4r422	0.5758	0.576	0.0694	0.069	0.1628	0.163	8.2924	8.296
ecf4r415	0.5615	0.562	0.0631	0.063	0.1742	0.174	8.8934	8.902
ecf4r414	0.5433	0.544	0.0566	0.057	0.1901	0.190	9.6066	9.616
ln_base_bldgsize_ratio	0.4857	0.485	0.0684	0.068	0.2133	0.213	7.0994	7.092
unsound	-0.3763	-0.377	0.1414	0.141	-0.0493	-0.049	-2.6609	-2.666
ecf4r419	-0.3622	-0.362	0.0830	0.083	-0.0912	-0.091	-4.3642	-4.367
ecf4r417	0.3091	0.309	0.0414	0.041	0.1594	0.159	7.4609	7.449
ecf4r410	0.3027	0.303	0.0342	0.034	0.1904	0.190	8.8558	8.857
two_baths	0.2959	0.300	0.0976	0.098	0.0610	0.062	3.0309	3.072
ecf4r421	-0.2736	-0.273	0.0843	0.084	-0.0678	-0.068	-3.2457	-3.237
poor	-0.2652	-0.265	0.0808	0.081	-0.0611	-0.061	-3.2816	-3.276
half_duplex1story	-0.2619	-0.262	0.0834	0.083	-0.0615	-0.061	-3.1407	-3.140
good	0.2386	0.222	0.1012	0.101	0.0454	0.042	2.3572	2.203
half_duplex2story	-0.2349	-0.234	0.1013	0.101	-0.0447	-0.045	-2.3183	-2.311
ecf4r401	-0.2296	-0.230	0.0485	0.049	-0.0929	-0.093	-4.7292	-4.732
ecf4r412	-0.2013	-0.202	0.0881	0.088	-0.0435	-0.044	-2.2858	-2.291
ecf4r411	-0.1786	-0.179	0.0449	0.045	-0.0783	-0.079	-3.9801	-3.992
fair	-0.1652	-0.165	0.0262	0.026	-0.1184	-0.119	-6.3104	-6.317
ext_other	-0.1409	-0.140	0.0367	0.037	-0.0919	-0.091	-3.8419	-3.824
ln_landratio	0.1292	0.126	0.0631	0.063	0.0405	0.039	2.0483	1.999
ecf4r408	-0.1219	-0.122	0.0405	0.040	-0.0603	-0.060	-3.0109	-3.018
central_air	0.1217	0.122	0.0256	0.026	0.0894	0.090	4.7513	4.767
ecf4r404	0.1133	0.113	0.0596	0.060	0.0415	0.041	1.9004	1.894
ecf4r413	0.0906	0.090	0.0429	0.043	0.0440	0.044	2.1102	2.105
qbelow_avg	-0.0801	-0.080	0.0297	0.030	-0.0677	-0.068	-2.6941	-2.693
single_family2story	0.0709	0.071	0.0283	0.028	0.0562	0.057	2.5046	2.519
fireplace	0.0606	0.061	0.0240	0.024	0.0558	0.056	2.5263	2.553
(intercept)	NA	11.249	NA	0.029	NA	NA	NA	393.090

Table 16: District 4 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9338	0.935	1.0709	1.069
ecf4r422	0.0000	0.001	0.8699	0.870	1.1495	1.150
ecf4r415	0.0000	0.001	0.8737	0.874	1.1445	1.145
ecf4r414	0.0000	0.001	0.8560	0.856	1.1682	1.168
ln_base_bldgsize_ratio	0.0000	0.001	0.3713	0.371	2.6933	2.694
unsound	0.0079	0.008	0.9770	0.977	1.0236	1.024
ecf4r419	0.0000	0.001	0.7673	0.767	1.3032	1.303
ecf4r417	0.0000	0.001	0.7342	0.735	1.3620	1.361
ecf4r410	0.0000	0.001	0.7253	0.725	1.3788	1.380
two_baths	0.0025	0.002	0.8266	0.827	1.2098	1.209
ecf4r421	0.0012	0.001	0.7691	0.769	1.3003	1.301
poor	0.0011	0.001	0.9676	0.968	1.0335	1.034
half_duplex1story	0.0017	0.002	0.8749	0.875	1.1430	1.143
good	0.0185	0.028	0.9030	0.911	1.1074	1.098
half_duplex2story	0.0206	0.021	0.9007	0.901	1.1102	1.110
ecf4r401	0.0000	0.001	0.8692	0.869	1.1505	1.151
ecf4r412	0.0224	0.022	0.9246	0.925	1.0815	1.081
ecf4r411	0.0001	0.001	0.8656	0.866	1.1553	1.155
fair	0.0000	0.001	0.9515	0.952	1.0509	1.051
ext_other	0.0001	0.001	0.5865	0.590	1.7051	1.695
ln_landratio	0.0407	0.046	0.8589	0.859	1.1643	1.164
ecf4r408	0.0026	0.003	0.8366	0.837	1.1954	1.195
central_air	0.0000	0.001	0.9476	0.948	1.0553	1.055
ecf4r404	0.0576	0.058	0.7023	0.702	1.4238	1.424
ecf4r413	0.0350	0.035	0.7726	0.773	1.2943	1.294
qbelow_avg	0.0071	0.007	0.5314	0.531	1.8820	1.882
single_family2story	0.0124	0.012	0.6653	0.665	1.5030	1.504
fireplace	0.0116	0.011	0.6874	0.688	1.4547	1.453
(intercept)	NA	0.001	NA	NA	NA	NA

District 4 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 4 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2042	2012	30	0.3953	0.4820	0.4750	62.5080
R	1576	1549	27	0.3942	0.4812	0.4721	53.2048
% diff (R vs SPSS)	-22.82%	-23.01%	-10.00%	-0.28%	-0.17%	-0.61%	-14.88%

Table 18: District 4 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9930	1.0790	0.9290	1.1620	0.3450	-0.3050
R	0.9931	1.0861	0.9354	1.1611	0.3450	-0.3111
% diff (R vs SPSS)	0.01%	0.66%	0.69%	-0.08%	-0.01%	-2.01%


Table 19: District 4 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.5704	NA	0.2489	NA	NA	NA	38.4509	NA
ecf4r402	-0.7856	-0.782	0.0896	0.080	-0.1660	-0.161	-8.7701	-9.748
ecf4r422	0.5756	0.556	0.0693	0.057	0.1627	0.168	8.3091	9.693
ecf4r415	0.5661	0.561	0.0631	0.060	0.1757	0.160	8.9669	9.383
ecf4r414	0.5478	0.546	0.0566	0.053	0.1917	0.178	9.6869	10.277
unsound	-0.3841	-0.319	0.1411	0.116	-0.0503	-0.045	-2.7211	-2.755
ecf4r419	-0.3730	-0.409	0.0829	0.067	-0.0940	-0.110	-4.4999	-6.116
two_baths	0.3355	0.431	0.0966	0.090	0.0692	0.082	3.4731	4.780
ecf4r417	0.3132	0.297	0.0413	0.037	0.1615	0.151	7.5842	8.019
ecf4r410	0.3035	0.258	0.0340	0.030	0.1909	0.159	8.9188	8.511
ecf4r421	-0.2847	-0.297	0.0842	0.075	-0.0705	-0.070	-3.3810	-3.940
poor	-0.2714	-0.237	0.0806	0.068	-0.0625	-0.056	-3.3657	-3.477
lnsbldsint	0.2608	0.192	0.0391	0.026	0.2492	0.195	6.6787	7.379
good	0.2477	0.210	0.1010	0.086	0.0472	0.041	2.4516	2.444
ecf4r401	-0.2245	-0.271	0.0485	0.043	-0.0908	-0.109	-4.6291	-6.336
ecf4r412	-0.2005	-0.202	0.0874	0.070	-0.0434	-0.048	-2.2937	-2.877
ecf4r411	-0.1722	-0.199	0.0448	0.037	-0.0756	-0.095	-3.8484	-5.404
fair	-0.1652	-0.174	0.0261	0.022	-0.1185	-0.128	-6.3230	-7.807
ln_landratio	0.1338	0.132	0.0631	0.054	0.0419	0.042	2.1218	2.421
ext_other	-0.1269	-0.095	0.0359	0.028	-0.0827	-0.064	-3.5375	-3.385
central_air	0.1220	0.109	0.0256	0.024	0.0896	0.075	4.7715	4.548
ecf4r408	-0.1192	-0.104	0.0404	0.036	-0.0590	-0.051	-2.9481	-2.875
ecf4r404	0.1115	NA	0.0585	NA	0.0409	NA	1.9057	NA
ecf4r413	0.0947	0.106	0.0429	0.037	0.0459	0.052	2.2068	2.837
smallest	0.0932	NA	0.0547	NA	0.0442	NA	1.7052	NA
single_family2story	0.0743	0.077	0.0284	0.025	0.0589	0.060	2.6112	3.109
qbelow_avg	-0.0720	-0.080	0.0300	0.026	-0.0608	-0.068	-2.3977	-3.062
fireplace	0.0624	0.053	0.0238	0.021	0.0574	0.048	2.6181	2.518
(intercept)	NA	9.970	NA	0.164	NA	NA	NA	60.864
powder_room	NA	0.084	NA	0.030	NA	0.057	NA	2.794
yb_1946_to_1960	NA	0.052	NA	0.022	NA	0.041	NA	2.347
garage	NA	0.044	NA	0.022	NA	0.034	NA	2.013
ecf4r403	NA	-0.083	NA	0.047	NA	-0.030	NA	-1.752
ecf4r416	NA	-0.285	NA	0.142	NA	-0.033	NA	-2.008

Table 20: District 4 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf4r402	0.0000	0.001	0.9346	0.946	1.0700	1.057
ecf4r422	0.0000	0.001	0.8731	0.857	1.1453	1.167
ecf4r415	0.0000	0.001	0.8729	0.880	1.1456	1.136
ecf4r414	0.0000	0.001	0.8554	0.854	1.1690	1.171
unsound	0.0066	0.006	0.9799	0.979	1.0205	1.021
ecf4r419	0.0000	0.001	0.7683	0.795	1.3016	1.257
two_baths	0.0005	0.001	0.8434	0.884	1.1857	1.131
ecf4r417	0.0000	0.001	0.7383	0.727	1.3545	1.376
ecf4r410	0.0000	0.001	0.7314	0.735	1.3673	1.361
ecf4r421	0.0007	0.001	0.7698	0.824	1.2990	1.214
poor	0.0008	0.001	0.9711	0.976	1.0297	1.025
lnsbldsfint	0.0000	0.001	0.2406	0.367	4.1562	2.725
good	0.0143	0.015	0.9049	0.929	1.1051	1.077
ecf4r401	0.0000	0.001	0.8697	0.864	1.1498	1.158
ecf4r412	0.0219	0.004	0.9372	0.922	1.0670	1.084
ecf4r411	0.0001	0.001	0.8690	0.831	1.1507	1.203
fair	0.0000	0.001	0.9543	0.956	1.0479	1.046
ln_landratio	0.0340	0.016	0.8586	0.843	1.1646	1.186
ext_other	0.0004	0.001	0.6124	0.719	1.6328	1.391
central_air	0.0000	0.001	0.9494	0.941	1.0533	1.062
ecf4r408	0.0032	0.004	0.8374	0.819	1.1941	1.220
ecf4r404	0.0569	NA	0.7283	NA	1.3730	NA
ecf4r413	0.0275	0.005	0.7729	0.753	1.2938	1.328
smallest	0.0884	NA	0.4995	NA	2.0019	NA
single_family2story	0.0091	0.002	0.6590	0.689	1.5174	1.452
qbelow_avg	0.0166	0.002	0.5213	0.522	1.9181	1.915
fireplace	0.0089	0.012	0.6969	0.700	1.4349	1.428
(intercept)	NA	0.001	NA	NA	NA	NA
powder_room	NA	0.005	NA	0.618	NA	1.619
yb_1946_to_1960	NA	0.019	NA	0.837	NA	1.195
garage	NA	0.044	NA	0.924	NA	1.082
ecf4r403	NA	0.080	NA	0.895	NA	1.117
ecf4r416	NA	0.045	NA	0.975	NA	1.025

District 4 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
Insbldsfint	1	M6	0.261	0.039	0.249	6.679	0.000	0.249	0.249
ln_base_bldgsize_ratio	4	M2, M3, M4, M5	0.556	0.076	0.238	7.200	0.000	0.200	0.327
ecf4r414	3	M4, M5, M6	0.545	0.057	0.191	9.632	0.000	0.190	0.192
ecf4r410	4	M3, M4, M5, M6	0.304	0.035	0.187	8.655	0.000	0.177	0.191
ecf4r415	1	M3	0.587	0.070	0.168	8.352	0.000	0.168	0.168
ln_landratio	1	M2	0.443	0.075	0.133	5.921	0.000	0.133	0.133
smallest	1	M1	0.249	0.062	0.126	4.005	0.000	0.126	0.126
yb_1946_to_1960	1	M1	0.135	0.032	0.119	4.274	0.000	0.119	0.119
fireplace	2	M1, M2	0.129	0.030	0.118	4.277	0.000	0.115	0.121
half_duplex1story	1	M1	0.163	0.095	0.046	1.706	0.088	0.046	0.046
poor	1	M2	-0.232	0.079	-0.062	-2.920	0.004	-0.062	-0.062
qbelow_avg	1	M1	-0.072	0.038	-0.065	-1.871	0.062	-0.065	-0.065
ecf4r419	2	M3, M6	-0.346	0.085	-0.086	-4.099	0.000	-0.094	-0.078
ecf4r401	2	M4, M5	-0.230	0.049	-0.093	-4.729	0.000	-0.093	-0.093
fair	5	M2, M3, M4, M5, M6	-0.171	0.028	-0.120	-6.209	0.000	-0.123	-0.118
yb_post_1990	2	M1, M2	-0.380	0.071	-0.141	-5.369	0.000	-0.159	-0.123
ecf4r402	4	M3, M4, M5, M6	-0.763	0.089	-0.163	-8.534	0.000	-0.168	-0.150

District 4 | Average Standardized Beta across Models

