

District 5 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

8 June 2026

Contents

Model I	1
Model II	2
Model III	3
Model IV	6
Model V	9
Model VI	12
Model Comparison	15

Model I

Table 1: District 5 | LN_SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	160	153	7	0.6275	0.3930	0.3650	14.1390
R	160	153	7	0.6275	0.3928	0.3650	14.1386
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.05%	0.00%	-0.00%

Table 2: District 5 | Model I Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	3.825	NA	0.104	NA	NA	NA	36.634	NA	0.000	NA
largest	0.492	NA	0.132	NA	0.313	NA	3.726	NA	0.000	NA
qabove_avg	0.447	NA	0.140	NA	0.248	NA	3.197	NA	0.002	NA
months_10to16	0.055	NA	0.016	NA	0.221	NA	3.479	NA	0.001	NA
yb_pre_1910	0.410	NA	0.186	NA	0.142	NA	2.207	NA	0.029	NA
qbest	0.897	NA	0.456	NA	0.127	NA	1.968	NA	0.051	NA
powder_room	-0.282	NA	0.109	NA	-0.179	NA	-2.585	NA	0.011	NA
yb_post_1990	-0.896	NA	0.270	NA	-0.216	NA	-3.320	NA	0.001	NA

Model II


Table 3: District 5 | LN_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	289	18	0.6744	0.5350	0.5060	18.4470
R	307	289	18	0.6744	0.5346	0.5057	18.4465
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.01%	-0.07%	-0.06%	-0.00%

Table 4: District 5 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	10.822	10.822	0.139	0.139	NA	NA	77.753	77.753	0.000	0.001
ln_landratio	0.677	0.677	0.144	0.144	0.280	0.280	4.693	4.693	0.000	0.001
largest	0.523	0.523	0.170	0.170	0.271	0.271	3.077	3.077	0.002	0.002
large	0.493	0.493	0.147	0.147	0.245	0.245	3.350	3.350	0.001	0.001
months_10to16	0.067	0.067	0.013	0.013	0.217	0.217	5.144	5.144	0.000	0.001
three_plus_baths	0.661	0.661	0.197	0.197	0.202	0.202	3.356	3.356	0.001	0.001
two_baths	0.364	0.364	0.130	0.130	0.175	0.175	2.804	2.804	0.005	0.005
good	0.583	0.583	0.145	0.145	0.169	0.169	4.014	4.014	0.000	0.001
excellent	1.358	1.358	0.432	0.432	0.139	0.139	3.144	3.144	0.002	0.002
qabove_avg	0.275	0.275	0.127	0.127	0.123	0.123	2.169	2.169	0.031	0.031
hot_water	0.199	0.199	0.097	0.097	0.104	0.104	2.053	2.053	0.041	0.041
arterial	-0.273	-0.273	0.125	0.125	-0.092	-0.092	-2.187	-2.187	0.030	0.030
qpoor	-1.617	-1.617	0.724	0.724	-0.096	-0.096	-2.234	-2.234	0.026	0.026
fireplace	-0.197	-0.197	0.097	0.097	-0.099	-0.099	-2.033	-2.033	0.043	0.043
row_house2story	-1.710	-1.710	0.712	0.712	-0.102	-0.102	-2.403	-2.403	0.017	0.017
yb_post_1990	-0.590	-0.590	0.252	0.252	-0.104	-0.104	-2.346	-2.346	0.020	0.020
ext_brick_siding	-0.337	-0.337	0.111	0.111	-0.138	-0.138	-3.046	-3.046	0.003	0.003
unsound	-1.922	-1.922	0.491	0.491	-0.161	-0.161	-3.915	-3.915	0.000	0.001
fair	-0.374	-0.374	0.090	0.090	-0.175	-0.175	-4.144	-4.144	0.000	0.001

District 5 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 5: District 5 | LN_PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	307	281	26	0.5948	0.6480	0.6150	19.8960
R	307	281	26	0.5948	0.6480	0.6154	19.8957
% diff (R vs SPSS)	0.00%	0.00%	0.00%	0.00%	0.00%	0.07%	-0.00%

Table 6: District 5 | LN_PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.2930	0.9090	1.4230	0.6450	
R	0.9803	1.1826	0.9003	1.3136	0.5156	-0.2192
% diff (R vs SPSS)	-1.97%	-8.54%	-0.96%	-7.69%	-20.07%	


Table 7: District 5 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.4278	NA	0.1140	NA	NA	NA	100.2068	NA
unsound	-1.9561	-1.956	0.4364	0.436	-0.1641	-0.164	-4.4828	-4.483
excellent	1.5457	1.546	0.3933	0.393	0.1585	0.159	3.9301	3.930
row_house2story	-1.1088	-1.109	0.6264	0.626	-0.0659	-0.066	-1.7702	-1.770
ecf5r538	-1.0474	-1.047	0.6119	0.612	-0.0622	-0.062	-1.7116	-1.712
ecf5r533	-0.9127	-0.913	0.2308	0.231	-0.1605	-0.161	-3.9550	-3.955
ln_base_bldgsize_ratio	0.7469	0.747	0.1548	0.155	0.2631	0.263	4.8262	4.826
ecf5r523	-0.7265	-0.727	0.2417	0.242	-0.1131	-0.113	-3.0061	-3.006
ecf5r501	-0.6309	-0.631	0.1068	0.107	-0.2576	-0.258	-5.9094	-5.909
ecf5r534	-0.6206	-0.621	0.1707	0.171	-0.1520	-0.152	-3.6349	-3.635
ecf5r528	-0.5763	-0.576	0.3074	0.307	-0.0681	-0.068	-1.8749	-1.875
good	0.5586	0.559	0.1299	0.130	0.1622	0.162	4.2986	4.299
ecf5r502	-0.5359	-0.536	0.1088	0.109	-0.2159	-0.216	-4.9242	-4.924
ecf5r517_521	0.5041	0.504	0.2427	0.243	0.0784	0.078	2.0765	2.077
ln_landratio	0.4998	0.500	0.1262	0.126	0.2065	0.206	3.9590	3.959
ecf5r503	0.4721	0.472	0.2136	0.214	0.0874	0.087	2.2104	2.210
fair	-0.4572	-0.457	0.0817	0.082	-0.2142	-0.214	-5.5975	-5.598
poor	-0.4212	-0.421	0.1278	0.128	-0.1304	-0.130	-3.2966	-3.297
ecf5r530_532_535	0.3683	0.368	0.2039	0.204	0.0714	0.071	1.8063	1.806
ecf5r514	0.3456	0.346	0.1668	0.167	0.0801	0.080	2.0720	2.072
ecf5r529	0.3288	0.329	0.1626	0.163	0.0784	0.078	2.0219	2.022
ext_brick_siding	-0.2534	-0.253	0.1000	0.100	-0.1042	-0.104	-2.5341	-2.534
large	0.2295	0.230	0.0992	0.099	0.1144	0.114	2.3137	2.314
arterial	-0.2246	-0.225	0.1164	0.116	-0.0754	-0.075	-1.9297	-1.930
hot_water	0.2084	0.208	0.0845	0.085	0.1085	0.108	2.4658	2.466
two_baths	0.2025	0.203	0.0901	0.090	0.0974	0.097	2.2479	2.248
months_10to16	0.0675	0.067	0.0117	0.012	0.2182	0.218	5.7608	5.761
(intercept)	NA	11.428	NA	0.114	NA	NA	NA	100.207

Table 8: District 5 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
unsound	0.0000	0.001	0.9351	0.935	1.0694	1.069
excellent	0.0001	0.001	0.7699	0.770	1.2989	1.299
row_house2story	0.0778	0.078	0.9047	0.905	1.1053	1.105
ecf5r538	0.0881	0.088	0.9479	0.948	1.0550	1.055
ecf5r533	0.0001	0.001	0.7603	0.760	1.3152	1.315
ln_base_bldgsize_ratio	0.0000	0.001	0.4216	0.422	2.3722	2.372
ecf5r523	0.0029	0.003	0.8854	0.885	1.1295	1.129
ecf5r501	0.0000	0.001	0.6594	0.659	1.5165	1.517
ecf5r534	0.0003	0.001	0.7162	0.716	1.3962	1.396
ecf5r528	0.0618	0.062	0.9485	0.948	1.0543	1.054
good	0.0000	0.001	0.8801	0.880	1.1362	1.136
ecf5r502	0.0000	0.001	0.6519	0.652	1.5340	1.534
ecf5r517_521	0.0388	0.039	0.8777	0.878	1.1394	1.139
ln_landratio	0.0001	0.001	0.4606	0.461	2.1710	2.171
ecf5r503	0.0279	0.028	0.8016	0.802	1.2475	1.248
fair	0.0000	0.001	0.8555	0.855	1.1689	1.169
poor	0.0011	0.001	0.8002	0.800	1.2496	1.250
ecf5r530_532_535	0.0719	0.072	0.8023	0.802	1.2464	1.246
ecf5r514	0.0392	0.039	0.8384	0.838	1.1927	1.193
ecf5r529	0.0441	0.044	0.8331	0.833	1.2003	1.200
ext_brick_siding	0.0118	0.012	0.7416	0.742	1.3484	1.348
large	0.0214	0.021	0.5127	0.513	1.9505	1.950
arterial	0.0546	0.055	0.8214	0.821	1.2174	1.217
hot_water	0.0143	0.014	0.6474	0.647	1.5446	1.545
two_baths	0.0254	0.025	0.6673	0.667	1.4985	1.499
months_10to16	0.0000	0.001	0.8734	0.873	1.1450	1.145
(intercept)	NA	0.001	NA	NA	NA	NA

District 5 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 9: District 5 | LN_PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	238	24	0.4466	0.7790	0.7570	35.0370
R	260	237	23	0.4452	0.7767	0.7550	35.8318
% diff (R vs SPSS)	-0.76%	-0.42%	-4.17%	-0.32%	-0.30%	-0.26%	2.27%

Table 10: District 5 | LN_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1	1.1470	0.9440	1.2150	0.4370	-0.1290
R	1	1.0948	0.9384	1.1667	0.3630	-0.1106
% diff (R vs SPSS)	-0.00%	-4.55%	-0.60%	-3.98%	-16.93%	14.28%


Table 11: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.3368	NA	0.1119	NA	NA	NA	101.3081	NA
excellent	1.8692	1.720	0.4877	0.480	0.1286	0.117	3.8324	3.583
ecf5r523	-1.1864	-1.163	0.3305	0.331	-0.1409	-0.137	-3.5901	-3.512
ecf5r534	-0.9777	-0.934	0.1621	0.160	-0.2090	-0.197	-6.0304	-5.827
ecf5r539	-0.8330	-0.797	0.2837	0.284	-0.0989	-0.094	-2.9360	-2.809
ecf5r501	-0.7821	-0.754	0.0815	0.080	-0.3576	-0.341	-9.5977	-9.450
crawl	0.7461	0.742	0.2968	0.298	0.1021	0.100	2.5140	2.493
ecf5r528	-0.7384	-0.692	0.3221	0.322	-0.0717	-0.066	-2.2922	-2.151
ecf5r533	-0.7140	-0.699	0.3426	0.344	-0.0694	-0.067	-2.0843	-2.035
ecf5r502	-0.6569	-0.628	0.0840	0.082	-0.2880	-0.272	-7.8186	-7.632
largest	0.5883	0.580	0.1207	0.121	0.3228	0.316	4.8741	4.791
good	0.5857	0.586	0.1104	0.111	0.1736	0.175	5.3053	5.287
three_plus_baths	0.5615	0.513	0.1407	0.138	0.1905	0.172	3.9912	3.723
fair	-0.5339	-0.519	0.0655	0.065	-0.2691	-0.260	-8.1462	-7.974
ln_landratio	0.4971	0.478	0.1048	0.104	0.2196	0.210	4.7445	4.575
ecf5r503	0.4056	0.354	0.1798	0.177	0.0779	0.067	2.2560	1.994
poor	-0.4011	-0.387	0.1061	0.106	-0.1267	-0.121	-3.7808	-3.652
ecf5r517_521	0.3801	0.401	0.2378	0.238	0.0520	0.054	1.5985	1.683
two_baths	0.3585	0.315	0.0923	0.088	0.1860	0.163	3.8850	3.564
large	0.3136	0.306	0.1115	0.112	0.1642	0.159	2.8132	2.737
arterial	-0.2044	-0.205	0.0978	0.098	-0.0726	-0.072	-2.0913	-2.088
ext_brick_siding	-0.1804	-0.163	0.0781	0.078	-0.0791	-0.071	-2.3102	-2.103
qabove_avg	-0.1411	NA	0.0888	NA	-0.0683	NA	-1.5891	NA
months_10to16	0.0677	0.066	0.0095	0.009	0.2341	0.225	7.1035	6.924
(intercept)	NA	11.319	NA	0.112	NA	NA	NA	101.349
row_house2story	NA	-1.756	NA	0.466	NA	-0.119	NA	-3.772
ecf5r538	NA	-1.121	NA	0.464	NA	-0.076	NA	-2.417

Table 12: District 5 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0002	0.001	0.8365	0.869	1.1954	1.151
ecf5r523	0.0004	0.001	0.6121	0.613	1.6337	1.631
ecf5r534	0.0000	0.001	0.7842	0.807	1.2752	1.239
ecf5r539	0.0037	0.005	0.8304	0.836	1.2042	1.197
ecf5r501	0.0000	0.001	0.6787	0.712	1.4735	1.405
crawl	0.0126	0.013	0.5714	0.571	1.7502	1.750
ecf5r528	0.0228	0.032	0.9624	0.970	1.0391	1.031
ecf5r533	0.0382	0.043	0.8512	0.852	1.1749	1.174
ecf5r502	0.0000	0.001	0.6948	0.727	1.4393	1.375
largest	0.0000	0.001	0.2149	0.214	4.6532	4.681
good	0.0000	0.001	0.8805	0.842	1.1357	1.188
three_plus_baths	0.0001	0.001	0.4137	0.434	2.4173	2.305
fair	0.0000	0.001	0.8634	0.873	1.1582	1.146
ln_landratio	0.0000	0.001	0.4398	0.439	2.2737	2.279
ecf5r503	0.0250	0.047	0.7909	0.818	1.2644	1.223
poor	0.0002	0.001	0.8398	0.845	1.1908	1.184
ecf5r517_521	0.1113	0.094	0.8902	0.893	1.1234	1.120
two_baths	0.0001	0.001	0.4112	0.446	2.4317	2.243
large	0.0053	0.007	0.2766	0.276	3.6150	3.622
arterial	0.0376	0.038	0.7813	0.781	1.2799	1.281
ext_brick_siding	0.0217	0.037	0.8038	0.818	1.2441	1.222
qabove_avg	0.1134	NA	0.5098	NA	1.9616	NA
months_10to16	0.0000	0.001	0.8677	0.878	1.1525	1.139
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.924	NA	1.083
ecf5r538	NA	0.016	NA	0.931	NA	1.074

District 5 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 13: District 5 | LN_TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	262	239	23	0.4458	0.7740	0.7520	35.5210
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-0.76%	0.00%	-8.70%	0.35%	-0.89%	-0.72%	5.53%

Table 14: District 5 | LN_TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0020	1.1460	0.9430	1.2150	0.4360	-0.1300
R	1.0359	1.1925	0.9929	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	3.39%	4.06%	5.29%	-1.14%	-2.94%	-5.42%


Table 15: District 5 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.7355	NA	0.1065	NA	NA	NA	110.1754	NA
excellent	1.7331	1.722	0.4808	0.479	0.1207	0.119	3.6047	3.595
ecf5r523	-1.1552	-1.162	0.3316	0.330	-0.1388	-0.138	-3.4834	-3.515
ecf5r534	-0.9129	-0.930	0.1597	0.159	-0.1976	-0.199	-5.7162	-5.847
ecf5r539	-0.7689	-0.792	0.2833	0.282	-0.0924	-0.094	-2.7140	-2.806
ecf5r501	-0.7594	-0.755	0.0797	0.079	-0.3515	-0.346	-9.5232	-9.496
ecf5r533	-0.7513	-0.708	0.3417	0.340	-0.0739	-0.069	-2.1988	-2.078
crawl	0.6981	0.735	0.2962	0.295	0.0967	0.101	2.3567	2.489
ecf5r528	-0.6968	-0.693	0.3223	0.321	-0.0685	-0.067	-2.1618	-2.158
ecf5r502	-0.6302	-0.629	0.0824	0.082	-0.2796	-0.276	-7.6466	-7.652
largest	0.5847	0.580	0.1211	0.121	0.3247	0.320	4.8289	4.810
good	0.5671	0.582	0.1100	0.110	0.1701	0.177	5.1547	5.313
three_plus_baths	0.5230	0.515	0.1378	0.137	0.1796	0.175	3.7967	3.749
fair	-0.5162	-0.518	0.0651	0.065	-0.2634	-0.263	-7.9293	-7.987
ln_landratio	0.4681	0.476	0.1043	0.104	0.2093	0.212	4.4883	4.580
ecf5r517_521	0.4135	0.403	0.2383	0.238	0.0573	0.055	1.7350	1.696
poor	-0.3787	-0.386	0.1060	0.106	-0.1210	-0.122	-3.5720	-3.652
ecf5r503	0.3443	0.352	0.1775	0.177	0.0669	0.068	1.9400	1.991
two_baths	0.3121	0.315	0.0886	0.088	0.1639	0.164	3.5240	3.567
large	0.3060	0.306	0.1119	0.112	0.1622	0.161	2.7353	2.743
arterial	-0.1973	-0.204	0.0980	0.098	-0.0710	-0.072	-2.0129	-2.083
ext_brick_siding	-0.1467	-0.160	0.0767	0.076	-0.0651	-0.070	-1.9133	-2.099
(intercept)	NA	11.771	NA	0.106	NA	NA	NA	110.887
row_house2story	NA	-1.745	NA	0.462	NA	-0.120	NA	-3.778
ecf5r538	NA	-1.129	NA	0.461	NA	-0.078	NA	-2.448

Table 16: District 5 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0004	0.001	0.8689	0.869	1.1509	1.151
ecf5r523	0.0006	0.001	0.6135	0.613	1.6300	1.630
ecf5r534	0.0000	0.001	0.8158	0.816	1.2258	1.226
ecf5r539	0.0071	0.005	0.8406	0.841	1.1896	1.190
ecf5r501	0.0000	0.001	0.7153	0.714	1.3980	1.401
ecf5r533	0.0288	0.039	0.8636	0.864	1.1580	1.158
crawl	0.0192	0.013	0.5789	0.579	1.7274	1.728
ecf5r528	0.0316	0.032	0.9704	0.970	1.0306	1.031
ecf5r502	0.0000	0.001	0.7287	0.727	1.3723	1.375
largest	0.0000	0.001	0.2156	0.214	4.6387	4.676
good	0.0000	0.001	0.8953	0.856	1.1170	1.169
three_plus_baths	0.0002	0.001	0.4355	0.435	2.2960	2.298
fair	0.0000	0.001	0.8832	0.874	1.1323	1.145
ln_landratio	0.0000	0.001	0.4481	0.441	2.2314	2.268
ecf5r517_521	0.0840	0.091	0.8944	0.894	1.1181	1.118
poor	0.0004	0.001	0.8487	0.848	1.1782	1.179
ecf5r503	0.0536	0.048	0.8193	0.819	1.2206	1.221
two_baths	0.0005	0.001	0.4506	0.446	2.2191	2.241
large	0.0067	0.007	0.2772	0.276	3.6080	3.621
arterial	0.0452	0.038	0.7840	0.783	1.2756	1.277
ext_brick_siding	0.0569	0.037	0.8420	0.840	1.1877	1.190
(intercept)	NA	0.001	NA	NA	NA	NA
row_house2story	NA	0.001	NA	0.935	NA	1.069
ecf5r538	NA	0.015	NA	0.938	NA	1.066

District 5 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 17: District 5 | LN_TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	505	477	28	0.4578	0.7440	0.7290	49.5400
R	260	239	21	0.4473	0.7671	0.7466	37.4852
% diff (R vs SPSS)	-48.51%	-49.90%	-25.00%	-2.30%	3.10%	2.41%	-24.33%

Table 18: District 5 | LN_TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0000	1.1030	0.9290	1.1880	0.3790	-0.1290
R	1.0359	1.1925	0.9929	1.2011	0.4232	-0.1370
% diff (R vs SPSS)	3.59%	8.12%	6.87%	1.10%	11.65%	-6.24%


Table 19: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.7355	NA	0.1065	NA	NA	NA	110.1754	NA
excellent	1.7331	1.604	0.4808	0.481	0.1207	0.081	3.6047	3.335
ecf5r523	-1.1552	-0.549	0.3316	0.172	-0.1388	-0.078	-3.4834	-3.196
ecf5r534	-0.9129	-0.501	0.1597	0.123	-0.1976	-0.106	-5.7162	-4.082
ecf5r539	-0.7689	NA	0.2833	NA	-0.0924	NA	-2.7140	NA
ecf5r501	-0.7594	-0.604	0.0797	0.072	-0.3515	-0.263	-9.5232	-8.413
ecf5r533	-0.7513	-0.739	0.3417	0.132	-0.0739	-0.143	-2.1988	-5.585
crawl	0.6981	NA	0.2962	NA	0.0967	NA	2.3567	NA
ecf5r528	-0.6968	-0.475	0.3223	0.127	-0.0685	-0.097	-2.1618	-3.729
ecf5r502	-0.6302	-0.449	0.0824	0.072	-0.2796	-0.185	-7.6466	-6.262
largest	0.5847	NA	0.1211	NA	0.3247	NA	4.8289	NA
good	0.5671	0.689	0.1100	0.080	0.1701	0.214	5.1547	8.632
three_plus_baths	0.5230	0.261	0.1378	0.131	0.1796	0.073	3.7967	1.991
fair	-0.5162	-0.487	0.0651	0.047	-0.2634	-0.257	-7.9293	-10.304
ln_landratio	0.4681	0.445	0.1043	0.081	0.2093	0.186	4.4883	5.521
ecf5r517_521	0.4135	0.593	0.2383	0.142	0.0573	0.103	1.7350	4.183
poor	-0.3787	-0.436	0.1060	0.076	-0.1210	-0.141	-3.5720	-5.760
ecf5r503	0.3443	0.574	0.1775	0.175	0.0669	0.086	1.9400	3.285
two_baths	0.3121	0.170	0.0886	0.067	0.1639	0.083	3.5240	2.537
large	0.3060	NA	0.1119	NA	0.1622	NA	2.7353	NA
arterial	-0.1973	-0.173	0.0980	0.066	-0.0710	-0.065	-2.0129	-2.602
ext_brick_siding	-0.1467	-0.174	0.0767	0.060	-0.0651	-0.073	-1.9133	-2.887
(intercept)	NA	9.796	NA	0.552	NA	NA	NA	17.732
lnsbldsfint	NA	0.287	NA	0.081	NA	0.149	NA	3.532
row_house2story	NA	-1.163	NA	0.472	NA	-0.059	NA	-2.465
unsound	NA	-1.437	NA	0.474	NA	-0.073	NA	-3.032
fireplace	NA	0.113	NA	0.057	NA	0.064	NA	1.982
hot_water	NA	0.226	NA	0.048	NA	0.128	NA	4.683
ecf5r504	NA	0.229	NA	0.097	NA	0.065	NA	2.355
ecf5r508_509	NA	0.265	NA	0.143	NA	0.046	NA	1.851
ecf5r514	NA	0.449	NA	0.089	NA	0.133	NA	5.019
ecf5r529	NA	0.534	NA	0.084	NA	0.181	NA	6.371
ecf5r530_532_535	NA	0.481	NA	0.147	NA	0.083	NA	3.284
ecf5r538	NA	-0.876	NA	0.197	NA	-0.108	NA	-4.436

Table 20: District 5 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
excellent	0.0004	0.001	0.8689	0.908	1.1509	1.102
ecf5r523	0.0006	0.001	0.6135	0.902	1.6300	1.109
ecf5r534	0.0000	0.001	0.8158	0.802	1.2258	1.246
ecf5r539	0.0071	NA	0.8406	NA	1.1896	NA
ecf5r501	0.0000	0.001	0.7153	0.550	1.3980	1.817
ecf5r533	0.0288	0.001	0.8636	0.823	1.1580	1.215
crawl	0.0192	NA	0.5789	NA	1.7274	NA
ecf5r528	0.0316	0.001	0.9704	0.787	1.0306	1.271
ecf5r502	0.0000	0.001	0.7287	0.612	1.3723	1.635
largest	0.0000	NA	0.2156	NA	4.6387	NA
good	0.0000	0.001	0.8953	0.873	1.1170	1.145
three_plus_baths	0.0002	0.047	0.4355	0.396	2.2960	2.523
fair	0.0000	0.001	0.8832	0.862	1.1323	1.160
ln_landratio	0.0000	0.001	0.4481	0.472	2.2314	2.118
ecf5r517_521	0.0840	0.001	0.8944	0.889	1.1181	1.125
poor	0.0004	0.001	0.8487	0.893	1.1782	1.120
ecf5r503	0.0536	0.001	0.8193	0.776	1.2206	1.288
two_baths	0.0005	0.012	0.4506	0.496	2.2191	2.016
large	0.0067	NA	0.2772	NA	3.6080	NA
arterial	0.0452	0.010	0.7840	0.865	1.2756	1.157
ext_brick_siding	0.0569	0.004	0.8420	0.830	1.1877	1.205
(intercept)	NA	0.001	NA	NA	NA	NA
lnsbldsfint	NA	0.001	NA	0.303	NA	3.303
row_house2story	NA	0.014	NA	0.944	NA	1.059
unsound	NA	0.003	NA	0.936	NA	1.069
fireplace	NA	0.048	NA	0.510	NA	1.960
hot_water	NA	0.001	NA	0.715	NA	1.399
ecf5r504	NA	0.019	NA	0.701	NA	1.426
ecf5r508_509	NA	0.065	NA	0.872	NA	1.147
ecf5r514	NA	0.001	NA	0.763	NA	1.310
ecf5r529	NA	0.001	NA	0.663	NA	1.509
ecf5r530_532_535	NA	0.001	NA	0.833	NA	1.200
ecf5r538	NA	0.001	NA	0.907	NA	1.103

District 5 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

Predictor	n	Models	Avg b	Avg SE	Avg beta	Avg t	Avg sig	Min beta	Max beta
largest	5	M1, M2, M4, M5, M6	0.555	0.133	0.311	4.267	0.001	0.271	0.325
ln_base_bldgsize_ratio	1	M3	0.747	0.155	0.263	4.826	0.000	0.263	0.263
qabove_avg	1	M1	0.447	0.140	0.248	3.197	0.002	0.248	0.248
large	1	M2	0.493	0.147	0.245	3.350	0.001	0.245	0.245
ln_landratio	5	M2, M3, M4, M5, M6	0.522	0.117	0.225	4.475	0.000	0.206	0.280
months_10to16	3	M1, M3, M4	0.063	0.012	0.224	5.448	0.000	0.218	0.234
three_plus_baths	2	M5, M6	0.523	0.138	0.180	3.797	0.000	0.180	0.180
qbest	1	M1	0.897	0.456	0.127	1.968	0.051	0.127	0.127
ext_brick_siding	1	M2	-0.337	0.111	-0.138	-3.046	0.003	-0.138	-0.138
unsound	1	M2	-1.922	0.491	-0.161	-3.915	0.000	-0.161	-0.161
powder_room	1	M1	-0.282	0.109	-0.179	-2.585	0.011	-0.179	-0.179
yb_post_1990	1	M1	-0.896	0.270	-0.216	-3.320	0.001	-0.216	-0.216
fair	5	M2, M3, M4, M5, M6	-0.480	0.074	-0.237	-6.749	0.000	-0.269	-0.175
ecf5r502	4	M3, M4, M5, M6	-0.613	0.089	-0.266	-7.009	0.000	-0.288	-0.216
ecf5r501	4	M3, M4, M5, M6	-0.733	0.087	-0.330	-8.638	0.000	-0.358	-0.258

District 5 | Average Standardized Beta across Models

