

# District 7 SPSS Comparison 2023 - 2025 Sales

Elliot Dean - Program Analyst IV  
Office of the Chief Financial Officer | Office of the Assessor  
City of Detroit

16 June 2026

## Contents

|                              |    |
|------------------------------|----|
| Model I . . . . .            | 1  |
| Model II . . . . .           | 2  |
| Model III . . . . .          | 4  |
| Model IV . . . . .           | 7  |
| Model V . . . . .            | 10 |
| Model VI . . . . .           | 13 |
| Model Comparison . . . . .   | 16 |
| Prediction Testing . . . . . | 17 |

## Model I


Table 1: District 7 | LN\_SPPSF Model Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2     | adj_r2 | f_stat  |
|--------------------|----------|----------|--------|--------|--------|--------|---------|
| SPSS               | 1385     | 1372     | 13     | 0.4507 | 0.1380 | 0.1300 | 16.9220 |
| R                  | 1385     | 1370     | 15     | 0.4521 | 0.1341 | 0.1247 | 14.1499 |
| % diff (R vs SPSS) | 0.00%    | -0.15%   | 15.38% | 0.30%  | -2.83% | -4.08% | -16.38% |

Table 2: District 7 | Model I Coefficient Comparison: SPSS vs R

|                     | b      |        | Std. Error |       | Beta   |        | t      |         | Sig   |       |
|---------------------|--------|--------|------------|-------|--------|--------|--------|---------|-------|-------|
| term                | R      | SPSS   | R          | SPSS  | R      | SPSS   | R      | SPSS    | R     | SPSS  |
| (constant)          | 4.107  | 4.078  | 0.043      | 0.038 | NA     | NA     | 95.802 | 106.813 | 0.000 | 0.001 |
| months_1to16        | 0.014  | 0.014  | 0.002      | 0.002 | 0.149  | 0.159  | 5.746  | 6.307   | 0.000 | 0.001 |
| central_air         | 0.120  | 0.104  | 0.031      | 0.031 | 0.097  | 0.085  | 3.797  | 3.325   | 0.000 | 0.001 |
| ln_garagespaces     | 0.140  | 0.142  | 0.039      | 0.039 | 0.092  | 0.093  | 3.627  | 3.674   | 0.000 | 0.001 |
| smallest            | 0.135  | 0.167  | 0.045      | 0.044 | 0.088  | 0.108  | 3.039  | 3.762   | 0.002 | 0.001 |
| small               | 0.079  | 0.084  | 0.031      | 0.029 | 0.080  | 0.085  | 2.572  | 2.842   | 0.010 | 0.005 |
| qabove_avg          | 0.377  | 0.375  | 0.137      | 0.134 | 0.072  | 0.072  | 2.758  | 2.790   | 0.006 | 0.005 |
| yb_post_1961        | 0.223  | 0.200  | 0.099      | 0.099 | 0.058  | 0.052  | 2.254  | 2.024   | 0.024 | 0.043 |
| hot_water           | 0.121  | NA     | 0.065      | NA    | 0.055  | NA     | 1.860  | NA      | 0.063 | NA    |
| large               | -0.073 | -0.082 | 0.041      | 0.039 | -0.054 | -0.060 | -1.772 | -2.071  | 0.077 | 0.039 |
| single_family2story | -0.085 | NA     | 0.046      | NA    | -0.057 | NA     | -1.853 | NA      | 0.064 | NA    |
| slab                | -0.315 | -0.315 | 0.139      | 0.138 | -0.058 | -0.058 | -2.273 | -2.287  | 0.023 | 0.022 |
| wall                | -0.481 | -0.457 | 0.203      | 0.203 | -0.060 | -0.057 | -2.366 | -2.251  | 0.018 | 0.025 |
| qbelow_avg          | -0.080 | NA     | 0.030      | NA    | -0.081 | NA     | -2.697 | NA      | 0.007 | NA    |
| yb_1930_to_1945     | -0.106 | -0.104 | 0.028      | 0.028 | -0.103 | -0.101 | -3.805 | -3.777  | 0.000 | 0.001 |
| yb_pre_1929         | -0.318 | -0.261 | 0.048      | 0.043 | -0.216 | -0.177 | -6.623 | -6.047  | 0.000 | 0.001 |
| ext_other           | NA     | -0.123 | NA         | 0.027 | NA     | -0.120 | NA     | -4.471  | NA    | 0.001 |

District 7 | Model I Beta Coefficient Comparison: SPSS vs R



## Model II


Table 3: District 7 | LN\_PRICE (No ECFs) Model Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2     | adj_r2 | f_stat  |
|--------------------|----------|----------|--------|--------|--------|--------|---------|
| SPSS               | 1805     | 1790     | 15     | 0.4652 | 0.2250 | 0.2190 | 34.6630 |
| R                  | 1805     | 1790     | 15     | 0.4680 | 0.2159 | 0.2094 | 32.8677 |
| % diff (R vs SPSS) | 0.00%    | 0.00%    | 0.00%  | 0.59%  | -4.04% | -4.38% | -5.18%  |

Table 4: District 7 | Model II Coefficient Comparison: SPSS vs R

| term                   | b      |        | Std. Error |       | Beta   |        | t       |         | Sig   |       |
|------------------------|--------|--------|------------|-------|--------|--------|---------|---------|-------|-------|
|                        | R      | SPSS   | R          | SPSS  | R      | SPSS   | R       | SPSS    | R     | SPSS  |
| (constant)             | 10.998 | 11.018 | 0.036      | 0.031 | NA     | NA     | 305.919 | 356.264 | 0.000 | 0.001 |
| ln_base_bldgsize_ratio | 0.577  | 0.524  | 0.064      | 0.061 | 0.264  | 0.239  | 9.004   | 8.625   | 0.000 | 0.001 |
| months_1to16           | 0.017  | 0.017  | 0.002      | 0.002 | 0.170  | 0.167  | 8.083   | 8.017   | 0.000 | 0.001 |
| central_air            | 0.145  | 0.135  | 0.029      | 0.029 | 0.106  | 0.099  | 4.967   | 4.648   | 0.000 | 0.001 |
| ln_landratio           | 0.289  | 0.332  | 0.067      | 0.066 | 0.097  | 0.112  | 4.325   | 5.062   | 0.000 | 0.001 |
| hot_water              | 0.162  | 0.151  | 0.060      | 0.060 | 0.068  | 0.064  | 2.711   | 2.538   | 0.007 | 0.011 |
| two_baths              | 0.226  | 0.218  | 0.095      | 0.094 | 0.061  | 0.059  | 2.376   | 2.307   | 0.018 | 0.021 |
| qabove_avg             | 0.282  | 0.273  | 0.138      | 0.137 | 0.047  | 0.045  | 2.049   | 1.992   | 0.041 | 0.047 |
| yb_post_1961           | 0.178  | 0.158  | 0.089      | 0.089 | 0.042  | 0.038  | 1.990   | 1.779   | 0.047 | 0.075 |
| ln_garagespaces        | 0.062  | NA     | 0.036      | NA    | 0.037  | NA     | 1.696   | NA      | 0.090 | NA    |
| qbelow_avg             | -0.052 | NA     | 0.027      | NA    | -0.049 | NA     | -1.937  | NA      | 0.053 | NA    |
| slab                   | -0.331 | -0.326 | 0.110      | 0.109 | -0.064 | -0.063 | -3.010  | -2.985  | 0.003 | 0.003 |
| poor                   | -0.209 | -0.184 | 0.067      | 0.066 | -0.067 | -0.058 | -3.132  | -2.772  | 0.002 | 0.006 |
| yb_1930_to_1945        | -0.081 | -0.078 | 0.026      | 0.025 | -0.072 | -0.069 | -3.164  | -3.079  | 0.002 | 0.002 |
| fair                   | -0.145 | -0.132 | 0.029      | 0.029 | -0.107 | -0.097 | -5.041  | -4.588  | 0.000 | 0.001 |
| yb_pre_1929            | -0.294 | -0.248 | 0.040      | 0.040 | -0.195 | -0.164 | -7.335  | -6.125  | 0.000 | 0.001 |
| ext_other              | NA     | -0.127 | NA         | 0.025 | NA     | -0.117 | NA      | -5.053  | NA    | 0.001 |
| good                   | NA     | 0.200  | NA         | 0.099 | NA     | 0.043  | NA      | 2.019   | NA    | 0.044 |

## District 7 | Model II Beta Coef. Comparison: SPSS vs R



## Model III

Table 5: District 7 | LN\_PRICE Model Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2     | adj_r2 | f_stat  |
|--------------------|----------|----------|--------|--------|--------|--------|---------|
| SPSS               | 1805     | 1779     | 26     | 0.4302 | 0.3420 | 0.3320 | 35.4870 |
| R                  | 1805     | 1779     | 26     | 0.4317 | 0.3368 | 0.3272 | 34.7546 |
| % diff (R vs SPSS) | 0.00%    | 0.00%    | 0.00%  | 0.35%  | -1.52% | -1.45% | -2.06%  |

Table 6: District 7 | LN\_PRICE Model Assessing Statistics: SPSS vs R

| metricsource       | median_ratio | mean_ratio | wmean_ratio | PRD    | COD    | PRB     |
|--------------------|--------------|------------|-------------|--------|--------|---------|
| SPSS               | 0.9890       | 1.0970     | 0.9140      | 1.2000 | 0.3760 |         |
| R                  | 0.9855       | 1.0974     | 0.9137      | 1.2011 | 0.3771 | -0.4988 |
| % diff (R vs SPSS) | -0.35%       | 0.04%      | -0.03%      | 0.09%  | 0.28%  |         |


Table 7: District 7 | Model III Coefficient Comparison: SPSS vs R

| term                   | b       |        | Std. Error |       | Beta    |        | t        |         |
|------------------------|---------|--------|------------|-------|---------|--------|----------|---------|
|                        | R       | SPSS   | R          | SPSS  | R       | SPSS   | R        | SPSS    |
| (constant)             | 10.8640 | NA     | 0.0391     | NA    | NA      | NA     | 277.5178 | NA      |
| ecf7r701               | 0.5986  | 0.440  | 0.0596     | 0.056 | 0.2103  | 0.155  | 10.0508  | 7.793   |
| ln_base_bldgsize_ratio | 0.5234  | 0.540  | 0.0626     | 0.056 | 0.2390  | 0.246  | 8.3645   | 9.690   |
| ecf7r702               | 0.5030  | 0.415  | 0.0503     | 0.047 | 0.2134  | 0.176  | 10.0047  | 8.851   |
| ecf7r717               | -0.4969 | -0.614 | 0.0761     | 0.071 | -0.1456 | -0.180 | -6.5319  | -8.681  |
| ecf7r723               | 0.4862  | 0.362  | 0.0772     | 0.073 | 0.1440  | 0.107  | 6.3009   | 4.967   |
| ecf7r721               | 0.4247  | 0.260  | 0.1485     | 0.147 | 0.0568  | 0.035  | 2.8590   | 1.770   |
| ecf7r716               | -0.4075 | -0.543 | 0.0858     | 0.082 | -0.0974 | -0.130 | -4.7506  | -6.597  |
| ecf7r715               | -0.3898 | -0.490 | 0.1468     | 0.146 | -0.0522 | -0.066 | -2.6562  | -3.369  |
| ecf7r722               | -0.3716 | -0.485 | 0.1439     | 0.140 | -0.0524 | -0.068 | -2.5829  | -3.459  |
| ecf7r718               | -0.2461 | -0.381 | 0.0620     | 0.058 | -0.0831 | -0.129 | -3.9697  | -6.548  |
| ecf7r710               | 0.2412  | 0.113  | 0.0523     | 0.049 | 0.0976  | 0.046  | 4.6142   | 2.325   |
| wall                   | -0.2219 | -0.245 | 0.1458     | 0.145 | -0.0297 | -0.033 | -1.5215  | -1.691  |
| poor                   | -0.1800 | -0.167 | 0.0620     | 0.062 | -0.0572 | -0.053 | -2.9025  | -2.702  |
| ecf7r719               | 0.1748  | NA     | 0.0393     | NA    | 0.1045  | NA     | 4.4458   | NA      |
| slab                   | -0.1553 | NA     | 0.1014     | NA    | -0.0301 | NA     | -1.5315  | NA      |
| fair                   | -0.1292 | -0.133 | 0.0268     | 0.027 | -0.0957 | -0.098 | -4.8234  | -4.992  |
| ecf7r704               | 0.1179  | NA     | 0.0376     | NA    | 0.0715  | NA     | 3.1355   | NA      |
| yb_pre_1929            | -0.1104 | NA     | 0.0400     | NA    | -0.0732 | NA     | -2.7602  | NA      |
| ecf7r705               | 0.1084  | NA     | 0.0301     | NA    | 0.0926  | NA     | 3.6025   | NA      |
| central_air            | 0.1034  | 0.092  | 0.0272     | 0.027 | 0.0757  | 0.067  | 3.8066   | 3.411   |
| hot_water              | 0.1025  | NA     | 0.0559     | NA    | 0.0433  | NA     | 1.8321   | NA      |
| ln_garagespaces        | 0.0720  | 0.064  | 0.0336     | 0.034 | 0.0426  | 0.038  | 2.1431   | 1.911   |
| fireplace              | 0.0714  | 0.067  | 0.0285     | 0.028 | 0.0601  | 0.056  | 2.5061   | 2.395   |
| qbelow_avg             | -0.0614 | NA     | 0.0260     | NA    | -0.0571 | NA     | -2.3616  | NA      |
| yb_1930_to_1945        | -0.0428 | NA     | 0.0246     | NA    | -0.0380 | NA     | -1.7446  | NA      |
| months_1to16           | 0.0169  | 0.017  | 0.0019     | 0.002 | 0.1690  | 0.172  | 8.7009   | 8.849   |
| (intercept)            | NA      | 10.960 | NA         | 0.030 | NA      | NA     | NA       | 360.689 |
| ln_landratio           | NA      | 0.117  | NA         | 0.064 | NA      | 0.039  | NA       | 1.834   |
| ext_other              | NA      | -0.113 | NA         | 0.024 | NA      | -0.105 | NA       | -4.743  |
| ecf7r703               | NA      | -0.189 | NA         | 0.071 | NA      | -0.052 | NA       | -2.652  |
| ecf7r707               | NA      | -0.209 | NA         | 0.109 | NA      | -0.037 | NA       | -1.923  |
| ecf7r708               | NA      | -0.125 | NA         | 0.054 | NA      | -0.045 | NA       | -2.311  |
| ecf7r711               | NA      | -0.175 | NA         | 0.047 | NA      | -0.076 | NA       | -3.700  |
| ecf7r720               | NA      | -0.279 | NA         | 0.165 | NA      | -0.033 | NA       | -1.690  |
| ecf7r724               | NA      | -0.223 | NA         | 0.107 | NA      | -0.041 | NA       | -2.083  |

Table 8: District 7 | Model III Coefficient Comparison: SPSS vs R

| term                   | Sig    |       | Tolerance |       | VIF    |       |
|------------------------|--------|-------|-----------|-------|--------|-------|
|                        | R      | SPSS  | R         | SPSS  | R      | SPSS  |
| (constant)             | 0.0000 | NA    | NA        | NA    | NA     | NA    |
| ecf7r701               | 0.0000 | 0.001 | 0.8513    | 0.941 | 1.1747 | 1.063 |
| ln_base_bldgsize_ratio | 0.0000 | 0.001 | 0.4567    | 0.572 | 2.1898 | 1.747 |
| ecf7r702               | 0.0000 | 0.001 | 0.8194    | 0.934 | 1.2204 | 1.071 |
| ecf7r717               | 0.0000 | 0.001 | 0.7502    | 0.861 | 1.3330 | 1.162 |
| ecf7r723               | 0.0000 | 0.001 | 0.7132    | 0.795 | 1.4021 | 1.257 |
| ecf7r721               | 0.0043 | 0.077 | 0.9432    | 0.958 | 1.0603 | 1.044 |
| ecf7r716               | 0.0000 | 0.001 | 0.8876    | 0.957 | 1.1266 | 1.045 |
| ecf7r715               | 0.0080 | 0.001 | 0.9663    | 0.976 | 1.0348 | 1.024 |
| ecf7r722               | 0.0099 | 0.001 | 0.9057    | 0.948 | 1.1041 | 1.055 |
| ecf7r718               | 0.0001 | 0.001 | 0.8499    | 0.958 | 1.1765 | 1.044 |
| ecf7r710               | 0.0000 | 0.020 | 0.8330    | 0.960 | 1.2004 | 1.041 |
| wall                   | 0.1283 | 0.091 | 0.9789    | 0.986 | 1.0216 | 1.014 |
| poor                   | 0.0037 | 0.007 | 0.9597    | 0.961 | 1.0420 | 1.040 |
| ecf7r719               | 0.0000 | NA    | 0.6748    | NA    | 1.4819 | NA    |
| slab                   | 0.1258 | NA    | 0.9636    | NA    | 1.0378 | NA    |
| fair                   | 0.0000 | 0.001 | 0.9472    | 0.953 | 1.0557 | 1.050 |
| ecf7r704               | 0.0017 | NA    | 0.7159    | NA    | 1.3968 | NA    |
| yb_pre_1929            | 0.0058 | NA    | 0.5299    | NA    | 1.8871 | NA    |
| ecf7r705               | 0.0003 | NA    | 0.5636    | NA    | 1.7742 | NA    |
| central_air            | 0.0001 | 0.001 | 0.9428    | 0.950 | 1.0606 | 1.052 |
| hot_water              | 0.0671 | NA    | 0.6685    | NA    | 1.4959 | NA    |
| ln_garagespaces        | 0.0322 | 0.056 | 0.9418    | 0.928 | 1.0618 | 1.077 |
| fireplace              | 0.0123 | 0.017 | 0.6473    | 0.665 | 1.5449 | 1.503 |
| qbelow_avg             | 0.0183 | NA    | 0.6373    | NA    | 1.5691 | NA    |
| yb_1930_to_1945        | 0.0812 | NA    | 0.7867    | NA    | 1.2711 | NA    |
| months_1to16           | 0.0000 | 0.001 | 0.9877    | 0.981 | 1.0124 | 1.019 |
| (intercept)            | NA     | 0.001 | NA        | NA    | NA     | NA    |
| ln_landratio           | NA     | 0.067 | NA        | 0.811 | NA     | 1.233 |
| ext_other              | NA     | 0.001 | NA        | 0.762 | NA     | 1.312 |
| ecf7r703               | NA     | 0.008 | NA        | 0.976 | NA     | 1.025 |
| ecf7r707               | NA     | 0.055 | NA        | 0.985 | NA     | 1.015 |
| ecf7r708               | NA     | 0.021 | NA        | 0.965 | NA     | 1.036 |
| ecf7r711               | NA     | 0.001 | NA        | 0.878 | NA     | 1.139 |
| ecf7r720               | NA     | 0.091 | NA        | 0.977 | NA     | 1.023 |
| ecf7r724               | NA     | 0.037 | NA        | 0.962 | NA     | 1.040 |

## District 7 | Model III Beta Coef. Comparison: SPSS vs R



## Model IV

Table 9: District 7 | LN\_PRICE (Inliers) Model Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2     | adj_r2 | f_stat  |
|--------------------|----------|----------|--------|--------|--------|--------|---------|
| SPSS               | 1623     | 1598     | 25     | 0.3668 | 0.4260 | 0.4170 | 47.4560 |
| R                  | 1647     | 1621     | 26     | 0.3748 | 0.3936 | 0.3839 | 40.4716 |
| % diff (R vs SPSS) | 1.48%    | 1.44%    | 4.00%  | 2.18%  | -7.61% | -7.94% | -14.72% |

Table 10: District 7 | LN\_PRICE (Inliers) Model Assessing Statistics: SPSS vs R

| metricsource       | median_ratio | mean_ratio | wmean_ratio | PRD    | COD    | PRB     |
|--------------------|--------------|------------|-------------|--------|--------|---------|
| SPSS               | 1.0070       | 1.0680     | 0.9380      | 1.1390 | 0.3130 | -0.3640 |
| R                  | 0.9961       | 1.0717     | 0.9358      | 1.1452 | 0.3230 | -0.4079 |
| % diff (R vs SPSS) | -1.08%       | 0.35%      | -0.23%      | 0.55%  | 3.19%  | -12.05% |

Table 11: District 7 | Model IV Coefficient Comparison: SPSS vs R


| term                   | b       |        | Std. Error |       | Beta    |        | t        |         |
|------------------------|---------|--------|------------|-------|---------|--------|----------|---------|
|                        | R       | SPSS   | R          | SPSS  | R       | SPSS   | R        | SPSS    |
| (constant)             | 10.8941 | NA     | 0.0369     | NA    | NA      | NA     | 295.5923 | NA      |
| ecf7r701               | 0.6206  | 0.516  | 0.0546     | 0.053 | 0.2396  | 0.198  | 11.3598  | 9.805   |
| ecf7r717               | -0.5983 | -0.630 | 0.0860     | 0.076 | -0.1502 | -0.171 | -6.9573  | -8.298  |
| ecf7r702               | 0.5116  | 0.479  | 0.0451     | 0.043 | 0.2473  | 0.230  | 11.3475  | 11.149  |
| ln_base_bldgsize_ratio | 0.4888  | 0.500  | 0.0757     | 0.067 | 0.2247  | 0.236  | 6.4585   | 7.430   |
| ecf7r715               | -0.4226 | -0.481 | 0.2684     | 0.263 | -0.0308 | -0.035 | -1.5746  | -1.829  |
| ecf7r723               | 0.3937  | 0.487  | 0.0908     | 0.078 | 0.1028  | 0.137  | 4.3333   | 6.281   |
| ecf7r716               | -0.3865 | -0.498 | 0.1036     | 0.109 | -0.0743 | -0.089 | -3.7313  | -4.583  |
| ecf7r718               | -0.3096 | -0.379 | 0.0627     | 0.058 | -0.1046 | -0.131 | -4.9383  | -6.492  |
| ecf7r710               | 0.3079  | 0.223  | 0.0491     | 0.046 | 0.1336  | 0.099  | 6.2693   | 4.860   |
| ecf7r720               | -0.2257 | NA     | 0.1451     | NA    | -0.0308 | NA     | -1.5550  | NA      |
| slab                   | -0.2114 | -0.178 | 0.1150     | 0.095 | -0.0361 | -0.037 | -1.8374  | -1.866  |
| two_baths              | 0.2004  | NA     | 0.1091     | NA    | 0.0436  | NA     | 1.8365   | NA      |
| ecf7r719               | 0.1858  | 0.087  | 0.0371     | 0.034 | 0.1243  | 0.059  | 5.0029   | 2.526   |
| poor                   | -0.1466 | NA     | 0.0636     | NA    | -0.0455 | NA     | -2.3059  | NA      |
| fair                   | -0.1114 | -0.110 | 0.0246     | 0.024 | -0.0902 | -0.088 | -4.5284  | -4.522  |
| ecf7r705               | 0.1108  | 0.088  | 0.0279     | 0.025 | 0.1062  | 0.084  | 3.9723   | 3.508   |
| ecf7r704               | 0.1102  | NA     | 0.0344     | NA    | 0.0762  | NA     | 3.2057   | NA      |
| yb_pre_1929            | -0.0979 | NA     | 0.0367     | NA    | -0.0638 | NA     | -2.6656  | NA      |
| fireplace              | 0.0947  | 0.070  | 0.0268     | 0.027 | 0.0856  | 0.063  | 3.5390   | 2.638   |
| qbelow_avg             | -0.0943 | -0.042 | 0.0241     | 0.024 | -0.0959 | -0.042 | -3.9089  | -1.767  |
| central_air            | 0.0942  | 0.079  | 0.0243     | 0.024 | 0.0765  | 0.063  | 3.8817   | 3.277   |
| ln_garagespaces        | 0.0877  | 0.067  | 0.0306     | 0.030 | 0.0573  | 0.044  | 2.8718   | 2.229   |
| ecf7r711               | -0.0753 | -0.151 | 0.0453     | 0.043 | -0.0377 | -0.075 | -1.6631  | -3.505  |
| smallest               | -0.0619 | -0.079 | 0.0370     | 0.035 | -0.0429 | -0.054 | -1.6731  | -2.244  |
| yb_1930_to_1945        | -0.0440 | NA     | 0.0222     | NA    | -0.0433 | NA     | -1.9790  | NA      |
| months_1to16           | 0.0171  | 0.017  | 0.0018     | 0.002 | 0.1896  | 0.188  | 9.7401   | 9.842   |
| (intercept)            | NA      | 10.952 | NA         | 0.032 | NA      | NA     | NA       | 340.335 |
| ln_landratio           | NA      | 0.204  | NA         | 0.058 | NA      | 0.072  | NA       | 3.515   |
| qpoor                  | NA      | 0.305  | NA         | 0.167 | NA      | 0.035  | NA       | 1.831   |
| ext_other              | NA      | -0.147 | NA         | 0.022 | NA      | -0.149 | NA       | -6.575  |
| ecf7r703               | NA      | -0.150 | NA         | 0.073 | NA      | -0.041 | NA       | -2.066  |
| ecf7r722               | NA      | -0.446 | NA         | 0.262 | NA      | -0.033 | NA       | -1.706  |



Table 12: District 7 | Model IV Coefficient Comparison: SPSS vs R

| term                   | Sig    |       | Tolerance |       | VIF    |       |
|------------------------|--------|-------|-----------|-------|--------|-------|
|                        | R      | SPSS  | R         | SPSS  | R      | SPSS  |
| (constant)             | 0.0000 | NA    | NA        | NA    | NA     | NA    |
| ecf7r701               | 0.0000 | 0.001 | 0.8410    | 0.884 | 1.1891 | 1.131 |
| ecf7r717               | 0.0000 | 0.001 | 0.8030    | 0.848 | 1.2454 | 1.179 |
| ecf7r702               | 0.0000 | 0.001 | 0.7874    | 0.840 | 1.2701 | 1.190 |
| ln_base_bldgsize_ratio | 0.0000 | 0.001 | 0.3089    | 0.356 | 3.2372 | 2.812 |
| ecf7r715               | 0.1156 | 0.068 | 0.9759    | 0.973 | 1.0247 | 1.028 |
| ecf7r723               | 0.0000 | 0.001 | 0.6650    | 0.759 | 1.5038 | 1.318 |
| ecf7r716               | 0.0002 | 0.001 | 0.9428    | 0.958 | 1.0606 | 1.043 |
| ecf7r718               | 0.0000 | 0.001 | 0.8344    | 0.885 | 1.1984 | 1.130 |
| ecf7r710               | 0.0000 | 0.001 | 0.8238    | 0.861 | 1.2139 | 1.161 |
| ecf7r720               | 0.1201 | NA    | 0.9565    | NA    | 1.0455 | NA    |
| slab                   | 0.0663 | 0.062 | 0.9713    | 0.935 | 1.0295 | 1.069 |
| two_baths              | 0.0665 | NA    | 0.6623    | NA    | 1.5099 | NA    |
| ecf7r719               | 0.0000 | 0.012 | 0.6059    | 0.664 | 1.6504 | 1.507 |
| poor                   | 0.0212 | NA    | 0.9610    | NA    | 1.0406 | NA    |
| fair                   | 0.0000 | 0.001 | 0.9428    | 0.950 | 1.0607 | 1.052 |
| ecf7r705               | 0.0001 | 0.001 | 0.5238    | 0.623 | 1.9093 | 1.604 |
| ecf7r704               | 0.0014 | NA    | 0.6623    | NA    | 1.5099 | NA    |
| yb_pre_1929            | 0.0078 | NA    | 0.6532    | NA    | 1.5310 | NA    |
| fireplace              | 0.0004 | 0.008 | 0.6393    | 0.626 | 1.5642 | 1.596 |
| qbelow_avg             | 0.0001 | 0.077 | 0.6214    | 0.632 | 1.6093 | 1.583 |
| central_air            | 0.0001 | 0.001 | 0.9620    | 0.958 | 1.0395 | 1.044 |
| ln_garagespaces        | 0.0041 | 0.026 | 0.9401    | 0.929 | 1.0638 | 1.077 |
| ecf7r711               | 0.0965 | 0.001 | 0.7287    | 0.776 | 1.3723 | 1.288 |
| smallest               | 0.0945 | 0.025 | 0.5688    | 0.610 | 1.7580 | 1.639 |
| yb_1930_to_1945        | 0.0480 | NA    | 0.7807    | NA    | 1.2809 | NA    |
| months_1to16           | 0.0000 | 0.001 | 0.9874    | 0.987 | 1.0128 | 1.013 |
| (intercept)            | NA     | 0.001 | NA        | NA    | NA     | NA    |
| ln_landratio           | NA     | 0.001 | NA        | 0.864 | NA     | 1.157 |
| qpoor                  | NA     | 0.067 | NA        | 0.970 | NA     | 1.031 |
| ext_other              | NA     | 0.001 | NA        | 0.703 | NA     | 1.422 |
| ecf7r703               | NA     | 0.039 | NA        | 0.896 | NA     | 1.115 |
| ecf7r722               | NA     | 0.088 | NA        | 0.983 | NA     | 1.017 |

## District 7 | Model IV Beta Coef. Comparison: SPSS vs R



## Model V

Table 13: District 7 | LN\_TASP Model I Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2     | adj_r2 | f_stat  |
|--------------------|----------|----------|--------|--------|--------|--------|---------|
| SPSS               | 1623     | 1599     | 24     | 0.3667 | 0.4020 | 0.3930 | 44.7940 |
| R                  | 1647     | 1622     | 25     | 0.3751 | 0.3676 | 0.3578 | 37.7124 |
| % diff (R vs SPSS) | 1.48%    | 1.44%    | 4.17%  | 2.30%  | -8.56% | -8.96% | -15.81% |

Table 14: District 7 | LN\_TASP Model I Assessing Statistics: SPSS vs R

| metricsource       | median_ratio | mean_ratio | wmean_ratio | PRD    | COD    | PRB     |
|--------------------|--------------|------------|-------------|--------|--------|---------|
| SPSS               | 1.0070       | 1.0680     | 0.9370      | 1.1400 | 0.3120 | -0.3900 |
| R                  | 0.9890       | 1.0720     | 0.9281      | 1.1550 | 0.3326 | -0.4647 |
| % diff (R vs SPSS) | -1.79%       | 0.37%      | -0.95%      | 1.32%  | 6.60%  | -19.16% |


Table 15: District 7 | Model V Coefficient Comparison: SPSS vs R

| term                   | b       |        | Std. Error |       | Beta    |        | t        |         |
|------------------------|---------|--------|------------|-------|---------|--------|----------|---------|
|                        | R       | SPSS   | R          | SPSS  | R       | SPSS   | R        | SPSS    |
| (constant)             | 11.1499 | NA     | 0.0313     | NA    | NA      | NA     | 356.2988 | NA      |
| ecf7r701               | 0.6256  | 0.516  | 0.0546     | 0.053 | 0.2464  | 0.202  | 11.4527  | 9.815   |
| ecf7r717               | -0.6069 | -0.630 | 0.0861     | 0.076 | -0.1554 | -0.174 | -7.0487  | -8.301  |
| ln_base_bldgsize_ratio | 0.6064  | 0.500  | 0.0643     | 0.067 | 0.2845  | 0.241  | 9.4249   | 7.442   |
| ecf7r702               | 0.5079  | 0.479  | 0.0451     | 0.043 | 0.2505  | 0.235  | 11.2673  | 11.153  |
| ecf7r715               | -0.4261 | -0.481 | 0.2679     | 0.263 | -0.0317 | -0.036 | -1.5907  | -1.828  |
| ecf7r716               | -0.3815 | -0.498 | 0.1037     | 0.109 | -0.0748 | -0.091 | -3.6781  | -4.585  |
| ecf7r723               | 0.3754  | 0.487  | 0.0905     | 0.078 | 0.1000  | 0.140  | 4.1467   | 6.285   |
| ecf7r718               | -0.3030 | -0.379 | 0.0628     | 0.058 | -0.1044 | -0.134 | -4.8228  | -6.493  |
| ecf7r710               | 0.3017  | 0.223  | 0.0490     | 0.046 | 0.1336  | 0.101  | 6.1521   | 4.862   |
| ecf7r720               | -0.2375 | NA     | 0.1450     | NA    | -0.0330 | NA     | -1.6376  | NA      |
| slab                   | -0.2217 | -0.178 | 0.1151     | 0.095 | -0.0386 | -0.037 | -1.9262  | -1.866  |
| ecf7r719               | 0.1776  | 0.087  | 0.0370     | 0.034 | 0.1213  | 0.060  | 4.8072   | 2.527   |
| two_baths              | 0.1626  | NA     | 0.1074     | NA    | 0.0361  | NA     | 1.5150   | NA      |
| poor                   | -0.1445 | NA     | 0.0636     | NA    | -0.0457 | NA     | -2.2714  | NA      |
| ecf7r704               | 0.1120  | NA     | 0.0344     | NA    | 0.0790  | NA     | 3.2577   | NA      |
| fair                   | -0.1098 | -0.110 | 0.0246     | 0.024 | -0.0906 | -0.090 | -4.4551  | -4.523  |
| ecf7r705               | 0.1090  | 0.088  | 0.0278     | 0.025 | 0.1066  | 0.086  | 3.9171   | 3.509   |
| yb_pre_1929            | -0.0977 | NA     | 0.0368     | NA    | -0.0650 | NA     | -2.6532  | NA      |
| central_air            | 0.0962  | 0.079  | 0.0243     | 0.024 | 0.0797  | 0.065  | 3.9637   | 3.279   |
| qbelow_avg             | -0.0937 | -0.042 | 0.0241     | 0.024 | -0.0972 | -0.043 | -3.8945  | -1.767  |
| fireplace              | 0.0890  | 0.070  | 0.0266     | 0.027 | 0.0821  | 0.064  | 3.3418   | 2.637   |
| ln_garagespaces        | 0.0845  | 0.067  | 0.0306     | 0.030 | 0.0563  | 0.045  | 2.7646   | 2.229   |
| ecf7r711               | -0.0754 | -0.151 | 0.0454     | 0.043 | -0.0384 | -0.077 | -1.6607  | -3.505  |
| single_family2story    | -0.0645 | NA     | 0.0350     | NA    | -0.0432 | NA     | -1.8423  | NA      |
| yb_1930_to_1945        | -0.0432 | NA     | 0.0223     | NA    | -0.0434 | NA     | -1.9370  | NA      |
| (intercept)            | NA      | 11.226 | NA         | 0.026 | NA      | NA     | NA       | 438.363 |
| ln_landratio           | NA      | 0.204  | NA         | 0.058 | NA      | 0.073  | NA       | 3.515   |
| smallest               | NA      | -0.078 | NA         | 0.035 | NA      | -0.056 | NA       | -2.243  |
| qpoor                  | NA      | 0.306  | NA         | 0.167 | NA      | 0.036  | NA       | 1.832   |
| ext_other              | NA      | -0.147 | NA         | 0.022 | NA      | -0.152 | NA       | -6.583  |
| ecf7r703               | NA      | -0.150 | NA         | 0.073 | NA      | -0.042 | NA       | -2.069  |
| ecf7r722               | NA      | -0.446 | NA         | 0.262 | NA      | -0.033 | NA       | -1.705  |

Table 16: District 7 | Model V Coefficient Comparison: SPSS vs R

| term                   | Sig    |       | Tolerance |       | VIF    |       |
|------------------------|--------|-------|-----------|-------|--------|-------|
|                        | R      | SPSS  | R         | SPSS  | R      | SPSS  |
| (constant)             | 0.0000 | NA    | NA        | NA    | NA     | NA    |
| ecf7r701               | 0.0000 | 0.001 | 0.8424    | 0.885 | 1.1871 | 1.130 |
| ecf7r717               | 0.0000 | 0.001 | 0.8022    | 0.849 | 1.2466 | 1.178 |
| ln_base_bldgsize_ratio | 0.0000 | 0.001 | 0.4280    | 0.356 | 2.3364 | 2.807 |
| ecf7r702               | 0.0000 | 0.001 | 0.7887    | 0.840 | 1.2679 | 1.190 |
| ecf7r715               | 0.1119 | 0.068 | 0.9813    | 0.974 | 1.0191 | 1.027 |
| ecf7r716               | 0.0002 | 0.001 | 0.9417    | 0.958 | 1.0619 | 1.043 |
| ecf7r723               | 0.0000 | 0.001 | 0.6709    | 0.759 | 1.4906 | 1.317 |
| ecf7r718               | 0.0000 | 0.001 | 0.8321    | 0.885 | 1.2018 | 1.130 |
| ecf7r710               | 0.0000 | 0.001 | 0.8274    | 0.863 | 1.2087 | 1.159 |
| ecf7r720               | 0.1017 | NA    | 0.9595    | NA    | 1.0422 | NA    |
| slab                   | 0.0543 | 0.062 | 0.9715    | 0.935 | 1.0293 | 1.069 |
| ecf7r719               | 0.0000 | 0.012 | 0.6128    | 0.664 | 1.6319 | 1.506 |
| two_baths              | 0.1300 | NA    | 0.6856    | NA    | 1.4587 | NA    |
| poor                   | 0.0233 | NA    | 0.9613    | NA    | 1.0403 | NA    |
| ecf7r704               | 0.0011 | NA    | 0.6628    | NA    | 1.5088 | NA    |
| fair                   | 0.0000 | 0.001 | 0.9420    | 0.950 | 1.0616 | 1.052 |
| ecf7r705               | 0.0001 | 0.001 | 0.5269    | 0.623 | 1.8979 | 1.604 |
| yb_pre_1929            | 0.0081 | NA    | 0.6502    | NA    | 1.5379 | NA    |
| central_air            | 0.0001 | 0.001 | 0.9635    | 0.958 | 1.0379 | 1.044 |
| qbelow_avg             | 0.0001 | 0.077 | 0.6254    | 0.632 | 1.5990 | 1.583 |
| fireplace              | 0.0009 | 0.008 | 0.6459    | 0.627 | 1.5483 | 1.594 |
| ln_garagespaces        | 0.0058 | 0.026 | 0.9399    | 0.929 | 1.0640 | 1.076 |
| ecf7r711               | 0.0970 | 0.001 | 0.7273    | 0.777 | 1.3750 | 1.288 |
| single_family2story    | 0.0656 | NA    | 0.7090    | NA    | 1.4104 | NA    |
| yb_1930_to_1945        | 0.0529 | NA    | 0.7769    | NA    | 1.2872 | NA    |
| (intercept)            | NA     | 0.001 | NA        | NA    | NA     | NA    |
| ln_landratio           | NA     | 0.001 | NA        | 0.865 | NA     | 1.157 |
| smallest               | NA     | 0.025 | NA        | 0.611 | NA     | 1.638 |
| qpoor                  | NA     | 0.067 | NA        | 0.970 | NA     | 1.031 |
| ext_other              | NA     | 0.001 | NA        | 0.704 | NA     | 1.421 |
| ecf7r703               | NA     | 0.039 | NA        | 0.897 | NA     | 1.115 |
| ecf7r722               | NA     | 0.088 | NA        | 0.984 | NA     | 1.016 |

## District 7 | Model V Beta Coef. Comparison: SPSS vs R



## Model VI

Table 17: District 7 | LN\_TASP Model II Fit Statistics: SPSS vs R

| metricsource       | df_total | df_resid | df_reg | see    | r2      | adj_r2  | f_stat  |
|--------------------|----------|----------|--------|--------|---------|---------|---------|
| SPSS               | 2483     | 2452     | 31     | 0.4038 | 0.3920  | 0.3850  | 51.0820 |
| R                  | 2665     | 2634     | 31     | 0.4434 | 0.3346  | 0.3268  | 42.7269 |
| % diff (R vs SPSS) | 7.33%    | 7.42%    | 0.00%  | 9.81%  | -14.64% | -15.12% | -16.36% |

Table 18: District 7 | LN\_TASP Model II Assessing Statistics: SPSS vs R

| metricsource       | median_ratio | mean_ratio | wmean_ratio | PRD    | COD    | PRB     |
|--------------------|--------------|------------|-------------|--------|--------|---------|
| SPSS               | 0.9970       | 1.0840     | 0.9280      | 1.1680 | 0.3480 | -0.4410 |
| R                  | 0.9508       | 1.0708     | 0.8799      | 1.2169 | 0.3956 | -0.5375 |
| % diff (R vs SPSS) | -4.63%       | -1.22%     | -5.18%      | 4.19%  | 13.67% | -21.89% |


Table 19: District 7 | Model VI Coefficient Comparison: SPSS vs R

| term            | b       |        | Std. Error |       | Beta    |        | t       |        |
|-----------------|---------|--------|------------|-------|---------|--------|---------|--------|
|                 | R       | SPSS   | R          | SPSS  | R       | SPSS   | R       | SPSS   |
| (constant)      | 9.4631  | NA     | 0.1956     | NA    | NA      | NA     | 48.3904 | NA     |
| ecf7r701        | 0.5807  | 0.498  | 0.0555     | 0.052 | 0.1789  | 0.159  | 10.4701 | 9.551  |
| elec_baseboard  | -0.5062 | -0.439 | 0.2592     | 0.237 | -0.0314 | -0.030 | -1.9533 | -1.850 |
| ecf7r702        | 0.4782  | 0.461  | 0.0463     | 0.042 | 0.1813  | 0.187  | 10.3174 | 11.029 |
| ecf7r716        | -0.4626 | -0.529 | 0.0600     | 0.063 | -0.1330 | -0.143 | -7.7039 | -8.440 |
| ecf7r723        | 0.4106  | 0.367  | 0.0745     | 0.075 | 0.1099  | 0.092  | 5.5117  | 4.926  |
| ecf7r717        | -0.3894 | -0.461 | 0.0600     | 0.061 | -0.1199 | -0.138 | -6.4892 | -7.557 |
| ecf7r721        | 0.3839  | 0.405  | 0.1391     | 0.238 | 0.0456  | 0.027  | 2.7594  | 1.704  |
| ecf7r720        | -0.3172 | -0.399 | 0.1211     | 0.130 | -0.0424 | -0.049 | -2.6198 | -3.063 |
| ecf7r724        | -0.2838 | -0.370 | 0.0749     | 0.076 | -0.0646 | -0.082 | -3.7913 | -4.845 |
| poor            | -0.2821 | -0.240 | 0.0501     | 0.050 | -0.0912 | -0.077 | -5.6368 | -4.771 |
| lnsbldsfint     | 0.2536  | 0.259  | 0.0303     | 0.029 | 0.2000  | 0.209  | 8.3585  | 8.969  |
| wall            | -0.2297 | -0.203 | 0.0959     | 0.099 | -0.0418 | -0.035 | -2.3952 | -2.052 |
| ecf7r710        | 0.2266  | 0.211  | 0.0470     | 0.044 | 0.0831  | 0.081  | 4.8250  | 4.841  |
| two_baths       | 0.2259  | 0.249  | 0.0832     | 0.084 | 0.0539  | 0.055  | 2.7150  | 2.958  |
| ecf7r718        | -0.2116 | -0.281 | 0.0450     | 0.043 | -0.0831 | -0.114 | -4.7020 | -6.505 |
| ecf7r715        | -0.1801 | NA     | 0.0954     | NA    | -0.0308 | NA     | -1.8879 | NA     |
| ecf7r719        | 0.1707  | 0.095  | 0.0323     | 0.030 | 0.0993  | 0.059  | 5.2842  | 3.157  |
| slab            | -0.1478 | -0.137 | 0.0783     | 0.074 | -0.0316 | -0.030 | -1.8866 | -1.851 |
| fair            | -0.1455 | -0.138 | 0.0214     | 0.020 | -0.1117 | -0.111 | -6.7992 | -6.795 |
| ln_landratio    | 0.1453  | 0.219  | 0.0546     | 0.051 | 0.0489  | 0.075  | 2.6637  | 4.267  |
| crawl           | 0.1353  | 0.140  | 0.0706     | 0.067 | 0.0336  | 0.035  | 1.9161  | 2.070  |
| yb_post_1961    | 0.1139  | NA     | 0.0629     | NA    | 0.0302  | NA     | 1.8100  | NA     |
| yb_pre_1929     | -0.1096 | -0.077 | 0.0309     | 0.030 | -0.0769 | -0.055 | -3.5486 | -2.605 |
| garage          | 0.0986  | 0.104  | 0.0192     | 0.018 | 0.0853  | 0.096  | 5.1328  | 5.748  |
| central_air     | 0.0943  | 0.081  | 0.0247     | 0.023 | 0.0625  | 0.056  | 3.8193  | 3.466  |
| ecf7r704        | 0.0940  | NA     | 0.0333     | NA    | 0.0540  | NA     | 2.8192  | NA     |
| ecf7r705        | 0.0874  | 0.072  | 0.0256     | 0.023 | 0.0709  | 0.062  | 3.4110  | 3.186  |
| powder_room     | 0.0861  | 0.084  | 0.0410     | 0.040 | 0.0403  | 0.039  | 2.1003  | 2.088  |
| qbelow_avg      | -0.0826 | -0.068 | 0.0219     | 0.021 | -0.0748 | -0.064 | -3.7617 | -3.220 |
| fireplace       | 0.0672  | 0.058  | 0.0239     | 0.023 | 0.0549  | 0.048  | 2.8100  | 2.477  |
| yb_1930_to_1945 | -0.0406 | -0.047 | 0.0212     | 0.020 | -0.0352 | -0.043 | -1.9153 | -2.386 |
| (intercept)     | NA      | 9.540  | NA         | 0.186 | NA      | NA     | NA      | 51.212 |
| ext_other       | NA      | -0.131 | NA         | 0.020 | NA      | -0.126 | NA      | -6.562 |
| ecf7r703        | NA      | -0.138 | NA         | 0.066 | NA      | -0.034 | NA      | -2.088 |
| ecf7r711        | NA      | -0.123 | NA         | 0.039 | NA      | -0.057 | NA      | -3.189 |

Table 20: District 7 | Model VI Coefficient Comparison: SPSS vs R

| term            | Sig    |       | Tolerance |       | VIF    |       |
|-----------------|--------|-------|-----------|-------|--------|-------|
|                 | R      | SPSS  | R         | SPSS  | R      | SPSS  |
| (constant)      | 0.0000 | NA    | NA        | NA    | NA     | NA    |
| ecf7r701        | 0.0000 | 0.001 | 0.8655    | 0.892 | 1.1554 | 1.121 |
| elec_baseboard  | 0.0509 | 0.064 | 0.9766    | 0.965 | 1.0239 | 1.036 |
| ecf7r702        | 0.0000 | 0.001 | 0.8181    | 0.860 | 1.2223 | 1.163 |
| ecf7r716        | 0.0000 | 0.001 | 0.8471    | 0.862 | 1.1805 | 1.159 |
| ecf7r723        | 0.0000 | 0.001 | 0.6351    | 0.711 | 1.5747 | 1.406 |
| ecf7r717        | 0.0000 | 0.001 | 0.7395    | 0.748 | 1.3522 | 1.336 |
| ecf7r721        | 0.0058 | 0.089 | 0.9271    | 0.962 | 1.0786 | 1.040 |
| ecf7r720        | 0.0088 | 0.002 | 0.9627    | 0.966 | 1.0388 | 1.035 |
| ecf7r724        | 0.0002 | 0.001 | 0.8688    | 0.861 | 1.1510 | 1.162 |
| poor            | 0.0000 | 0.001 | 0.9646    | 0.951 | 1.0367 | 1.051 |
| lnsbldsfint     | 0.0000 | 0.001 | 0.4413    | 0.458 | 2.2661 | 2.184 |
| wall            | 0.0167 | 0.040 | 0.8305    | 0.837 | 1.2041 | 1.195 |
| ecf7r710        | 0.0000 | 0.001 | 0.8525    | 0.885 | 1.1731 | 1.130 |
| two_baths       | 0.0067 | 0.003 | 0.6420    | 0.709 | 1.5576 | 1.410 |
| ecf7r718        | 0.0000 | 0.001 | 0.8086    | 0.809 | 1.2367 | 1.236 |
| ecf7r715        | 0.0591 | NA    | 0.9470    | NA    | 1.0560 | NA    |
| ecf7r719        | 0.0000 | 0.002 | 0.7159    | 0.702 | 1.3969 | 1.425 |
| slab            | 0.0593 | 0.064 | 0.9023    | 0.913 | 1.1083 | 1.095 |
| fair            | 0.0000 | 0.001 | 0.9359    | 0.925 | 1.0685 | 1.081 |
| ln_landratio    | 0.0078 | 0.001 | 0.7498    | 0.792 | 1.3337 | 1.262 |
| crawl           | 0.0555 | 0.039 | 0.8196    | 0.847 | 1.2202 | 1.180 |
| yb_post_1961    | 0.0704 | NA    | 0.9059    | NA    | 1.1039 | NA    |
| yb_pre_1929     | 0.0004 | 0.009 | 0.5385    | 0.558 | 1.8570 | 1.792 |
| garage          | 0.0000 | 0.001 | 0.9148    | 0.887 | 1.0932 | 1.128 |
| central_air     | 0.0001 | 0.001 | 0.9428    | 0.942 | 1.0606 | 1.062 |
| ecf7r704        | 0.0048 | NA    | 0.6889    | NA    | 1.4516 | NA    |
| ecf7r705        | 0.0007 | 0.001 | 0.5844    | 0.645 | 1.7111 | 1.549 |
| powder_room     | 0.0358 | 0.037 | 0.6860    | 0.716 | 1.4578 | 1.397 |
| qbelow_avg      | 0.0002 | 0.001 | 0.6396    | 0.628 | 1.5636 | 1.592 |
| fireplace       | 0.0050 | 0.013 | 0.6610    | 0.649 | 1.5129 | 1.542 |
| yb_1930_to_1945 | 0.0556 | 0.017 | 0.7493    | 0.766 | 1.3347 | 1.305 |
| (intercept)     | NA     | 0.001 | NA        | NA    | NA     | NA    |
| ext_other       | NA     | 0.001 | NA        | 0.676 | NA     | 1.479 |
| ecf7r703        | NA     | 0.037 | NA        | 0.927 | NA     | 1.079 |
| ecf7r711        | NA     | 0.001 | NA        | 0.779 | NA     | 1.283 |

## District 7 | Model VI Beta Coef. Comparison: SPSS vs R




## Model Comparison

Table 21: Top and Bottom Standardized Beta Predictors across Models

| Predictor              | n | Models         | Avg b  | Avg SE | Avg beta | Avg t  | Avg sig | Min beta | Max beta |
|------------------------|---|----------------|--------|--------|----------|--------|---------|----------|----------|
| ln_base_bldgsize_ratio | 4 | M2, M3, M4, M5 | 0.549  | 0.067  | 0.253    | 8.313  | 0.000   | 0.225    | 0.284    |
| ecf7r702               | 4 | M3, M4, M5, M6 | 0.500  | 0.047  | 0.223    | 10.734 | 0.000   | 0.181    | 0.251    |
| ecf7r701               | 4 | M3, M4, M5, M6 | 0.606  | 0.056  | 0.219    | 10.833 | 0.000   | 0.179    | 0.246    |
| Insblsfint             | 1 | M6             | 0.254  | 0.030  | 0.200    | 8.359  | 0.000   | 0.200    | 0.200    |
| months_1to16           | 2 | M1, M2         | 0.015  | 0.002  | 0.159    | 6.914  | 0.000   | 0.149    | 0.170    |
| central_air            | 2 | M1, M2         | 0.132  | 0.030  | 0.102    | 4.382  | 0.000   | 0.097    | 0.106    |
| ln_garagespaces        | 1 | M1             | 0.140  | 0.039  | 0.092    | 3.627  | 0.000   | 0.092    | 0.092    |
| yb_1930_to_1945        | 2 | M1, M2         | -0.094 | 0.027  | -0.088   | -3.485 | 0.001   | -0.103   | -0.072   |
| qbelow_avg             | 3 | M1, M4, M5     | -0.089 | 0.026  | -0.091   | -3.500 | 0.002   | -0.097   | -0.081   |
| ecf7r718               | 2 | M4, M5         | -0.306 | 0.063  | -0.104   | -4.881 | 0.000   | -0.105   | -0.104   |
| fair                   | 3 | M2, M3, M6     | -0.140 | 0.026  | -0.105   | -5.555 | 0.000   | -0.112   | -0.096   |
| ecf7r716               | 2 | M3, M6         | -0.435 | 0.073  | -0.115   | -6.227 | 0.000   | -0.133   | -0.097   |
| ecf7r717               | 4 | M3, M4, M5, M6 | -0.523 | 0.077  | -0.143   | -6.757 | 0.000   | -0.155   | -0.120   |
| yb_pre_1929            | 2 | M1, M2         | -0.306 | 0.044  | -0.205   | -6.979 | 0.000   | -0.216   | -0.195   |



## District 7 | Average Standardized Beta across Models



## Prediction Testing

```
## [1] "22024510."
## [1] 90675.86
## [1] "22024510."
## [1] 87108.02
## [1] "22024510."
## [1] 95795.85
## [1] "22024510."
## [1] 101416.3
## [1] "22024510."
## [1] 108961.7
## [1] "22024510."
## [1] 101334.5
```