

District 7 SPSS Comparison 2023 - 2025 Sales + Geo Data

Elliot Dean - Program Analyst IV
Office of the Chief Financial Officer | Office of the Assessor
City of Detroit

14 July 2026

Contents

Model I	1
Model II	2
Model III	4
Model IV	7
Model V	10
Model VI	13
Model Comparison	16
Prediction Testing	16

Model I

Table 1: District 7 | LN-SPPSF Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1385	1372	13	0.4507	0.1380	0.1300	16.9220
R	1384	1368	16	0.4383	0.1874	0.1779	19.7205
% diff (R vs SPSS)	-0.07%	-0.29%	23.08%	-2.76%	35.80%	36.85%	16.54%

Table 2: District 7 | Model I Coefficient Comparison: SPSS vs R

	b		Std. Error		Beta		t		Sig		
term	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS	
(constant)	4.317	4.078	0.049	0.038	NA	NA	88.573	106.813	0.000	0.001	
months_1to16	0.013	0.014	0.002	0.002	0.141	0.159	5.610	6.307	0.000	0.001	
ln_garagespaces	0.128	0.142	0.038	0.039	0.084	0.093	3.414	3.674	0.001	0.001	
qabove_avg	0.425	0.375	0.131	0.134	0.082	0.072	3.251	2.790	0.001	0.005	
smallest	0.125	0.167	0.043	0.044	0.081	0.108	2.921	3.762	0.004	0.001	
central_air	0.094	0.104	0.031	0.031	0.076	0.085	3.054	3.325	0.002	0.001	
yb_post_1961	0.253	0.200	0.096	0.099	0.066	0.052	2.633	2.024	0.009	0.043	
small	0.063	0.084	0.029	0.029	0.064	0.085	2.177	2.842	0.030	0.005	
hot_water	0.111	NA	0.063	NA	0.050	NA	1.756	NA	0.079	NA	
slab	-0.269	-0.315	0.134	0.138	-0.049	-0.058	-2.002	-2.287	0.045	0.022	
qbelow_avg	-0.063	NA	0.028	NA	-0.064	NA	-2.232	NA	0.026	NA	
yb_1930_to_1945	-0.067	-0.104	0.027	0.028	-0.065	-0.101	-2.431	-3.777	0.015	0.001	
wall	-0.529	-0.457	0.197	0.203	-0.066	-0.057	-2.680	-2.251	0.007	0.025	
single_family2story	-0.114	NA	0.043	NA	-0.076	NA	-2.634	NA	0.009	NA	
near_downtown_5mi	-1.341	NA	0.313	NA	-0.105	NA	-4.278	NA	0.000	NA	
yb_pre_1929	-0.250	-0.261	0.047	0.043	-0.169	-0.177	-5.345	-6.047	0.000	0.001	
near_downtown_10mi	-0.275	NA	0.032	NA	-0.219	NA	-8.599	NA	0.000	NA	
ext_other	NA	-0.123	NA	0.027	NA	-0.120	NA	-4.471	NA	0.001	
large	NA	-0.082	NA	0.039	NA	-0.060	NA	-2.071	NA	0.039	

District 7 | Model I Beta Coefficient Comparison: SPSS vs R




Table 3: Model Metrics: LN-SPPSF Model Comparison

metricsource	n	df_resid	df_model	r	r_squared	adj_r_squared	see	f_stat	f_num_df	f_den_df	sig
SPSS	1386	1370	15	0.3663	0.1341	0.1247	0.4521	14.1499	15	1370	0
R	1385	1368	16	0.4329	0.1874	0.1779	0.4383	19.7205	16	1368	0
% diff (R vs SPSS)	-0.07%	-0.15%	6.67%	18.20%	39.72%	42.72%	-3.06%	39.37%	6.67%	-0.15%	-100.00%

Table 4: Ratio Metrics: LN-SPPSF Model Comparison

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB	within10pct	within20pct	within50pct
SPSS	0.9865	1.1083	0.9089	1.2193	40.0356	-0.9777	17.60%	32.61%	73.45%
R	0.9747	1.1022	0.9145	1.2053	39.4801	-0.8282	17.98%	33.94%	75.23%
% diff (R vs SPSS)	-1.20%	-0.55%	0.61%	-1.15%	-1.39%	15.30%	2.12%	4.06%	2.43%

Model II


Table 5: District 7 | LN-PRICE (No ECFs) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1790	15	0.4652	0.2250	0.2190	34.6630
R	1804	1787	17	0.4606	0.2414	0.2342	33.4446
% diff (R vs SPSS)	-0.06%	-0.17%	13.33%	-1.00%	7.29%	6.94%	-3.51%

Table 6: District 7 | Model II Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t		Sig	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.186	11.018	0.043	0.031	NA	NA	257.807	356.264	0.000	0.001
ln_base_bldgsize_ratio	0.602	0.524	0.063	0.061	0.275	0.239	9.510	8.625	0.000	0.001
months_1to16	0.016	0.017	0.002	0.002	0.165	0.167	7.973	8.017	0.000	0.001
central_air	0.126	0.135	0.029	0.029	0.093	0.099	4.397	4.648	0.000	0.001
hot_water	0.156	0.151	0.059	0.060	0.066	0.064	2.653	2.538	0.008	0.011
ln_landratio	0.188	0.332	0.067	0.066	0.063	0.112	2.804	5.062	0.005	0.001
two_baths	0.230	0.218	0.094	0.094	0.062	0.059	2.461	2.307	0.014	0.021
qabove_avg	0.301	0.273	0.136	0.137	0.050	0.045	2.221	1.992	0.026	0.047
yb_post_1961	0.202	0.158	0.088	0.089	0.048	0.038	2.302	1.779	0.021	0.075
ln_garagespaces	0.061	NA	0.036	NA	0.036	NA	1.712	NA	0.087	NA
near_downtown_5mi	-0.477	NA	0.233	NA	-0.043	NA	-2.046	NA	0.041	NA
yb_1930_to_1945	-0.056	-0.078	0.026	0.025	-0.050	-0.069	-2.191	-3.079	0.029	0.002
qbelow_avg	-0.058	NA	0.027	NA	-0.054	NA	-2.188	NA	0.029	NA
poor	-0.197	-0.184	0.066	0.066	-0.063	-0.058	-2.996	-2.772	0.003	0.006
slab	-0.341	-0.326	0.108	0.109	-0.066	-0.063	-3.149	-2.985	0.002	0.003
fair	-0.140	-0.132	0.028	0.029	-0.104	-0.097	-4.968	-4.588	0.000	0.001
near_downtown_10mi	-0.228	NA	0.030	NA	-0.164	NA	-7.499	NA	0.000	NA
yb_pre_1929	-0.254	-0.248	0.040	0.040	-0.169	-0.164	-6.374	-6.125	0.000	0.001
ext_other	NA	-0.127	NA	0.025	NA	-0.117	NA	-5.053	NA	0.001
good	NA	0.200	NA	0.099	NA	0.043	NA	2.019	NA	0.044

District 7 | Model II Beta Coef. Comparison: SPSS vs R



Model III

Table 7: District 7 | LN-PRICE Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1805	1779	26	0.4302	0.3420	0.3320	35.4870
R	1804	1774	30	0.4305	0.3422	0.3311	30.7664
% diff (R vs SPSS)	-0.06%	-0.28%	15.38%	0.07%	0.06%	-0.27%	-13.30%

Table 8: District 7 | LN-PRICE Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9890	1.0970	0.9140	1.2000	0.3760	
R	0.9860	1.0962	0.9142	1.1991	0.3759	-0.4886
% diff (R vs SPSS)	-0.30%	-0.07%	0.03%	-0.08%	-0.03%	


Table 9: District 7 | Model III Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0200	NA	0.0509	NA	NA	NA	216.4162	NA
near_downtown_5mi	-0.7381	NA	0.2190	NA	-0.0660	NA	-3.3702	NA
ecf7r717	-0.6070	-0.614	0.0752	0.071	-0.1779	-0.180	-8.0712	-8.681
ecf7r716	-0.5258	-0.543	0.0848	0.082	-0.1256	-0.130	-6.2014	-6.597
ln_base_bldgsize_ratio	0.5201	0.540	0.0625	0.056	0.2375	0.246	8.3197	9.690
ecf7r715	-0.5033	-0.490	0.1458	0.146	-0.0674	-0.066	-3.4522	-3.369
ecf7r722	-0.4837	-0.485	0.1432	0.140	-0.0682	-0.068	-3.3767	-3.459
ecf7r701	0.4413	0.440	0.0668	0.056	0.1551	0.155	6.6066	7.793
ecf7r723	0.3758	0.362	0.0767	0.073	0.1114	0.107	4.8990	4.967
ecf7r718	-0.3496	-0.381	0.0608	0.058	-0.1181	-0.129	-5.7490	-6.548
ecf7r702	0.3327	0.415	0.0593	0.047	0.1412	0.176	5.6084	8.851
ecf7r721	0.3291	0.260	0.1481	0.147	0.0440	0.035	2.2225	1.770
ecf7r720	-0.2756	-0.279	0.1652	0.165	-0.0326	-0.033	-1.6678	-1.690
wall	-0.2442	-0.245	0.1453	0.145	-0.0327	-0.033	-1.6806	-1.691
ecf7r703	-0.2363	-0.189	0.0783	0.071	-0.0645	-0.052	-3.0177	-2.652
poor	-0.1893	-0.167	0.0620	0.062	-0.0602	-0.053	-3.0551	-2.702
ecf7r707	-0.1825	-0.209	0.1090	0.109	-0.0325	-0.037	-1.6741	-1.923
ecf7r711	-0.1563	-0.175	0.0488	0.047	-0.0676	-0.076	-3.1998	-3.700
ecf7r710	0.1526	0.113	0.0496	0.049	0.0618	0.046	3.0772	2.325
fair	-0.1375	-0.133	0.0267	0.027	-0.1018	-0.098	-5.1395	-4.992
yb_post_1961	0.1287	NA	0.0818	NA	0.0308	NA	1.5733	NA
ecf7r708	-0.0992	-0.125	0.0550	0.054	-0.0359	-0.045	-1.8037	-2.311
central_air	0.0986	0.092	0.0272	0.027	0.0722	0.067	3.6283	3.411
hot_water	0.0909	NA	0.0555	NA	0.0384	NA	1.6381	NA
near_downtown_10mi	-0.0854	NA	0.0419	NA	-0.0613	NA	-2.0358	NA
fireplace	0.0798	0.067	0.0286	0.028	0.0672	0.056	2.7934	2.395
ln_garagespaces	0.0755	0.064	0.0334	0.034	0.0447	0.038	2.2629	1.911
ecf7r719	0.0746	NA	0.0378	NA	0.0446	NA	1.9735	NA
yb_pre_1929	-0.0670	NA	0.0385	NA	-0.0444	NA	-1.7415	NA
qbelow_avg	-0.0627	NA	0.0261	NA	-0.0584	NA	-2.4059	NA
months_1to16	0.0169	0.017	0.0019	0.002	0.1694	0.172	8.7105	8.849
(intercept)	NA	10.960	NA	0.030	NA	NA	NA	360.689
ln_landratio	NA	0.117	NA	0.064	NA	0.039	NA	1.834
ext_other	NA	-0.113	NA	0.024	NA	-0.105	NA	-4.743
ecf7r724	NA	-0.223	NA	0.107	NA	-0.041	NA	-2.083

Table 10: District 7 | Model III Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
near_downtown_5mi	0.0008	NA	0.9680	NA	1.0330	NA
ecf7r717	0.0000	0.001	0.7631	0.861	1.3104	1.162
ecf7r716	0.0000	0.001	0.9033	0.957	1.1071	1.045
ln_base_bldgsize_ratio	0.0000	0.001	0.4552	0.572	2.1969	1.747
ecf7r715	0.0006	0.001	0.9735	0.976	1.0272	1.024
ecf7r722	0.0007	0.001	0.9082	0.948	1.1010	1.055
ecf7r701	0.0000	0.001	0.6729	0.941	1.4862	1.063
ecf7r723	0.0000	0.001	0.7177	0.795	1.3933	1.257
ecf7r718	0.0000	0.001	0.8782	0.958	1.1387	1.044
ecf7r702	0.0000	0.001	0.5849	0.934	1.7096	1.071
ecf7r721	0.0264	0.077	0.9440	0.958	1.0593	1.044
ecf7r720	0.0955	0.091	0.9733	0.977	1.0274	1.023
wall	0.0930	0.091	0.9802	0.986	1.0202	1.014
ecf7r703	0.0026	0.008	0.8121	0.976	1.2313	1.025
poor	0.0023	0.007	0.9554	0.961	1.0467	1.040
ecf7r707	0.0943	0.055	0.9835	0.985	1.0168	1.015
ecf7r711	0.0014	0.001	0.8300	0.878	1.2048	1.139
ecf7r710	0.0021	0.020	0.9203	0.960	1.0867	1.041
fair	0.0000	0.001	0.9452	0.953	1.0580	1.050
yb_post_1961	0.1158	NA	0.9705	NA	1.0304	NA
ecf7r708	0.0715	0.021	0.9358	0.965	1.0686	1.036
central_air	0.0003	0.001	0.9368	0.950	1.0674	1.052
hot_water	0.1016	NA	0.6759	NA	1.4796	NA
near_downtown_10mi	0.0419	NA	0.4085	NA	2.4479	NA
fireplace	0.0053	0.017	0.6407	0.665	1.5608	1.503
ln_garagespaces	0.0238	0.056	0.9494	0.928	1.0533	1.077
ecf7r719	0.0486	NA	0.7257	NA	1.3781	NA
yb_pre_1929	0.0818	NA	0.5697	NA	1.7555	NA
qbelow_avg	0.0162	NA	0.6298	NA	1.5879	NA
months_1to16	0.0000	0.001	0.9807	0.981	1.0197	1.019
(intercept)	NA	0.001	NA	NA	NA	NA
ln_landratio	NA	0.067	NA	0.811	NA	1.233
ext_other	NA	0.001	NA	0.762	NA	1.312
ecf7r724	NA	0.037	NA	0.962	NA	1.040

District 7 | Model III Beta Coef. Comparison: SPSS vs R



Model IV

Table 11: District 7 | LN-PRICE (Inliers) Model Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1598	25	0.3668	0.4260	0.4170	47.4560
R	1628	1600	28	0.3678	0.4139	0.4037	40.3584
% diff (R vs SPSS)	0.31%	0.13%	12.00%	0.27%	-2.84%	-3.19%	-14.96%

Table 12: District 7 | LN-PRICE (Inliers) Model Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9380	1.1390	0.3130	-0.3640
R	0.9912	1.0690	0.9374	1.1404	0.3190	-0.3789
% diff (R vs SPSS)	-1.57%	0.09%	-0.06%	0.12%	1.92%	-4.09%


Table 13: District 7 | Model IV Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.0494	NA	0.0459	NA	NA	NA	240.4788	NA
ecf7r717	-0.6027	-0.630	0.0790	0.076	-0.1645	-0.171	-7.6261	-8.298
ln_base_bldgsize_ratio	0.4480	0.500	0.0748	0.067	0.2126	0.236	5.9867	7.430
ecf7r701	0.4475	0.516	0.0595	0.053	0.1770	0.198	7.5234	9.805
ecf7r723	0.4432	0.487	0.0839	0.078	0.1272	0.137	5.2803	6.281
ecf7r715	-0.4310	-0.481	0.2638	0.263	-0.0317	-0.035	-1.6341	-1.829
ecf7r716	-0.4072	-0.498	0.1019	0.109	-0.0789	-0.089	-3.9980	-4.583
ecf7r718	-0.3484	-0.379	0.0602	0.058	-0.1199	-0.131	-5.7870	-6.492
ecf7r702	0.3124	0.479	0.0525	0.043	0.1514	0.230	5.9449	11.149
ecf7r703	-0.2493	-0.150	0.0777	0.073	-0.0692	-0.041	-3.2104	-2.066
ecf7r707	-0.2490	NA	0.1407	NA	-0.0342	NA	-1.7697	NA
slab	-0.2290	-0.178	0.0995	0.095	-0.0459	-0.037	-2.3010	-1.866
ecf7r710	0.2209	0.223	0.0462	0.046	0.0997	0.099	4.7840	4.860
two_baths	0.1756	NA	0.0951	NA	0.0453	NA	1.8460	NA
yb_post_1961	0.1673	NA	0.0841	NA	0.0387	NA	1.9887	NA
ecf7r719	0.1466	0.087	0.0352	0.034	0.0991	0.059	4.1704	2.526
near_downtown_10mi	-0.1340	NA	0.0371	NA	-0.1080	NA	-3.6144	NA
ecf7r711	-0.1319	-0.151	0.0435	0.043	-0.0659	-0.075	-3.0285	-3.505
ln_landratio	0.1259	0.204	0.0585	0.058	0.0449	0.072	2.1511	3.515
poor	-0.1239	NA	0.0616	NA	-0.0393	NA	-2.0123	NA
fair	-0.1048	-0.110	0.0245	0.024	-0.0842	-0.088	-4.2778	-4.522
smallest	-0.0993	-0.079	0.0365	0.035	-0.0688	-0.054	-2.7190	-2.244
qbelow_avg	-0.0949	-0.042	0.0237	0.024	-0.0968	-0.042	-3.9979	-1.767
central_air	0.0941	0.079	0.0241	0.024	0.0762	0.063	3.9062	3.277
fireplace	0.0923	0.070	0.0264	0.027	0.0839	0.063	3.4928	2.638
ln_garagespaces	0.0733	0.067	0.0304	0.030	0.0480	0.044	2.4101	2.229
yb_pre_1929	-0.0723	NA	0.0346	NA	-0.0482	NA	-2.0873	NA
ecf7r705	0.0636	0.088	0.0250	0.025	0.0611	0.084	2.5468	3.508
months_1to16	0.0174	0.017	0.0017	0.002	0.1918	0.188	9.9316	9.842
(intercept)	NA	10.952	NA	0.032	NA	NA	NA	340.335
qpoor	NA	0.305	NA	0.167	NA	0.035	NA	1.831
ext_other	NA	-0.147	NA	0.022	NA	-0.149	NA	-6.575
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.706

Table 14: District 7 | Model IV Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r717	0.0000	0.001	0.7873	0.848	1.2702	1.179
ln_base_bldgsize_ratio	0.0000	0.001	0.2905	0.356	3.4427	2.812
ecf7r701	0.0000	0.001	0.6616	0.884	1.5115	1.131
ecf7r723	0.0000	0.001	0.6314	0.759	1.5838	1.318
ecf7r715	0.1024	0.068	0.9735	0.973	1.0272	1.028
ecf7r716	0.0001	0.001	0.9396	0.958	1.0643	1.043
ecf7r718	0.0000	0.001	0.8530	0.885	1.1723	1.130
ecf7r702	0.0000	0.001	0.5645	0.840	1.7714	1.190
ecf7r703	0.0014	0.039	0.7875	0.896	1.2699	1.115
ecf7r707	0.0770	NA	0.9804	NA	1.0200	NA
slab	0.0215	0.062	0.9190	0.935	1.0882	1.069
ecf7r710	0.0000	0.001	0.8438	0.861	1.1851	1.161
two_baths	0.0651	NA	0.6074	NA	1.6463	NA
yb_post_1961	0.0469	NA	0.9679	NA	1.0331	NA
ecf7r719	0.0000	0.012	0.6490	0.664	1.5409	1.507
near_downtown_10mi	0.0003	NA	0.4104	NA	2.4364	NA
ecf7r711	0.0025	0.001	0.7746	0.776	1.2911	1.288
ln_landratio	0.0316	0.001	0.8390	0.864	1.1919	1.157
poor	0.0444	NA	0.9611	NA	1.0405	NA
fair	0.0000	0.001	0.9449	0.950	1.0583	1.052
smallest	0.0066	0.025	0.5713	0.610	1.7504	1.639
qbelow_avg	0.0001	0.077	0.6242	0.632	1.6021	1.583
central_air	0.0001	0.001	0.9622	0.958	1.0393	1.044
fireplace	0.0005	0.008	0.6344	0.626	1.5762	1.596
ln_garagespaces	0.0161	0.026	0.9240	0.929	1.0822	1.077
yb_pre_1929	0.0370	NA	0.6878	NA	1.4539	NA
ecf7r705	0.0110	0.001	0.6358	0.623	1.5729	1.604
months_1to16	0.0000	0.001	0.9818	0.987	1.0185	1.013
(intercept)	NA	0.001	NA	NA	NA	NA
qpoor	NA	0.067	NA	0.970	NA	1.031
ext_other	NA	0.001	NA	0.703	NA	1.422
ecf7r722	NA	0.088	NA	0.983	NA	1.017

District 7 | Model IV Beta Coef. Comparison: SPSS vs R



Model V

Table 15: District 7 | LN-TASP Model I Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	1623	1599	24	0.3667	0.4020	0.3930	44.7940
R	1628	1599	29	0.3680	0.3899	0.3789	35.2431
% diff (R vs SPSS)	0.31%	0.00%	20.83%	0.36%	-3.01%	-3.59%	-21.32%

Table 16: District 7 | LN-TASP Model I Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	1.0070	1.0680	0.9370	1.1400	0.3120	-0.3900
R	0.9867	1.0681	0.9288	1.1499	0.3270	-0.4284
% diff (R vs SPSS)	-2.01%	0.00%	-0.88%	0.87%	4.80%	-9.85%


Table 17: District 7 | Model V Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	11.3156	NA	0.0406	NA	NA	NA	278.8991	NA
ecf7r717	-0.6176	-0.630	0.0796	0.076	-0.1720	-0.174	-7.7632	-8.301
ln_base_bldgsize_ratio	0.5123	0.500	0.0804	0.067	0.2480	0.241	6.3713	7.442
ecf7r701	0.4423	0.516	0.0596	0.053	0.1784	0.202	7.4178	9.815
ecf7r723	0.4269	0.487	0.0843	0.078	0.1249	0.140	5.0620	6.285
ecf7r715	-0.4202	-0.481	0.2639	0.263	-0.0315	-0.036	-1.5919	-1.828
ecf7r716	-0.4054	-0.498	0.1023	0.109	-0.0802	-0.091	-3.9625	-4.585
ecf7r718	-0.3477	-0.379	0.0607	0.058	-0.1221	-0.134	-5.7319	-6.493
ecf7r702	0.3046	0.479	0.0526	0.043	0.1506	0.235	5.7910	11.153
ecf7r707	-0.2628	NA	0.1410	NA	-0.0368	NA	-1.8634	NA
ecf7r703	-0.2543	-0.150	0.0779	0.073	-0.0720	-0.042	-3.2650	-2.069
slab	-0.2347	-0.178	0.0996	0.095	-0.0480	-0.037	-2.3560	-1.866
ecf7r710	0.2058	0.223	0.0469	0.046	0.0947	0.101	4.3895	4.862
two_baths	0.1688	NA	0.0953	NA	0.0445	NA	1.7709	NA
yb_post_1961	0.1645	NA	0.0842	NA	0.0388	NA	1.9544	NA
ecf7r711	-0.1424	-0.151	0.0441	0.043	-0.0725	-0.077	-3.2276	-3.505
ecf7r719	0.1335	0.087	0.0360	0.034	0.0920	0.060	3.7117	2.527
near_downtown_10mi	-0.1318	NA	0.0373	NA	-0.1083	NA	-3.5338	NA
poor	-0.1214	NA	0.0617	NA	-0.0392	NA	-1.9679	NA
ln_landratio	0.1198	0.204	0.0585	0.058	0.0436	0.073	2.0466	3.515
fair	-0.1038	-0.110	0.0246	0.024	-0.0851	-0.090	-4.2262	-4.523
central_air	0.0931	0.079	0.0241	0.024	0.0769	0.065	3.8619	3.279
qbelow_avg	-0.0931	-0.042	0.0240	0.024	-0.0969	-0.043	-3.8842	-1.767
fireplace	0.0927	0.070	0.0265	0.027	0.0860	0.064	3.5039	2.637
smallest	-0.0852	-0.078	0.0371	0.035	-0.0603	-0.056	-2.2971	-2.243
ecf7r708	-0.0799	NA	0.0530	NA	-0.0315	NA	-1.5079	NA
ln_garagespaces	0.0695	0.067	0.0304	0.030	0.0465	0.045	2.2843	2.229
single_family2story	-0.0680	NA	0.0347	NA	-0.0464	NA	-1.9564	NA
yb_pre_1929	-0.0661	NA	0.0350	NA	-0.0449	NA	-1.8888	NA
ecf7r705	0.0543	0.088	0.0260	0.025	0.0532	0.086	2.0907	3.509
(intercept)	NA	11.226	NA	0.026	NA	NA	NA	438.363
qpoor	NA	0.306	NA	0.167	NA	0.036	NA	1.832
ext_other	NA	-0.147	NA	0.022	NA	-0.152	NA	-6.583
ecf7r722	NA	-0.446	NA	0.262	NA	-0.033	NA	-1.705

Table 18: District 7 | Model V Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
ecf7r717	0.0000	0.001	0.7776	0.849	1.2860	1.178
ln_base_bldgsize_ratio	0.0000	0.001	0.2519	0.356	3.9701	2.807
ecf7r701	0.0000	0.001	0.6593	0.885	1.5167	1.130
ecf7r723	0.0000	0.001	0.6263	0.759	1.5967	1.317
ecf7r715	0.1116	0.068	0.9734	0.974	1.0273	1.027
ecf7r716	0.0001	0.001	0.9324	0.958	1.0726	1.043
ecf7r718	0.0000	0.001	0.8413	0.885	1.1886	1.130
ecf7r702	0.0000	0.001	0.5640	0.840	1.7731	1.190
ecf7r707	0.0626	NA	0.9773	NA	1.0232	NA
ecf7r703	0.0011	0.039	0.7842	0.897	1.2752	1.115
slab	0.0186	0.062	0.9182	0.935	1.0891	1.069
ecf7r710	0.0000	0.001	0.8197	0.863	1.2199	1.159
two_baths	0.0768	NA	0.6054	NA	1.6519	NA
yb_post_1961	0.0508	NA	0.9678	NA	1.0332	NA
ecf7r711	0.0013	0.001	0.7556	0.777	1.3235	1.288
ecf7r719	0.0002	0.012	0.6214	0.664	1.6092	1.506
near_downtown_10mi	0.0004	NA	0.4064	NA	2.4606	NA
poor	0.0493	NA	0.9597	NA	1.0420	NA
ln_landratio	0.0409	0.001	0.8407	0.865	1.1894	1.157
fair	0.0000	0.001	0.9411	0.950	1.0625	1.052
central_air	0.0001	0.001	0.9617	0.958	1.0398	1.044
qbelow_avg	0.0001	0.077	0.6125	0.632	1.6327	1.583
fireplace	0.0005	0.008	0.6333	0.627	1.5790	1.594
smallest	0.0217	0.025	0.5542	0.611	1.8043	1.638
ecf7r708	0.1318	NA	0.8760	NA	1.1416	NA
ln_garagespaces	0.0225	0.026	0.9227	0.929	1.0838	1.076
single_family2story	0.0506	NA	0.6777	NA	1.4756	NA
yb_pre_1929	0.0591	NA	0.6753	NA	1.4808	NA
ecf7r705	0.0367	0.001	0.5888	0.623	1.6984	1.604
(intercept)	NA	0.001	NA	NA	NA	NA
qpoor	NA	0.067	NA	0.970	NA	1.031
ext_other	NA	0.001	NA	0.704	NA	1.421
ecf7r722	NA	0.088	NA	0.984	NA	1.016

District 7 | Model V Beta Coef. Comparison: SPSS vs R



Model VI

Table 19: District 7 | LN-TASP Model II Fit Statistics: SPSS vs R

metricsource	df_total	df_resid	df_reg	see	r2	adj_r2	f_stat
SPSS	2483	2452	31	0.4038	0.3920	0.3850	51.0820
R	2664	2631	33	0.4420	0.3394	0.3311	40.9547
% diff (R vs SPSS)	7.29%	7.30%	6.45%	9.46%	-13.42%	-14.00%	-19.83%

Table 20: District 7 | LN-TASP Model II Assessing Statistics: SPSS vs R

metricsource	median_ratio	mean_ratio	wmean_ratio	PRD	COD	PRB
SPSS	0.9970	1.0840	0.9280	1.1680	0.3480	-0.4410
R	0.9473	1.0671	0.8777	1.2157	0.3946	-0.5276
% diff (R vs SPSS)	-4.98%	-1.56%	-5.42%	4.09%	13.38%	-19.63%


Table 21: District 7 | Model VI Coefficient Comparison: SPSS vs R

term	b		Std. Error		Beta		t	
	R	SPSS	R	SPSS	R	SPSS	R	SPSS
(constant)	9.6333	NA	0.1977	NA	NA	NA	48.7331	NA
near_downtown_5mi	-0.6829	NA	0.1235	NA	-0.0914	NA	-5.5282	NA
ecf7r716	-0.4901	-0.529	0.0598	0.063	-0.1410	-0.143	-8.1920	-8.440
elec_baseboard	-0.4819	-0.439	0.2594	0.237	-0.0299	-0.030	-1.8575	-1.850
ecf7r701	0.4578	0.498	0.0612	0.052	0.1410	0.159	7.4754	9.551
ecf7r717	-0.4194	-0.461	0.0598	0.061	-0.1292	-0.138	-7.0158	-7.557
ecf7r723	0.3717	0.367	0.0742	0.075	0.0995	0.092	5.0094	4.926
ecf7r702	0.3530	0.461	0.0533	0.042	0.1338	0.187	6.6200	11.029
ecf7r721	0.3514	0.405	0.1386	0.238	0.0417	0.027	2.5358	1.704
ecf7r720	-0.3459	-0.399	0.1208	0.130	-0.0463	-0.049	-2.8636	-3.063
poor	-0.2719	-0.240	0.0501	0.050	-0.0879	-0.077	-5.4283	-4.771
wall	-0.2527	-0.203	0.0956	0.099	-0.0460	-0.035	-2.6437	-2.052
lnsbldsfint	0.2451	0.259	0.0302	0.029	0.1933	0.209	8.1016	8.969
ecf7r718	-0.2446	-0.281	0.0445	0.043	-0.0961	-0.114	-5.4907	-6.505
two_baths	0.2409	0.249	0.0830	0.084	0.0575	0.055	2.9024	2.958
ecf7r715	-0.2063	NA	0.0951	NA	-0.0353	NA	-2.1687	NA
ecf7r703	-0.2022	-0.138	0.0703	0.066	-0.0508	-0.034	-2.8759	-2.088
ecf7r710	0.1953	0.211	0.0462	0.044	0.0716	0.081	4.2236	4.841
ln_landratio	0.1684	0.219	0.0532	0.051	0.0567	0.075	3.1683	4.267
crawl	0.1481	0.140	0.0704	0.067	0.0368	0.035	2.1028	2.070
fair	-0.1432	-0.138	0.0214	0.020	-0.1100	-0.111	-6.6998	-6.795
ecf7r719	0.1376	0.095	0.0321	0.030	0.0800	0.059	4.2856	3.157
slab	-0.1330	-0.137	0.0784	0.074	-0.0284	-0.030	-1.6964	-1.851
yb_post_1961	0.1140	NA	0.0628	NA	0.0303	NA	1.8143	NA
yb_pre_1929	-0.1106	-0.077	0.0304	0.030	-0.0776	-0.055	-3.6342	-2.605
garage	0.1029	0.104	0.0192	0.018	0.0890	0.096	5.3632	5.748
near_downtown_10mi	-0.0923	NA	0.0352	NA	-0.0623	NA	-2.6222	NA
central_air	0.0886	0.081	0.0246	0.023	0.0588	0.056	3.5968	3.466
qbelow_avg	-0.0868	-0.068	0.0221	0.021	-0.0786	-0.064	-3.9201	-3.220
powder_room	0.0833	0.084	0.0409	0.040	0.0390	0.039	2.0356	2.088
ecf7r711	-0.0806	-0.123	0.0417	0.039	-0.0344	-0.057	-1.9329	-3.189
fireplace	0.0792	0.058	0.0241	0.023	0.0647	0.048	3.2809	2.477
ecf7r705	0.0455	0.072	0.0238	0.023	0.0369	0.062	1.9094	3.186
yb_1930_to_1945	-0.0382	-0.047	0.0213	0.020	-0.0330	-0.043	-1.7932	-2.386
(intercept)	NA	9.540	NA	0.186	NA	NA	NA	51.212
ext_other	NA	-0.131	NA	0.020	NA	-0.126	NA	-6.562
ecf7r724	NA	-0.370	NA	0.076	NA	-0.082	NA	-4.845

Table 22: District 7 | Model VI Coefficient Comparison: SPSS vs R

term	Sig		Tolerance		VIF	
	R	SPSS	R	SPSS	R	SPSS
(constant)	0.0000	NA	NA	NA	NA	NA
near_downtown_5mi	0.0000	NA	0.9194	NA	1.0876	NA
ecf7r716	0.0000	0.001	0.8479	0.862	1.1794	1.159
elec_baseboard	0.0634	0.064	0.9688	0.965	1.0322	1.036
ecf7r701	0.0000	0.001	0.7055	0.892	1.4174	1.121
ecf7r717	0.0000	0.001	0.7404	0.748	1.3506	1.336
ecf7r723	0.0000	0.001	0.6361	0.711	1.5720	1.406
ecf7r702	0.0000	0.001	0.6143	0.860	1.6279	1.163
ecf7r721	0.0113	0.089	0.9287	0.962	1.0768	1.040
ecf7r720	0.0042	0.002	0.9613	0.966	1.0403	1.035
poor	0.0000	0.001	0.9569	0.951	1.0450	1.051
wall	0.0083	0.040	0.8307	0.837	1.2038	1.195
lnsbldsfint	0.0000	0.001	0.4413	0.458	2.2660	2.184
ecf7r718	0.0000	0.001	0.8203	0.809	1.2191	1.236
two_baths	0.0037	0.003	0.6408	0.709	1.5606	1.410
ecf7r715	0.0302	NA	0.9472	NA	1.0557	NA
ecf7r703	0.0041	0.037	0.8055	0.927	1.2415	1.079
ecf7r710	0.0000	0.001	0.8738	0.885	1.1444	1.130
ln_landratio	0.0016	0.001	0.7852	0.792	1.2736	1.262
crawl	0.0356	0.039	0.8189	0.847	1.2212	1.180
fair	0.0000	0.001	0.9316	0.925	1.0734	1.081
ecf7r719	0.0000	0.002	0.7201	0.702	1.3886	1.425
slab	0.0899	0.064	0.8949	0.913	1.1175	1.095
yb_post_1961	0.0697	NA	0.9022	NA	1.1084	NA
yb_pre_1929	0.0003	0.009	0.5509	0.558	1.8152	1.792
garage	0.0000	0.001	0.9117	0.887	1.0968	1.128
near_downtown_10mi	0.0088	NA	0.4442	NA	2.2514	NA
central_air	0.0003	0.001	0.9411	0.942	1.0626	1.062
qbelow_avg	0.0001	0.001	0.6246	0.628	1.6010	1.592
powder_room	0.0419	0.037	0.6848	0.716	1.4602	1.397
ecf7r711	0.0534	0.001	0.7946	0.779	1.2584	1.283
fireplace	0.0010	0.013	0.6462	0.649	1.5475	1.542
ecf7r705	0.0563	0.001	0.6716	0.645	1.4890	1.549
yb_1930_to_1945	0.0731	0.017	0.7395	0.766	1.3523	1.305
(intercept)	NA	0.001	NA	NA	NA	NA
ext_other	NA	0.001	NA	0.676	NA	1.479
ecf7r724	NA	0.001	NA	0.861	NA	1.162

District 7 | Model VI Beta Coef. Comparison: SPSS vs R



Model Comparison

Prediction Testing