

R53 Multiple Assigner DFDs

Leon Starr

2025-10-18/ v1.4



Copyright © 2025, Leon Starr at

MODEL INTEGRATION, LLC


A23

NO TRANSFER
// Waiting for service request

No actions

A25

Added Tint/Color attributes to test setting of explicit and default scalar attribute values




```
state Search for new destination
activity
    // The Cabin in this Shaft is stationary and has no Transfer
    cabin in shaft .:= /R2/Cabin
    destination aslev .:= cabin in shaft.Ping both ways()
    destination aslev? {
        Execute -> *Transfer(Tint: _dark) &R53 cabin in shaft, destination aslev
        Transfer created -> me
    } : No destination -> me
```

A25

Search for new destination

// The Cabin in this Shaft is stationary and has no Transfer
cabin in shaft . = /R2/Cabin
destination aslev . = cabin in shaft.Ping both ways()
destination aslev? {
 Execute -> *Transfer &R53 cabin in shaft, destination aslev
 Transfer created -> me
} : No destination -> me



Search for alternate destination

A27

1

2

3

activity

```
cabin in shaft . = /R2/Cabin
fwd = cabin in shaft.Travel direction
xfer . = cabin in shaft/R53/Transfer
call in progress . = xfer/R53/Accessible Shaft Level/R49/Floor Service( Direction: fwd )
```

```
5 fwd dest .= cabin in shaft.Ping( dir: fwd )
```

```
6 fwd dest? dest aslev .= fwd dest :
```

```
!call in progress? {
```

```
// Search opposi
```

```
rev = fwd.opposite
```

```
rev dest .= cabin in shaft.Ping( dir: rev )
```

```
rev dest? cabin in shaft.Travel direction = rev
```

```
dest aslv = rev dest
```

1

```
7 dest aslev? {
```

```
dest floor = dest aslev.Floor
```

```
dest floor != xfer.Destination floor?
```

```
Dest change request( new dest: dest floor ) -> xfer
```

}

8 Dest change evaluated -> me



3

