R53 Multiple Assigner DFDs

Leon Starr
2025-12-29/ v1.5

Copyright © 2025-2026, Leon Starr at
MODEL INTEGRATION, LLC

A21

No actions

Copyright © 2025-2026, Leon Starr at Model Integration, LLC

A21

Added Tint/Color attributes to test setting of explicit and default scalar attribute values




```
state Search for new destination
activity
    // The Cabin in this Shaft is stationary and has no Transfer
    cabin in shaft .= /R2/Cabin
    destination aslev .= cabin in shaft.Ping both ways()
    destination aslev? {
        Execute -> *Transfer(Tint: _dark) &R53 cabin in shaft, destination aslev
        Transfer created -> me
    } : No destination -> me
```

Copyright © 2025-2026, Leon Starr at Model Integration, LLC

Search for alternate destination




```
activity
    cabin in shaft .= /R2/Cabin
    fwd = cabin in shaft.Travel direction
    xfer .= cabin in shaft/R53/Transfer
    call in progress .= xfer/R53/Accessible Shaft Level/R49/Floor Service( Direction: fwd )

5 fwd dest .= cabin in shaft.Ping( dir: fwd )
6 fwd dest? dest aslev .= fwd dest :
        !call in progress? {
            // Search opposite the travel direction only if not servicing
            // a floor request in the current direction
            rev = fwd.opposite
            rev dest .= cabin in shaft.Ping( dir: rev )
            rev dest? cabin in shaft.Travel direction = rev
            // may be empty
            dest aslev .= rev dest
        }

7 dest aslev? {
        dest floor = dest aslev.Floor
        dest floor != xfer.Destination floor?
            Dest change request( new dest: dest floor ) -> xfer
    }

8 Dest change evaluated -> me
```





Copyright © 2025-2026, Leon Starr at Model Integration, LLC