

NORTH ATLANTIC TREATY ORGANIZATION

NATO STANDARDIZATION AGENCY (NSA)

CHANGE 1 TO ALP-4.1 SUPP 1

**NATO STANDARD OPERATING PROCEDURES FOR THE OPERATION OF
ADVANCED AND FORWARD LOGISTIC SITES**

May 2005

1. Change 1 to ALP-4.1 SUPP 1 is a NATO UNCLASSIFIED/PfP document. It shall be transported, stored and safeguarded in accordance with agreed security regulation, until entered in the basic AP.
2. Change 1 to ALP-4.1 SUPP 1 is effective on receipt.
3. The following pages are contained in this change:
 - a. NATO Cover Sheet for Change 1: Pages 1 of 2 and 2 of 2
 - b. Pages to be entered in the basic AP: I, II, V thru XII, 4G1 thru 4G4, LEP-1, LEP-2.
4. Prior to making the change verify the attached pages against the list at paragraph 3.
5. Insert the new pages and destroy the superseded ones in accordance with the local procedures for the destruction of documents.
6. Check the List of Effective Pages (LEP).
7. Amend the Record of Changes page to reflect the latest status of ALP-4.1 SUPP 1.

INTENTIONALLY BLANK

ALP-4.1 SUPP 1

NATO STANDARD OPERATING PROCEDURES FOR THE OPERATION OF ADVANCED AND FORWARD LOGISTIC SITES

The information contained in this document shall not be released to a nation outside NATO without following procedures contained in C-M(2002)60.

MAY BE CARRIED IN MILITARY AIRCRAFT

APRIL 2001

INTENTIONALLY BLANK

NORTH ATLANTIC TREATY ORGANISATION
MILITARY AGENCY FOR STANDARDISATION (MAS)

NATO LETTER OF PROMULGATION

April 2001

1. **ALP-4.1 SUPP 1 - NATO STANDARD OPERATING PROCEDURES FOR THE OPERATION OF ADVANCED AND FORWARD LOGISTIC SITES** is a NATO/PfP **UNCLASSIFIED** publication. The agreement of nations to use this publication is recorded in STANAG 1446
2. ALP-4.1 SUPP 1 is effective upon receipt.



Jan H ERIKSEN
Rear Admiral, NONA
Chairman, MAS

INTENTIONALLY BLANK

RECORD OF RESERVATIONS

CHAPTER	RECORD OF RESERVATIONS BY NATION
1	NONE
2	NONE
3	NONE
4	ROU
5	NONE
6	NONE
7	NONE
8	NONE

[illegible]



Issued April 2001

Superseding

Dated

ALP-4.1 SUPP 1

NATO

STANDARD OPERATING PROCEDURES FOR THE OPERATION OF ADVANCED AND FORWARD LOGISTIC SITES

THIS DOCUMENT IS THE PROPERTY OF HER BRITANNIC MAJESTY'S GOVERNMENT, and is issued for the information of such persons only as need to know its contents in the course of their official duties. Any person finding this document should hand it to a British Forces unit or to a police station for its safe return to the MINISTRY OF DEFENCE, D Def Sy, Main Building, Whitehall, LONDON SW1A 2HB, with particulars of how and where found. THE UNAUTHORISED RETENTION OR DESTRUCTION OF THE DOCUMENT IS AN OFFENCE UNDER THE OFFICIAL SECRETS ACTS OF 1911-1989. (When released to persons outside government service, this document is issued on a personal basis and the recipient to whom it is entrusted in confidence, within the provisions of the Official Secrets Acts 1911-1989, is personally responsible for its safe custody and for seeing that its contents are disclosed only to authorized persons).

By Command of the Defence Council

NATO NATIONS

Each nation should replace this page with its own national letter of
promulgation

COMMANDER IN CHIEF FLEET

INTENTIONALLY BLANK

NATO/PfP UNCLASSIFIED

ALP-4.1 SUPP 1

RECORDS OF CHANGES

[illegible]

NATO/PfP UNCLASSIFIED

ALP-4.1 SUPP 1

RECORDS OF CHANGES

[illegible]

X

CHANGE 1

NATO/PfP UNCLASSIFIED

TABLE OF CONTENTS

Page No.

CHAPTER 1 - GENERAL / BACKGROUND / CONCEPT OF OPERATIONS

0101.	General	1-1
0102.	Background	1-1
0103.	Definitions	1-1
0104.	Concept of ALSS/FLS Operations	1-2

ANNEX 1A - REFERENCES

CHAPTER 2 - COMMAND RELATIONSHIPS, ORGANIZATION AND RESPONSIBILITIES

0201.	Command Relationships	2-1
0202.	ALSS/FLS Organisation	2-2
0203.	ALSS/FLS Structure	2-2
0204.	Responsibilities	2-3
0205.	The ALSS/FLS Commander	2-3
0206.	The Deputy Commander	2-4
0207.	The Logistics Operations Cell	2-4
0208.	The Cargo Detachment	2-4
0209.	The Communications Detachment	2-4
0210.	The Air Co-ordination Cell	2-5
0211.	Intra-theatre Airlift Detachment	2-5
0212.	Vertical Onboard Delivery Detachment	2-5
0213.	Administration Cell	2-5
0214.	Medical Support Detachment /Medical Facility	2-5

ANNEX 2A - DRAFT TERMS OF REFERENCE FOR ALSS/FLS COMMANDER

ANNEX 2B - DRAFT TERMS OF REFERENCE FOR ALSS/FLS DEPUTY COMMANDER

ANNEX 2C - DRAFT TERMS OF REFERENCE FOR LOGISTIC OPERATIONS OFFICER (WATCH LEADER)

ANNEX 2D - DRAFT TERMS OF REFERENCE FOR AIR OPERATIONS OFFICER

CHAPTER 3 - PLANNING

0301.	General	3-1
0302.	Planning Responsibilities	3-1
0303.	Selection of the ALSS/FLS	3-1
0304.	FLS Remote Detachment	3-2
0305.	Infrastructure	3-2
0306.	Host Nation Support (HNS)	3-2
0307.	Engineering Support Plan	3-3

ANNEX 3A - SITE SURVEY CHECK LIST

CHAPTER 4 - ESTABLISHING/ACTIVATION OF ALSS/FLS SITES

0401.	Introduction	4-1
0402.	Communications Requirements	4-1
0403.	Equipment Requirements	4-1
0404.	Manning Requirements	4-1
0405.	ALSS/FLS Activation Signal	4-2
0406.	ALSS/FLS Administration Signal	4-2
0407.	Medical Precautions	4-2
0408.	Background Reading	4-2
0409.	Pre-Joining Training	4-2
0410.	Joining Arrangements	4-2
0411.	Briefing of ALSS/FLS Commander	4-3
0412.	ALSS/FLS Routines	4-3
0413.	Liaison With Local Authorities	4-3
0414.	Liaison With Other In-Theatre Organisations	4-4

ANNEX 4A - COMMUNICATIONS OPTIONS

ANNEX 4B - EQUIPMENT CHECK LIST

ANNEX 4C - FLS ACTIVATION SIGNAL TEMPLATE

ANNEX 4D - ALSS/FLS CDR CHECK LIST FOR FIRST FEW DAYS

ANNEX 4E - EXAMPLE OF FLS DAILY ROUTINE

ANNEX 4F - STATEBOARD EXAMPLES

ANNEX 4G - ESTABLISHING HELICOPTER FACILITIES

CHAPTER 5 - OPERATIONAL PROCEDURES

0501.	General	5-1
0502.	Liaison	5-1
0503.	Liaison with FLC and GLC	5-1
0504.	Liaison Between ALSS and FLS	5-2
0505.	Liaison With MNLC	5-2
0506.	Passengers, Mail, Cargo (PMC)	5-2
0507.	Prioritizing the movement of PMC	5-3
0508.	Passengers	5-4
0509.	Mail	5-4
0510.	Mail Routing Instructions (MRI)	5-5
0511.	Mail Handling Procedures	5-5
0512.	Cargo	5-6
0513.	Hazardous Material (HAZMAT)	5-6
0514.	Special Handling	5-6
0515.	Air Operations	5-6

0516. Flight Operations	5-6
0517. Passenger Service	5-7
0518. Sea Port Operations	5-8

ANNEX 5A - EXAMPLE OF FLS DAILY REPORT

ANNEX 5B - AIR LOAD MANIFEST (NON DANGEROUS CARGO)

ANNEX 5C - AIR LOAD MANIFEST (DANGEROUS CARGO)

ANNEX 5D - AIR LOAD MANIFEST (PASSENGER)

ANNEX 5E - GUIDELINES FOR CARGO HANDLING

5E01. Guidelines for Cargo Handling	5E-1
---	------

ANNEX 5F - GUIDE LINES FOR HEAVY LIFT AIRCRAFT LOADING

5F01. Heavy Lift Aircraft Loads	5F-1
5F02. Aircraft Load Master	5F-1
5F03. Classification of Dangerous Air Cargo.	5F-1

ANNEX 5G - CHECK LIST FOR WORKING WITH HELICOPTERS

5G01. Aircraft Hazards	5G-1
5G02. Foreign Object Damage	5G-1
5G03. Vertical Replenishment (VERTREP) and Trabsfers	5G-1
5G04. Aircraft Emergencies	5G-1

**ANNEX 5H - OPERATING HELICOPTERS TAKEN UP FROM TRADE/CHARTER
HELICOPTERS. HTUFT FLYING PROGRAMME PLANNING**

5H01. Aircrew Hours	5H-1
5H02. GLC	5H-2
5H03. Further Considerations	5H-2
5H04. Briefing the Aircraft Captain	5H-2

ANNEX 5I - CHECK LIST FOR HELICOPTER PASSENGERS

5I01. Entering and Leaving the Helicopter	5I-1
5I02. Briefing of Cabin Passengers	5I-1

CHAPTER 6 - ADMINISTRATION

0601. Introduction	6-1
0602. ALSS/FLS Administration Signal	6-1
0603. Personnel Records	6-1
0604. Financial Arrangements	6-1

Page No.

0605.	Personal Financial Arrangements	6-1
0606.	Accommodation	6-2
0607.	Domestic Arrangements	6-2
0608.	Transport	6-2
0609.	Mail	6-2
0610.	Security	6-2
0611.	Customs	6-2
0612.	Personnel Reports	6-3
0613.	Casualty Notification	6-3
0614.	Compassionate Cases/Emergency Leave	6-3
0615.	Medical	6-3
0616.	Check List	6-3

ANNEX 6A - ALSS/FLS ADMINISTRATION SIGNAL TEMPLATE

APPENDIX 6A-1 - KIT LIST CONSIDERATIONS

ANNEX 6B - CHECK LIST FOR ADMINISTRATION OFFICER

CHAPTER 7 DEACTIVATION/RELOCATION OF SITE

0701.	General	7-1
0702.	Site Redeployment Team	7-1
0703.	Duties and Responsibilities	7-1
0704.	ALSS/FLS Commander	7-2
0705.	Logistics Operations Officer	7-2
0706.	Airport Operations	7-2
0707.	Sea Port Operations	7-2
0708.	Warehouse and Transshipment Operations	7-2
0709.	Engineering Support	7-2
0710.	Administrative Officer	7-3
0711.	Medical Support Officer	7-3
0712.	Communications Officer	7-3
0713.	Reporting Requirements	7-3

ANNEX 7A - ALSS/FLS DEACTIVATION MESSAGE TEMPLATE

ANNEX 7B - ALSS/FLS DEACTIVATION AND RELOCATION MESSAGE TEMPLATE

CHAPTER 8 REPORTING REQUIREMENTS/COMMUNICATION

0801.	Standing Reports	8-1
0802.	Communications	8-1

List of Effective Pages

CHAPTER 1

**GENERAL / BACKGROUND / CONCEPT OF
OPERATIONS****0101. General**

This document provides guidance on the setting up, organisation and operation of an Advanced Logistic Support Site (ALSS) / Forward Logistic Site (FLS) within a Multi-National Logistics Command (MNLC) organisation. The document is for the general guidance of the ALSS/FLS Commander and his staff and does not supersede guidance or instructions laid down in other NATO or National publications. It is stressed that the structures, manning and procedures detailed in the following chapters are not mandatory, since the actual composition of the ALSS/FLSs will depend entirely on the size of the operation/exercise and will be determined during the planning phase. Flexibility combined with the use of minimum resources commensurate with ensuring the success of the mission and maximum co-operation between all nations involved is essential.

0102. Background

Dwindling national resources and a drive by all Nations for economies to be made in Defence expenditure have lead to the development of co-operative logistics within NATO to ensure that all member countries benefit from sharing resources wherever possible. The concepts and principals of NATO Multi-National Logistics are laid down in the References listed at Annex 1A and should, where possible, be read by the ALSS/FLS Commander before taking up his/her Command.

0103. Definitions

a. Advanced Logistic Support Sites (ALSS). An ALSS is an expeditionary logistic support organization that is task organized to facilitate the delivery of shore-based logistic support to forces, primarily afloat but also ashore. It is the primary entry and departure point for passengers, mail and cargo (PMC) moving within an operating area. The ALSS is normally established at or near a secure airfield or seaport not in close proximity to the operating forces. The ALSS acts as the hub of a "hub and spoke" distribution network that includes FLSs as spokes. An ALSS should also possess the requisite medical capability to accept battle casualties and to hold such casualties until they can be returned to duty or evacuated by national medical evacuation systems. Besides maritime forces afloat, the ALSS is also capable of supporting special warfare units, shore-based aviation units, medical facilities, mine counter measure (MCM) units and other shore based maritime organizations. ALSS staffing and equipment is made up from a combination of member military forces, Host Nation Support (HNS) and contracted support. The ALSS normally moves critical passengers, mail, and cargo (PMC) to and from its FLSs, using intra-theatre airlift or ground transport. PMC may also be delivered direct to the MNMF from the ALSS where feasible.

b. Forward Logistic Sites (FLS). An FLS is the forward-most shore-based transshipment point that provides the bridge between an ALSS and forward-deployed maritime forces. An FLS is typically established at an airfield or seaport that is close to the main battle area. Like the ALSS, the FLS is task organized and staffed with functional capabilities derived from member nation military and host nation sources. Support to maritime forces afloat is normally forwarded from the FLS via vertical on-board delivery (VOD) helicopters. The FLS organization must remain flexible and agile as it may be called upon to relocate as the operation area and supported forces afloat change. While the range of support offered by an FLS is normally less than that offered by an ALSS, its capabilities can range from very austere to near those of an ALSS, including a supporting seaport.

0104. Concept of ALSS/FLS Operations

1. The principles and policies of NATO establish logistics support as a collective responsibility, effected by the co-operation of the nations and the transfer of sufficient authority over logistics resources to enable effective employment and sustainment of forces. Implicit in this is an understanding that transfer of authority, or even transfer of support, is voluntary and may be prevented or limited by national laws and interests. Nations are not required to use the multinational logistics organisation to effect distribution; they may choose to rely solely on national channels if available. In any case, provision of materiel support is a national responsibility and supply items are requisitioned through national channels. For nations utilizing the multinational distribution channel, delivery to the ALSS remains a national responsibility. National supply systems inform the MNLC of all passengers, mail, and cargo (PMC) en route and assign NATO Tracking Control Numbers to all cargo. This facilitates management and coordination of the NATO distribution system. Once forces or materiel reach the ALSS/FLS, receipt, staging, and onward movement are the responsibility of the MNLC organization. Specific reporting requirements at the ALSS and FLS, and within the maritime forces, ensure accurate tracking of shipments.

2. Maritime forces and materiel arriving at the ALSS for transshipment flow into a NATO theatre distribution system that conducts operational logistics ashore and afloat and is responsible for the reception, staging, and onward movement of logistics support. Reception is the receiving of and accounting for components of force and sustainment in theatre. It occurs at the ALSS. An important part of the reception process is the automatic or manual reporting of receipt that updates asset visibility for the MNLC and the FLC/GLC. Staging involves the assembly of personnel, equipment, and supplies and preparation for onward movement. For maritime shore-based forces this entails "marrying up" with unit equipment and task organization of forces for projected employment. For sustainment of supplies and materiel, it may simply mean putting received items of supply in the right place so they will be forwarded to the appropriate end user. Onward movement is the in-theatre movement of forces and supplies toward their final destination.

3. As available seaports and airports may not be in the immediate proximity, an ALSS can involve a relatively large area. An ALSS normally possesses the capabilities to receive, store, consolidate and transfer the full range of required support for forward-deployed maritime forces. The ALSS also ensures continued visibility of shipments and transient personnel through on-hand and movement data. By definition, the ALSS is located in the theatre, but the unique flexibility of maritime forces is such that this definition can readily yield to operational requirements. Under expeditionary circumstances, an ALSS is stood up at military or civilian sites using a mix of active and reserve forces augmented by contract and host nation support. These forces and support cover required logistics functions, as well as administration and support of the ALSS itself.

4. Onward movement from the ALSS may be via military or contracted commercial providers of theatre airlift, shuttle ships, ground transportation or carrier onboard delivery (COD)/vertical onboard delivery (VOD). Additionally, supported forces may pick up their own shipments from the site, utilizing their organic helicopters or vehicles, or docking at the site. This movement is directed toward the next transshipment point or to the end user.

5. The final transshipment point ashore in theatre is the Forward Logistics Site (FLS). An FLS is usually closer to the operating forces than the ALSS and capabilities may range from very minimal to nearly as capable as an ALSS. The FLS is task organised, based on established and anticipated support requirements. FLSs normally include both a seaport and airport, but may be established with only one or the other where appropriate to the support requirement or site availability. While most logistics flow is from the ALSS to the FLS (and back); FLSs may receive direct shipments from national logistics systems when appropriate. Also, movement of the supported force can necessitate transfer of PMC from one FLS to another for final delivery. FLSs are expeditionary and are established, moved, and disestablished readily in response to movement of the supported forces. An FLS is maintained in operation as long as the supported forces need it. Onward movement from the FLS is by local delivery, shuttle ship, customer pickup or COD/VOD.

6. VOD aircraft offer the primary option for direct delivery of high priority PMC from the FLS or ALSS. VOD utilizes military or commercial helicopters capable of operating to and from ships at sea, with proper aircraft and crew certification and standardization of procedures. COD aircraft can also provide direct links from the closest FLS or ALSS to aircraft carriers at sea. COD is usually reserved for the highest priority passengers, mail, and cargo (PMC); weight, size and cube are strictly limited on COD aircraft, so both the volume and nature of support via COD is very restricted. Further, both VOD and COD flights compete with other air operations and battle group manoeuvre for limited delivery opportunities. COD/VOD flights can often be cancelled due to offensive and defensive operations or training, weather conditions or other more urgent requirements of the maritime force. The logistician must be aware of the specific capacities of available COD/VOD aircraft; military and commercial aircraft may vary widely in their dimensional, range, or weight restrictions. VOD aircraft normally have much lower range and speed than COD aircraft, but may be more flexible in the loads carried; range limitations of COD/VOD aircraft are driving forces in the placement of FLSs.

7. Since the ALSS/FLS mission is logistical in nature it does not generally operate in hostile fire zones. However, commanders finding it necessary to locate FLS operations in such areas are responsible for providing the necessary security measures for FLS personnel and equipment.

INTENTIONALLY BLANK

ANNEX 1A

REFERENCES

- A. MC 319/2
- B. AJP 4
- C. BI-MNC OPDIR (MNLC)
- D. BI-MNC FUNCTIONAL PLANNING GUIDE (LOGISTICS)
- E. ALP 4.1
- F. AD 85-8 (ACE Medical Support Principles, Policies and Planning Parameters)

INTENTIONALLY BLANK

CHAPTER 2

COMMAND RELATIONSHIPS, ORGANIZATION AND RESPONSIBILITIES

0201. Command Relationships

It is important that the ALSS/FLS Commander and his staff understand the Command relationships with which they are involved, both afloat and ashore. In particular, they need to be aware of the interface between these two organizations. General guidance is laid down in Chapters 2 and 3 of ALP 4.1, a copy of which should be held in the ALSS/FLS. However, it is recognised that logistic requirements will be tailored to meet specific operations and the actual Command structures for a particular operation will be detailed in the Operation Order and should be studied carefully. For ease of reference the Logistic Command organizations are shown below:




Figure 2-1. MNMF Afloat Logistic Support Organisation




Figure 2-2. MNLC Ashore Logistic Support Organization




Figure 2-3. Multinational Logistic Organization Command Relationships

0202. ALSS/FLS Organisation

The structure and organization of Advanced and Forward Logistic Sites will vary according to the size of the Maritime operation. Whilst the following paragraphs lay down the requirements for a major operation, it is stressed that in reality, the organization and structure should be tailored to meet the minimum requirements commensurate with accomplishing the mission. In essence, the structure of both the ALSS and the FLS are the same. However, since the ALSS acts, in part, as the hub of a “hub and spoke” distribution network that includes FLSs as the spokes, the ALSS is generally larger and can provide enhanced services through greater operational capability in comparison with the FLS.

0203. ALSS/FLS Structure

The following diagram shows the possible structure for a fully manned ALSS




Figure 2-4.

Notes:

1. An ALSS should be capable of handling Echelon 3/4 medical cases whereas a FLS is only required to handle Echelon 2/3.
2. Applies to an ALSS only
3. Only required if a suitable fixed installation is not available
4. Only if required.

0204. Responsibilities

The following paragraphs outline the responsibilities of the various sections of the ALSS/FLS.

0205. The ALSS/FLS Commander

The ALSS or FLS Commander is responsible for all logistic assets at his site under NATO OPCON and not otherwise under the direct control of the MNLC. He/she is also responsible for the allocation of responsibilities to the available manpower, identifying the locations for each sub group and co-ordinating their actions in order to provide the best possible service to units. Draft Terms of Reference (TOR) are at Annex 2A, which will need to be amended to reflect the operational situation. Principal tasks are to ensure:

- a. Receipt, safe and secure stowage and on-move of all Mail and Cargo as directed by the MNLC.
- b. Reception, accommodation (if required) and on-move, as directed by the MNLC, of all personnel, including casualties.
- c. Monitoring and recording of all PMC that passes through the ALSS/FLS.

- d. Submission of the ALSS/FLS LOGASSESSREP as directed by the OPTASKLOG MNLC.
- e. Co-ordination with the FLC/GLC and input to the Air Tasking Order (via MNLC) for air assets under his control.

0206. The Deputy Commander

In the event of the absence of the Commander, the Deputy Commander, if appointed, will take over the Commander's responsibilities. He/she is also responsible to the Commander for the administration, management and security of the site on a day to day basis. Draft TOR are at Annex 2B.

0207. The Logistics Operations Cell

This cell will be the lead cell in the ALSS/FLS organisation. It is responsible for liaising with the staffs of the MNLC, other ALSS/FLSs and the cells within the ALSS/FLS in order to achieve a comprehensive picture of all PMC destined for the ALSS/ FLS and subsequent onward movement to units. The Cell should also have access to the up to date Recognised Maritime Picture (RMP) and advise the air co-ordination cell of anticipated and actual movement requirements. In addition, the Cell will:

- a. Co-ordinate the return movement of PMC landed from units and advise the administrative section of anticipated and actual accommodation requirements for transit personnel.
- b. Draft the daily LOGASSESSREP signal on behalf of the ALSS/FLS Commander.
- c. Supervise the Communications and Cargo Detachments.
- d. Liaise with the MNLC in relation to the movement of Shuttle Tankers under MNLC Opcon (ALSS only)

Draft TOR for the Logistics Operations Officer are at Annex 2C.

0208. The Cargo Detachment

The CARGO Det is to ensure the safe receipt, holding and loading of all cargo passing through the FLS. It is to keep the Logistics Operations cell informed of all cargo held, the destination, weight and dimensions. Security, item location and safe loading are key considerations. Guidelines for cargo handling, heavy airlift aircraft (C 130, C5 etc) loading, working with helicopters and dangerous air cargo are at the Annexes of Chapter 5.

0209. The Communications Detachment

The COMM Det will provide the necessary connectivity and will support personnel to communicate with all elements of the multinational force, to include ships and aircraft dedicated for logistic operations. The specific communications requirements will be determined based on site location and the availability of communication assets at that site.

0210. The Air Co-ordination Cell

The Air Co-ordination Cell will be run by the Air Operations Officer, who is responsible for co-ordinating the tasks of the VOD Detachment and the ITAL Detachment, producing the air tasking schedule and liaising with the airfield authorities. Close liaison must also be maintained with the Logistics Operations Cell, other ALSS/FLSSs, afloat units (FLC/GLC) and the MNLC staff in order to co-ordinate air movements. The Air Co-ordination Cell will also liaise closely with the FLC/GLC regarding the use of COD aircraft, which remain under the command and control of the MNMF Commander. Flight safety and the deconfliction of air movements are key aspects of the cell's responsibilities. Close liaison with afloat units (FLC/GLC) immediately prior to helicopter deliveries is vital. Draft TOR for the Air Operations Officer are at Annex 2D.

0211. Intra-theatre Airlift Detachment

The ITAL Det will include the requisite air crew, maintenance support personnel and maintenance and support equipment to facilitate assigned intra-theatre aircraft. These will consist of fixed wing aircraft capable of conducting air cargo operations, including ammunition transfer between airfields within the theatre of operations. The notional standard is the C-130 Hercules or equivalent. However, this does not rule out the use of wide bodied heavy lift aircraft such as the C5. Assigned aircraft may be either organic military or chartered aircraft. The ITAL Det is normally only established in an ALSS.

0212. Vertical Onboard Delivery Detachment

The VOD Det will consist of helicopters, requisite air crew and aircraft maintenance support personnel with maintenance equipment to support assigned aircraft. VOD Det aircraft may be either military helicopters or equivalent commercial Helicopters Taken Up From Trade (HTUFT). Helicopters will be capable of internal or external cargo lift from the ALSS or FLS to ships at sea and return. Minimum capabilities include a shore-to-ship range of 150 NM and a payload of 1400Kg. More than one Nation may offer support to augment detachment requirements, therefore national contributions to ALSS or FLS VOD Det will be agreed by the NATO Military Authorities and nations during the planning phase of the operation.

0213. Administration Cell

The Admin Cell is responsible for co-ordinating messing, berthing, internal mail, transport, security, documentation, contract cleaning (including weekends) and other administrative services for personnel assigned to the site and transient personnel, for whom messing and berthing may be required at short notice, 24 hours a day. The staff are to maintain appropriate records and documentation for all PMC moved through the ALSS or FLS including the provision of administrative assistance to the Medical Cell for the handling of CASEVAC/MEDEVAC cases. Arrangements for the receipt and exchange of Foreign Currencies should also be considered.

0214. Medical Support Detachment /Medical Facility

a. Medical Support Detachments. The MEDSUP Det will include a Medical Officer in charge, who will be the medical adviser to ALSS/FLS Commander, with appropriate staff. The basic MEDSUP Det module will be capable of:

- (1) The control, handling and administration of the evacuation of 100 casualties to/from the site per day.
- (2) Acting as a Sickbay for site personnel.

b. ALSS Medical Facility (MED FAC). This is an echelon 3/4 facility which will accept, treat, and hold for further evacuation those casualties evacuated from an FLS or directly from afloat. This facility will normally be a civilian hospital used under a HNS agreement. If local facilities are insufficient or do not exist, sending nations will be requested to provide the necessary facility. In order to allow nations to report their capability to meet this requirement, the facility will be modular based and nation's capability will be reported as multiples of the module. The basic module is:

- (1) One surgeon + one anaesthetist and supporting staff.
- (2) About 25 beds.
- (3) Medical stores to treat 100 casualties.

c. FLS Medical Facility. This is an echelon 2 or 3 facility which will accept, treat and hold for further evacuation those casualties evacuated from afloat. This facility will normally be a civilian facility used under a HNS agreement. If local facilities are insufficient or do not exist, sending Nations will be required to provide the necessary facility. In order to allow nations to report their capability to meet this requirement, the facility will be modular based and nation's capability will be reported as multiples of the module as with the ALSS.

ANNEX 2A

**DRAFT TERMS OF REFERENCE FOR
ALSS/FLS COMMANDER**

PREAMBLE

1. The ALSS/FLS Commander will require a thorough knowledge of NATO Logistics and must be conversant with in theatre Maritime, Land and Air organisations. He/she will normally be an Officer of the Supply / Logistics specialisation with sea experience and, ideally, with previous field logistics experience. The Commander's post should ideally be filled by an officer from the nation hosting the ALSS/FLS.

PRIMARY PURPOSES

2. To establish and operate an ALSS/FLS.
3. To deliver to in-area units, either directly or in the case of an ALSS Commander, via FLS(s), all logistic support required from local facilities or received from other sources. To receive and on-move PMC as required from units.

SECONDARY PURPOSES

4. To provide higher logistic commands with up to date details on in-area operations.
5. To monitor the efficiency of the ALSS/FLS location.
6. To establish sub FLS units or request relocation as required.(FLS Commander only)

SUPERIORS

7. Unless otherwise directed, the ALSS/FLS Commander will be directly responsible to the MNLC or where appropriate the MJLC. The activation signal will detail the chain of command.

AUTHORITY

8. The ALSS/FLS Commander is authorised to co-ordinate directly with the MNLC, FLC, GLC and individual in area units.
9. They are authorised to co-ordinate directly with all other logistics sites.
10. They are authorised to co-ordinate directly with all local authorities and military units as required to facilitate the functioning of the ALSS/FLS.
11. They are authorised to hold Public Funds and to pay and receive public money as required in the discharge of duties, in accordance with the financial guidelines laid down in the ALSS/FLS Activation signal.

ORGANISATION

12. The organisation of the logistics support structure will vary depending upon:
 - a. Location of ALSS/FLS in relation to other in theatre logistics units/commanders.

- b. NATO/WEU/UN or other combined operation.
- c. Command and Control structure for military forces.

13. As stated in paragraph 7 above the actual organisation structure will be laid out in the ALSS/FLS activation signals.

14.

MNLC/MJLC

FLC

GLC GLC

SHIPS MCMV TG/FSU*

* Mine Counter Measure Vessels Task Group/Forward Support Units

PRINCIPAL TASKS

- 15. Establish ALSS/FLS organisation as required with available manpower.
- 16. Liaise with MNLC/MJLC to organise prompt onward movement of PMC to military units.
- 17. Co-ordinate delivery and collection of PMC with the ALSS/FLS(s).
- 18. Recommend the helicopter tasking schedule for FLS helicopter asset to the MNLC.
- 19. Co-ordinate reception and onward movement of PMC from military units to required destination.
- 20. Identify contingency plans for the reception, stabilisation and evacuation of casualties received from afloat.
- 21. Obtain and keep track of the recognised maritime/in area military picture from the MNLC.
- 22. Track all PMC passing through the ALSS/FLS.
- 23. Establish contingency plans for local berthing and repair requirements.
- 24. Liaise with other logistic units including any national support elements within the ALSS/FLS area to co-ordinate support facilities.
- 25. Co-ordinate supply chain to/from in-area MCMV Forward Support Units.
- 26. Liaise with local authorities to ensure unhindered operation of the ALSS/FLS and access to support facilities as required.
- 27. Ensure that the welfare of personnel under his command is catered for.
- 28. Delegate authority for the handling of and accounting for public money.
- 29. Supervise security of personnel, equipment, cash and documentation.

ANNEX 2B

**DRAFT TERMS OF REFERENCE FOR
ALSS/FLS DEPUTY COMMANDER**

PREAMBLE

1. The ALSS/FLS Deputy Commander will require a thorough knowledge of NATO Logistics and must be conversant with in theatre Maritime, Land and Air organisations. He/she will normally be an Officer of the Executive/Engineering specialisation with sea experience and, ideally, with previous field logistics experience. The Commander's post should ideally be filled by an officer from one of the Contributing Nations.

PRIMARY PURPOSES

2. To deputise for the Commander as required.
3. To administer all aspects of the ALSS/FLS to ensure its smooth operation as directed by the Commander.

SECONDARY PURPOSES

4. To maintain the security of the site
5. To liaise with local authorities on a day-to-day basis.

SUPERIORS

6. The Deputy Commander is accountable to the ALSS/FLS Commander.

AUTHORITY

7. The ALSS/FLS Deputy Commander is authorised to liaise directly with the MNLC, local authorities and military units in pursuance of duties as required to facilitate the functioning of the ALSS/FLS.

8. They are authorised to hold Public Funds and to pay and receive public money as required in the discharge of duties, in accordance with the financial guidelines laid down in the ALSS/FLS Activation signal and as delegated by the Commander.

ORGANISATION

9. This paragraph should reflect the organisation of the ALSS/FLS eg:

ALSS/FLS COMMANDER

DEPUTY COMMANDER

MEDICAL LOGISTICS AIR COORD ADMIN
OFFICER OPERATIONS

COMMS DET CARGO DET

PRINCIPAL TASKS

10. Establish ALSS/FLS organisation as required with available manpower as directed by the Commander.

11. Liaise with local authorities to ensure unhindered operation of the ALSS/FLS and access to support facilities as required.

12. Establish and maintain an organisation to cater for the welfare of personnel at the site, as directed by the Commander.

13. Establish, maintain and supervise the security arrangements for the site as a whole.

NB: The tasks and responsibilities of the Deputy Commander will vary according to the size of the site. It is also possible that the post of Deputy Commander might be combined with that of the Logistics Operations Officer.

ANNEX 2C

**DRAFT TERMS OF REFERENCE FOR
LOGISTIC OPERATIONS OFFICER
(WATCH LEADER)**

PREAMBLE

1. The Logistics Operations Officer must have a working knowledge of NATO logistics organisations and procedures in order to carry out the duties of a Watch Leader in the ALSS/FLS.

PRIMARY PURPOSES

2. To track PMC en route, held in and moving on from the ALSS/FLS.
3. To prioritise movement requirements from the ALSS/FLS.
4. Act as Watch Leader when the ALSS/FLS requires a watch keeping routine.

SECONDARY PURPOSES

5. Assume duties delegated by the FLS Commander.

SUPERIORS

6. The Logistics Operations Officer is responsible to the ALSS/FLS Commander, through the Deputy, if appointed, for the performance of duties.

AUTHORITY

7. The Logistics Operations Officer has direct authority over all Duty Watch personnel when in a watch keeping routine.
8. They are authorised to liaise directly with all agencies, of whatever nation, to achieve the given tasks.
9. They may be delegated authority to handle public funds if required.

ORGANISATION

10. As for the Deputy Commander

PRINCIPAL TASKS

11. To track the passage of PMC into the ALSS/FLS.
12. To arrange the onward movement of PMC.
13. Obtain and keep track of the recognised maritime/in area military picture from the MNLC.

14. To liaise with the Air Co-ordinator for air movements of PMC.
15. To liaise directly with other authorities/units as required to co-ordinate movement requirements.
16. To maintain the PMC stateboard.
17. To draft daily LOGASSESSREP signals.
18. To inform the Admin section of anticipated accommodation and transport requirements.
19. To maintain and monitor signal reading logs.
20. To update maps/charts with in-theatre unit locations and movements.
21. To alert Medical detachment and services to casualty requirements.

ANNEX 2D

**DRAFT TERMS OF REFERENCE FOR
AIR OPERATIONS OFFICER**

PREAMBLE

1. The Air Operations Officer will require operational aviation experience and a detailed knowledge of air cargo capacities and aero-medical procedures.

PRIMARY PURPOSES

2. To co-ordinate intra-theatre flight arrivals with the MNLC/FLS(s). (ALSS only)
3. To plan the VOD aircraft operating schedule

SECONDARY PURPOSES

4. To liaise with afloat forces to make best use of organic maritime aircraft coming to the ALSS/FLS.
5. To advise ALSS/FLS teams on loading/handling aircraft.
6. To arrange fuel/support facilities required by aircraft.
7. To maintain flight safety.

AUTHORITY

8. The Air Operations Officer will have direct authority over all members of the Air Ops Cell and the ITAL/VOD Detachments.
9. They are authorised to liaise directly with ships operating aircraft in the area and with the MNLC on all other air tasking matters.
10. They are authorised to deal directly with other logistics co-ordinators, keeping the Duty Logistics Operations officer informed of his intentions.

ORGANISATION

11. The Air Operations Officer will work closely with the Logistics Operations Cell and the Medical cell to ensure that air tasking requirements are tailored to best meet all needs.

PRINCIPAL TASKS

12. To establish PMC movement requirements to/from units.
13. To liaise with ALSS/MNLC/MJLC to establish best arrival/departure times for intra-theatre airlift.
14. To propose helicopter air tasking schedule to in-area GLC/Afloat Air Ops
15. To liaise with local Air Traffic Control concerning anticipated air movements.
16. To brief Helicopter crews concerning mission requirements/unit locations/call signs/hazards.

17. To de-conflict helicopter movements with known fixed wing operations.
18. To establish aircraft fuel/maintenance requirements prior to arrival and arrange facilities accordingly.
19. To ensure pre flight passenger safety briefings are given.
20. To advise on potential hazardous loads/Dangerous Air Cargo.

CHAPTER 3

PLANNING

0301. General

The operational effectiveness of ALSS and FLS operations is heavily dependent on sound, comprehensive planning. It is essential that personnel with a working knowledge of ALSS and FLS operations take part in the planning process. The principal source of unity of effort, consensus and economy is a series of Logistics Planning Conferences involving the Major NATO Commanders, Major Subordinate Commanders and nations. The planning process is detailed in the Bi-MNC Functional Planning Guide (Logistics) and the Bi-MNC Operational Directive for the Activation of a MNLC. This chapter provides the basic considerations that must be accounted for during the planning process for ALSS/FLS operations.

0302. Planning Responsibilities

The MNLC and staff will plan all shore logistic support for the MNMF based on prearranged agreement between NATO Military Authorities (NMA) and member nations. This includes planning the time and location of ALSS/FLS activation, relocation and deactivation and detailing the required capabilities of the sites. The locations of the ALSS/FLS will be largely determined by what has been offered by the Host Nation. However, the MNLC/NATO Regional Commander is responsible for determining the equipment and manning for the site. The site commander is responsible for planning the detailed organization, layout and operation of the site. Within the constraints imposed by the physical site, force and equipment limitations, MNLC guidance and host nation restrictions, the ALSS or FLS Commander will plan the initiation, conduct and deactivation of site operations to provide maximum effective support to the MNMF.

0303. Selection of the ALSS/FLS

The selection of ALSS/FLSs will inevitably be a compromise between being as geographically close to the area of operations as possible, available facilities and infrastructure at potential sites and Host Nation wishes. In the absence of any dedicated shore based Vertical Onboard Delivery (VOD), the need to use organic air assets should guide the site selection to being as near as possible to units at the expense of more sophisticated infrastructure. Formal preparation of a site survey is the most certain way to ensure that the necessary attributes and shortfalls are identified for potential or assigned sites. A site survey entails full consideration of all aspects of manning, equipping, protecting and operating the site. This involves the detailing of physical facilities, competing requirements, host nation assets, other member nation assets, local equipment and labour pools, commercial infrastructure and any other site factor potentially impacting site operations. The MNLC will make the final decision on the establishment of an ALSS/FLS in consultation with the FLC. It should be remembered that whilst ALSSs can normally be expected to remain static, FLSs can be moved as the area of operations requires. The following general aspects should be taken into consideration when considering a potential ALSS/FLS:

- a. Force Operating Areas.
- b. Helicopter operating facilities.
- c. Heavy lift aircraft operating facilities.
- d. Road/rail links.

- e. Commercial air links.
- f. Harbour facilities.
- g. Communications facilities.
- h. Accommodation.
- i. Medical Facilities
- j. Storage.
- k. Other service unit locations.
- l. Other on site operations.
- m. Local infrastructure

A check list for conducting an ALSS/FLS Site Survey is at Annex A.

0304. FLS Remote Detachment

There may be a requirement to establish a remote detachment at an alternative nearby site to allow for either refueling/range limitations on helicopters or alternative PMC delivery points. Such sites are at the discretion of the FLS Commander in consultation with the MNLC and will be manned by his own team as required. It is vitally important that all higher authorities and other in theatre units are aware of the physical location of all logistic support sites.

0305. Infrastructure

Although the location of the planned ALSS/FLS is primarily driven by mission requirements, consideration should be given to site-peculiar engineering requirements. This consideration should include evaluation of existing infrastructure (seaport, airfield, warehouse, transportation, fuel, accommodation and utilities - including power, water, and sewage/waste handling) and the extent of available HNS (infrastructure and engineering support, source of construction materials, labour, real estate etc). Engineering considerations should be incorporated when determining the actual ALSS/FLS layout and activation. Land or buildings must be designated to accommodate containers, unit equipment, personnel, parking for trucks or buses, reception and parking of aircraft, segregation of ammunition and HAZMAT and establish fuel points, feeding areas, troop accommodation, medical facilities and command and control facilities.

0306. Host Nation Support (HNS)

In many cases, forces must rely on HNS to provide or supplement the majority of services, supplies, and facilities. HNS can be viewed as an engineering resource multiplier. Agreements are generally dependent on the requirements of military Services and the availability of support in the objective country. These agreements can be re-negotiated as the situation matures. Infrastructure shortfalls impeding ALSS/FLS establishment or operations can be mitigated by the use of HN engineering support (equipment and materials) if available. In emergency situations, operating area infrastructure may be so badly damaged that HNS is not a viable option. During conflict, battle damage may have destroyed all or part of the infrastructure. A thorough understanding of current host nation capabilities is essential, particularly when operations are conducted outside member nations

0307. Engineering Support Plan

Once the mission of the proposed ALSS/FLS is known, the location determined, local assets available for the operation known and details of HNS realized, the next step is the development of an engineering support plan if required. The plan should identify minimum essential facilities and civil engineering capabilities needed to support the commitment of military forces. These requirements will be identified in terms of HN provided and NATO provided assets through leasing or construction.

INTENTIONALLY BLANK

ANNEX 3A

SITE SURVEY CHECK LIST

NAME OF SITE:

DATE OF SURVEY:

CONDUCTED BY:

CONTACT NUMBER:

1. IS THERE A HELICOPTER LANDING FACILITY?

HEAVY AIRLIFT A/C LANDING CAPABILITY?

2. IS IT MILITARY OR COMMERCIAL?

3. WHO IS THE STATION COMMANDER/FACILITY MANAGER?

4. CONTACT TELEPHONE NUMBER.....

5. CONTACT FAX NUMBER.....

6. OTHER KEY PERSONNEL:

7. NEAREST COMMERCIAL AIRPORT?

8. NEAREST MILITARY AIRHEAD?

9. NEAREST PORT?

10. NEAREST TOWN?

11. NAME OF SHIPS' AGENTS AGENT.....

TELEPHONE NUMBER

FAX NUMBER

12. DETAILS OF NEAREST NATO COUNTRIES EMBASSIES/CONSULATES:

NAME

LOCATION.....

TEL/FAX.....

SIGNAL ADDRESS.....

13. DESCRIPTION OF HELICOPTER LANDING PAD:

SURFACE

SIZE

LOW FLYING DANGERS IN VICINITY

OPENING HOURS

14. DESCRIPTION OF HEAVY AIRLIFT AIRCRAFT LANDING CAPABILITY:

SURFACE

WIDTH

LENGTH

OPENING HOURS

GROUND HANDLING CAPABILITY

15. AIRFIELD COMMUNICATIONS FREQUENCY

16. POWER AVAILABLE - VOLTAGE

- CONNECTORS

17. FIRE FIGHTING FACILITY

18. AVIATION FUEL AVAILABILITY

TYPE

PAYMENT

19. MEDICAL FACILITIES

LEVEL

LOCATION

TEL/FAX

POINT OF CONTACT

IF AWAY FROM AIRFIELD CAN HELO LAND AT MEDICAL FACILITY

20. HANGAR FACILITIES

21. WORK SHOP FACILITIES

22. STORAGE FACILITIES- SECURE

- UNSECURE

23. ALSS/FLS PERSONNEL ACCOMMODATION

TYPE

COST

ADDRESS

TEL/FAX

NUMBER OF BEDS

CATERING ARRANGEMENTS

24. TRANSIT ACCOMMODATION

TYPE

COST

ADDRESS

TEL/FAX

NUMBER OF BEDS

CATERING ARRANGEMENTS

25. OFFICE FACILITIES ROOM 1

SPACE

SECURE?

DESKS

CHAIRS

SHELVES

CABINETS (LOCKABLE?)

POWER POINTS

SOCKET TYPE

TELEPHONE SOCKETS

TELEPHONES

AVAILABLE PCs

NEAREST PHOTOCOPIER

NEAREST POTABLE WATER

NEAREST CATERING FACILITY

O/N WATCHKEEPER BUNK?

26. OFFICE FACILITIES ROOM 2

SPACE

SECURE?

DESKS

CHAIRS

SHELVES

CABINETS (LOCKABLE?)

POWER POINTS

SOCKET TYPE

TELEPHONE SOCKETS

TELEPHONES

AVAILABLE PCs

NEAREST PHOTOCOPIER

NEAREST POTABLE WATER

NEAREST CATERING FACILITY

27. OFFICE FACILITIES ROOM 3

SPACE

SECURE?

DESKS

CHAIRS

SHELVES

CABINETS (LOCKABLE?)

POWER POINTS

SOCKET TYPE

TELEPHONE SOCKETS

TELEPHONES

AVAILABLE PCs

NEAREST PHOTOCOPIER

NEAREST POTABLE WATER

NEAREST CATERING FACILITY

28. OFFICE RENTAL COSTS

SPACE

ELECTRICITY

TELEPHONE BILLS

PCs

FAX

PHOTOCOPIER

OTHER COSTS

METHOD OF PAYMENT

FINANCE POINT OF CONTACT

29. COMMUNICATIONS FACILITIES

IF MILITARY - SIGNAL MESSAGE ADDRESS

COMMCEN TEL NUMBER

OPERATOR AUGMENTEE REQUIREMENT

IF NONE - AVAILABLE SPACE

GEOGRAPHICAL ORIENTATION

POWER SUPPLIES

TELEPHONE

DESCRIPTION

30. CARGO STORAGE FACILITY

SECURE?

DRY?

PALLETS?

TELEPHONE?

CARGO MOVING EQUIPMENT

FORK LIFT

TROLLEY

PALLETISER

COST

31. TRANSPORT

CAR /COST

FLAT BED LORRY/COST

MINIBUS/COST

IF RENTAL NAME OF COMPANY

ADDRESS

TEL/FAX

POINT OF CONTACT

IF MILITARY LOCATION OF TRANSPORT POOL

TEL/FAX

POINT OF CONTACT

NEAREST PETROL STATION

32. OTHER NEARBY MILITARY UNITS/ESTABLISHMENTS

TYPE LOCATION FACILITIES P.O.C. TEL/SIGNAL

33. DETAILS OF LOCAL PORT/HARBOUR

DISTANCE FROM AIRFIELD

MINIMUM DEPTH OF WATER - LOW TIDE AT BERTH

LENGTH OF JETTY

HEIGHT OF JETTY HIGH WATER

LOW WATER

WIDTH OF JETTY

STATE AND CONSTRUCTION OF JETTY

CRANEAGE AVAILABLE FIXED/MOBILE

REACH

MAX LOADS

CATAMARANS AVAILABLE?

IF NOT WHAT ALTERNATIVES ARE THERE?

FUEL AVAILABLE? TYPE?

FRESH WATER AVAILABLE?

POWER SUPPLIES AT JETTY? DETAILS

TELEPHONE LINES TO BERTHS?

GASH DISPOSAL FACILITIES

DRY DOCK FACILITIES

CONTAINER LOADING FACILITY?

RAMP FACILITY?

34. LOCAL VICTUALLING FACILITIES

35. NAMES OF LOCAL SHIP CHANDLERS

36. NEAREST COMMERCIAL AIRPORT

37. PORT AUTHORITY TITLE

NAME

ADDRESS

TEL/FAX

RADIO COMMS DETAILS

OBSERVATIONS

38. CUSTOMS OFFICE

POINT OF CONTACT

TEL/FAX

OBSERVATIONS

39. LOCAL POLICE DETAILS

POINT OF CONTACT

TEL/FAX

40. LOCAL MILITARY DETAILS

POINT OF CONTACT

TEL/FAX

41. LOCAL FIRE BRIGADE

TEL

42. LOCAL HEALTH AUTHORITIES

GENERAL FACILITIES

EMERGENCY SERVICES

RESCUE SERVICES

DECOMPRESSION CHAMBERS

In addition to visiting all the sites diagrams/maps should be made or obtained of:

AIRFIELD

OFFICE/STORAGE FACILITIES

PORT

SURROUNDING AREAS

Contact should be made with:

AIRFIELD COMMANDER/MANAGER

AIRFIELD SECURITY

LOCAL POLICE AND EMERGENCY SERVICES

LOCAL MEDICAL ORGANISATION AND HEALTH AUTHORITIES

LOCAL CUSTOMS

LOCAL MILITARY

PORT AUTHORITIES

POSSIBLE CHANDLERS

POSSIBLE HANDLING AGENTS

All relevant brochures and documents that are collected should be listed below

CHAPTER 4

ESTABLISHING/ACTIVATION OF ALSS/FLS SITES

0401. Introduction

The decision to create an MNLC organisation will be taken during the planning phase by the appropriate Operational Commander. The establishment and location of ALSS and FLSs will be decided at the MNLC Operational Requirements Meeting (MORM). The MORM will be convened by the NATO Military Authority designated as the Operational Commander/MNLC during the planning phase of an operation and will include the Troop Contributing Nations. Detailed guidance on the planning and activation of the MNLC organisation is laid down in the NATO Bi-MNC Operational Directive for the Planning and Activation of a Multinational Logistics Command (Maritime) (BI-MNC OPDIR MNLC(M)) and in Chapter 3 of this document. The purpose of this Chapter is to acquaint the ALSS/FLS Commander and his staff with the actions/procedures to be followed immediately pre and post activation of the site.

0402. Communications Requirements

In order to operate effectively the FLS must be able to:

- a. Send and receive classified message traffic.
- b. Have a secure speech facility with units, including those afloat and higher logistic authorities.
- c. Have telephone/facsimile communications.
- d. Have voice communications with airborne units.
- e. Have access to the Recognised Maritime Picture.

Annex A provides an example of a typical communications plan.

0403. Equipment Requirements

The list at Annex B is offered as a guide only. The quality of the infrastructure and Host Nation Support will influence the amount of material to be provided from National/NATO sources, as will the scope and expected length of operations at the ALSS/FLS.

0404. Manning Requirements

The number of personnel required to man an ALSS/FLS will vary according to the nature of the operation. A guide is laid down in the Bi-MNC OPDIR (MNLC(M)). The following factors will be taken into consideration when establishing the manning requirements:

- a. Number/type of units to support.
- b. Expected cargo throughput.
- c. Required on site facilities.
- d. Existing on site facilities.

- e. Local assistance / contractors / agents.
- f. Other nearby Service Units

0405. ALSS/FLS Activation Signal

The activating authority, usually the MNLC, will issue an ALSS/FLS Activation signal once the requirement, size and location has been identified. A template for the signal is at Annex C.

0406. ALSS/FLS Administration Signal

The activating authority will also send out an administrative signal highlighting the aspects that augmentees will need to know and delegating financial authority to the FLS Commander. Further details on the administrative aspects of ALSS/FLSs are detailed in Chapter 6 of this document.

0407. Medical Precautions

The location of the ALSS/FLS may require specific medical precautions prior to personnel arriving in theatre. These will be identified in the activation signal and personnel should arrange appropriate inoculations and initial precautionary treatments (e.g. anti malarial tablets) as directed in the signal. The activating authority is to be advised immediately of any current medical problems that local medical advice suggests may impair their ability to perform duties in the specific ALSS/FLS area - e.g. susceptible to heat stroke.

0408. Background Reading

Prior to arriving at the Site, as a minimum, officers should be familiar with:

- a. ALP 4.1
- b. BI-MNC OPDIR MNLC(M)
- c. Mission directive
- d. Operation Order
- e. ALSS/FLS SOPs
- f. Activation signal
- g. Administration Signal

0409. Pre-Joining Training

The timing of the nomination of individuals and the establishment of the ALSS/FLS may well preclude any pre-joining training opportunities. However, wherever possible Nations are expected to provide personnel qualified in certain skills such as Helo Operations, C130/C5 Loading, Forklift Truck Driving, Administration etc. The requirement for these skills should be clearly identified when establishing the personnel requirements.

0410. Joining Arrangements

The activating authority will issue joining instructions. When feasible a pre-brief should be arranged by Nations prior to departure.

0411. Briefing of ALSS/FLS Commander

As soon as the ALSS/FLS Commander is nominated he/she should contact and ideally visit the Coordinating Headquarters Logistics Staff for a briefing. The site survey and location details should be complete by this time. If the potential ALSS/FLS Commander has been nominated prior to the site survey he/she should ideally join the survey. An Aide Memoir covering actions that the ALSS/FLS Commander needs to take during the first few days of the establishment of the site is at Annex 4D. This should provide the basis for subsequent briefings by the ALSS/FLS Commander to his team.

0412. ALSS/FLS Routines

The ALSS/FLS Commander should establish daily/weekly routines to cover the following aspects:

- a. Watch Bills/Day working hours.
- b. Out of Hours cover/contingencies.
- c. Watch briefings.
- d. Full staff briefings.
- e. Signal releasing.
- f. Liaison with individual authorities.
- g. Security of personnel/materiel.
- h. Review of incoming messages.
- i. Amendment of tote boards (examples of tote boards are shown at Annex F)
- j. Cleaning/hygiene.
- k. Transport use.
- l. Logistic Reporting Cycle required by higher authority in accordance with OPTASKLOG MNLC.

An example of a daily routine is at Annex E. In prolonged ALSS/FLS operations consideration should be given to compiling Standing Orders to ease the transfer of knowledge between reliefs and allow for the absence of key personnel.

0413. Liaison With Local Authorities

The success of an ALSS/FLS depends to a great extent upon the good nature of hosting individuals and organisations. Often Host Nation Support (HNS) agreements or a Memorandum of Understanding (MOU) will have been drawn up prior to the setting up of the ALSS/FLS overseas. The ALSS/FLS Commander should ensure early and regular contact is made with key local individuals including:

- a. Station Commander/Airport Manager.
- b. Local military garrison.
- c. Local Police.

- d. Town officials.
- e. Customs Officers (agreement should be reached with the Local Customs officers on the procedures to be followed for customs clearance prior to the commencement of an exercise/operation)
- f. Ports authority.
- g. Freight/shipping agents.
- h. Local hospital/medical facilities.
- i. Local Government/diplomatic representatives of the participating nations.


0414. Liaison With Other In-Theatre Organisations

The FLS Commander should establish contact with any other Service units in the vicinity and higher logistics organisations within theatre. Specifically contact should be made with:

- a. Forward Support Unit (FSU) Established to support Mine Countermeasure Vessels and Patrol Boats.
- b. ALSS/FLS
- c. Combat Services Support Group (CSSG) - Land Forces support echelon.
- d. Joint Force Logistic Component Commander (JFLogCC) - in theatre movements co-ordinator.
- e. Joint Forces Headquarters (JFHQ).
- f. Appropriate local Consulates/Embassies (Military Attaches).
- g. Other national military organisations/units.

ANNEX 4A

COMMUNICATIONS OPTIONS



INTENTIONALLY BLANK

ANNEX 4B

EQUIPMENT CHECK LIST

The following list should only be viewed as a guide to which items should be deleted or added as the scenario dictates:

COMMUNICATIONS

SIGNAL TRANSMITTING/ RECEIVING EQUIPMENT
SECURE VOICE UNIT - BRAHMS/IVSN/STU IIB
TELEPHONES
CELL PHONES
SECURE FAX
COMMERCIAL FAX
EQUIPMENT TO ENABLE ACCESS TO THE RMP
INTERNET ACCESS

OFFICE EQUIPMENT

DESKTOP OR LAPTOP COMPUTERS INCLUDING COMMON OF THE SHELF
AUTOMATION SOFTWARE (WORD PROCESSING, DATABASE, PRESENTATION
GRAPHICS ETC.)
SIGNAL PADS
PLAIN WHITE PAPER
PENS/PENCILS
WHITE MARKER BOARDS/BLACK BOARDS - PMC TOTE/AIR PROG/CALENDAR
MARKER PENS/CHALK
DRAWING PINS
CHARTS
MAPS
FAX PAPER
PHOTOCOPIER
PHOTOCOPIER PAPER
NOTE BOOKS
SIGNAL FILES
BINDERS
FILE DIVIDERS
LOCAL DICTIONARY/PHRASE BOOK
KETTLE, CUPS, SPOONS

MAIL DETACHMENT

MAIL BAGS
STRING
LEAD SEALS
CRIMPING PLIERS
RECEIPT/DISPATCH FORMS

CARGO DETACHMENT

FORK LIFT TRUCK (C-130/C5 COMPATIBLE AS APPROPRIATE)
FLAT BED LORRIES
PALLETISER
PORTERS TROLLEY
CLIP BOARD
PAPER
CHALK
HEAVY DUTY PADLOCKS
CHAINS
ROPE
CARGO NETS
FIRE EXTINGUISHER
BUCKETS
EAR DEFENDERS
EARTHING POLE
INSULATED GLOVES
HELMETS
GOGGLES
TORCHES AND BATTERIES
KNIVES
MASKING TAPE
WIRE CUTTERS
BANDING KIT
TOOL KIT
CONTAINERS
REGISTER BOOK
WASTE BAGS
AIRWAY BILLS

MEDICAL DETACHMENT

FIRST AID KITS
STRETCHER
MEDICAL SUPPLIES AS ADVISED
REGIONAL REQUIREMENTS E.G. ANTI MALARIAL TABLETS
WATER BOTTLES
REFRIGERATOR

TRANSPORT

MINIBUSES
LANDROVER/CAR
BICYCLES

ACCOMMODATION

TENTS
SLEEPING BAGS
MOSQUITO NETS
FIELD KITCHEN
TAPE PLAYER (FOR CHEFS)
CHEMICAL TOILETS
WATER CONTAINERS
GENERATORS
FUEL
LIGHTING

DOCUMENTATION

MC 319/2

AJP 4

ALP 4.1

BI-MNC OPDIR MNLC(M)

BI-MNC REPORTING DIRECTIVE VOL V - LOGISTICS

MISSION DIRECTIVE

OPERATION ORDER

ALSS/FLS SOPS

ACTIVATION SIGNAL

ADMINISTRATION SIGNAL

APP-3 NATO SIC SYSTEM

INTENTIONALLY BLANK

ANNEX 4C

FLS ACTIVATION SIGNAL TEMPLATE

FROM: Activating Authority(MNLC)

TO: MNMF Cdr/CTF
CTGs
TGs
JFHQ

INFO: IN AREA LOGISTICS UNITS
SUPPORT AGENCIES
MILITARY AIR POINTS OF DEPARTURE

SICS: OPERATION SIC/O**/N**/Q**/W**

SUBJECT: ACTIVATION OF ADVANCED/FORWARD LOGISTIC SITE((ALSS/FLS)

REFS:

- A. OPERATION ORDER
- B. LOGISTIC SUPPORT INSTRUCTION
- C. AS REQUIRED.

- 1. SITE AND DATE OF ACTIVATION.
- 2. OPERATIONAL COMMAND OF THE ALSS/FLS.
- 3. OPERATIONAL CONTROL OF THE ALSS/FLS.
- 4. MISSION DIRECTIVE FOR ALSS/FLS.

5. ALSS/FLS ASSETS:

- A. AIR
- B. LAND
- C. SEA

6. ALSS/FLS FACILITIES:

- A. AIRCRAFT CAPABILITIES
- B. MEDICAL FACILITIES
- C. TRANSIT ACCOMMODATION AVAILABLE
- D. ACCESS TO FRESH PROVISIONS

7. ALSS/LS CONTACT:

- A. POSTAL ADDRESS.
- B. SIGNAL ADDRESS.
- C. TELEPHONE NUMBER
- D. FAX NUMBER
- E. SECURE VOICE COMMS
- F. RADIO COMMS FREQUENCY

8. OTHER NEARBY LOGISTIC FACILITIES.
9. MAIN REAR SUPPORT SITES.

ANNEX 4D

ALSS/FLS CDR CHECK LIST FOR FIRST FEW DAYS

ALLOCATE WORK SPACES -OPS ROOM FOR AIR COORD/LOG OPS

ADMIN/MAIL/TPT WORKING SPACE

CARGO HOLDING AREA

MAIL HOLDING AREA

COMMS SPACE

MEDICAL

TEST AND PROMULGATE COMMS SYSTEMS -TELEPHONE

CELL PHONE

FAX

SIGNAL HANDLING/
SMA

SECURE VOICE

ESTABLISH CONTACT WITH -MNLC

ALSS/FLS

FRSA

CJTF

FLC

IN AREA GLC/UNITS

FSU/MILU

ESTABLISH CELL MANNING

ESTABLISH WATCH BILL AND WORK ROUTINES

VISIT KEY LOCAL PERSONALITIES

SET UP CHARTS/MAPS/TOTE BOARDS/TASK GROUP
ORGANISATION

IDENTIFY SIGNAL LOG REQUIREMENTS E.G. ASSESSREPS/AIR MOVES/OPTASKS ETC

IDENTIFY COMMAND BRIEFING REQUIREMENTS/TIMINGS

ASSESSREP/SUMMARY SIGNAL DRAFTING/RELEASING

DELEGATE SIGNAL RELEASING AUTHORITY

LAY DOWN CALL OUT CRITERIA

TRANSPORT PRIORITIES

INTENTIONALLY BLANK

ANNEX 4E

EXAMPLE OF FLS DAILY ROUTINE

O/N	CARGO LOADS PREPARED BY NIGHT WATCH SIGNAL FILES UPDATED
0700	LOG OPS UPDATE TELECON WITH JHQ/MNLC.
0730	LOG OPS UPDATE WITH ALSS ON CARGO FOR DELIVERY/AIR MOVEMENTS
0800	
0830	WATCH CHANGEOVER BRIEF FLS CDR FULL STAFF BRIEF
0900	FLS CDR TELECON WITH IN AREA GLC
1000	FLS CDR TELECON WITH COS MNLC/MJLC
1100	FLS CDR MEET WITH BASE CDR/AIRPORT MANAGER
1400	ROUNDS OF FLS SECTIONS
1500	AIR OPS OFFICER LIAISE WITH AFLOAT AIR OPS FOR NEXT 24 HR TASKING
1700	LOG OPS OFFICER PRESENT DAILY LOGASSESSREP/INTENTIONS DRAFT TO FLS CDR.
1800	RELEASE DAILY LOGASSESSREP/INTENTIONS SIGNAL

INTENTIONALLY BLANK

ANNEX 4F

STATEBOARD EXAMPLES

- A. Cargo Stateboard
- B. Personnel Stateboard
- C. Mail from Units/Ships
- D. Mail to Units/Ships
- E. Casualties
- F. Helicopter Programming Stateboard

INTENTIONALLY BLANK

CARGO

DESTINATION	SERIAL/OPDEF NO	WEIGHT	SIZE	DATE RECEIVED	DELIVERY PLAN

A

PERSONNEL

DESTINATION	NAME	ARRIVAL DATE	ACCOMMODATION	ONWARD MOVEMENT PLAN

B

MAIL FROM UNITS/SHIPS

DESTINATION	NUMBER OF BAGS	WEIGHT	DATE RECEIVED	DELIVERY PLAN

C

MAIL TO UNITS/SHIPS

DESTINATION	NUMBER OF BAGS	WEIGHT	DATE RECEIVED	DELIVERY PLAN

D

CASUALTIES

UNIT OF ORIGIN	NAME	LOCATION	NATURE OF INJURY	ONWARD MOVEMENT PLAN

E

EXAMPLE OF HELICOPTER PROGRAMMING STATEBOARD

HELICOPTER PROGRAMME

Date: _____ A/C Type: _____

Hrs Flown Total _____ Hrs Flown Today _____

SERIAL	ETA	DESTINATION	ETD	TASKING	LOAD	CUMULATIVE HOURS

F

ANNEX 4G**ESTABLISHING HELICOPTER FACILITIES****4G01. Introduction**

Since support to maritime forces afloat is normally forwarded from the FLS via vertical on-board delivery (VOD) helicopters, the MNLC must establish adequate facilities for the operations and maintenance of VOD assets and associated support requirements (Cargo Det, Air Coordination Cell, etc.). While this annex deals specifically with helicopters, the checklist may be adapted for other aviation units like the Intra-Theatre Airlift (ITAL) detachment or Carrier Onboard Delivery (COD) detachment.

4G02. VOD Asset Sources

VOD assets may come from a variety of sources: national support from the established ALSS/FLS, organic assets from the MNMF or Helicopters Taken Up From Trade (HTUFT). Since embarked helicopter detachments are usually minimally manned, split detachment operations (one helicopter ashore/one remaining embarked) should be avoided if the VOD Det is established by shore-basing an embarked MNMF asset.

4G03. HOSTAC

Regardless of the source of the helicopters, FLS Air Operations Staff, VOD pilots, and ship Commanding Officer and flight deck crews must be thoroughly familiar with the cross-operations requirements of APP2 Series (Helicopter Operations From Ships Other Than Aircraft Carriers (HOSTAC)). Both technical (ship/aircraft facilities) and operations/training requirements are addressed therein. It is not the intent of this annex to reproduce HOSTAC requirements, but rather to assist FLS Commanders in establishing helicopter operating facilities.

4G04. Checklist for Establishing Helicopter Facilities

The checklist below should be used as a guideline for establishing helicopter facilities. It is not exhaustive, nor will all points be relevant to all detachments. If conflict between this annex and HOSTAC exists, HOSTAC requirements shall take priority. Detachment Officers-in-Charge should be consulted to determine any specific requirements that may not be addressed here.

a. ENGINEERING.**(1) Petroleum, Oil, Lubricants (POL).**

- (a) Correct types and sufficient quantities
- (b) Alternate POLs and source of replenishment
- (c) Fueling/defueling facilities
- (d) Fuel purity and checks
- (e) STANAG 1200 ALPIO—Payment for POL

(2) Stores.

- (a) Does the ALSS/FLS carry appropriate spares? Requisition procedures?

- (b) Will a “flyaway” stores pack be required? Adequate storage?
- (c) Ability for VOD Det to order spares through MNMF or national supply system.
- (d) Hazardous Materials (HAZMAT) storage and disposal.

(3) Maintenance Facilities

- (a) Hangar space for major detachment maintenance
- (b) Office/Shop space for Maintenance Control & technical spaces.
- (c) Potable water for personnel.
- (d) Computer networking required for automated maintenance forms? Available?
- (e) Supply of appropriate national forms.
- (f) Maintenance support equipment: overhead winches, jacks, tools, tow tractors/bars.
- (g) Aircraft electrical, hydraulic and pneumatic supply (aircraft Type/Model specific)
- (h) Compressor wash facilities.
- (i) Freshwater wash facilities for aircraft.
- (j) Availability of appropriate aircraft ground handling equipment.
- (k) Storage and maintenance facilities for aircrew survival equipment.

b. OPERATIONS.**(1) Preflight briefing facilities.**

- (a) Weather
- (b) NOTAMs and other air navigational warning messages
- (c) Charts, maps and planning publications
- (d) Pertinent MNMF messages (OPTASKs, ATOs)
- (e) Availability of a flight preparation (briefing) room.
- (f) Possibility of flight plan delivery (if not covered by own ops).

(2) Flight authorization.**(3) Liaison with Air Operations Staff for future scheduling/planning.****(4) Armaments.**

- (a) Bilateral agreements.
- (b) Supply of appropriate weapons/stores and in-flight material
- (c) Storage of own national weapons
- (d) Assistance with loading weapons, if required
- (e) Correct weapon trolleys compatibility to required aircraft/weapon type.
- (f) Hung ordnance/Misfire procedures

- (g) Explosive Ordnance Disposal (EOD) teams available?

(5) Airfield operations.

- (a) Preferred arrival/departure procedures.
- (b) VFR/SVFR/IFR procedures.
- (c) Operations permitted outside of normal hours?

(6) Weather minima/Instrument approaches available for installed aircraft equipment.

(7) SAR capabilities/requirements.

(8) Divert airfields/platforms.

(9) Customs requirements/Diplomatic clearance.

c. ADMINISTRATION.

(1) General.

- (a) Liaison officer/interpreter (if necessary)
- (b) Administrative office space/computers, etc.
- (c) Appropriate national publications and forms
- (d) Facility cleaning/repair responsibilities
- (e) Medevac/Casevac procedures and arrangements with local authorities are in place.

(2) Personnel

- (a) Accommodations
- (b) Food, cost, out-of-hours meals available?
- (c) Personal protective equipment & standards of dress.
- (d) Pay/cheque cashing.
- (e) Medical/Dental facilities. Medical checks/records up to date.
- (f) Detachment mail routing.
- (g) Availability/Range of shopping facilities.
- (h) Laundry facilities.
- (i) Recreation/Sports facilities.
- (j) Personnel reception capability.
- (k) Ground Transport Capability.

(3) Communication.

- (a) Compatibility of aircraft/air traffic control equipment

- (b) Discrete VOD Det frequency & equipment
- (c) Secure voice capability, including cryptographic material procedures.
- (d) Distribution of messages to include detachment commander
- (e) Routing of national messages for safety-of-flight message traffic
- (f) Message release authority.

(4) Security.

- (a) Force protection requirements.
- (b) Flight-line security/control
- (c) Stowages for classified material.
- (d) Do personnel require security clearances?
- (e) Any sensitive aircraft equipment?
- (f) Any additional clearance required, if not covered by (4) (e.g. aircraft/airfield/base clearance).

d. AIRCRAFT SAFETY.

- (1) Will assigned aircraft fit inside hangar during severe weather?
- (2) If not, are covers and lashings available to protect aircraft?
- (3) Familiarisation briefs for firefighting/rescue personnel.
 - (a) Integral aircraft fire extinguishing systems
 - (b) Portable fire extinguisher availability
 - (c) Composite material hazards
 - (d) Fuel/ordnance capacities, locations
 - (e) Aircraft electrical supplies and disconnect locations
- (4) Safe approach paths with rotors turning (passengers, etc.)
- (5) VERTREP/Hoist procedures (with Cargo Det)

4G05. Training and Deck Landing Qualification Training

- a. Pilot qualification and currency for deck landings are determined by national standards. The APP-2 (series) HOSTAC, Annex E, further summarizes the standards for non-maritime service helicopter pilots. STANAG 1435-HOS provides guidance for civilian HTUFT aircraft and crews. Contractors are responsible to the sponsor/contracting nation for qualification of aircrews. HTUFT contracts should specify specific qualification requirements based on sponsor/contracting nation standards prior to commencing operations.
- b. It is recommended that pilots performing logistics operations (VERTREP/hoisting) to and from ships without a shipboard landing shall be deck landing qualified and current.

CHAPTER 5

OPERATIONAL PROCEDURES

0501. General

This Chapter gives guidance on the Operational Procedures to be followed to ensure the effective running of the ALSS/FLS. The procedures will need to be tailored to suit the organisation depending upon its size, manning and location.

0502. Liaison

Effective operations require constant and accurate understanding of constraints and conditions within and without the ALSS and/or FLS. While standing agreements and Memoranda of Understanding (MOUs) may provide a useful and fairly thorough direction, only clear and consistent contact between sites, host nation authorities, headquarters and supporting and supported forces will ensure adequate response to unfolding events. Effective liaison depends on personal contact at appropriate points and is best effected by routine visits, signals/messages, calls etc. The ALSS/FLS Commander should ensure that knowledgeable subordinates offer unencumbered exchange of information and assistance. Such personal contact reinforces information exchange through established command and control systems and provides necessary communication with interested parties outside the formal NATO organization. One of the most effective ways of maintaining liaison at all levels is to ensure that a daily situation report is sent out to all interested parties. Whether this is done by signal message, fax, e-mail etc will depend entirely upon the operational situation and the availability of communications. However, as a guide an example of the possible format for a daily sitrep is attached at Annex 5A.

0503. Liaison with FLC and GLC

The FLS Commander should maintain regular contact with area FLCs and GLCs. It is vital to bear in mind that afloat units may not share total visibility of PMC en route to them and will be keen for any information regarding delivery of high priority stores to repair operational deficiencies and mail to boost morale. Often, the FLC/GLC may assign a liaison officer or rating to the FLS. This liaison can directly represent the intentions of the afloat force in questions of PMC prioritization or other matters. Additionally, such liaison can provide the FLC/GLC with information regarding logistic support not available through formal reporting channels. Topics to cover with the afloat FLC/GLC s or their representatives include:

- a. Recognized Maritime Picture(RMP).
- b. Task Force/Task Group intentions.
- c. Logistic priorities.
- d. Specific stores items of operational importance to look for/held at the ALSS/FLS.
- e. Planned air movements between the ALSS/FLS and Ships
- f. Provisions requirements.
- g. Personnel/VIP movements.

0504. Liaison Between ALSS and FLS

The ALSS and FLS Commanders should maintain regular contact to ensure that:

- a. Intra-theatre arrivals are co-ordinated with supply opportunities to units.
- b. Arrivals of PMC are anticipated and arrangements made accordingly.
- c. Intra-theatre movement is timed and directed to reflect site activation/deactivation schedules.
- d. The ALSS planned points of supply reflect unit movements known by the FLS.
- e. The ALSS expects PMC returning through it.
- f. That all sites are aware of damage, casualties or other conditions that may affect the ability of other sites to perform their mission. This will allow site Commanders to anticipate delivery problems, as well as possible MNLC direction to redirect shipments or reallocate forces and equipment between sites.

0505. Liaison With MNLC

Depending upon the in-place Command and Control for the particular operation/exercise, the ALSS/FLS Commander should identify opportunities for regular discussions with a key point of contact in the higher command organization. Amongst topics for discussion should be:

- a. Verification of Operational picture and known changes in the immediate future.
- b. PMC at the FLS.
- c. Supply priorities.
- d. Availability of VOD.
- e. Intra theatre airlift.

0506. Passengers, Mail, Cargo (PMC)

ALSS' and FLS' define mission success by the rapid and efficient delivery of high priority PMC to and from maritime forces. The prioritization, handling, storage, and reporting of PMC will require constant and careful attention. Location, facilities, equipment and the nature of the mission and supported forces will affect specific requirements and procedures. However, an Air Load Manifest will always be required (in triplicate – 1 for the A/C, 1 for the destination and 1 for the file at the site). Examples of Air Load Manifests are at Annexes 5B, 5C and 5D.

0507. Prioritizing the movement of PMC

1. Operational considerations, climate and limited transportation assets effectively restrict the volume and timing of deliveries to the MNMF. The theatre distribution organisation must constantly ensure maximum effectiveness of each delivery opportunity. This means that PMC received at each site must be identified according to its relative value to the supported force and priorities for onward movement must be established. PMC may then be staged in accordance with its priority. This will facilitate loading and shipment and provides the supported force with the assurance that the most critical shipments will be forwarded as rapidly as possible. General movement priorities will be promulgated by the MNLC in accordance with the guidance of the MNFC and the requirements of the MNMF. The FLC/GLC will be heavily involved in planning, establishing, monitoring and amending priorities. The entire theatre distribution system and all units and organisations being served by the system will be informed of these movement priorities. Air-transportable PMC will be shipped in order of priority; successively lower-priority PMC will be shipped to ensure full utilization of available airlift. Non-air-transportable cargo and remaining low priority cargo will be consigned to surface lift.

2. Notwithstanding the direction imposed by the general movement priorities, site Commanders and their representatives will be required to re-prioritize the movement of specific PMC on a continuing basis. Changes to operational requirements received through FLC/GLC or MNLC liaison, special handling requirements, aircraft weight or dimensional limitations and volumes of a given priority of PMC beyond current delivery capacities will require frequent and immediate decisions at the ALSS and FLSs. A common example is the simultaneous requirement to move both passengers and hazardous materials that cannot be transported with passengers. When such conflicts arise, the ALSS/FLS will seek and rely on the preferences of the supported units and will then determine the order of movement that will maximize effective logistics support under the circumstances. Additional guidance in these decisions may be available from transportation priorities assigned to shipments within national distribution systems; in the absence of other more current information, the ALSS or FLS may assume that such priorities represent the preference of the supported unit. When prolonged variances to pre-established and promulgated movement priorities are anticipated, the FLC/GLC should identify the changed requirements and the MNLC will promulgate new movement priorities to the ALSS and FLS'. Pending promulgation of specific direction, the following general movement priorities will guide the site commander in initial planning and organization of PMC movement:

Priority	Description
1	-PMC specified by the FLC/GLC or units. These will be listed on daily signals/messages, or may be conveyed by direct liaison. They will normally include the personnel, parts, or supplies most urgently required to maintain or regain the combat readiness of the unit. -Medical evacuation patients urgently needing transportation for care. -Registered Mail, First-class letter mail and classified materials.
2	-Emergency/Compassionate leave passengers, stable/non-urgent medical evacuation (MEDEVAC) patients, other high priority passengers as determined by the site commanding officer (e.g., very important personnel (VIP) and urgently needed technical representatives) - High priority cargo/perishable cargo such as subsistence items, and certain medicines/vaccines.
3	-Other Passengers and high priority cargo. - Second class mail and parcel post
4	-Other cargo.

0508. Passengers

The most important throughput handled by the ALSS/FLS is people. Mission critical personnel, military and civilian technical specialists, replacements and reliefs, evacuations, compassionate movements, and other necessary evolutions involving the movement of personnel will require regard for the cultural and national differences among NATO members and coalition partners. Whilst it is most critical to address operational requirements, religious, dietary and other restrictions should be given consideration wherever possible. First priority must be given to the physical security of passengers. Sufficient capacity must be maintained through assigned or host nation assets to protect, house, feed, treat and transport personnel awaiting onward movement. Handling and reporting of passenger movement will be in accordance with Para 0517 below.

0509. Mail

Mail provides a method of maintaining direct personal contact between deployed service members and their family and friends. This is the most commonly recognized purpose for mail and is a critical component of force morale. Mail is also utilized for delivering critical spares and communications and can be a considerable enabler of force readiness. Mail will be handled with the utmost care and will be delivered to its ultimate addressee as soon as possible

0510. Mail Routing Instructions (MRI)

Ships and units will provide MRI signals/messages while deployed, including an ETA/ETD in the operating area if known. Delivery of mail for units with expired MRIs will be directed by the MNLC in accordance with national guidance.

0511. Mail Handling Procedures

In general, mail given over to the NATO theatre distribution system for delivery will be handled in accordance with normal international postal practices. Both the ALSS and FLS' will include personnel trained and experienced in the care, inventory, movement and reporting of mail. Inventory and reporting procedures will ensure constant visibility of the amounts, classes, location, and movement of all mail bound to and from the MNMF. Personnel handling mail shall consider the following guidance:

a. National Requirements: Delivery of mail from national systems into the NATO theatre distribution system denotes national acceptance of NATO mail handling policies and procedures. Member or coalition nations requiring national custody of specific classes or shipments of mail will bear responsibility for maintaining control of such shipments. This control may be effected by delivery through national rather than NATO systems, assignment of national postal representatives to required points in the NATO distribution system, or use of couriers for sensitive deliveries.

b. Registered Mail Security: Registered mail will always be handled as classified cargo. Particular attention must be given to the problems inherent in maintaining security during expeditionary operations. Emergent operations requiring establishment of an ALSS and FLS' manned in part by locally available labour can compound normal security concerns. Helicopters, aircraft, lorries/trucks and ships taken up from trade may be pressed into immediate service without the luxury of sufficient time for security investigations of crews, drivers and supporting personnel. Site commanders must be fully cognizant of security requirements and ensure registered mail and other classified materials are maintained in proper custody. When registered mail is in the custody of air terminal personnel, it is to be secured in an appropriate security container. When this requirement cannot be met, a properly cleared military or civilian employee will be posted to guard the mail. At no time will registered mail be given over to personnel of any source without proper clearance and proper chain of custody. In the event operations must be conducted using aircrews, ship crews, or drivers without proper clearance, the ALSS/FLS Commander shall retain registered mail and other classified material pending direction from the MNLC, or use properly cleared couriers during movement. Appropriate couriers may often be available among transient personnel.

c. Ordinary Mail Security: Qualified postal personnel from NATO nations, to include host nation postal personnel and other assigned postal personnel, will control custody and handling of mail and maintain constant direct surveillance when over mail being handled by non-postal or non-cleared personnel. A security guard will be posted whenever the in-transit terminal is deemed insecure and when warranted by local conditions and all mail will be scrupulously protected against loss, damage, pilferage and bad weather.

d. Mail Movement Priorities: Mail movement priorities are generally as follows:

- (1) Registered Mail and Letter Mail
- (2) Military Official Mail
- (3) Parcel Post and Second Class Mail

- (4) Intra-theater Command Surface Mail
- (5) Empty Mail Bags, Retrograde Surface Mail

0512. Cargo

A current inventory of all cargo on hand will be maintained for each terminal and warehouse at each site. This inventory will include cargo ready for shipment and cargo withheld from shipment, by reason of condition or identification. A consolidated inventory of cargo on hand at the site, along with reports of receipts and shipments, should be reported to all appropriate authorities. This inventory supports lift and load planning and provides supported units and higher commands with valuable information regarding projected re-supply. Guidelines for Cargo handling are at Annex 5E. Guidelines for heavy lift aircraft loading are at Annex 5F.

0513. Hazardous Material (HAZMAT)

Each site will have personnel qualified in the documentation, handling, storage and shipment of hazardous materials. HAZMAT storage areas and facilities will not block evacuation, medical, fire or security access. Storage will be organized to segregate classes of material as necessary. Hazardous materials and storage locations will be clearly marked and all requirements for safety, first aid and fire equipment will be fully met. HAZMAT will be secured as necessary and inspected daily. All requirements for HAZMAT shipments, including packaging and preparation, labeling, transportation and loading restrictions and documenting and manifesting must be fully addressed. Load planning will ensure the compatibility of hazardous cargo shipments with other hazardous materials, passenger movements and specific aircraft type limitations. No HAZMAT will be shipped unless the material and packaging are in good order. Receipts of HAZMAT will be processed to ensure rapid movement to appropriate storage.

0514. Special Handling

Temperature-sensitive, perishable, fragile and other special handling cargo will be clearly labeled and handled with full regard for the particular requirements. In the event that proper storage or other capabilities (such as dry ice for medical shipments) are not locally available, the restricted ability to handle particular requirements should be reported to the MNLC for resolution. Each site should be kept aware of restrictions at other sites so that appropriate routings or precautions may be used. Adequate physical security will be provided for all cargo, with secure storage and guards available for classified, sensitive or highly attractive cargo.

0515. Air Operations

The responsibilities of the Air Co-ordination Cell, the ITAL Det and VODS Det are laid down in Chapter 2 of this document. The primary concern within the sphere of Air Operations is Air Safety, which is maintained by using procedures laid down in the appropriate Allied Air Publications.

0516. Flight Operations

Flight Operations at an ALSS or FLS consist of the ground handling of aircraft, passenger service and the unloading/loading of cargo and mail by either the ITAL Det or the VOD Det in co-ordination with the Cargo Det. Their primary responsibilities include:

- a. Meeting all inbound aircraft and collecting necessary traffic documentation.
- b. Ensuring sufficient copies of registered main manifests remain on the aircraft to facilitate the transfer of accountability by special handling personnel.

- c. Checking aircraft for passenger capability and cargo pallet configuration.
- d. Co-ordinating all ground handling activities with Air Traffic Control (ATC).
- e. Brief the Aircrew on the number of passengers, special category passengers, handicapped passengers, prisoners and guards, couriers, number of pallets, load characteristics (i.e., overhang, rolling stock, etc.), total tonnage, hazardous material and cargo that prohibits passengers from being onboard (i.e. HAZMAT that can only be carried on Cargo Aircraft Only).
- f. Providing ATC with the necessary information to ensure the completion of ground handling services prior to scheduled departure time.
- g. Parking inbound aircraft.
- h. Directing the loading/unloading of aircraft by Cargo Det personnel.

A check list for working with helicopters is at Annex 5G. A check list for operating with HTUFT/charter aircraft is at Annex 5H.

0517. Passenger Service

Personnel involved in handling passengers should ensure that the highest degree of professionalism and courtesy is afforded to all passengers, regardless of rank or position. This function could include PW, non-combatant evacuee and refugee handling, not to mention movement of bodies. When dealing with any of these categories the FLC should ensure he obtains advice from the relevant authorities key duties and responsibilities involved with Passenger Services are:

a. Prior to the first passenger flight.

- (1) Determine the passenger movement requirements for the upcoming day. Special attention should be given to monitoring the movement of Distinguished Visitors.
- (2) Post the daily flight schedule in the passenger area.
- (3) Check on the status of any scheduled outbound passengers to ensure they will be manifested and are always aware of the schedule show time.

b. Inbound Passenger Flights:

- (1) Confirm aircraft arrival time.
- (2) When cleared by the aircrew, board the arriving aircraft and welcome inbound passengers. Identify transit passengers and brief them on the procedures for deplaning and re-boarding, along with the scheduled departure time.
- (3) Escort passengers to the terminal and have them sign in on the arrival sheet. Ensure a list of all essential ALSS/FLS telephone numbers is available to all arriving passengers.
- (4) Download all passenger-checked baggage immediately and deliver it to a central location within close proximity of the passenger terminal.
- (5) Retrieve all copies of passenger offload and one copy of the through-load manifest from the aircraft.

(6) Ensure all checked baggage is claimed/accounted for prior to closing the passenger terminal for the day.

c. Outbound Passenger Flights:

(1) All passengers will be required to have valid Identification Card.

(2) Ensure all passengers are manifested.

(3) Baggage tags will be issued for each piece of checked baggage and will be marked with the destination and owner's name.

(4) When the crew is available, brief the aircrew on the number of passengers expected.

(5) Prior to leaving the assembly area, ensure all passengers are present, escort the passengers to the aircraft at the designated load time. Do not allow passengers to proceed to the aircraft by themselves.

(6) Once passengers are loaded and seated, conduct a final head count and have the aircrew sign the passenger manifest.

A check list for helicopter passengers is at Annex 5I.

0518. Sea Port Operations

Normal port operations will remain in the hands of host nation port authorities in most scenarios. In those circumstances where operations are required in the absence of port facilities, operations will be conducted in accordance with ATP 8. Dependent on the volume and nature of operations, local port operating assets may be augmented by expeditionary cargo handling forces from member nations. The ALSS Commander will ensure full-time liaison with local port authorities and will co-ordinate the offload/onload/storage of materiel in accordance with established priorities. As military personnel may be involved in the offload of their own equipment, the co-ordination of military and port operations within the port is critical. Conflicting demands on space, storage, equipment, and operating personnel can quickly degrade relations with the host nation port authority.

ANNEX 5A

EXAMPLE OF FLS DAILY REPORT

FROM: FLS (LOCATION)
 TO: MNLC
 INFO: CTF, CTG, ALSS AND OTHER INTERESTED PARTIES

SIC:NAJ

SUBJ: FLS (LOCATION) DAILY SITREP/AS AT 021800Z MAY 01.

1. MAIL (ALL WTS IN KILOS)

UNIT	NO OF BAGS	WT	RMKS
A. ON HAND FOR UNITS			
CARDIFF	6	21	FFT VOD 3/5
TROMP	3	8	FFT VOD 3/5
PATINO	9	39	PV WILM 3/5
B. MAIL FOR RTN VIA ALSS			
ILLUST	28	110	AS ADVISED
ENTERPRISE	47	312	ROAD TO NFLK 2/5
C. MAIL DISPATCHED LAST 24 HRS			
YORK	4	18	VOD 2/5
BRAZEN	6	23	VOD TO YORK 2/5

2. PAX

A. AT FLS	RANK	NAME	PARENT UNIT	DATE ARR
DESTINATION				
BREMEN	OR5	SCHUMM	BREMEN	2/5
UK	OF2	WILSON	YORK	2/5
ALSS(NL)	OR2	FILCH	FLS.....	2/5
B. ONMOVED LAST 24 HRS				
NEW YORK	OF3	KAPOWSKI	ENTERPRISE	3/5

3. CARGO

DESTINATION	WT(KG)	DIMENSIONS(CM)	ITEM	RMKS
A. AT FLS				
CARDIFF	14	23 X 12 X 80	OPDEF	FFT VOD 3/5
			WE 101/95	
BREMEN	12	22 X 19 X 65	AWB 992360	FFT VOD 3/5
TROMP	72	192 X 90 X 71	AWB 723466	FFT VOD 3/5
FSU01	205	92 X 101 X 72	SMDG	BARGE TX 3/5
ALSS/UK	39	102 X 100 X 96	RETROGRADE	
ALSS/US	18	87 X 34 X 71	RETROGRADE	
B. DESPATCHED LAST 24 HRS				
PATINO	72	192X90X71	AWB 723446	VIA ASTURIAS
ALSS/UK	39	102X100X96	RETROGRADE	FM NICHOLAS

4. HRS VOD REMAINING: 42

5. FLS CDR REMARKS

- A. VOD 3/5 WILL HAVE SPACE FOR TRANSFER OF 4 VIPS TO ENTERPRISE, HOLDING ARRANGEMENTS IN PLACE AT FLS.
- B. MEDICAL COVER WILL REDUCE TO 1 X POMA ON 4/5 - MO VISITING FSU IN WILMINGTON. NORMAL COVER FM 5/5.
- C. SALTS/ADLIB NOW ON LINE.
- D. REQUEST SITREP OF TG312.02 INTENTIONS/OPAREA NEXT 72 HRS.

INTENTIONALLY BLANK

ANNEX 5B

AIR LOAD MANIFEST (NON DANGEROUS CARGO)

TASK FORCE NO
SERIAL NO

FLT NO

AC NO

MOV

--	--	--	--

DEPARTURE AIRFIELD

ETD

--	--

ARRIVAL AIRFIELD

ETA

--	--

AWB/TCN	DIMS LxWx(H)	QTY	DESCRIPTION	WEIGHT (KG)	PTY	SHIP NAME
Totals this sheet						

I certify that these items have been loaded on this flight

Sheet No of

.....
Signature of Officer/SNCO Loading Team

Date

INTENTIONALLY BLANK

ANNEX 5C

AIR LOAD MANIFEST (DANGEROUS CARGO)

TASK FORCE NO
SERIAL NO

FLT NO

AC NO

MOV SERIAL NO

--	--	--	--

DEPARTURE AIRFIELD

ETD

--	--

ARRIVAL AIRFIELD

ETA

--	--

AWB/TCN	DIMS LxWxH (cm)	QTY	DESCRIPTION	WEIGHT (KG)	PTY	SHIP NAME
Totals this sheet						

I certify that these items have been loaded on this flight

Sheet No of

.....
Signature of Officer/SNCO Loading Team

Date

INTENTIONALLY BLANK

ANNEX 5D

AIR LOAD MANIFEST (PASSENGER)

TASK FORCE NO

FLT NO

AC NO

MOV SERIAL
NO

--	--	--	--

DEPARTURE AIRFIELD

ETD

--	--

ARRIVAL AIRFIELD

ETA

--	--

S/NO	NAME	RANK	SERVICE NUMBER	NATION	SHIP NAME	REMARKS
Totals this sheet						

I certify that these items have been loaded on this flight

Sheet No of

.....
Signature of Officer/SNCO Loading Team

Date

INTENTIONALLY BLANK

ANNEX 5E

GUIDELINES FOR CARGO HANDLING

5E01. Guidelines for Cargo Handling

1. Lifting/moving of cargo should be appropriate to:
 - weight
 - size
 - Contents e.g. hazardous/fragile.
2. The following details should be recorded on receipt:
 - Priority
 - Size
 - Weight
 - Serial/OPDEF Number
 - Contents (where possible)
 - Received from/when.
 - Destination
 - Storage location
 - Special handling requirements e.g. Classified/temperature limitations.
3. Details should be passed directly to the Log Cell to be listed on the stateboards.
4. The Head of the Cargo Section should audit his records of cargo held and physically sighted on at least a daily basis.
5. The Head of the Cargo Section should compare the stateboard with what his records show is in his custody on at least a daily basis.
6. The cargo stowage should be secure and dry.
7. A grid or other system should be set up in the stowage area for recording the location of items.
8. A dry, spacious area should be set aside for collating aircraft loads/making up pallets.
9. The following equipment should be on hand or the procedure established for gaining access to it:
 - Lifting equipment
 - Palletiser
 - Forklift truck
 - Flatbed lorry
 - Extra pallets
 - Cargo nets

INTENTIONALLY BLANK

ANNEX 5F

GUIDE LINES FOR HEAVY LIFT AIRCRAFT LOADING

5F01. Heavy Lift Aircraft Loads

The making up of Heavy Lift Aircraft loads is a skilled task requiring a detailed knowledge of the latest Dangerous Air Cargo (DAC) regulations and the specifications for each aircraft's layout. Where practicable a qualified team will be allocated to an ALSS/FLS and arrive with specialist handling and loading equipment.

5F02. Aircraft Load Master

The aircraft load master will have the final say about the make up and acceptability of loads. To assist and save time when the aircraft is on the ground, the cargo team can make the following preparations:

- a. Identify Dangerous Air Cargo and the Class that the item falls in.
- b. Segregate types of cargo.
- c. List each item by Weight, and dimensions.
- d. Pack mail bags into strong cardboard containers for ease of handling. Measure and weigh.
- e. Identify classified items requiring special handling.
- f. Where available locate pallets appropriate for the size of aircraft and position a load beside it ready for loading ensuring that the load does not exceed the maximum height acceptable for the specific aircraft.
- g. Where available have lashings and nets on hand.
- h. Ensure availability of low loading forklift truck whilst C-130 on the ground.

5F03. Classification of Dangerous Air Cargo.

This list is provided purely as a guide to help alert FLS personnel as to what items may be DAC in order that the specific details can be extracted from the appropriate documentation for that cargo item. These classes have been arranged for convenience by type of hazard involved and the order in which they appear does not imply a relative degree of danger:

CLASS 1	Explosives: this excludes explosive substances/articles that are too dangerous to transport or those where the predominant hazard is appropriate to another Class.
CLASS 2	Gases; compressed, liquified, dissolved under pressure or deeply refrigerated.
CLASS 3	Flammable Liquids.
CLASS 4	Flammable solids; substances liable to spontaneous combustion; substances which, on contact with water, emit flammable gases.

CLASS 5	Oxidising substances; organic peroxides.
CLASS 6	Poison (toxic) and Infectious Substances.
CLASS 8	Corrosives.
CLASS 9	Miscellaneous dangerous goods

ANNEX 5G

CHECK LIST FOR WORKING WITH HELICOPTERS**5G01. Aircraft Hazards**

When operating in a helicopter environment personnel should ensure that they receive the appropriate a/c familiarisation brief for the a/c in use in their area. Such a brief must include the following:

- a. Blade sail or swoop
- b. Weather cocking
- c. Ground resonance
- d. Flotation equipment
- e. Aircraft intakes
- f. Aircraft exhausts
- g. Armament
- h. Loose equipment
- i. Aerials
- j. Tail rotors
- k. Approach to the aircraft

5G02. Foreign Object Damage

Foreign Object Damage (FOD) is a major consideration when in an aircraft environment. It is vitally important that the area is regularly cleared of any loose items that might cause damage to aircraft.

5G03. Vertical Replenishment (VERTREP) and Transfers

Helicopters will often be carrying underslung loads and special consideration should be given to the handling of such loads. In particular before operations commence relevant personnel should be detailed off, fully briefed, correctly dressed, and equipped with an earthing pole.

5G04. Aircraft Emergencies

1. The aircraft may have to return to the site following an emergency. If this occurs then the following preparations should be carried out:

- a. Clear site of all non-essential personnel.
- b. Send someone to inform local safety services.
- c. Post sentries to prevent unauthorized access to the site.

If the aircraft lands safely it may shut down. In this case do not approach the aircraft until the rotors have stopped and permission has been granted from the pilot.

2. If the aircraft crashes there are two possible scenarios:
 - a. If there is no fire then assist aircrew to vacate the aircraft, limit access to the site and render first aid as required.
 - b. If there is a fire, without specialist equipment there is very little that can be done. Sentries should be posted around the site to direct emergency services and prevent unauthorized access.

ANNEX 5H

OPERATING HELICOPTERS TAKEN UP FROM TRADE/CHARTER HELICOPTERS

HTUFT FLYING PROGRAMME PLANNING

5H01. Aircrew Hours

After checking aircraft availability, establish the number of aircrew hours at your disposal. Most contracts will state that operations will be planned around the use of a single crew, this therefore limits the crew hours in accordance with current Civil Aviation Authority safety legislation. The following tables are provided as examples only. The actual restrictions that may apply need to be confirmed with the appropriate national aviation authority before operations commence:

Available Flying Hours on a DAILY BASIS

LOCAL START TIME	MAX FLYING DUTY PERIOD	MAX FLYING HOURS
0600 - 0659	10	7
0700 - 0759	11	8
0800 - 1359	12	8
1400 - 2159	10	7
2200 - 0559	9	6

Flying Duty Period = Report time for flight until rotors stop on final sector.

Flying Hours = Start up to shutdown on each sector including time on deck with rotors running.

Available Flying Hours on an EXTENDED BASIS

Consecutive Days	Max Flying Hours
3	18
7	30
28	90

Further Restrictions

Early Starts	Max of 3 in a row earlier than 0700 (local)
Rest Periods	Minimum is equal to preceding duty period of 12 hrs, which every is the greater

5H02. GLC

Contact should be made with the GLC of the relevant TG to discuss the plan for the following day's helicopter programme. Topics for discussion should include:

- a. PMC for/from which ships.
- b. GLC priorities.
- c. Dispositions of ships.
- d. CTGs tactical intentions.
- e. Airspace restrictions (ie ADEX, GUNEX etc) - check OPORD.
- f. f. Available HDS tasking hours.

5H03. Further Considerations

- a. Range of aircraft - must have sufficient fuel to return or land or acceptable diversion deck e.g. Aircraft Carrier/oil rig.
- b. Speed of aircraft.
- c. Type of operations e.g. underslung loads, winching operations.
- d. Weight of aircraft - especially effects winching ops.
- e. Availability of fuel - HTUFT usually not HIFR capable.
- f. Availability of decks/deck clearances - land on better than winching.
- g. FLS airfield operating hours/procedures.
- h. Diversion airfields and operating hours.
- i. ETA and PMC arriving at ALSS/FLS (Intra theatre/commercial moves / security / medical / accommodation requirements).

5H04. Briefing the Aircraft Captain

The ALSS/FLS Commander or his Deputy should brief the a/c Captain face to face before the commencement of each mission. As a minimum the following factors should be briefed:

- a. Position of ships.
- b. Ship recognition (HOSTACS).

- c. Ship's flight deck layout (HOSTACS).
- d. PMC movements (both deliveries and retrograde).
- e. Ship's call signs.
- f. Frequencies (Primary/Secondary/HF Backup/EAGLE).
- g. Airspace restrictions.
- h. Ship's activities and any associated dangers.

Note. Take a copy of the HTUFT contract and read it thoroughly!

INTENTIONALLY BLANK

ANNEX 5I

CHECK LIST FOR HELICOPTER PASSENGERS

5I01. Entering and Leaving the Helicopter

1. Approach only when instructed to do so by the marshaller who will get permission from the pilot.
2. Approach the cabin door within an arc of 45° to 90° to the front of the helicopter keeping the crewman in sight, and go straight to the door. Crouch low as you approach and keep clear of the exhausts.
3. The crewman will show you to your seat where you should strap yourself in. When seated note the nearest emergency exit to your seat.
4. At the end of the flight do not unlock your seat harness until you are told to do so. You will be told when to move from your seat and when to leave the aircraft.
5. When you leave the aircraft walk clear of the rotor disk area at 90° to the aircraft's heading.

5I02. Briefing of Cabin Passengers

1. Prior to embarkation passengers should receive a safety brief. If aircrew are not available to carry out this briefing then it is the responsibility of an officer or senior rate. The brief should include the following headings.
 - a. Dress - including use of immersion suits.
 - b. Forbidden articles - e.g. matches, lighters, aerosols.
 - c. Baggage policy.
 - d. Life-saving equipment.
2. Passengers should be reminded that the captain of the aircraft has authority over all passengers regardless of rank and all of his instructions should be followed.

INTENTIONALLY BLANK

CHAPTER 6

ADMINISTRATION

0601. Introduction

The ALSS/FLS Commander is responsible for ensuring that administrative support is provided for both the staff of the ALSS/FLS and those personnel transiting the site. Individual Nations will have their own routines and procedures dealing with the administration of personnel assigned to an ALSS/FLS and this Chapter is a general guide to administration. It does not override National requirements.

0602. ALSS/FLS Administration Signal

Prior to setting up the ALSS/FLS, the MNLC will send out an administrative signal highlighting the aspects that augmentees will need to know and delegating financial authority to the ALSS/FLS Commander. A template for an ALSS/FLS Administration signal is at Annex A.

0603. Personnel Records

When ALSS/FLS personnel arrive at the site the following information should be recorded as a minimum:

- a. Name and initials.
- b. Rank and Nationality
- c. Service Number.
- d. Passport Number
- e. Parent Headquarters.
- f. Next of kin details - address and telephone numbers.
- g. Accommodation and call out telephone number.

0604. Financial Arrangements

The ALSS/FLS activation signal will identify financial resources available to the Commander and any specific spending limits. The Commander should ensure that he receives a brief from the co-ordinating authority on spending guidelines and account records required. It may well be prudent to have ready access to a float of local currency. If this is the case the Commander should ensure that the security arrangements are as good as the local situation permits.

0605. Personal Financial Arrangements

ALSS/FLS personnel should make due provision for their own finances whilst deployed, including initial currency requirements, Travellers Cheques and credit cards. Where it is sensible the ALSS/FLS Commander will be able to provide cheque cashing facilities or arrange the use of other Military units' cash facilities.

0606. Accommodation

The administration section is responsible for finding and allocating accommodation to the ALSS/FLS team, visiting aircrews and transit passengers. Contingency accommodation plans should also allow for large numbers of personnel. Prior liaison with commercial establishments will be important to ensure that facilities can be called upon at short notice. Costs and methods of payment should be established in advance.

0607. Domestic Arrangements

The FLS organisation must identify:

- a. Catering arrangements - including out-of-hours facilities and payment requirements
- b. Laundry facilities
- c. Personal mail and telephone arrangements

0608. Transport

The list of equipment required at Annex 4C includes various modes of transport. If there is no dedicated MT Section the Admin Cell will need to consider the following:

- a. Production of transport routines
- b. Nominating personnel as official drivers (ensuring that personnel nominated have the necessary qualifications/licenses to comply with local regulations)
- c. Fuelling and Repair Facilities, including payment for services
- d. Recording of mileage against fuel used
- e. Control of ignition keys

0609. Mail

Whilst the Cargo Detachment will be responsible for the handling and onward movement of bulk mail, the Administration Cell is responsible for handling all official mail addressed to the ALSS/FLS ensuring that it is properly dealt with and responded to. In addition, the Admin Cell is responsible for setting up a system for the distribution of personal mail addressed to members of the ALSS/FLS Staff bearing in mind the important effect that a poor system for the distribution of personal mail can have on morale.

0610. Security

Security of vehicles, materiel, personnel and information must be considered and precautions established.

0611. Customs

Whilst military PMC are often given sympathetic attention when passing through overseas customs it is important that the documentation requirements are agreed with local authorities and that all agencies that need to be aware are informed (including the units at sea being supported). The key to clearing customs efficiently is a good liaison with the authorities from the beginning of ALSS/FLS operations.

0612. Personnel Reports

Whilst Personnel Reporting requirements are the responsibility of individual nations, the Administration Cell should liaise with the senior representative of each nation contributing to the ALSS/FLS staff, offering assistance to ensure that national requirements are complied with.

0613. Casualty Notification

The ALSS/FLS Commander is responsible for the well being of his site staff and for keeping NATO and National authorities informed of any casualties from within the staff. The ALSS/FLS Duty officer should be aware of casualty notification procedures and signal formats. Initial personnel administration should ensure that the correct records are held. Higher logistic commands and the activating authority are to be included as information addressees in the event of ALSS/FLS casualties. The “CASREP” format is laid down in ALP 4.1. However, nations represented on the staff of the ALSS/FLS may have additional national reporting requirements and this should be borne in mind in the event of a staff casualty.

0614. Compassionate Cases/Emergency Leave

In the event of ALSS/FLS personnel having personal domestic concerns the ALSS/FLS Commander has the discretion to grant leave. National procedures for the repatriation of personnel on compassionate grounds vary. It is therefore necessary to liaise with the Senior National representatives and/or the MNLC Logistic Liaison Representative (LLR).

0615. Medical

The Medical Cell (where one is set up) will identify local medical facilities for both serious casualties being landed from sea and routine ALSS/FLS requirements. The ALSS/FLS Commander should ensure that where civilian facilities are earmarked the appropriate authorities have agreed to assist if the need arises and that repayment requirements have been identified in advance. In the event of there being no Medical Cell the Administration Cell should undertake this task.

0616. Check List

A check list for the OIC Admin Cell is at Annex B.

INTENTIONALLY BLANK

ANNEX 6A

ALSS/FLS ADMINISTRATION SIGNAL TEMPLATE

FROM: Activating Authority

TO: Providing Units

INFO TCN HQs

SIC: OPERATION SIC/ + W**/Q** ETC

SUBJECT: ALSS/FLS ***** ADMINISTRATIVE DETAILS

REFS:

- A. OPORDER
- B. LOGISTIC SUPPORT INSTRUCTION
- C. DTG SIGNAL NOMINATING MANPOWER

1. PLACE, DATE AND TIME FOR AUGMENTEES TO REPORT.
2. KIT DETAILS (SEE APPENDIX 1)
3. MEDICAL PRECAUTIONS
4. ACCOMMODATION DETAILS AND COST IF REQUIRED.
5. FINANCIAL ENTITLEMENTS.
6. DOCUMENTATION REQUIREMENTS.
7. CURRENCY FACILITIES.
8. FLS CONTACT DETAILS
9. RETURN DETAILS IF KNOWN.
10. DELEGATION OF AUTHORITY.

INTENTIONALLY BLANK

APPENDIX 6A-1

KIT LIST CONSIDERATIONS

1. Whilst most nations have standard kit issues it is advisable to restrict the amount of kit required to be carried by individuals wherever possible. The type of kit required will be dictated by the nature of the operation and advice should be provided in the Administration signal, taking into account the following areas.

2. Working Clothing – state type of clothing required, depending on climatic conditions (tropical/desert/temperate /cold etc). Particular attention should be paid to advising on the type of footwear required, availability of personal hygiene items, and the possible differences in daytime and night time temperatures.

- Personal Sleeping Bags?
- Personal Ground sheets?
- Helmets?
- Personal weapons/webbing?
- Anti-Gas Respirators?
- Rucksack/kit bag/suitcase/holdall

INTENTIONALLY BLANK

ANNEX 6B

CHECK LIST FOR ADMINISTRATION OFFICER

NAMES AND NEXT OF KIN DETAILS OF SITE PERSONNEL

MEDICAL INNOCULATIONS / PRECAUTIONS TAKEN /REQUIRED

ACCOMMODATION FACILITIES/CONTACT NUMBERS

OFFICE SPACE ALLOCATION

TELEPHONE/FAX NUMBERS PROMULGATED

TRANSPORT IDENTIFIED

WATCH/MEAL ROUTINES ESTABLISHED

TRANSPORT ROUTINES ESTABLISHED

DRIVERS IDENTIFIED

WP/TYPING FACILITIES SET UP

MAIL HOLDING AREA IDENTIFIED

MAIL LOGGING SYSTEM

CASH/PAYMENT FACILITIES AND ROUTINES ESTABLISHED

ACCOUNTING REQUIREMENTS PROMULGATED AND COORDINATED

MEDICAL ARRANGEMENTS PROMULGATED

COMPASSIONATE/CASUALTY ROUTINES ESTABLISHED AND PROMULGATED

STATIONERY OBTAINED

INTENTIONALLY BLANK

CHAPTER 7

DEACTIVATION/RELOCATION OF SITE

0701. General

1. ALSS/FLS deactivation and relocation (when required) will be directed by the Operational Commander through the MNLC. Under normal circumstances it is likely that only FLSs will relocate as ALSSs are usually static for the duration of the Operation / Exercise. However, under certain circumstances an ALSS may also be required to relocate. Relocation in general will be executed in accordance with the published operations order (OPORD). Co-ordination and phasing during site deactivation and relocation is critical due to the interdependence of the various elements that comprise an ALSS/FLS. In general, the site must retain all necessary capabilities until the final transfer of personnel and equipment is complete.

2. The site commander has overall responsibility for co-ordination of the site deactivation and relocation. Individual Detachments are responsible for the breakdown, inventory, packing and redeployment of their respective equipment and cargo. Redeployment will normally be under direction of the MNLC. National contingents will generally follow their respective operating procedures for redeployment of assets from the ALSS/FLS, subject to the operational requirements of the site.

3. Site deactivation and personnel departures will be conducted in such a way as to meet MNMF requirements, direction from the MNLC and host nation support agreements. Site Commanders will make every effort to minimize the effects site deactivation may have on the host nation.

4. Templates for a deactivation message and a deactivation/relocation message are at Annexes 7A and B respectively.

0702. Site Redeployment Team

Site deactivation and departure will normally be directed and coordinated by a Site Redeployment Team that should consist of the following personnel:

- Commander and Deputy
- Logistics Operations Officer
- An Engineering Officer if available
- Administrative Officer
- Communications Officer
- Medical Support Officer
- A Security Force representative
- Representatives from cargo and airlift/VOD dets as available
- Host nation liaison representative

0703. Duties and Responsibilities

The Logistics Operations Officer, Admin Officer and where available the Engineer Officer will be the lead planners for the redeployment effort. Care must be taken not to degrade any support being offered to the MNMF when preparing for redeployment.

0704. ALSS/FLS Commander

The Commander has overall responsibility for ensuring that deactivation is in accordance with MNLC objectives, that all facets of redeployment operations are adequately co-ordinated and that any adverse impact to the host nation is minimized. The site Commander will approve individual department deactivation plans and co-ordinate execution. Prior to the commencement of site deactivation operations, the Commander will ensure subordinates are thoroughly aware of the overall redeployment plan and any special support considerations that may be required for any units remaining behind. The Commander will report national equipment and supplies not fit for use or not cost effective for redeployment to the MNLC. The MNLC will co-ordinate disposition with national authorities. The site Commander will retain custody of high value items until they depart the site through appropriate redistribution channels.

0705. Logistics Operations Officer

The Operations Officer is responsible for ensuring airport, seaport, warehousing and ground transportation operations transition smoothly from being fully capable, to that of “emergency only” movement of highly critical PMC during disestablishment operations. During redeployment, the Operations Officer will be responsible for tracking the PMC to ensure the smooth flow of equipment and personnel to TCNs.

0706. Airport Operations

Airport operations will normally remain under host nation direction. The CARGO Det will retain sufficient capability to process re-deploying personnel and cargo in accordance with redeployment orders. The MNLC will direct the air operations through the ALSS/FLS. When the order for disestablishing the air-head is received the OIC will direct the redeployment of remaining equipment and personnel.

0707. Sea Port Operations

Port Authority operations will normally be under the direction of the host nation. The CARGO Det will retain sufficient capability to provide processing of re-deploying MNMF cargo in accordance with redeployment orders. The MNLC will direct throughput in co-ordination with MNMF requirements. When the order for deactivating the port is received, the OIC CARGO Det will direct remaining equipment and personnel to the appropriate sites for redeployment.

0708. Warehouse and Transshipment Operations

The CARGO Det will retain sufficient capability for transshipment of re-deploying MNMF assets in accordance with MNLC direction. The OIC will report equipment and supplies not fit for use or not cost effective for redeployment to the site commander.

0709. Engineering Support

Site deactivation and redeployment may create significant new engineering taskings, including curtailment of ALSS/FLS functions and services, dismantling facilities, site restoration, disposal of wastes and support for the redeployment of personnel, materials and equipment. It may also involve relocation and re-activation of operations in another location. The host nation or assigned engineers will provide engineering and public works related support until the last piece of equipment, material and troop support leaves the theatre. They will ensure sites have adequately planned for deactivation operations. A schedule to complete engineering tasks must be developed and should consider the following:

a. Public Works. Provision for continued or modified services required during deactivation and redeployment. This may involve facility maintenance before retrograde or final disposition, utility operations, transportation, scheduling and operation of material handling equipment (MHE) and cleaning of equipment and material containers.

b. Site Restoration. All facilities and land must be left in the same or better condition than when the ALSS/FLS was activated. This may include dismantling of temporary facilities, environmental cleanup and hazardous materials/waste disposal. Compliance with HN, international and national regulations and laws will be required.

c. Construction Contracting. Tasks may include modification, termination or cancellation of leases and service, construction and utilities contracts.

d. Retrograde of Engineering Support. Civil engineering support will normally be one of the last activities at the deactivated site. If other than host nation, their timely redeployment to other sites where their services are needed, or back to their home station, must be carefully coordinated with the ALSS/FLS site commander, providing nations and the MNLF.

0710. Administrative Officer

The Administrative Officer is responsible for all personnel management activities and tasks during the deactivation and redeployment process and should be one of the last staff members to leave the site. Personnel management activities include, but are not limited to, the close out of all financial issues, local transportation of passengers and site staff members, service record maintenance, customs procedures and any HN liaison issues. As the HN liaison officer, the administrative officer shall ensure all HN concerns and issues are brought to the attention of the site Commander or his deputy. Termination and redeployment of security operations will be at the discretion of the site commander. In addition to personnel security, redeployment operations will require special attention to prevent the theft and pilfering of government material at various stages of redeployment. The Admin/Security Officer must begin establishing a redeployment security plan shortly after security procedures have been established during site activation, since redeployment or deactivation of the site can occur at any time.

0711. Medical Support Officer

Medical and dental support can commensurably be drawn down in proportion to the redeployment of personnel. The ALSS/FLS Medical and Dental Officers are specifically responsible for facilitating the checkout of personnel prior to redeployment which includes the processing of medical records. In general, medical and dental support will remain up through final closure of the ALSS/FLS. Exceptions to this are accessibility to alternate facilities within a reasonable distance of the ALSS/FLS, which include available shipboard assets.

0712. Communications Officer

The Communications Officer will ensure communication links are retained until deactivation. In general, communication circuits will be the final commodity brought off line in the redeployment process.

0713. Reporting Requirements

In addition to reporting the deactivation of the site to the MNLC, care must be taken to ensure that the necessary deactivation reports are made to the TCNs.

INTENTIONALLY BLANK

ANNEX 7A

ALSS/FLS DEACTIVATION MESSAGE TEMPLATE

FROM: ALSS/FLS COMMANDER

TO: OPERATIONAL COMMANDER (MNLC)
MNMF COMMANDER
ALL OTHER AUTHORITIES (NATO AND NATIONAL) INVOLVED

SIC: NAP/OAQ/QEP/WAQ

SUBJ: DEACTIVATION OF ALSS/FLS.....(SITE NAME).....

REFS:

- A. ACTIVATION SIGNAL
- B. AUTHORITY FOR DEACTIVATION
- C. AS REQUIRED

1. ALSS/FLS.....(NAME OF SITE)... WILL DEACTIVATE AS DIRECTED AT REF B, AT
.....(DTG OF DEACTIVATION)
2. LAST DATE FOR RECEIPT OF PMC
3. INTENDED MOVEMENT FOR PMC CURRENTLY HELD AT LOCATION
4. INSTRUCTIONS GIVEN TO LOCAL AGENTS/HOST NATION FOR HANDLING ANY
LATE MAIL/CARGO RECEIVED AFTER DEACTIVATION.

INTENTIONALLY BLANK

ANNEX 7B

**ALSS/FLS DEACTIVATION AND RELOCATION
MESSAGE TEMPLATE**

FROM: ALSS/FLS COMMANDER

TO: OPERATIONAL COMMANDER (MNLC)
MNMF COMMANDER
ALL OTHER AUTHORITIES (NATO AND NATIONAL) INVOLVED

SIC: NAP/OAQ/QEP/WAQ

SUBJ: DEACTIVATION AND RELOCATION OF ALSS/FLS.....(SITE NAME).....

REFS:

- A. ACTIVATION SIGNAL
 - B. AUTHORITY FOR DEACTIVATION/RELOCATION
 - C. AS REQUIRED
-
- 1. ALSS/FLS.....(NAME OF SITE)... WILL DEACTIVATE AND RELOCATE TO...(NAME OF SITE).....AS DIRECTED AT REF B.
 - 2. LAST DATE FOR RECEIPT OF PMC IN CURRENT LOCATION
 - 3. INTENDED MOVEMENT FOR PMC CURRENTLY HELD AT PRESENT LOCATION (LIST ITEMS HELD, DESTINATION AND PROPOSED METHOD OF SHIPMENT TO UNITS)
 - 4. INSTRUCTIONS GIVEN TO LOCAL AGENTS/HOST NATION FOR HANDLING ANY LATE MAIL/CARGO RECEIVED AFTER DEACTIVATION.
 - 5. FIRST DATE FOR RECEIPT OF PMC AT NEW LOCATION

INTENTIONALLY BLANK

CHAPTER 8**REPORTING REQUIREMENTS/COMMUNICATION****0801. Standing Reports**

The only regular reports required to be rendered by the ALSS/FLS Commanders are the LOGASSESSREP and the MEDASSESSREP. These will normally be called for daily, at a time designated in the OPORD. Detailed instructions and examples of the formats are contained in ALP 4.1 and the Bi-MNC Reporting Directive Volume V – Logistics. Any alterations to those formats will be communicated either in the OPORD or in the MNLC OPTASK LOG as will any additional reporting requirements. Daily situation reports detailed at Annex 5A are not mandatory but are highly recommended.

0802. Communications

During any operation, signal message networks tend to be overloaded and it is imperative that signal traffic is kept to a minimum. To that end, the LOGASSESSREP and MEDASSESSREP have been specifically designed to cut down on the number of reports required. It is accepted that there will be a need to communicate with other organisations using the signal message system. However, ALSS/FLS Commanders should encourage the use of other forms of communication (telephone, fax, e-mail etc) wherever possible, commensurate with the security classification of the information to be communicated.

INTENTIONALLY BLANK

LIST OF EFFECTIVE PAGES

Effective Page	Page Numbers
Change 1	I, II
Original	III, IV
Change 1	V thru XII
Original	XIII, XIV
Original	1-1 thru 1-4
Original	1A-1, 1A-2
Original	2-1 thru 2-6
Original	2A-1, 2A-2
Original	2B-1, 2B-2
Original	2C-1, 2C-2
Original	2D-1, 2D-2
Original	3-1 thru 3-4
Original	3A-1 thru 3A-8
Original	4-1 thru 4-4
Original	4A-1, 4A-2
Original	4B-1 thru 4B-4
Original	4C-1, 4C-2
Original	4D-1, 4D-2
Original	4E-1, 4E-2
Original	4F-1 thru 4F-8
Change 1	4G-1 thru 4G-4
Original	5-1 thru 5-8
Original	5A-1, 5A-2
Original	5B-1, 5B-2
Original	5C-1, 5C-2
Original	5D-1, 5D-2
Original	5E-1, 5E-2
Original	5F-1, 5F-2
Original	5G-1, 5G-2
Original	5H-1 thru 5H-4
Original	5I-1, 5I-2
Original	6-1 thru 6-4
Original	6A-1, 6A-2
Original	6A-1-1, 6A-1-2
Original	6B-1, 6B-2
Original	7-1 thru 7-4
Original	7A-1, 7A-2
Original	7B-1, 7B-2
Original	8-1, 8-2
Change 1	LEP-1, LEP-2

INTENTIONALLY BLANK

ALP-4.1 SUPP 1