



HI-TECH Oil Solutions for Distributors and Wholesalers

With HI-TECH products, Model Oils serves distributors, wholesalers, fleets and international buyers across all sectors.

Flexible packaging Export Ready Global logistics network



Passenger Car Motor Oils

- 0W-16



Product Description and Applications

HI-TECH 0W-16 premium full synthetic developed for hybrid and modern passenger vehicles. It is engine oil. API SN Plus and ACEA C5 approved ultra low viscosity formula, fuel. It completely protects engine components while maximizing economy.

Features and Benefits

- It is specially formulated for hybrid vehicle engines and start-stop systems.
- It reduces fuel consumption and CO₂ emissions with its ultra-low friction coefficient.
- Provides API SN Plus certified LSPI protection.

Approvals and Specifications

API SN Plus, ACEA C5, ILSAC GF-6A



- 0W-20



Product Description and Applications

HI-TECH 0W-20 is a fully synthetic engine oil for modern gasoline and hybrid engines. ILSAC GF-5 and API SL/SM approved formula, excellent fluidity at low temperature and Provides superior fuel economy.

Features and Benefits

- Prevents cold start damage with rapid oil circulation at very low temperatures.
- With its high viscosity index, it provides stable protection over a wide temperature range.
- It has ultra-low friction feature that increases fuel economy.

Approvals and Specifications

API SN/SP, ACEA C5, ILSAC GF-6B, VW 508 00/509 00, BMW Longlife-17 FE+, MB 229.71

- 0W-30



Product Description and Applications

HI-TECH 0W-30 is a fully synthetic engine oil for passenger vehicles. API SL approved formula, Excellent fluidity in cold weather and strong protection at high temperatures
It supports the most efficient operation of the engine under all conditions.

Features and Benefits

- Stable performance over a wide temperature range; quick start in cold, full in hot protection
- Formula resistant to oxidation and thermal degradation.
- Keeps engine interior surfaces clean; It prevents the formation of residue and varnish.
-

Approvals and Specifications

API SN/SP, ACEA C2/C3, BMW Longlife-04, BMW Longlife-17 FE, MB 229.3/229.51, VW 502 00/505 00



- 5W-30



Product Description and Applications

HI-TECH 5W-30 is a fully synthetic engine oil for gasoline and diesel passenger car engines. Long oil change intervals and superior engine with API SL/SJ and ACEA A5/B5 approved formula provides protection.

Features and Benefits

- Wide range of applications in gasoline and diesel engines; Full compatibility with a single product.
- Energy-saving viscosity profile supporting low fuel consumption.
- It extends engine life with advanced anti-wear additives.

Approvals and Specifications

API SN/CF, ACEA C2/C3, VW 504 00/507 00, BMW Longlife-04, MB 229.31/229.51



- 5W-30DPF



Product Description and Applications

For modern diesel vehicles equipped with a HI-TECH 5W-30 DPF diesel particulate filter (DPF) It is a specially developed fully synthetic engine oil. Low ash ACEA C2/C3 formula, DPF It ensures that the engine operates at full performance while preserving its lifespan.

Features and Benefits

- It protects DPF and other after-treatment systems with its low SAPS formula.
- It meets Euro 5 and Euro 6 emission standards with ACEA C2/C3 approval.
- It significantly reduces the risk of filter clogging by minimizing oil consumption.

Approvals and Specifications

API SN/CF, ACEA C2/C3, BMW Longlife-04, VW 504 00/507 00, MB 229.51, Porsche C30



- 5W-40



Product Description and Applications

HI-TECH 5W-40 is a fully synthetic engine oil for gasoline and diesel passenger car engines. API SN and ACEA A3/C3 approved high performance formula for heavy urban traffic. Provides superior engine protection in driving conditions and long distance driving.

Features and Benefits

- Stable oil film from -35°C cold to +150°C hot with high viscosity index provides.
- It offers excellent protection in athletic driving style and high engine loads.
- It works equally effectively in turbo and naturally aspirated engines.
-

Approvals and Specifications

API SN/CF, ACEA A3/B4/C3, VW 502 00/505 00, BMW Longlife-01, MB 229.1/229.3, Porsche A40

- 10W-40



Product Description and Applications

HI-TECH 10W-40 is a semi-synthetic engine oil for gasoline and diesel passenger car engines. API SN and ACEA A3/B3 approved formula, high engine protection with economical price. It offers the ideal solution for those looking for it.

Features and Benefits

- With semi-synthetic formula, protection close to full synthetic, at a more economical cost.
- Reliable use in both old and new generation gasoline and diesel engines.
- It prevents engine wear with stable viscosity at high temperatures.

Approvals and Specifications

API SN, ACEA A3/B3



- 10W-60



Product Description and Applications

HI-TECH 10W-60 is a premium product developed for high performance sports and racing vehicles. It is a fully synthetic engine oil. API SN/CF and ACEA C3 approved formula, suitable for extreme loads and Provides superior engine protection at high revs.

Features and Benefits

- Maximum protection against extreme heat and pressure of high-speed sports and racing engines. protection
- It maintains the integrity of the oil film in supercharged and turbocharged engines.
- Particularly suitable for BMW M series and high performance vehicles.
-

Approvals and Specifications

API SN/CF, ACEA C3/A3/B4, BMW M



- 15W-40



Product Description and Applications

HI-TECH 15W-40 is a mineral-based engine oil for gasoline and diesel passenger car engines. API SN/CO approved economic formula, reliable engine under normal driving conditions provides protection.

Features and Benefits

- Multi-purpose mineral-based formula suitable for gasoline and diesel engines.
- Provides stable lubrication in hot weather and normal urban use.
- It offers low maintenance costs with economical mineral base oil.
-

Approvals and Specifications

API SN/CI, ACEA A3/B3

- 20W-50



Product Description and Applications

HI-TECH 20W-50 is a high viscosity mineral engine oil for gasoline and diesel engines. API SL/CC approved classic formula, reliable in hot climates and older generation engines. Provides lubrication.

Features and Benefits

- With its high viscosity, it preserves the integrity of the oil film in hot climate conditions.
- It is particularly suitable for older generation vehicles and high mileage engines.
- Reduces oil consumption in worn engine parts.

Approvals and Specifications

API SL/CC, ACEA A3/B3





Light Commercial Vehicle Motor Oils

- 5W-30



Product Description and Applications

HI-TECH 5W-30 fully synthetic engine specially developed for light commercial vehicles and minibuses. It is oil. API SL/CF and ACEA A5/B5 approved formula excels in high-load commercial use. Provides engine protection and long oil change intervals.

Features and Benefits

- It is specially formulated for high load and long distance conditions of light commercial vehicles.
- Reliable use in both gasoline and diesel engines with ACEA A5/B5 approval.
- It is ideal for fleet and service operations with its large volume packaging.

Approvals and Specifications

API SL/CF, ACEA A5/B5, VW 504 00/507 00, BMW Longlife-01 FE, Ford WSS-M2C913-C, Fiat 9.55535-S1



- 10W-30



Product Description and Applications

HI-TECH 10W-30 synthetic technology heavy duty for diesel engines of light commercial vehicles

It is engine oil. API CI-4 and ACEA E7 approved formula is suitable for use in continuously operating light commercial vehicles. Provides reliable engine protection and durability.

Features and Benefits

- Full protection for diesel engines of light commercial vehicles with API CI-4 approved formula.
- Thermal stability and anti-wear performance in engines operating under high load presents.
- With 7L large volume packaging, it is suitable for fleet management and bulk maintenance services.
-

Approvals and Specifications

API CI-4, ACEA E7, Ford WSS-M2C171-G1, Volkswagen 505.01, Mercedes-Benz 228.5, MAN M3277, Cummins CES 20076, Renault VI RLD





Heavy Duty Motor Oils

- 5W-30 Heavy Duty Diesel Oil



Product Description and Applications

HI-TECH 5W-30 HEAVY DUTY DIESEL OIL API CK-4 and ACEA E6/E11 approved fully synthetic. It is the highest level heavy duty diesel engine oil produced with technology. solid emission. It has been specially formulated for modern diesel engines that meet the standards.

Features and Benefits

- Meets the latest heavy-duty diesel engine requirements with API CK-4 and ACEA E6/E11 approval meets.
- With its low viscosity synthetic formula, it facilitates cold running and saves fuel.
- provides.
- Fully compatible with DPF and EGR systems; Maintains particle filter life.
-

Approvals and Specifications

API CK-4, ACEA E6/E11, Volvo VDS-4.5, MB 228.51, Caterpillar ECF-3, Cummins CES 20081, MAN M3677, Mack EO-O Premium Plus, Renault VI RXD



- 10W-40 Heavy Duty Diesel Oil



Product Description and Applications

HI-TECH 10W-40 HEAVY DUTY DIESEL OIL API CI-4 and ACEA E7/E9 approved synthetic Technology is heavy duty diesel engine oil. Trucks, buses and long distance vehicles Provides superior engine protection under demanding operating conditions.

Features and Benefits

- Reliable use in a wide range of vehicles with API CI-4 and ACEA E7/E9 double approval offers the opportunity.
- Advanced anti-wear formulated considering high torque and long distance
- Contains contributions.
- It reduces operating costs with long oil change intervals.
-

Approvals and Specifications

API CI-4, ACEA E4/E7/E9, Volvo VDS-3, MB 228.3, Caterpillar ECF-2, Cummins CES 20076, MAN M3275, Mack EO-N, Renault VI RLD



- 15W-40 Heavy Duty Diesel Oil



Product Description and Applications

HI-TECH 15W-40 HEAVY DUTY DIESEL OIL API CI-4 and ACEA C7 approved synthetic technology. It is a heavy duty engine oil. For diesel and gasoline engines operating in severe conditions. It is a multi-purpose formula that offers comprehensive protection.

Features and Benefits

- Wide use in diesel and gasoline heavy duty engines with its API CI-4 approved formula. provides.
- Superior thermal stability against oxidation and viscosity reduction at high temperatures presents.
- It extends maintenance intervals by keeping the engine interior clean under harsh operating conditions.
-

Approvals and Specifications

API CI-4, ACEA C7, MB 228.3, MAN M3275, Caterpillar ECF-2, Cummins CES 20076, Volvo VDS-3, Mack EO-N, Renault RLD

- SAE 30W Monograt Engine Oil



Product Description and Applications

HI-TECH SAE 30W MONOGRATE ENGINE OIL API CF/SG approved mineral based mono
It is a heavy duty engine oil with viscosity levels. Diesel in hot and constant operating conditions
Provides reliable lubrication for engines, agricultural and construction machinery.

Features and Benefits

- It is used in both diesel and gasoline engines with its API CF/SG approved monograde formula. available.
- It protects the engine by creating a stable oil film under constant load and hot climate conditions.
- It offers cost-effectiveness in a wide range of equipment with its economical mineral base oil.
-

Approvals and Specifications

API CF/SG, MIL-L-2104C



- SAE 40W Monograt Engine Oil



Product Description and Applications

HI-TECH SAE 40W MONOGRATE ENGINE OIL API CF/SG approved heavy duty mineral It is engine oil. Statoner engines operating in high temperature and heavy load conditions, Provides long-lasting protection for generators and industrial equipment.

Features and Benefits

- Stable oil film and strong engine protection in hot environments with its high viscosity presents.
- Ideal for stationary diesel engines, generators and heavy duty machines.
- It extends the life of engine components with anti-wear and corrosion additives.
-

Approvals and Specifications

API CF/SG, MIL-L-2104C



- SAE 50W Monograt Engine Oil



Product Description and Applications

HI-TECH SAE 50W MONOGRATE ENGINE OIL API CF/CF-4/SG approved high viscosity It is mineral engine oil. In extremely hot climates, old generation large volume diesel engines and Provides superior protection in industrial applications under high load.

Features and Benefits

- With its API CF/CF-4/SG triple approval, it offers reliable use in wide range of engine types.
- With its high viscosity index, it protects the integrity of the oil film at extreme temperatures.
- Strong anti-wear performance in large diameter engines and heavy load applications provides.

Approvals and Specifications

API CF/CF-4/SG, MIL-L-2104C



• PROGEN S



Product Description and Applications

HI-TECH Progen S is a high-performance engine oil developed for the lubrication of diesel engines used in compressors and generators. It aims for superior engine protection, clean operation and long equipment life under heavy operating conditions.

Features and Benefits

- It provides strong engine protection against wear and helps extend engine life.
- It supports engine cleanliness by controlling sediment and sludge formation.
- It resists high temperature conditions with its oxidation and thermal stability.
- It contributes to fuel efficiency and reliable performance.
- Protects engine parts against rust and corrosion.

Approvals and Specifications

API CF/CF-4/CG-4/CH-4/CJ-4, ACEA E7/E9, Cummins CES 20081, Detroit Diesel 93K218, Mack EO-O Premium Plus, Volvo VDS-4, MTU Type 2.1, Renault RLD-3



Motorcycle Oils

- 4T 10W-40 Motorcycle Oil



Product Description and Usage Areas

HI-TECH 4T 10W-40 MOTORCYCLE OIL for 4-stroke motorcycle engines

It is a performance engine oil. Functions both lubrication and power transmission

It is fully compatible with wet clutch systems with its JASO MA2 approved formula. every

Provides reliable engine protection and smooth gear shifting under all conditions.

Features and Benefits

- Special for 4-stroke motorcycle engines with wet clutch, with JASO MA2 approved formula
It was developed as.
- It extends engine life and performance by providing thermal stability at high rpm.
- protects.
It provides superior protection to piston, cylinder and bearing surfaces against wear.
-

Approvals and Specifications

API SL, JASO MA2



- 2T Motorcycle Oil



Features and Benefits

- It provides homogeneous lubrication with its excellent miscibility with gasoline.
- It offers environmentally friendly performance with low smoke and soot formation.
- It protects the piston and cylinder walls against wear at high speeds.

Approvals and Specifications

API TC, ISO-L-EGB, JASO FB





Gear and Transmission Oils

- 75W-80 Synthetic Gear Oil



Product Description and Applications

HI-TECH 75W-80 SYNTHETIC GEAR OIL API GL-4/GL-5 approved, fully synthetic formula. It is manual transmission and axle gear oil. Thanks to its low viscosity, it can be used easily in cold weather. Provides gear shifting and superior fuel economy.

Features and Benefits

- It offers low coefficient of friction and excellent fluidity with fully synthetic base oil.
- With its GL-4/GL-5 double approval, it allows use in a wide range of vehicles.
- It protects gear surfaces against wear with extreme pressure (EP) additives.
-

Approvals and Specifications

API GL-4/GL-5, ZF TE-ML 02B/08/17B/19B



- 75W-90 Synthetic Gear Oil



Product Description and Applications

HI-TECH 75W-90 SYNTHETIC GEAR OIL API GL-4/GL-5 approved fully synthetic gear and It is transmission oil. Passenger vehicles, light commercial vehicles and heavy duty vehicles It offers high performance in front/rear axles with its transmissions.

Features and Benefits

- It provides a continuous oil film to the gears with stable viscosity over a wide temperature range.
- It offers long oil change intervals with excellent oxidation and thermal stability.
- Thanks to its synthetic formula, it minimizes friction-related energy losses.

Approvals and Specifications

API GL-4/GL-5, MAN 341 Type E-1, ZF TE-ML 02B/05A/12L/16F/17B/19B/21A

- 80W-90 Synthetic Gear Oil



Product Description and Applications

HI-TECH 80W-90 SYNTHETIC GEAR OIL is an API GL-4/GL-5 approved synthetic gear oil. Reliable lubrication for manual transmissions, front/rear differentials and transfer cases provides protection.

Features and Benefits

- It protects gears under heavy load with its high EP (Extreme Pressure) performance.
- Water and moisture resistance is high; Provides effective lubrication even in wet conditions.
- It extends transmission life by reducing noise and vibration.
-

Approvals and Specifications

API GL-4/GL-5, MIL-L-2105D



- 85W-140 Synthetic Gear Oil



Product Description and Applications

HI-TECH 85W-140 SYNTHETIC GEAR OIL API GL-5 approved high viscosity synthetic gear oil. It is specially developed for rear axles and differentials of heavy-duty vehicles. It offers superior protection under high load and impact conditions.

Features and Benefits

- With API GL-5 approval, it is ideal for high torque and heavily loaded differentials.
- With its high viscosity, it prevents metal-metal contact and protects gear surfaces.
- It creates a reliable oil film in extreme temperature conditions.
-

Approvals and Specifications

API GL-5, MIL-L-2105D

- Gear 90W Mineral Gear Oil



Product Description and Applications

HI-TECH GEAR 90W MINERAL GEAR OIL is an API GL-4 approved mineral-based gear oil. It offers an economical and reliable lubrication solution for manual transmissions and axle gears. Compatible with a wide range of vehicles and equipment.

Features and Benefits

- It provides stable protection for manual transmissions with its API GL-4 approved mineral formula.
- It extends the life of gear components with anti-corrosion and anti-wear additives.
- It offers a wide range of applications in agricultural machinery, construction equipment and commercial vehicles.

Approvals and Specifications

API GL-4, MIL-L-2105

- Gear 140 Mineral Gear Oil



Product Description and Applications

HI-TECH GEAR 140 MINERAL GEAR OIL API GL-4 approved high viscosity mineral gear oil. It is oil. The choice for reliable gear protection in hot climates and harsh operating conditions is the classical formula.

Features and Benefits

- With its high viscosity mineral formula, it creates a reliable oil film in hot weather.
- It offers a suitable viscosity level for old generation transmission and axle systems.
- Gear surfaces are protected against high loads with extreme pressure additives.
-

Approvals and Specifications

API GL-4, MIL-L-2105



• GEARMAX 320



Product Description and Applications

HI-TECH Gearmax 320 is a heavy duty gear oil developed for high performance industrial gear systems. It provides reliable operation in reducers and gearboxes with high load carrying capacity, wear protection and thermal stability.

Features and Benefits

- It provides superior protection under heavy pressure with its high load carrying capacity.
- It extends gear life by providing effective protection against wear.
- It maintains its performance at high temperatures with its thermal and oxidation stability.
- Protects metal components against rust and corrosion.
- It provides smoother operation by reducing friction and noise.

Approvals and Specifications

ISO 12925-1 (CKD), AGMA 9005-E02 (EP), DIN 51517-3 (CLP), U.S. Steel 224, Flender (AIST), David Brown S1.53.101 (E), Cincinnati Milacron P-74, GM LS-2, MB 235.0, SEB 181 226, VOTH 3.325-340, FZG Test (A/8.3/90) > 12, Bosch Rexroth RE 90220, Siemens MD, ZF TE-ML 07A/08/16B/17B/19B/21A

• TRANSMAX D-II



Product Description and Applications

HI-TECH Transmax D-II is a transmission oil developed for automatic transmission systems at Dexron IID performance level. It offers reliable performance by providing smooth shifting, wear protection and foam control in heavy-duty applications.

Features and Benefits

- Provides long drainage and high performance by meeting Allison C3 requirements.
- It offers stable friction performance for smooth gear shifts.
- It helps to extend transmission life with its anti-wear structure.
- It maintains its performance at high temperatures with its thermal and oxidation stability.
- Protects components with corrosion and foam control.

Approvals and Specifications

Dexron IID, Allison C3



Marine Oils

- Marine 4T 10W-30



Product Description and Applications

HI-TECH MARINE 4T 10W-30 specially for 4-stroke outboard marine engines
 It is a formulated high performance engine oil. Heavy weather encountered in maritime
 Provides superior protection against harsh weather conditions and the corrosive environment of sea water.

Features and Benefits

- It was specially developed for 4-stroke outboard marine engines.
- Provides strong protection against corrosion and rust in salt water and humidity environments.
- It offers stable viscosity in engines operating at high temperatures and high speeds.
-

Approvals and Specifications

API SL, JASO MA2, NMMA FC-W



- Marine 2T TC-W3



Product Description and Applications

HI-TECH MARINE 2T TC-W3 NMMA approved for 2-stroke outboard marine engines
It is a specially designed engine oil. Wide range of engines with TC-W3 certification
Provides excellent lubrication and protection.

Features and Benefits

- NMMA TC-W3 approved formula, reliable protection across a wide range of brands and models provides.
- It keeps the engine clean by minimizing exhaust and piston sedimentation.
- It offers superior anti-corrosion properties against the aggressive conditions of the marine environment.
-

Approvals and Specifications

NMMA TC-W3, ISO-L-EGD



- Marine 4T 25W-40



Product Description and Applications

HI-TECH MARINE 4T 25W-40 for powerful 4 stroke outboard marine engines high
It is a specially formulated engine oil with high viscosity. High speed marine operating under heavy load
It offers superior protection and performance in its engines.

Features and Benefits

- For large power and high performance marine engines with its high viscosity is ideal.
- It prevents engine wear by creating a stable oil film during temperature changes.
- Special anti-corrosion additives that provide effective protection even in contact with sea water
- Contains.

Approvals and Specifications

API SL, JASO MA2, NMMA FC-W





Industrial Oils

- Hydra 32 Hydraulic Oil



Product Description and Applications

HI-TECH HYDRA 32 HYDRAULIC OIL ISO VG 32 viscosity level, high quality anti-wear hydraulic oil. In low viscosity systems, light duty hydraulic pump and It offers excellent performance in its engines. For long system life and clean operation has been specially formulated.

Features and Benefits

- Optimized viscosity-temperature for low heating and high efficiency characteristic
- It contains anti-wear additives that prevent wear on pumps, valves and cylinders.
- It provides protection against cavitation thanks to its water and air separation properties.
-

Approvals and Specifications

ISO VG 32, DIN 51524 Part 2 (HLP), VDMA 24318



- Hydra 46 Hydraulic Oil



Product Description and Applications

HI-TECH HYDRA 46 HYDRAULIC OIL multi-purpose in ISO VG 46 viscosity level

It is industrial hydraulic oil. Construction machinery, agricultural equipment and industrial hydraulics

It is the most commonly used viscosity level in systems. Superior thermal stability and long provides service life.

Features and Benefits

- It offers stable viscosity over a wide operating temperature range.
- It extends the life of pump and hydraulic components with high wear protection.
- It protects system integrity with anti-corrosion and oxidation additives.

Approvals and Specifications

ISO VG 46, DIN 51524 Part 2 (HLP), VDMA 24318



- Hydra 68 Hydraulic Oil



Product Description and Applications

HI-TECH HYDRA 68 HYDRAULIC OIL ISO VG 68 viscosity level, heavy duty
It is industrial hydraulic oil. Working under heavy load in high pressure systems
Provides superior protection for presses and large volume hydraulic equipment. thermal
It stands out with its improved resistance to degradation.

Features and Benefits

- With its high viscosity index, it remains stable without being affected by temperature changes.
- It offers excellent film strength under heavy load and high pressure conditions.
- It reduces operating costs with long oil change intervals.

Approvals and Specifications

ISO VG 68, DIN 51524 Part 2 (HLP), VDMA 24318



- Cutting Oil



Product Description and Applications

HI-TECH CUTTING OIL provides high lubrication and cooling in metal processing operations. It is a specially formulated cutting oil that offers high performance. Turning, milling, drilling and threading. It extends tool life, improves surface quality and prevents corrosion in opening operations. obstacles.

Features and Benefits

- It significantly extends the life of cutting tools with its high lubricity feature.
- It reduces surface roughness and improves processing quality with its effective cooling capacity.
- With its anti-corrosion formula, it protects the workpiece and bench against rust.

Approvals and Specifications

ISO 6743-7, DIN 51385



• AIRMAX S 46



Product Description and Applications

HI-TECH Airmax S 46 is a premium compressor oil developed for air compressors in ISO VG 46 class. It provides reliable protection in compressor systems that require industrial performance, thermal stability and long service life.

Features and Benefits

- It resists hot working conditions with high thermal stability.
- It supports the life of compressor parts with superior wear protection.
- It helps optimize maintenance intervals with a long service life.
- Protects system components against corrosion and rust formation.
- It offers reliable operation in industrial applications with its anti-wear performance.

Approvals and Specifications

ISO 6743-3A DAA/DAB/DAG/DAH, DIN 51506 VDL, DIN 51506 VCL/VCL/VDL, ISO 6521 (DAA/DAB/DAG/DAH), ISO 11158 (HM), ISO 12925-1 (CKD), GB 5903 L-DAB/L-DAG/L-DAH, JIS K 2213 Type 2, PNEUROP PN 100, AFNOR NF E 48-603 (HM), BS 489:1999, SEB 181 222, VDMA 24364

■ HYDRA PRO 15



Product Description and Applications

HI-TECH Hydra Pro 15 is premium hydraulic oil developed for superior performance and maximum protection in hydraulic systems. Provides reliable operation on construction equipment, industrial machinery, forklifts and agricultural equipment.

Features and Benefits

- It extends the life of hydraulic components with its anti-wear structure.
- Thanks to its oxidation stability, it resists mud and varnish formation.
- It maintains its thermal stability under high temperature conditions.
- Protects system parts against rust and corrosion.
- It helps keep the hydraulic system clean with superior filterability.

Approvals and Specifications

DIN 51524 Part 2 (HLP), ISO 11158 (HM), ISO 6743-4 (HM), AFNOR NF E 48-603 (HM), Cincinnati Milacron P-68, Denison HF-0/HF-1/HF-2, Eaton Vickers I-286-S, U.S. Steel 126/127/136, Bosch Rexroth RE 90220, SAE MS 1004, GM LS-2, JCMAS HK, MAG Denison (T6H20C), SEB 181 222

■ HYDRA PRO 46



Product Description and Applications

HI-TECH Hydra Pro 46 is premium hydraulic oil developed for heavy-duty hydraulic systems. It provides wear protection and system cleaning in construction, industrial, forklift and agricultural equipment operating under high pressure.

Features and Benefits

- It supports the life of hydraulic components with its anti-wear performance.
- Thanks to its oxidation stability, it reduces residue and varnish formation.
- Offers reliable thermal stability at high temperature.
- Protects system parts against rust and corrosion.
- It helps the system operate cleanly and efficiently with superior filterability.

Approvals and Specifications

DIN 51524 Part 2 (HLP), ISO 11158 (HM), ISO 6743-4 (HM), AFNOR NF E 48-603 (HM), Cincinnati Milacron P-68, Denison HF-0/HF-1/HF-2, Eaton Vickers I-286-S, U.S. Steel 126/127/136, Bosch Rexroth RE 90220, SAE MS 1004, GM LS-2, JCMAS HK, MAG Denison (T6H20C), SEB 181 222

• INSULMAX M



Product Description and Applications

HI-TECH Insulmax M is a premium insulation oil developed for transformers and electrical equipment. It offers reliable insulation performance with high dielectric strength, oxidation stability and thermal stability.

Features and Benefits

- It provides safe and stable insulation with its high dielectric strength.
- Thanks to its oxidation stability, it reduces sludge and sediment formation.
- It maintains its performance at high temperatures with its thermal stability.
- It adapts to different working conditions with its low temperature performance.
- Protects metal parts against corrosion and supports equipment life.

Approvals and Specifications

IEC 60296:2020 (Ed. 5.1), ASTM D3487, BS 148:2009, IS 335:2018 (Type II), IEEE C57.106, IEC 60422, JIS C 2320, GB/T 2536, Cooper Power, Siemens Spec. 03-9320, GEK 28143A (Type II), Alstom HTGD 90117

• TURBINE M 46



Product Description and Applications

HI-TECH Turbine M 46 is a premium quality anti-wear turbine oil developed for turbine systems. It provides reliable operation by providing thermal stability, water separation and system efficiency in steam, gas and hydro turbines.

Features and Benefits

- It resists oxidation and thermal degradation with high thermal stability.
- Protects system components against rust formation.
- It helps to separate oil from water quickly with its superior water separation performance.
- It ensures smooth and reliable operation by supporting system efficiency.
- It supports the life of turbine components with anti-wear protection.

Approvals and Specifications

ISO 6743-5 L-TSA/L-TGA, DIN 51515-1 L-TD/L-TG, Siemens TLV 9013 04, Alstom HTGD 90 117, GEK 32568F, MAN Turbo T 100/T 101, Solar ES 9-224 (Class II), IEC 60296 (Ed. 5), Cincinatti Milacron P-38, U.S. Steel 224, David Brown S1.53.101 (E), AGMA 9005-E02 (EP)

• TURBINE S



Product Description and Applications

HI-TECH Turbine S is premium turbine oil developed for steam and gas turbines and power generation systems. It provides long-term reliable operation with oxidation resistance, water separation performance and rust protection.

Features and Benefits

- It exhibits thermal stability and resistance to oxidation and thermal degradation.
- It supports equipment life with anti-wear protection.
- It extends oil life with its oxidation resistance and reduces deposit formation.
- Protects critical components with rust and corrosion protection.
- It separates water quickly with superior demulsibility.

Approvals and Specifications

ISO 6743-5 L-TSA/L-TGA, DIN 51515-1 L-TD/L-TG, Siemens TLV 9013 04, Alstom HTGD 90 117, GEK 32568F, MAN Turbo T 100/T 101, Solar ES 9-224 (Class II), IEC 60296 (Ed. 5)



Antifreeze / Coolant

- Antifreeze -37



Product Description and Applications

HI-TECH ANTIFREEZE -37 is an ethylene glycol based, -37°C coolant. Improved formula. It provides excellent protection for radiators suitable for special purpose use. a lot. Passenger vehicles, trucks, buses, tractors and work vehicles in cold and very hot environments. It protects the radiators of your machines against freezing and corrosion.

Features and Benefits

- Protects and maintains the cooling system by preventing corrosion and deposit formation. reduces its cost.
- It balances the engine temperature and helps the engine run at peak performance.
- happens. Plastic, rubber and sealing elements in the engine cooling system
- It is compatible.

Approvals and Specifications

ASTM D3306, D3564, D6210, SAE J 1034, TS 3582, BS 6580



- Antifreeze -56



Product Description and Applications

HI-TECH ANTIFREEZE -56 ethylene glycol based, high protection up to -56°C

It is a high performance coolant. Vehicles and vehicles operating in extremely cold climates and harsh conditions

It has been specially developed for the cooling systems of machines. against freezing

It offers maximum protection and anti-corrosion properties together.

Features and Benefits

- Provides superior protection against freezing up to minus 56°C.
- Protects aluminum, iron, steel and copper alloy cooling system components from corrosion.
- Protects against.
- Thanks to its high boiling point, it supports safe operation at extreme temperatures.
-

Approvals and Specifications

ASTM D3306, D3564, SAE J 1034, TS 3582, BS 6580, G-11



- Antifreeze Concentrate



Product Description and Applications

HI-TECH ANTIFREEZE CONCENTRATE high purity ethylene glycol based concentrated cooling
It is liquid. By mixing it with water in the desired ratio, protection can be provided between -15°C and -65°C.
It offers the ideal solution for commercial vehicles, construction equipment and industrial applications.

Features and Benefits

- The freezing point can be adjusted according to need by mixing it with water in different proportions.
- It effectively protects all metal surfaces, gaskets and hoses for a long time.
- Thanks to its concentrated formula, it provides economical use and easy storage.

Approvals and Specifications

ASTM D3306, D3564, D6210, SAE J 1034, TS 3582, BS 6580





HI-TECH OIL GREASE
LITHIUM EP GREASE
PREMIUM MULTIGRADE GREASE
FOR EXTREME PROTECTION

- EXCELLENT MORES MEMBRIC (3) PROTECTION
- EXCELLENT WATER RESISTANCE
- EXCELLENT ADHESION
- EXCELLENT OXIDATION RESISTANCE
- EXCELLENT RESISTANCE TO SHEAR & FRICTION
- EXCELLENT RESISTANCE TO WASH OIL & DIRT
- EXCELLENT RESISTANCE TO CORROSION
- EXCELLENT RESISTANCE TO OXIDATION



PRODUCT TYPE:
CALCIUM EP GREASE

THICKENER TYPE:
Calcium Soap

TEMPERATURE RANGE:
-20°C to +110°C

KEY FEATURES:

- Excellent Formability (RT) Performance
- Excellent Thixotropic Stability
- Excellent Oxidation & Sulfate Stability
- Excellent Adhesion & Coherence
- Excellent Resistance to Wash Oil & Dirt
- Excellent Resistance to Corrosion
- Excellent Resistance to Oxidation

TYPICAL APPLICATIONS:

- Industrial Motor Bearings
- Heavy Duty Machinery
- Agricultural Equipment
- Construction Equipment
- Marine Equipment



14
KILOGRAM
NET WEIGHT

ALL OF No. 2

WHITE DUTY | EXTREME PROTECTION | LONG SERVICE LIFE

AUTOMOTIVE | INDUSTRIAL | AGRICULTURE | CONSTRUCTION | MARINE

HI-TECH OIL GREASE
CALCIUM WHITE GREASE
PREMIUM MULTIGRADE GREASE
FOR EXTREME PROTECTION

PRODUCT TYPE:
CALCIUM WHITE GREASE

THICKENER TYPE:
Calcium Soap

TEMPERATURE RANGE:
-20°C to +110°C

- KEY FEATURES:
- Excellent Water Resistance
 - Excellent Mechanical Stability
 - Excellent Adhesion & Coherence
 - Excellent Resistance to Wash Oil & Dirt
 - Excellent Resistance to Corrosion
 - Excellent Resistance to Oxidation



TYPICAL APPLICATIONS:

- Industrial Motor Bearings
- Heavy Duty Machinery
- Agricultural Equipment
- Construction Equipment
- Marine Equipment

MULTIGRADE | EXTREME PROTECTION | LONG SERVICE LIFE

AUTOMOTIVE | INDUSTRIAL | AGRICULTURE | CONSTRUCTION | MARINE

- Calcium White Grease



Product Description and Applications

HI-TECH CALCIUM WHITE GREASE is a calcium-based multi-purpose grease. plastic and compatible with rubber parts; In applications requiring color and in the food industry It has been formulated to be usable. It maintains its stable structure over a wide temperature range.

Features and Benefits

- It is compatible with plastic, rubber and metal surfaces.
- Provides effective protection against moisture, water and corrosion.
- It remains stable over a wide temperature range (-30°C to +120°C).

Approvals and Specifications

DIN 51502, NLGI 2, ISO 6743-9



- Calcium Red Grease



Product Description and Applications

HI-TECH CALCIUM RED GREASE is a calcium based high temperature grease. heavy duty. It provides superior protection to bearings, joint shafts and chassis components operating under extreme conditions. It stands out with its structure resistant to high pressure and impact loads.

Features and Benefits

- Thanks to its high temperature resistance, it provides effective protection up to +180°C.
- It offers excellent film strength under heavy load and impact conditions.
- Water resistance is high; It does not come apart under rain and moisture.

Approvals and Specifications

DIN 51502, NLGI 2, ISO 6743-9



- Lithium EP Grease



Product Description and Applications

HI-TECH LITHIUM EP GREASE is a multi-purpose product with lithium soap EP (Extreme Pressure) additive. It is grease. Bearings, gears and chassis of automotive, industrial and agricultural equipment Provides reliable lubrication at points. Fleet and maintenance services with a wide range of usage It is an ideal choice for

Features and Benefits

- Multi-purpose use for bearings, ground points and general industrial applications.
- Provides strong protection against oxidation and chemical degradation.
- With its long service life, it extends lubrication intervals and reduces maintenance costs.

Approvals and Specifications

DIN 51502, NLGI 2, ISO 6743-9



- Calcium Rubber Green Grease



Product Description and Applications

HI-TECH CALCIUM RUBBER GREEN GREASE is a specially formulated calcium-based rubber additive. It is grease. Gears, joints and shafts of equipment and work machines operating under overload. Developed specifically for mattresses. It is fully compatible with rubber and plastic components.

Features and Benefits

- Thanks to its MoS₂ additive, it prevents metal-metal contact and reduces wear.
- Superior EP (Extreme Pressure) performance under high pressure and heavy load conditions presents.
- Ideal for construction machinery, agricultural equipment and heavy-duty applications.
-

Approvals and Specifications

DIN 51502, NLGI 2, ISO 6743-9, MIL-PRF-2105



• BALL VALVE GREASE



Product Description and Applications

HI-TECH Ball Valve Grease is a calcium complex soap-based premium multi-purpose grease developed for heavy-duty valve systems. It provides reliable protection in ball valve, plug valve and gate valve applications where sealing, high load carrying and long service life are required.

Features and Benefits

- It provides strong protection under high load with its extreme pressure (EP) performance.
- It offers high resistance to water, chemicals and corrosion.
- Provides excellent sealing and anti-leakage performance.
- It adheres strongly to the surface and maintains its permanence at the working point.
- It provides stable performance between -20°C and +150°C.

Approvals and Specifications

NLGI No. 2, EP performansı, su direnci, aşınma ve korozyon koruması

• CALCIUM COMPLEX GREASE



Product Description and Applications

HI-TECH Calcium Complex Grease is a calcium complex soap-based premium grease formulated for bearings, chassis and industrial equipment used under extreme pressure and heavy duty conditions. It offers multi-purpose use with high mechanical stability and long service...

Features and Benefits

- Provides effective lubrication and wear protection under extreme pressure (EP) conditions.
- It maintains its long-term performance with its high mechanical stability.
- It is resistant to water and corrosion.
- It offers strong adhesion and sealing properties.
- It is suitable for use between -20°C and +120°C.

Approvals and Specifications

NLGI No. 2, çok amaçlı kullanım, EP performansı, su direnci, uzun servis ömrü

• CALCIUM GREASE



Product Description and Applications

HI-TECH Calcium Grease is a calcium soap based premium multi-purpose grease developed for general lubrication applications. Provides reliable mechanical stability and water resistance in automotive, industrial machinery, agricultural and construction equipment.

Features and Benefits

- It offers reliable mechanical stability at general lubrication points.
- It has good resistance to water.
- Provides effective protection against rust and corrosion.
- It remains on the work surface with good adhesion and sealing properties.
- It is suitable for use between -20°C and +80°C.

Approvals and Specifications

NLGI No. 2, çok amaçlı kullanım, su direnci, pas koruması, uzun servis ömrü

• LITHMAX EP 3



Product Description and Applications

HI-TECH Lithmax EP 3 is a lithium soap based, premium multi-purpose EP grease with NLGI 3 consistency. It provides reliable protection in automotive, industrial, agricultural and construction equipment requiring extreme pressure, high mechanical stability and long service...

Features and Benefits

- Provides protection under heavy load with extreme pressure (EP) performance.
- It offers high mechanical stability and strong adhesion.
- It is resistant to water, rust and corrosion.
- It provides long service life with its oxidation and thermal stability.
- It provides stable performance between -20°C and +130°C.

Approvals and Specifications

NLGI No. 3, çok amaçlı kullanım, aşırı basınç koruması, uzun servis ömrü

● Why HI-TECH



One Brand. Built for Global Supply.

Designed as a complete oil family for automotive and industrial needs.

Designed for export with flexible packaging from 1 L bottles to 200 L drums.

Supported by technical guidance to match the right product to your market.

Distributor-friendly cooperation for long-term, repeatable supply.

